ILLUSTRATIVE / COVERAGE REPORT

Coverage that can be traced.

Harbor Service Desk
A fictional service-request application. This report demonstrates report layout and evidence traceability; it is not a bank report.

37.5%
Verified passing
3 of 8 requirements

6 / 8
With a test case
Case presence only

5
Open coverage gaps
Evidence or action needed

01 / What this snapshot proves

Three requirements have mapped automation that passed in the pinned run. Two have no mapped test, one has stale or failing evidence, and two await qualifying execution evidence.

Requirement state	Count	Share
Verified passing	3	37.5%
Awaiting execution evidence	2	25%
No test	2	25%
Stale or failing	1	12.5%

Case presence is not verified coverage. A blocked test is not a failure, and an unexecuted case is not a pass.

Scope: All 8 permitted UI/API requirements in the fictional application; no filters; 0 excluded.
Captured: 30 Oct 2026, 09:00 UTC+04:00
Generated: 30 Oct 2026, 09:05 UTC+04:00 (fixed sample timestamp)
Snapshot: DEMO-SNAPSHOT-014 · **Scan:** DEMO-SCAN-014
Run: DEMO-RUN-032 · DEMO-SIT

All source documents, identifiers and run outcomes are synthetic. No test execution was performed to produce this sample.

02 / Requirement traceability

All eight requirements are shown. The coverage denominator is the complete permitted requirement set; there are no excluded rows.

Requirement / module	Full requirement	Status / case
FR-SD-101 Approval	Prevent a requester from approving their own service request, including when the approval action is reached through a bookmarked URL	Verified passing TC-SD-101
FR-SD-102 Submission	Preserve the pending confirmation state when a submission response times out	Verified passing TC-SD-102
FR-SD-103 Audit	Record an approved request's actor, decision time and immutable request revision	Verified passing TC-SD-103
FR-SD-104 Access	Allow auditors to inspect a request without exposing editing or approval controls	No test No mapped case
FR-SD-105 Scheduling	Move a request scheduled on a non-working day to the next configured working day	No test No mapped case
FR-SD-106 Submission	Return the original request for a repeated submission carrying the same idempotency key	Stale or failing TC-SD-106
FR-SD-107 Approval	Require a non-empty explanation before a reviewer can reject a request	Awaiting execution evidence TC-SD-107
FR-SD-108 Documents	Preserve the attachment filename when an authorized reviewer downloads request evidence	Awaiting execution evidence TC-SD-108

Pinned run evidence

3 passed · 1 failed · 1 blocked. One additional reviewed case was not run because its automation is draft. The failed locator test does not establish a product defect.

Illustrative commit: a4e6c71d88f34b2196fc52d703a9b15e6240dd12

Read the frozen run excerpt on page 5. Sources and requirement clauses are included in the Excel companion.

03 / Decisions and recovery

Five requirements do not yet have passing evidence. These are distinct states with different next actions.

FR-SD-104 · No test

Allow auditors to inspect a request without exposing editing or approval controls

No reviewed manual case or automation is mapped to this requirement.

Next: Write and review an access test.
Owner: QA team (fictional) · **Source:** SRC-REQ §4.4

FR-SD-105 · No test

Move a request scheduled on a non-working day to the next configured working day

Calendar behaviour is documented, but no test case is mapped.

Next: Create a case using the versioned calendar fixture.
Owner: Scheduling QA (fictional) · **Source:** SRC-CAL §3.2

FR-SD-106 · Stale or failing

Return the original request for a repeated submission carrying the same idempotency key

Mapped automation failed after the confirmation locator changed; product behaviour is not established by this result.

Next: Review locator fix proposal before a future Git-triggered run.
Owner: Automation team (fictional) · **Source:** SRC-API §2.4

FR-SD-107 · Awaiting execution evidence

Require a non-empty explanation before a reviewer can reject a request

The test was blocked because its reviewer identity was unavailable.

Next: Restore the test identity; observe the next eligible pipeline run.
Owner: Environment support (fictional) · **Source:** SRC-REQ §4.7

FR-SD-108 · Awaiting execution evidence

Preserve the attachment filename when an authorized reviewer downloads request evidence

A reviewed case exists; automation remains in draft and has no qualifying run.

Next: Review the automation proposal and its evidence.
Owner: Automation team (fictional) · **Source:** SRC-REQ §4.8

04 / A complete case, not a title

The workbook contains all six cases and nineteen ordered steps. This page illustrates a long title, preconditions, assertion-level expectations and a source reference.

TC-SD-101 / r3 · FR-SD-101

A requester cannot approve their own request from either the request page or a direct approval URL

Review: Accepted · **Execution:** Passed in DEMO-RUN-032

Preconditions: A fictional pending request belongs to the current requester. The approval URL is supplied by a fixture, never guessed.

Role: requester · **Data need:** request.pending.owned-by-current-user

Step	Action	Expected result
1	Sign in as the requester test role and open the owned pending request.	The request details are visible and the Approve control is absent.
2	Open the fixture-provided approval URL for the same request.	Access is denied; the request remains pending.
3	Read the request state through the approved test fixture.	No approval decision or approver has been recorded.
4	Open the audit entry for the denied attempt as an authorized auditor.	The attempt is recorded as denied without any approval event.

Source: SRC-REQ §4.1 · Tags: FR-SD-101, matrix

Reusable workbook structure

Summary preserves scope, counts and versions. **Test cases** contains case identity, readiness and provenance. **Steps** preserves every ordered action and expected result. **Sources** embeds the frozen excerpts and can be reached through internal workbook links.

This general workbook is not an Octane import template. Downloading it does not sign off a story, approve a PR or initiate execution.

05 / Sources and provenance

Source excerpts are embedded so the evidence remains readable offline. Every source below was authored solely for this sample.

SRC-REQ · Harbor service request rules

Version 2.4 · Synthetic requirements authored for this design sample

4.1 Requesters must not approve their own requests, including via direct routes. Denied attempts create an audit event. 4.3 Every approval stores the actor, timestamp and exact request revision. 4.4 Auditors can inspect but cannot edit or approve. 4.7 Rejection requires a non-empty explanation and must retain the form on validation failure. 4.8 Authorized attachment downloads preserve the original filename and content.

SRC-API · Submission and confirmation contract

Version 1.7 · Synthetic API contract authored for this design sample

2.3 A timeout after server acceptance leaves confirmation pending until a status lookup resolves it; the UI must not claim success or failure prematurely. 2.4 Repeating a payload with its accepted idempotency key returns the original request identifier and creates no duplicate.

SRC-CAL · Working-day scheduling policy

Version 1.1 · Synthetic operations policy authored for this design sample

3.2 Requests scheduled on a non-working day move to the next working day in the configured, versioned calendar. The chosen date is shown before confirmation.

SRC-RUN · Frozen illustrative run evidence

Version DEMO-RUN-032 / artifact-r1 · Synthetic evidence, not an executed Harness or HyperExecute run

Environment DEMO-SIT; illustrative commit a4e6c71d88f34b2196fc52d703a9b15e6240dd12. TC-SD-101, 102 and 103 passed. TC-SD-106 failed at the confirmation locator. TC-SD-107 was blocked before execution by an unavailable test identity. TC-SD-108 was not included: its automation is draft. Summary: 3 passed, 1 failed, 1 blocked, 1 not run. Matrix did not trigger execution.

Report identity

DEMO-RPT-014 · DEMO-PACK-014
DEMO-SNAPSHOT-014 · sample-template/1.0 · sample-coverage/1.0
The PDF, HTML and coverage workbook use one frozen JSON fixture. The manifest records SHA-256 hashes for each file.