VSCode:
PS E:\DavidProjects\langchain_version_2> python.exe ...

It looks like you've hit a classic Windows "stub" issue. Even though you might have Python installed, Windows is trying to redirect you to the Microsoft Store instead of running your actual Python executable.

Here is how to fix this, ranked from the quickest fix to the most permanent one.

---

1. Disable the "App Execution Aliases" (Recommended)

Windows has a "fake" python.exe shortcut enabled by default that points to the Microsoft Store. You need to turn this off so it doesn't block your real installation.

1. Open the **Start Menu** and type **"Manage app execution aliases"**.
2. Find **python.exe** and **python3.exe** in the list.
3. Toggle both to **Off**.
4. Restart your VS Code terminal and try running `python .\main.py` again.

2. Use the Python Launcher (`py`)

Windows installs a "launcher" that is often more reliable than calling `python` directly. This launcher automatically finds the latest version of Python installed on your system.

- Try running: `py .\main.py`

3. Check your VS Code Interpreter

If the command line still fails, VS Code might not be synced with your Python path.

1. Press `Ctrl + Shift + P` and type **"Python: Select Interpreter"**.
2. Choose the version that says **"Recommended"** or points to your specific installation (e.g., `C:\Python312\python.exe`).
3. Once selected, kill your current terminal (the trash can icon) and open a new one. VS Code will often "auto-activate" the correct path for you.

Why is this happening?

Usually, this occurs because:

- Python was installed, but the **"Add Python to PATH"** checkbox was missed during installation.
- The Microsoft Store "placeholder" has a higher priority in your Environment Variables than your actual Python folder.

Ask anything

AI Mode All Images Videos News More Sign in

Feb 19, 2025 — Windows sometimes redirects python commands to the Microsoft Store. To prevent this:

LinkedIn

How to Fix "Python Was Not Found" Error on Windows: Disable App Execution Aliases

Jul 24, 2025 — This is a common problem caused by Windows redirecting your Python commands to the Microsoft Store. In this post, I'll walk you th...

DEV Community

pycharm and interpreter problem : r/pycharm

Feb 1, 2025 — From your screenshot it looks like you are on windows. Now, windows does not have a system Python like, for example, Linux.

Reddit

Show all

how to set venv

Since your terminal is currently showing the path `E:\DavidProjects\langchain_version_2`, here is how you set up a virtual environment (`venv`) right in that folder using the VS Code terminal.

1. Create the Environment

Run this command to create a folder named `.venv` that will hold your isolated Python and libraries: Real Python +1

powershell

```
python -m venv .venv
```

Use code with caution.

(If `python` still gives you the "not found" error, try `py -m venv .venv` instead) Reddit

2. Activate the Environment

To tell your terminal to start using that isolated environment, run the activation script: Python documentation +1

powershell

```
.\.venv\Scripts\Activate.ps1
```

Use code with caution.

AI Mode All Images Videos News More Sign in

1. Press `Ctrl + Shift + P` and type **"Python: Select Interpreter"**.
2. Select the one that starts with `Python 3.x.x ('.venv': venv)`.
3. VS Code will often show a pop-up asking if you want to use this for the workspace; click **Yes**. YouTube +4

4. Install your Packages

Now that `(.venv)` is visible in your prompt, any packages you install stay inside this project: W3Schools +1

powershell

```
pip install langchain
```

Use code with caution.

Would you like me to show you how to generate a `requirements.txt` file so you can easily recreate this environment later?

14 sites

This is HOW to create a Python Virtual Environment in VS ...

Jan 28, 2024 — when you have been using Python for a while you might have already noticed that there are quite some instances when a Python virtu...

YouTube · Thomas Janssen

Getting started with VS Code for Python

Sep 21, 2022 — Setup a Python environment. In case you haven't already done this, Python needs to be installed on the development machine. You ca...

Python GUIs

Python venv activation on vs code - r/django on Reddit

Jul 29, 2020 — Comments Section * 3hunnaff. • 6y ago. manage.py* I've made this same error multiple times too haha. * • 6y ago. Hey man, You migh...

Reddit

Show all

PS E:\DavidProjects\langchain_version_2>
.\.venv\Scripts\Activate.ps1...

That error means the `Activate.ps1` file doesn't exist at the path you provided, likely

```
ls .venv
```

Use code with caution.

- **If you see an error** (e.g., "Cannot find path"), the environment was never created. Re-run: `py -m venv .venv`.
- **If you see `bin` instead of `Scripts`**, you are likely using a Git Bash or Linux-style shell. Use: `source .venv/bin/activate`. GitHub +3

2. Bypass PowerShell Security

Even if the file exists, Windows often blocks it by default. Use this specific command to bypass the policy for just this session:

powershell

```powershell
Set-ExecutionPolicy -ExecutionPolicy RemoteSigned -Scope Process
```

Use code with caution.

Then try activating again:

powershell

```powershell
.\.venv\Scripts\Activate.ps1
```

Use code with caution.

AskPython +1

3. The "Zero-Effort" VS Code Method

If the terminal is giving you a headache, let VS Code do it for you:

1. Click the **Python version number** in the bottom-right corner of VS Code (or press `Ctrl+Shift+P` and type **"Python: Select Interpreter"**).
2. Select the one that says `('.venv': venv)`.
3. **Delete** your current terminal (click the trash can icon) and open a **New Terminal** (`Ctrl + Shift + ``).
4. VS Code will now automatically run the activation script for you every time you open a terminal. The freeCodeCamp Forum +1

These articles provide context on activating Python virtual environments in PowerShell and VS Code:

AI Mode All Images Videos News More Sign in

8 sites

python - Scripts directory is missing from Virtual Environment

Mar 31, 2022 — You have created a unix style venv within windows. This happens sometimes if you are using a WSL folder from windows, or using Bas...

Stack Overflow

venv windows: Missing venv/bin folder, should ... - GitHub

Sep 26, 2022 — Bug report. Entering into a venv environment on Windows doesn't work well. The command to enter into a virtual environment on Linu...

GitHub

& : File D:\vscode\.venv\Scripts\Activate.ps1 cannot be loaded ...

Sep 6, 2025 — 1 answer. Sort by: Most helpful. Francisco Montilla. 29,875 • Independent Advisor. Sep 6, 2025, 2:04 AM. Hi Bala! That message is ...

Microsoft Learn

Show all

PS E:\DavidProjects\langchain_version_2> pip install aiogram langchain-community langchain-openai langchain_groq...

Since your terminal doesn't recognize `pip` directly, you can use the **Python module flag** (`-m`), which is the most reliable way to run pip on Windows. Python.org

Run this exact command to install your packages:

powershell

```
python -m pip install aiogram langchain-community langchain-openai langchain_groc
```

Use code with caution.

Why use `python -m pip`?

- **Bypasses PATH Issues:** Even if `pip` isn't in your Windows environment variables, it is almost always accessible through the `python` command itself.
- **Guarantees Correct Environment:** It ensures the packages are installed specifically for the version of Python you are currently running (especially important when using a `venv`). Stack Overflow +3

Important: Check for Activation

Before running the install, look at your terminal prompt.

- **If you see `(.venv)`:** The command above will install the libraries **inside** your virtual

AI Mode All Images Videos News More Sign in

Use code with caution.

Did the installation complete successfully, or did you get a "Requirement already satisfied" message?

5 sites

'pip' not recognised command when installing packages

Mar 31, 2014 — * 2 Answers. Sorted by: Your python Scripts directory wasn't added to your Windows path. Typically, this path is C:\Python3x\Scrip...

Stack Overflow

My VS Code dont recognize the pip packages - Stack Overflow

Oct 13, 2022 — * 2 Answers. Sorted by: Whether there are multiple versions of python in your environment, which will make the pip installed in on...

Stack Overflow

Pip is not recognized? - Discussions on Python.org

Feb 1, 2025 — You can try this “py -m pip”. Here you call the python launcher py.exe which seems to work on your system. With “-m pip” you comma...

Python.org

Show all

Cursor IDE - I lost chat window - how to find it?

In **Cursor**, the chat window can sometimes "hide" because it has been toggled off or moved to a different layout. Here are the fastest ways to find it:

1. The Main Shortcut

The standard way to show or hide the AI chat sidebar is:

- **Windows/Linux:** `Ctrl + L`
- **Mac:** `Cmd + L` Medium +1

2. Check the Panel Toggle

If the shortcut above isn't working, you may have hidden the entire AI panel. Use this to toggle it:

- **Shortcut:** `Ctrl + Alt + B` (Windows) or `Cmd + Opt + B` (Mac)
- **Manual Fix:** Check the top-right corner of the editor. If you see a small "Gear" or

2. Type **"View: Reset View Locations"** and press Enter.
3. This will return all sidebars and the AI chat to their original factory positions. Cursor - Community Forum +4

4. Switch Between "Chat" and "Composer"

You might be looking for **Composer** (the multi-file editor) instead of the standard chat:

- **Open Composer:** `Ctrl + I` (Windows) or `Cmd + I` (Mac)
- **Toggle Modes:** If you are in "Agent" mode, use `Ctrl + E` (or `Cmd + E`) to switch back to the standard **Editor** layout where the chat icon is more visible. Medium +3

These community and tutorial resources can help you recover the AI chat window in Cursor IDE:

Cannot find toggle chat panel icon - Help - Cursor -...
Jan 22, 2026 — Cannot find toggle chat panel icon. ... There used to b...
Cursor - Community Forum

Getting Started with Cursor AI - Medium
Feb 12, 2025 — AI Chat Sidebar. On the right side, there's an AI chat...
Medium

Did the `Ctrl + L` shortcut bring it back, or does the panel appear empty when you try to open it?

20 sites

How to restore the default view - Cursor - Community Forum
Feb 18, 2025 — How to restore the default view. ... I dragged Chat from the auxiliary panel to the main panel, and now I want to restore its orig...
Cursor - Community Forum

Missing side bar button for chat - Cursor - Community Forum
Jan 9, 2026 — Hey, thanks for the feedback! The chat collapse button was intentionally removed in Cursor 2.3 in favor of customizable layouts. C...
Cursor - Community Forum

Chat window toggle button disappeared - Bug Reports - Cursor
Jan 6, 2026 — Hey, thanks for the report. ... How to open and close chat now: * Use hotkeys: Cmd+I or Cmd+L to toggle the Sidepanel. * Cmd+E to ...
Cursor - Community Forum

Show all

```
from aiogram import Bot, Dispatcher, types
from langchain_openai import ChatOpenAI  # или Ollama д...
```

1. Stateless Architecture

Unlike a human or a traditional database, the Groq API does not "store" your session.

- When you send a request to Groq, their servers see it as a **brand new event**.
- They do not store your User ID or your previous messages because doing so for millions of users would require massive database infrastructure on their end.
- By staying stateless, the API remains incredibly fast and cheaper to operate.

2. The "Context Window" is your responsibility

In LLM development, "Memory" is actually just an illusion created by the developer. To make the bot "remember," you must send the previous parts of the conversation back to the model every single time.

- **Request 1:** "Hi, my name is David."
- **Request 2:** "What is my name?" → Groq will say "I don't know" **unless** you send: `[{"role": "user", "content": "Hi, my name is David"}, {"role": "user", "content": "What is my name?"}]`.

3. Why User IDs matter to YOU, not Groq

Since you are building a Telegram bot, multiple people will use it at once.

- If **User A** asks about "Apples" and **User B** asks about "Oranges," you don't want the bot to mix them up.
- Groq doesn't care about the User ID, but **your code** uses the User ID to fetch the correct "folder" of history from `user_conversations` so you can send the right context to Groq.

How your code is currently handling this:

Your code is actually doing a great job of managing this "illusion" of memory. Here is what happens in your `handle_message` function:

1. **Retrieve:** You look up `user_conversations[user_id]`.
2. **Append:** You add the new message.
3. **Context Management:** You use `MAX_TURNS_FOR_MODEL` to make sure you don't send *too much* text (which would cost more or hit limit errors).
4. **Compression:** You use `summarize_dialog` to shrink old memories into a small paragraph.

A Small Correction in your Code

In your current code, you are sending a list of `HumanMessage` and `AIMessage` objects. However, when you do the summary:

```python
```

Pro Tip: It is better to label the summary as a **SystemMessage**. This tells the model "This isn't a user talking; this is a factual instruction about the past."

Comparison: Why not use Assistants API?

Some providers (like OpenAI) have an "Assistants API" that stores threads on *their* servers.

- **Groq** does not have this yet; they focus on pure speed (Inference).
- Even with OpenAI's Assistants, you still have to manage a `thread_id` associated with your Telegram `user_id`.

Would you like me to show you how to move your `user_conversations` from local memory to a database (like SQLite) so the bot doesn't forget everything if you restart the script?

model = ChatGroq(api_key=GROQ_API_KEY, model="llama-3.3-70b-versatile")...

In LangChain, `ChatGroq` inherits from the standard `BaseChatModel` class. Here are the primary methods you will use to interact with **Llama 3.3** on Groq:

1. `invoke()` (The Standard Method)

The most common way to get a response. It takes a list of messages and returns a single `BaseMessage` (usually an `AIMessage`).

python

```python
response = model.invoke([HumanMessage(content="Hello!")])
# Access text via: response.content
```

Use code with caution.

2. `stream()` (For Real-time UI)

Groq is famous for speed. Use this to yield tokens as they are generated so the user doesn't wait for the full paragraph.

3. `batch()` (Parallel Processing)

If you have 10 users sending messages at once, `batch` runs them in parallel using worker threads, which is much faster than a `for` loop.

python

```python
responses = model.batch([
    [HumanMessage(content="Explain quantum physics")],
    [HumanMessage(content="Explain baking a cake")]
])
```

Use code with caution.

4. `ainvoke()`, `astream()`, `abatch()` (Async Versions)

Since you are using **aiogram** (which is an `async` library), you should ideally use the async versions to avoid "blocking" your bot's execution:

python

```python
# In your handle_message function:
response = await model.ainvoke(history_for_model)
```

Use code with caution.

5. `bind_tools()` (Agentic Behavior)

Used to give the model access to external functions (like a weather API or database lookup).

python

```python
# model_with_tools = model.bind_tools([your_function_here])
```

Use code with caution.

6. `with_structured_output()`

One of the most powerful methods. You can pass a **Pydantic model** to this method, and Groq will guarantee the response is a valid JSON object matching your schema instead of just a string.

- Check the Langchain Structured Output Guide for implementation details.

7. `get_num_tokens()`

from langchain_core.messages import HumanMessage
what methods are?

In LangChain, `HumanMessage` is a simple data object (a "Plain Old Python Object") used to represent a message from the user. Because its primary job is to hold data, it doesn't have many complex behavioral methods, but it has several important properties and utility methods.

Here are the most relevant parts of a `HumanMessage`:

1. The `content` Property

This is the most used attribute. It holds the actual text string sent by the user.

python

```python
msg = HumanMessage(content="Hello, world!")
print(msg.content) # Output: Hello, world!
```

Use code with caution.

2. `type` Attribute

Every message object has a `.type` property. For `HumanMessage`, this is always set to `"human"`. This is how LangChain's internal logic distinguishes between a user, an AI, and a system message.

3. `additional_kwargs`

This is a dictionary used to store provider-specific data (like specific metadata for Groq or OpenAI) that doesn't fit into the standard message format.

Key Methods

`.pretty_print()`

A very useful method for debugging in your terminal. It prints the message in a color-coded, readable format.

python

```python
msg.pretty_print()
# Output: ================================ Human Message =================================
# Hello, world!
```

python

```python
data = msg.dict()
# Returns: {'content': 'Hello, world!', 'additional_kwargs': {}, 'type': 'human',
```

Use code with caution.

`.to_json()`

Returns a JSON-serializable representation of the message. This is helpful if you want to save your `user_conversations` history to a file or database.

Important Distinction: `HumanMessage` vs. `SystemMessage` vs. `AIMessage`

When building your history, you will likely use these three in tandem:

Class	Purpose
`HumanMessage`	What the user typed.
`AIMessage`	What the model (Groq) responded with.
`SystemMessage`	Instructions given to the model (e.g., "You are a helpful assistant").

Recommended Change for your Code

In your current code, you are using `HumanMessage` for the **summary**. It is technically better to use a `SystemMessage` for that, so the AI knows it's a structural instruction rather than a user talking:

python

```python
from langchain_core.messages import SystemMessage

# Instead of HumanMessage for the summary:
summary_message = SystemMessage(
    content=f"Summary of previous conversation: {summary_text}"
)
```

Use code with caution.

Would you like me to show you how to use `AIMessage` to correctly save the bot's own responses into your `user_conversations` list?