



vol-099e2e559abb2a178

i-0a190dd3993eec84d

https://us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#AttachVolume:volumeId=vol-099e2e559abb2a178

aws | Search [Alt+S] | Ask Amazon Q | United States (N. Virginia) | Account ID: 6546-5447-8122 | bsajonero@unal.edu.co

EC2 > Volumes > vol-099e2e559abb2a178 > Attach volume

Basic details

Volume ID

vol-099e2e559abb2a178 (sajo-lab)

Availability Zone

use1-az1 (us-east-1a)

Instance | Info

i-0a190dd3993eec84d
(sajo 26-02) (running)

Only instances in the same Availability Zone as the selected volume are displayed.

Device name | Info

/dev/sdc

Recommended device names for Linux: /dev/xvda for root volume. /dev/sd[f-p] for data volumes.

Newer Linux kernels may rename your devices to **/dev/xvdf** through **/dev/xvdp** internally, even when the device name entered here (and shown in the details) is **/dev/sdf** through **/dev/sdp.**

CloudShell | Feedback | Console Mobile App | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

19°C Mostly cloudy | Buscar | ESP LAA | 18:41 26/02/2026

ec2-user@ip-172-31-12-46:~

```
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~._.   _/
         _/ _/
       _/m/'
Last login: Thu Feb 26 23:27:02 2026 from 186.84.20.130
[ec2-user@ip-172-31-12-46 ~]$ lsblk
NAME          MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
nvme0n1       259:0    0   8G  0 disk
├nvme0n1p1    259:1    0   8G  0 part /
├nvme0n1p127  259:2    0   1M  0 part
└nvme0n1p128  259:3    0  10M  0 part /boot/efi
nvme1n1       259:4    0   1G  0 disk
[ec2-user@ip-172-31-12-46 ~]$ df -h
Filesystem        Size  Used Avail Use% Mounted on
devtmpfs          4.0M     0  4.0M   0% /dev
tmpfs             459M     0  459M   0% /dev/shm
tmpfs             184M  452K  183M   1% /run
/dev/nvme0n1p1    8.0G  1.6G  6.4G  20% /
tmpfs             459M     0  459M   0% /tmp
/dev/nvme0n1p128   10M  1.3M  8.7M  13% /boot/efi
tmpfs              92M     0   92M   0% /run/user/1000
[ec2-user@ip-172-31-12-46 ~]$
```


https://us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Volumes:v=3;search=:sajo
Account ID: 6546-5447-8122
bsajonero@unal.edu.co
United States (N. Virginia)
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
AMI Catalog
Elastic Block Store
Volumes
Snapshots
Lifecycle Manager
Network & Security
Security Groups
Elastic IPs
Successfully attached volume vol-099e2e559abb2a178 to instance i-0a190dd3993eec84d.
Volumes (2) Info
Recycle Bin
Actions
Create volume
Clear filters
Name
Volume ID
Type
Size
IOPS
Throughput
Snapshot ID
vol-06dfec9014550f20b
gp3
8 GiB
3000
125
snap-0c00a6b
Fault tolerance for all volumes in this Region
Snapshot summary
Last updated on Thu, Feb 26, 2026, 06:32:04 PM (GMT-05:00)
Recently backed up volumes / Total # volumes
0 / 32
Data Lifecycle Manager default policy for EBS Snapshots status
Failed to fetch default policy status
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


ec2-user@ip-172-31-10-101:~
ec2-user@100.31.119.237: Permission denied (publickey,gssapi-keyex,gssapi-with-mic).
PS C:\Users\Lenovo\downloads> ssh -i "C:\Users\Lenovo\Downloads\sajito.pem" ec2-user@100.31.119.237
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-172-31-10-101 ~]$ lsblk
NAME MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
nvme0n1 259:0 0 8G 0 disk
├nvme0n1p1 259:1 0 8G 0 part /
├nvme0n1p127 259:2 0 1M 0 part
└nvme0n1p128 259:3 0 10M 0 part /boot/efi
nvme1n1 259:4 0 8G 0 disk
[ec2-user@ip-172-31-10-101 ~]$ sudo mkfs -t xfs /dev/nvme1n1
meta-data=/dev/nvme1n1 isize=512 agcount=8, agsize=262144 blks
= sectsz=512 attr=2, projid32bit=1
= crc=1 finobt=1, sparse=1, rmapbt=0
= reflink=1 bigtime=1 inobtcount=1 nrext64=0
= exchange=0
data = bsize=4096 blocks=2097152, imaxpct=25
= sunit=1 swidth=1 blks
naming =version 2 bsize=4096 ascii-ci=0, ftype=1, parent=0
log =internal log bsize=4096 blocks=16384, version=2
= sectsz=512 sunit=1 blks, lazy-count=1

```
         =                       crc=1        finobt=1, sparse=1, rmapbt=0
         =                       reflink=1    bigtime=1 inobtcount=1 nrext64=0
         =                       exchange=0
data     =                       bsize=4096   blocks=2097152, imaxpct=25
         =                       sunit=1      swidth=1 blks
naming   =version 2              bsize=4096   ascii-ci=0, ftype=1, parent=0
log      =internal log           bsize=4096   blocks=16384, version=2
         =                       sectsz=512   sunit=1 blks, lazy-count=1
realtime =none                   extsz=4096   blocks=0, rtextents=0
[ec2-user@ip-172-31-10-101 ~]$ sudo mkdir /data
[ec2-user@ip-172-31-10-101 ~]$ sudo mkdir /mnt/logs
sudo mount /dev/nvme1n1 /mnt/logs
[ec2-user@ip-172-31-10-101 ~]$ df -h
Filesystem        Size  Used Avail Use% Mounted on
devtmpfs          4.0M     0  4.0M   0% /dev
tmpfs             459M     0  459M   0% /dev/shm
tmpfs             184M  440K  183M   1% /run
/dev/nvme0n1p1    8.0G  1.6G  6.4G  20% /
tmpfs             459M     0  459M   0% /tmp
/dev/nvme0n1p128   10M  1.3M  8.7M  13% /boot/efi
tmpfs              92M     0   92M   0% /run/user/1000
/dev/nvme1n1      8.0G   90M  7.9G   2% /mnt/logs
[ec2-user@ip-172-31-10-101 ~]$ lsblk
NAME          MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
nvme0n1       259:0    0   8G  0 disk
├─nvme0n1p1   259:1    0   8G  0 part /
├─nvme0n1p127 259:2    0   1M  0 part
└─nvme0n1p128 259:3    0  10M  0 part /boot/efi
nvme1n1       259:4    0   9G  0 disk /mnt/logs
[ec2-user@ip-172-31-10-101 ~]$
```

```
realtime =none                   extsz=4096   blocks=0, rtextents=0
[ec2-user@ip-172-31-10-101 ~]$ sudo mkdir /data
[ec2-user@ip-172-31-10-101 ~]$ sudo mkdir /mnt/logs
sudo mount /dev/nvme1n1 /mnt/logs
[ec2-user@ip-172-31-10-101 ~]$ df -h
Filesystem        Size  Used Avail Use% Mounted on
devtmpfs          4.0M     0  4.0M   0% /dev
tmpfs             459M     0  459M   0% /dev/shm
tmpfs             184M  440K  183M   1% /run
/dev/nvme0n1p1    8.0G  1.6G  6.4G  20% /
tmpfs             459M     0  459M   0% /tmp
/dev/nvme0n1p128   10M  1.3M  8.7M  13% /boot/efi
tmpfs              92M     0   92M   0% /run/user/1000
/dev/nvme1n1      8.0G   90M  7.9G   2% /mnt/logs
[ec2-user@ip-172-31-10-101 ~]$ lsblk
NAME          MAJ:MIN RM SIZE RO TYPE MOUNTPOINTS
nvme0n1       259:0    0   8G  0 disk
├─nvme0n1p1   259:1    0   8G  0 part /
├─nvme0n1p127 259:2    0   1M  0 part
└─nvme0n1p128 259:3    0  10M  0 part /boot/efi
nvme1n1       259:4    0   9G  0 disk /mnt/logs
[ec2-user@ip-172-31-10-101 ~]$ nano /home/ec2-user/test_cron.sh
[ec2-user@ip-172-31-10-101 ~]$
```

```
ec2-user@ip-172-31-10-101:~

Total download size: 147 k
Installed size: 341 k
Downloading Packages:
(1/2): cronie-1.5.7-1.amzn2023.0.2.x86_64.rpm                                  2.8 MB/s | 115 kB     00:00
(2/2): cronie-anacron-1.5.7-1.amzn2023.0.2.x86_64.rpm                          718 kB/s |  32 kB     00:00
--------------------------------------------------------------------------------------------------------------
Total                                                                          1.7 MB/s | 147 kB     00:00
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing        :                                                                                      1/1
  Installing       : cronie-anacron-1.5.7-1.amzn2023.0.2.x86_64                                           1/2
  Running scriptlet: cronie-anacron-1.5.7-1.amzn2023.0.2.x86_64                                           1/2
  Installing       : cronie-1.5.7-1.amzn2023.0.2.x86_64                                                   2/2
  Running scriptlet: cronie-1.5.7-1.amzn2023.0.2.x86_64                                                   2/2
Created symlink /etc/systemd/system/multi-user.target.wants/crond.service → /usr/lib/systemd/system/crond.service.

  Verifying        : cronie-1.5.7-1.amzn2023.0.2.x86_64                                                   1/2
  Verifying        : cronie-anacron-1.5.7-1.amzn2023.0.2.x86_64                                           2/2

Installed:
  cronie-1.5.7-1.amzn2023.0.2.x86_64                    cronie-anacron-1.5.7-1.amzn2023.0.2.x86_64

Complete!
[ec2-user@ip-172-31-10-101 ~]$ sudo systemctl enable crond
sudo systemctl start crond
sudo systemctl status crond
```

```
ec2-user@ip-172-31-10-101:~

  Installing       : cronie-1.5.7-1.amzn2023.0.2.x86_64                                                   2/2
  Running scriptlet: cronie-1.5.7-1.amzn2023.0.2.x86_64                                                   2/2
Created symlink /etc/systemd/system/multi-user.target.wants/crond.service → /usr/lib/systemd/system/crond.service.

  Verifying        : cronie-1.5.7-1.amzn2023.0.2.x86_64                                                   1/2
  Verifying        : cronie-anacron-1.5.7-1.amzn2023.0.2.x86_64                                           2/2

Installed:
  cronie-1.5.7-1.amzn2023.0.2.x86_64                    cronie-anacron-1.5.7-1.amzn2023.0.2.x86_64

Complete!
[ec2-user@ip-172-31-10-101 ~]$ sudo systemctl enable crond
sudo systemctl start crond
sudo systemctl status crond
● crond.service - Command Scheduler
     Loaded: loaded (/usr/lib/systemd/system/crond.service; enabled; preset: enabled)
     Active: active (running) since Fri 2026-02-27 00:30:53 UTC; 63ms ago
   Main PID: 26902 (crond)
      Tasks: 1 (limit: 1067)
     Memory: 1004.0K
        CPU: 10ms
     CGroup: /system.slice/crond.service
             └─26902 /usr/sbin/crond -n

Feb 27 00:30:53 ip-172-31-10-101.ec2.internal systemd[1]: Started crond.service - Command Scheduler.
Feb 27 00:30:53 ip-172-31-10-101.ec2.internal crond[26902]: (CRON) STARTUP (1.5.7)
Feb 27 00:30:53 ip-172-31-10-101.ec2.internal crond[26902]: (CRON) INFO (Syslog will be used instead of sendmail.)
Feb 27 00:30:53 ip-172-31-10-101.ec2.internal crond[26902]: (CRON) INFO (RANDOM_DELAY will be scaled with factor 47% if>
Feb 27 00:30:53 ip-172-31-10-101.ec2.internal crond[26902]: (CRON) INFO (running with inotify support)
lines 1-15/15 (END)
```

```
ec2-user@ip-172-31-10-101:~
"/tmp/crontab.k6hqHV" 0L, 0B                                    0,0-1         All
```

```
ec2-user@ip-172-31-10-101:~
* * * * * echo "Hola cron $(date)" >> /home/ec2-user/cron_demo.txt
:wq
```

```
ec2-user@ip-172-31-10-101:~

     Active: active (running) since Fri 2026-02-27 00:30:53 UTC; 63ms ago
   Main PID: 26902 (crond)
      Tasks: 1 (limit: 1067)
     Memory: 1004.0K
        CPU: 10ms
     CGroup: /system.slice/crond.service
             └─26902 /usr/sbin/crond -n

Feb 27 00:30:53 ip-172-31-10-101.ec2.internal systemd[1]: Started crond.service - Command Scheduler.
Feb 27 00:30:53 ip-172-31-10-101.ec2.internal crond[26902]: (CRON) STARTUP (1.5.7)
Feb 27 00:30:53 ip-172-31-10-101.ec2.internal crond[26902]: (CRON) INFO (Syslog will be used instead of sendmail.)
Feb 27 00:30:53 ip-172-31-10-101.ec2.internal crond[26902]: (CRON) INFO (RANDOM_DELAY will be scaled with factor 47% if>
Feb 27 00:30:53 ip-172-31-10-101.ec2.internal crond[26902]: (CRON) INFO (running with inotify support)
~
~
~
~
~
~
~
~
~
~
~
~
~
[ec2-user@ip-172-31-10-101 ~]$ crontab -e
no crontab for ec2-user - using an empty one
crontab: installing new crontab
[ec2-user@ip-172-31-10-101 ~]$
```

```
~
~
~
~
~
~
~
~
~
[ec2-user@ip-172-31-10-101 ~]$ crontab -e
no crontab for ec2-user - using an empty one
crontab: installing new crontab
[ec2-user@ip-172-31-10-101 ~]$ crontab -l
* * * * * echo "Hola cron $(date)" >> /home/ec2-user/cron_demo.txt
[ec2-user@ip-172-31-10-101 ~]$ cat /home/ec2-user/cron_demo.txt
Hola cron Fri Feb 27 00:45:02 UTC 2026
[ec2-user@ip-172-31-10-101 ~]$
```