
beanstalk
Iniciar respaldo
beanstalk
Buscar en beanstalk
Nuevo
Ordenar
Ver
Detalles
Inicio
Galería
alejandro - Personal
alejandro - Personal
Escritorio
Descargas
Documentos
Imágenes
Música
Videos
beanstalk
Este equipo
Red
Nombre
Fecha de modificación
Tipo
Tamaño
app.js
09/03/2026 19:48
Archivo JavaScript
1 KB
package.json
09/03/2026 19:49
Archivo JSON
1 KB
2 elementos


https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment
Chat
aws
Search
[Alt+S]
United States (N. Virginia)
Account ID: 6546-5447-8122
bsajonero@unal.edu.co
Elastic Beanstalk
Create environment
Elastic Beanstalk
Applications
Environments
Change history
Step 1
Configure environment
Step 2
Configure service access
Step 3 - optional
Set up networking, database, and tags
Step 4 - optional
Configure instance traffic and scaling
Step 5 - optional
Configure updates, monitoring, and logging
Step 6
Review
Configure environment Info
Environment tier Info
Amazon Elastic Beanstalk has two types of environment tiers to support different types of web applications.
Web server environment
Run a website, web application, or web API that serves HTTP requests. Learn more
Worker environment
Run a worker application that processes long-running workloads on demand or performs tasks on a schedule. Learn more
Application information Info
Application name
web-nodejs-sajo
Maximum length of 100 characters.
CloudShell
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 6546-5447-8122 | bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

Elastic Beanstalk

- Applications
- Environments
- Change history

Check availability

▶ **Environment description**

Platform Info

Platform

Node.js

Platform branch

Node.js 24 running on 64bit Amazon Linux 2023

Platform version

6.8.0 (Recommended)

CloudShell | Feedback | Console Mobile App | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Tomorrow's high
To tie record

Buscar | ESP LAA | 20:15 09/03/2026

MÓDULO 2 - OneDrive | Configure environment | Elastic Be | Documento sin título - Document | ChatGPT

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 6546-5447-8122 | bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

Elastic Beanstalk

- Applications
- Environments
- Change history

Application code Info

- ○ Sample application
- ○ Existing version
  Application versions that you have uploaded.
- ◉ Upload your code
  Upload a source bundle from your computer or copy one from Amazon S3.

Version label

Unique name for this version of your application code.

Version label

Source code origin. Maximum size 500 MB

- ◉ Local file

Upload application

Choose file

File name: **deploy.zip**

File must be less than 500MB max file size

- ○ Public S3 URL

CloudShell | Feedback | Console Mobile App | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

18°C
Partly cloudy

Buscar | ESP LAA | 20:30 09/03/2026

MÓDULO 2 - OneDrive | Configure service access | Elastic B | Documento sin título - Document | ChatGPT

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

Account ID: 6546-5447-8122
bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

Elastic Beanstalk

- Applications
- Environments
- Change history

Step 3 - *optional*
Set up networking, database, and tags

Step 4 - *optional*
Configure instance traffic and scaling

Step 5 - *optional*
Configure updates, monitoring, and logging

Step 6
Review

IAM roles, assumed by Elastic Beanstalk as a service role, and EC2 instance profiles allow Elastic Beanstalk to create and manage your environment. Both the IAM role and instance profile must be attached to IAM managed policies that contain the required permissions. Learn more

Service role
Choose an IAM role for Elastic Beanstalk to assume as a service role. The IAM role must have the required IAM managed policies.

aws-elasticbeanstalk-service-role

Create role

EC2 instance profile
Choose an IAM instance profile with managed policies
operations.

aws-elasticbeanstalk-ec2-role

Create role

Microsoft Teams
Externo Cloud Cohorte 2
Formación Cloud: Ha enviado una imagen
Envíe una respuesta rápida

EC2 key pair - *optional*
Select an EC2 key pair to securely log in to your EC2 instances. Learn more

Choose a key pair

CloudShell | Feedback | Console Mobile App | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

18°C Partly cloudy | Buscar | ESP LAA | 20:36 09/03/2026

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

Account ID: 6546-5447-8122
bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

- **Set up networking, database, and tags**
- Step 4 - *optional* Configure instance traffic and scaling
- Step 5 - *optional* Configure updates, monitoring, and logging
- Step 6 Review

addresses to the instances. Learn more

VPC
Launch your environment in a custom VPC instead of the default VPC. You can create a VPC and subnets in the VPC management console. Learn more

vpc-00f479057476a2db8 | (172.31.0.0/16) | VPC-Produccion

Create VPC

Public IP address
Assign a public IP address to the Amazon EC2 instances in your environment.

☐ Enable

Instance subnets

subnet-00227b47a5f26ec04 | 1 matches

☑	Availability...	Subnet	CIDR	Name
☑	us-east-1a	subnet-002...	172.31.0.0/...	

Database Info

CloudShell | Feedback | Console Mobile App | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

18°C Partly cloudy | Buscar | ESP LAA | 20:39 09/03/2026

MÓDULO 2 - OneDrive | Configure instance traffic and scal | Documento sin título - Document | ChatGPT

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

Search [Alt+S] | United States (N. Virginia) | Account ID: 6546-5447-8122 | bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

- Configure service access
- Step 3 - *optional* Set up networking, database, and tags
- Step 4 - *optional* **Configure instance traffic and scaling**
- Step 5 - *optional* Configure updates, monitoring, and logging
- Step 6 Review

Instances Info

Configure the Amazon EC2 instances that run your application.

Root volume (boot device)

Root volume type	Size	IOPS	Throughput
The type of storage for the root volume attached to each instance.	The number of gigabytes of the root volume attached to each instance.	Input/output operations per second for a provisioned IOPS (SSD) volume.	The desired throughput for the Amazon EBS root volume attached to your environment's EC2 instance
Provisioned IOPS (SSD)	10 GB	3000 IOPS	125 MiB/s

Amazon CloudWatch monitoring

The time interval between when metrics are reported from the EC2 instances

Monitoring interval

5 minute

Instance metadata service (IMDS)

Your environment's platform supports both IMDSv1 and IMDSv2. To enforce IMDSv2, deactivate IMDSv1. Learn more

CloudShell | Feedback | Console Mobile App | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

18°C Partly cloudy | Buscar | ESP LAA | 20:45 09/03/2026

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

Search [Alt+S] | United States (N. Virginia) | Account ID: 6546-5447-8122 | bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

Instance metadata service (IMDS)

Your environment's platform supports both IMDSv1 and IMDSv2. To enforce IMDSv2, deactivate IMDSv1. Learn more

IMDSv1

With the current setting, the environment enables only IMDSv2.

☑ Disable

EC2 security groups

Select security groups to control traffic.

EC2 security groups

Choose security groups

Capacity Info

Configure the compute capacity of your environment and auto scaling settings to optimize the number of instances used.

Auto scaling group

CloudShell | Feedback | Console Mobile App | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

USD/INR -0.35% | Buscar | ESP LAA | 20:48 09/03/2026

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

Account ID: 6546-5447-8122
bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

Single instance

Fleet composition

Spot instances are launched at the lowest available price. Learn more

- On-Demand instance
- Spot instance

Architecture

The processor architecture determines the instance types that are made available. You can't change this selection after you create the environment. Learn more

- x86_64
  This architecture uses x86 processors and is compatible with most third-party tools and libraries.
- arm64
  This architecture uses AWS Graviton processors. You might have to recompile some third-party tools and libraries.

Instance types

Add instance types for your environment with your preferred launch order. The order preference only applies to On-Demand Instances and Spot Instances that use the capacity optimized prioritized allocation strategy. We recommend you include at least two instance types. Learn more

1. t3.micro
2. t3.small Remove

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

18°C Mostly cloudy

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

Account ID: 6546-5447-8122
bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

scaling

Step 5 - *optional*
Configure updates, monitoring, and logging

Step 6
Review

- Basic
- Enhanced

CloudWatch Custom Metrics - Instance

Choose metrics

CloudWatch Custom Metrics - Environment

Choose metrics

Health event streaming to CloudWatch Logs

Configure Elastic Beanstalk to stream environment health events to CloudWatch Logs. You can set the retention up to a maximum of ten years and configure Elastic Beanstalk to delete the logs when you terminate your environment.

Log streaming

standard CloudWatch charges apply.

- [ ] Enable

Managed platform updates Info

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

Account ID: 6546-5447-8122
bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

Rolling updates and deployments Info

Application deployments

Choose how Amazon Elastic Beanstalk propogates source code changes and software configuration updates. Learn more

Deployment policy

All at once

Batch size type

- (•) Percentage
- ( ) Fixed

Deployment batch size

100

% instances at a time

Configuration updates

Changes to virtual machine settings and VPC configuration trigger rolling updates to replace the instances in your environment without downtime. Learn more

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

18°C Mostly cloudy Buscar ESP LAA 20:58 09/03/2026

Account ID: 6546-5447-8122
bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

Health threshold

Lower the threshold for an instance in a batch to pass health checks during an update or deployment.

Ok

Command timeout

Change the amount of time in seconds that Amazon Elastic Beanstalk allows an instance to complete deployment commands.

600 seconds

Platform software Info

Configure the options available to your specific platform. These include the proxy server and OS environment properties. Learn more

Container options

Proxy server

Nginx

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

18°C Mostly cloudy Buscar ESP LAA 20:59 09/03/2026

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

Account ID: 6546-5447-8122
bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

Enable

S3 log storage

Configure the instances in your environment to upload rotated logs to Amazon S3. Learn more

Rotate logs
standard S3 charges apply.

Enable

Instance log streaming to CloudWatch logs

Configure the instances in your environment to stream logs to CloudWatch logs. You can set the retention to up to 10 years and configure Elastic Beanstalk to delete the logs when you terminate your environment. Learn more

Log streaming
standard CloudWatch charges apply.

Enable

Environment properties

Use environment properties as either plain text environment variables or as references to secret ARN values that are stored in AWS Secrets Manager or AWS Systems Manager (SSM) Parameter Store. When using secrets, update your Elastic Beanstalk EC2 instance profile role with permissions to your secrets and parameters. Learn more

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

18°C Mostly cloudy Buscar ESP LAA 20:59 09/03/2026

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/create-environment

Account ID: 6546-5447-8122
bsajonero@unal.edu.co

Elastic Beanstalk > Create environment

Step 2
Configure service access

Step 3 - *optional*
Set up networking, database, and tags

Step 4 - *optional*
Configure instance traffic and scaling

Step 5 - *optional*
Configure updates, monitoring, and logging

Step 6
Review

Step 1: Configure environment

Edit

Environment information

Environment tier
Web server environment

Application name
Web-nodejs-sajo

Environment name
Web-nodejs-sajo-env

Application code
deploy.zip

Platform
arn:aws:elasticbeanstalk:us-east-1::platform/Node.js 24 running on 64bit Amazon Linux 2023/6.8.0

Step 2: Configure service access

Edit

Service access Info

Configure the service role and EC2 instance profile that Elastic Beanstalk uses to manage your environment. Choose an EC2 key pair to

CloudShell Feedback Console Mobile App © 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

18°C Mostly cloudy Buscar ESP LAA 21:00 09/03/2026

MÓDULO 2 - OneDrive | Environment overview - events | El | Documento sin título - Document | ChatGPT

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/environment/dashboard?environmentId=e-rcvrwwizrd

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 6546-5447-8122 | bsajonero@unal.edu.co

Elastic Beanstalk > Environments > Web-nodejs-sajo-env

Elastic Beanstalk

- Applications
- Environments
- Change history
- Application: Web-nodejs-sajo
  - Application versions
  - Saved configurations
- Environment: Web-nodejs-sajo-env
  - Configuration
  - Events
  - Health
  - Logs

Platform state
Supported

Events | Health | Logs | Monitoring | Alarms | Managed updates | Tags

Events (5) Info

Filter events by text, property or value

Time	Type	Details
March 9, 2026 21:01:50 (UTC-5)	ERROR	Service:AmazonCloudFormation, Message:User: arn:aws:iam::654654478122:user/students/bsajonero@unal.edu.co is not authorized to perform: cloudformation:DescribeStacks on resource: arn:aws:cloudformation:us-east-1:654654478122:stack/awseb-e-rcvrwwizrd-stack/* because no identity-based policy allows the cloudformation:DescribeStacks action

CloudShell | Feedback | Console Mobile App | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

18°C Mostly cloudy | Buscar | ESP LAA | 21:05 09/03/2026

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/environment/dashboard?environmentId=e-rcvrwwizrd

aws | Search [Alt+S] | United States (N. Virginia) | Account ID: 6546-5447-8122 | bsajonero@unal.edu.co

Elastic Beanstalk > Environments > Web-nodejs-sajo-env

Elastic Beanstalk

- Applications
- Environments
- Change history
- Application: Web-nodejs-sajo
  - Application versions
  - Saved configurations
- Environment: Web-nodejs-sajo-env
  - Configuration
  - Events
  - Health
  - Logs

Elastic Beanstalk is terminating your environment.

Web-nodejs-sajo-env Info

Actions | Upload and deploy

Environment overview | AI Analysis | Info

Health
Unknown

Environment ID
e-rcvrwwizrd

Domain
–

Application name
Web-nodejs-sajo

Platform | Change version

Platform
Node.js 24 running on 64bit Amazon Linux 2023/6.8.0

Running version
–

Platform state
Supported

Events | Health | Logs | Monitoring | Alarms | Managed updates | Tags

CloudShell | Feedback | Console Mobile App | © 2026, Amazon Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

18°C Mostly cloudy | Buscar | ESP LAA | 21:19 09/03/2026

https://us-east-1.console.aws.amazon.com/elasticbeanstalk/home?region=us-east-1#/applications

Account ID: 6546-5447-8122
bsajonero@unal.edu.co

Elastic Beanstalk > Applications

Elastic Beanstalk

- Applications
- Environments
- Change history

Recent environments

- Web-nodejs-sajo-env

Application Web-nodejs-sajo has been deleted

Applications (7) Info

Actions | Create application

Filter results matching the display value

Application na...	Environments	Date created	Last modified	ARN
beanstalk-lab	beanstalk-lab (terminat	March 9, 2026 20:...	March 9, 2026 20:...	arn:aws:elasti...
beanstalk-lab-bal...	Beanstalk-lab-baldo54	March 9, 2026 20:...	March 9, 2026 20:...	arn:aws:elasti...
node js aldemar	–	March 9, 2026 20:...	March 9, 2026 20:...	arn:aws:elasti...
Web-Nodejs-Andr...	Web-Nodejs-AndresO-e	March 9, 2026 20:...	March 9, 2026 20:...	arn:aws:elasti...
Web-NodeJS-Davi...	Web-NodeJS-Davidtt-e	March 9, 2026 20:...	March 9, 2026 20:...	arn:aws:elasti...

CloudShell | Feedback | Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy | Terms | Cookie preferences

USD/INR -0.35%

Buscar

ESP LAA 21:24 09/03/2026