Name: Mayuresh Rajendrraa Deshmukh

Class: TE A

Roll No: TECOA124

Batch: A2

Assignment No. 10

Title: Aggregation in MongoDB

```
1. Consider each document in the zipcode collection has the following form:
{
" id": "10280",
"city": "NEW YORK",
"state": "NY",
"pop": 5574,
}
Return States with Populations above 10 Million
db.zipcode.find({})
{ " id" : ObjectId("5d71e0700787a916d594dbd0"), "city" : "pune", "state" : "mah",
"pop" : 50000 }
{ " id" : ObjectId("5d71e0b90787a916d594dbd1"), "city" : "mumbai", "state" : "mah",
"pop": 100000 }
{ "_id" : ObjectId("5d71e14d0787a916d594dbd2"), "city" : "nashik", "state" : "mah",
"pop" : 50000 }
{ " id" : ObjectId("5d71e15f0787a916d594dbd3"), "city" : "aurangabad", "state" : "mah",
"pop" : 20000 }
{ " id" : ObjectId("5d71e18c0787a916d594dbd4"), "city" : "varanasi", "state" : "up",
"pop": 40000 }
{ " id" : ObjectId("5d71e1d60787a916d594dbd5"), "city" : "lucknow", "state" : "up",
"pop" : 70000 }
{ "_id" : ObjectId("5d71e38c0787a916d594dbd6"), "city" : "gorakhpur", "state" : "up",
"pop": 10000000 }
{ " id" : ObjectId("5d71e74e0787a916d594dbd7"), "city" : "rampur", "state" : "up", "pop"
: 20000000 }
```

```
\label{lem:db.zipcode.aggregate(sgroup: {=id:'$state',totpop:}}}, {sum:'$pop'}}}, {smatch: {totpop:}{sgte:10000000}}})
```

```
{ "result" : [ { "_id" : "up", "totpop" : 30110000 } ], "ok" : 1 }
```

2. Display the department wise average salary

```
db.emp.find()
{ " id" : ObjectId("5d71d8d30787a916d594dbc8"), "name" : "mayur", "dept" : "comp",
"sal": 50000 }
{ " id" : ObjectId("5d71d90f0787a916d594dbc9"), "name" : "abc", "dept" : "me", "sal" :
2000 }
{ " id" : ObjectId("5d71d9780787a916d594dbca"), "name" : "rahul", "dept" : "comp",
"sal": 100000 }
{ " id" : ObjectId("5d71d9c40787a916d594dbcb"), "name" : "ashwin", "dept" : "it", "sal" :
20000 }
{ "_id" : ObjectId("5d71da180787a916d594dbcc"), "name" : "saikh", "dept" : "me", "sal" :
50000 }
{ " id" : ObjectId("5d71da4d0787a916d594dbcd"), "name" : "vaishnavi", "dept" : "ce",
"sal" : 5000 }
{ " id" : ObjectId("5d71da600787a916d594dbce"), "name" : "swapnil", "dept" : "ce",
"sal": 30000 }
{ " id" : ObjectId("5d71da760787a916d594dbcf"), "name" : "bhavesh", "dept" : "it", "sal"
: 40000 }
db.emp.aggregate({$group:{_id:'$dept',avgsal:{$avg:'$sal'}}})
{
       "result":[
              {
                     " id": "ce",
                     "avgsal": 17500
              },
              {
                     " id": "it",
                     "avgsal" : 30000
              },
              {
                     " id": "me",
                     "avgsal" : 26000
```

```
},
              {
                    " id": "comp",
                    "avgsal" : 75000
             }
      ],
      "ok" : 1
}
3. display the no. Of employees working in each department
db.emp.find()
{ "_id" : ObjectId("5d71d8d30787a916d594dbc8"), "name" : "mayur", "dept" : "comp",
"sal": 50000 }
{ " id" : ObjectId("5d71d90f0787a916d594dbc9"), "name" : "abc", "dept" : "me", "sal" :
2000 }
{ " id" : ObjectId("5d71d9780787a916d594dbca"), "name" : "rahul", "dept" : "comp",
"sal": 100000 }
{ " id" : ObjectId("5d71d9c40787a916d594dbcb"), "name" : "ashwin", "dept" : "it", "sal" :
20000 }
{ "_id" : ObjectId("5d71da180787a916d594dbcc"), "name" : "saikh", "dept" : "me", "sal" :
50000 }
{ "_id" : ObjectId("5d71da4d0787a916d594dbcd"), "name" : "vaishnavi", "dept" : "ce",
"sal" : 5000 }
{ " id" : ObjectId("5d71da600787a916d594dbce"), "name" : "swapnil", "dept" : "ce",
"sal": 30000 }
{ "_id" : ObjectId("5d71da760787a916d594dbcf"), "name" : "bhavesh", "dept" : "it", "sal"
: 40000 }
> db.emp.aggregate({$group:{_id:'$dept',empcnt:{$sum:1}}})
{
      "result" : [
              {
                    " id": "ce",
                    "empcnt": 2
              },
              {
```

```
"_id": "it",

"empcnt": 2
},

{

    "_id": "me",
    "empcnt": 2
},

{

    "_id": "comp",
    "empcnt": 2
}

],

"ok": 1
}
```

4. Display the department wise total salary of departments having total salary greater than or equals to

50000/-

{avgsal:{\$gt:50000}}})

```
db.emp.find()
{ "_id" : ObjectId("5d71d8d30787a916d594dbc8"), "name" : "mayur", "dept" : "comp",
"sal" : 50000 }
{ " id" : ObjectId("5d71d90f0787a916d594dbc9"), "name" : "abc", "dept" : "me", "sal" :
2000 }
{ " id" : ObjectId("5d71d9780787a916d594dbca"), "name" : "rahul", "dept" : "comp",
"sal": 100000 }
\{ " id" : ObjectId("5d71d9c40787a916d594dbcb"), "name" : "ashwin", "dept" : "it", "sal" : "it", "s
20000 }
{ "_id" : ObjectId("5d71da180787a916d594dbcc"), "name" : "saikh", "dept" : "me", "sal" :
50000 }
{ " id" : ObjectId("5d71da4d0787a916d594dbcd"), "name" : "vaishnavi", "dept" : "ce",
"sal" : 5000 }
{ " id" : ObjectId("5d71da600787a916d594dbce"), "name" : "swapnil", "dept" : "ce",
"sal": 30000 }
{ "_id" : ObjectId("5d71da760787a916d594dbcf"), "name" : "bhavesh", "dept" : "it", "sal"
: 40000 }
> db.emp.aggregate({$group:{_id:'$dept',avgsal:{$avg:'$sal'}}},{$match:
```

```
{ "result" : [ { " id" : "comp", "avgsal" : 75000 } ], "ok" : 1 }
```

5. Write the queries using the different operators like max, min. Etc.

```
> db.teachers.find()
{ "id": ObjectId("5d68a54e929b042788bd46c1"), "tname": "rahul", "dno": 101,
"dname": "comp", "experience": 5, "salary": 50000, "doj": ISODate("1998-12-
31T18:30:00Z") }
{ " id" : ObjectId("5d68a62d929b042788bd46c2"), "dname" : "comp", "dno" : 101, "doj" :
ISODate("2005-05-31T18:30:00Z"), "experience": 3, "salary": 20000, "tname":
"sonali" }
{ " id" : ObjectId("5d68a696929b042788bd46c3"), "tname" : "sudeep", "dno" : 101,
"dname": "comp", "experience": 15, "salary": 200000, "doj": ISODate("1997-05-
31T18:30:00Z") }
{ "_id" : ObjectId("5d68a724929b042788bd46c4"), "tname" : "ashley", "dno" : 101,
"dname" : "comp", "experience" : 1, "salary" : 2000, "doj" : ISODate("2018-05-
31T18:30:00Z") }
{ "id": ObjectId("5d68a928929b042788bd46c5"), "tname": "reema", "dno": 103,
"dname": "entc", "experience": 4, "salary": 30000, "doj": ISODate("2012-12-
11T18:30:00Z") }
{ " id" : ObjectId("5d68a994929b042788bd46c6"), "tname" : "sayali", "dno" : 103,
"dname": "entc", "experience": 2, "salary": 10000, "doj": ISODate("2017-08-
22T18:30:00Z") }
{ "\_id" : ObjectId("5d68aac2929b042788bd46c7"), "tname" : "shaikh", "dno" : 104, "base of the context of the 
"dname": "mech", "experience": 7, "salary": 100000, "doj": ISODate("2000-07-
28T18:30:00Z") }
{ " id" : ObjectId("5d68aaf8929b042788bd46c8"), "tname" : "jagtap", "dno" : 105,
"dname": "ce", "experience": 6, "salary": 70000, "doj": ISODate("2002-07-
19T18:30:00Z") }
{ " id" : ObjectId("5d70ae9da11857cf2efb5c3e"), "dname" : "comp", "dno" : 101, "doj" :
ISODate("1998-12-22T18:30:00Z"), "experience": 4, "salary": 40000, "tname":
"kulloli" }
{ " id" : ObjectId("5d70aec5a11857cf2efb5c3f"), "dname" : "comp", "dno" : 101, "doj" :
ISODate("1999-03-18T18:30:00Z"), "experience": 1, "salary": 400, "tname":
"gokhale" }
> db.teachers.aggregarte([{$group:{ id:{},maxexp:{$max:"$experience"}}}])
Fri Sep 27 10:44:17.638 TypeError: Property 'aggregarte' of object pccoe124.teachers is
not a function
> db.teachers.aggregate([{$group:{ id:{},maxexp:{$max:"$experience"}}}])
{
             "result": [
                           {
```

```
"_id" : {
                     },
                     "maxexp" : 15
              }
      ],
       "ok" : 1
}
db.teachers.aggregate([{$group:{_id:{},minsal:{$min:"$salary"}}}])
{
       "result" : [
              {
                     " id": {
                     },
                     "minsal": 400
              }
      ],
       "ok" : 1
}
6. Create the simple index on roll_no field
> db.student.find()
{ "_id" : ObjectId("5d70a4cd3a696c644c18b6ec"), "name" : "ashwin", "roll" : 1 }
{ "\_id" : ObjectId("5d70a5873a696c644c18b6ed"), "name" : "abc", "roll" : 2 }
{ "_id" : ObjectId("5d70a5cb3a696c644c18b6ee"), "name" : "mayur", "roll" : 3 }
{ "_id" : ObjectId("5d70a7e73a696c644c18b6ef"), "name" : "xyz", "roll" : 5 }
{ "_id" : ObjectId("5d70a9ef3a696c644c18b6f0"), "name" : "bhavesh", "roll" : 7 }
{ "_id" : ObjectId("5d70aa333a696c644c18b6f1"), "name" : "xyz", "roll" : 10 }
> db.student.ensureIndex({roll:1})
> db.student.getIndexes()
```

[

```
{
              "v":1,
              "key" : {
                     \text{"id"}:1
              },
              "ns": "pccoe124.student",
              "name" : " id "
       },
       {
              "v":1,
              "key" : {
                     "roll" : 1
              },
              "ns": "pccoe124.student",
              "name" : "roll_1"
       }
]
7. create unique index on any field for above given collections
> db.student.find()
{ " id" : ObjectId("5d70a4cd3a696c644c18b6ec"), "name" : "ashwin", "roll" : 1 }
{ " id" : ObjectId("5d70a5873a696c644c18b6ed"), "name" : "abc", "roll" : 2 }
{ " id" : ObjectId("5d70a5cb3a696c644c18b6ee"), "name" : "mayur", "roll" : 3 }
{ " id" : ObjectId("5d70a7e73a696c644c18b6ef"), "name" : "xyz", "roll" : 5 }
{ "_id" : ObjectId("5d70a9ef3a696c644c18b6f0"), "name" : "bhavesh", "roll" : 7 }
{ "_id" : ObjectId("5d70aa333a696c644c18b6f1"), "name" : "xyz", "roll" : 10 }
> db.student.createIndex({roll:1},{unique:true})
> db.student.getIndexes()
[
       {
              "v":1.
              "key" : {
```

```
" id":1
                                  },
                                 "ns": "pccoe124.student",
                                 "name" : " id "
                },
                 {
                                 "v":1.
                                 "key" : {
                                                  "roll": 1
                                  },
                                 "ns": "pccoe124.student",
                                 "name" : "roll 1"
                }
1
8. create compound index on any fields for above given collections
> db.teachers.find()
{ "_id" : ObjectId("5d68a54e929b042788bd46c1"), "tname" : "rahul", "dno" : 101,
"dname": "comp", "experience": 5, "salary": 50000, "doj": ISODate("1998-12-
31T18:30:00Z") }
{ " id" : ObjectId("5d68a62d929b042788bd46c2"), "dname" : "comp", "dno" : 101, "doj" :
ISODate("2005-05-31T18:30:00Z"), "experience" : 3, "salary" : 20000, "tname" :
"sonali" }
{ "id": ObjectId("5d68a696929b042788bd46c3"), "tname": "sudeep", "dno": 101,
"dname": "comp", "experience": 15, "salary": 200000, "doj": ISODate("1997-05-
31T18:30:00Z") }
{ "_id" : ObjectId("5d68a724929b042788bd46c4"), "tname" : "ashley", "dno" : 101,
"dname": "comp", "experience": 1, "salary": 2000, "doj": ISODate("2018-05-
31T18:30:00Z") }
{ " id" : ObjectId("5d68a928929b042788bd46c5"), "tname" : "reema", "dno" : 103,
"dname": "entc", "experience": 4, "salary": 30000, "doj": ISODate("2012-12-
11T18:30:00Z") }
{ "id": ObjectId("5d68a994929b042788bd46c6"), "tname": "sayali", "dno": 103,
"dname": "entc", "experience": 2, "salary": 10000, "doj": ISODate("2017-08-
22T18:30:00Z") }
 \begin{tabular}{ll} & \begin{tabular}{ll}
```

28T18:30:00Z") }

```
{\ "\_id": ObjectId("5d68aaf8929b042788bd46c8"), "tname": "jagtap", "dno": 105, "dno": 105,
"dname": "ce", "experience": 6, "salary": 70000, "doj": ISODate("2002-07-
19T18:30:00Z") }
{ "_id" : ObjectId("5d70ae9da11857cf2efb5c3e"), "dname" : "comp", "dno" : 101, "doj" :
ISODate("1998-12-22T18:30:00Z"), "experience" : 4, "salary" : 40000, "tname" :
"kulloli" }
{ " id" : ObjectId("5d70aec5a11857cf2efb5c3f"), "dname" : "comp", "dno" : 101, "doj" :
ISODate("1999-03-18T18:30:00Z"), "experience": 1, "salary": 400, "tname":
"gokhale" }
> db.teachers.createIndex({tname:1,dno:1,experience:1,salary:1},{unique:true})
> db.teachers.getIndexes()
[
                       {
                                              "v":1,
                                              "key" : {
                                                                      " id":1
                                              },
                                              "ns": "pccoe124.teachers",
                                              "name" : " id "
                       },
                        {
                                              "v":1,
                                              "key" : {
                                                                      "tname" : 1
                                              },
                                              "ns": "pccoe124.teachers",
                                              "name": "tname 1"
                       },
                        {
                                              "v":1,
                                              "key" : {
                                                                      "tname": 1,
                                                                      "dno": 1,
                                                                      "experience": 1,
```

```
"salary": 1
},

"unique": true,

"ns": "pccoe124.teachers",

"name": "tname_1_dno_1_experience_1_salary_1"
}
```

9. Show all the indexes created in the database PCCOE

```
db.system.indexes.find()
{ "v" : 1, "key" : { "_id" : 1 }, "ns" : "pccoe124.teachers", "name" : "_id_" }
{ "v" : 1, "key" : { "_id" : 1 }, "ns" : "pccoe124.student", "name" : "_id_" }
{ "v" : 1, "key" : { "_id" : 1 }, "ns" : "pccoe124.pccoe124.teachers", "name" : "_id_" }
{ "v" : 1, "key" : { "_id" : 1 }, "ns" : "pccoe124.pccoe124", "name" : "_id_" }
{ "v" : 1, "key" : { "_id" : 1 }, "ns" : "pccoe124.department", "name" : "_id_" }
{ "v" : 1, "key" : { "_id" : 1 }, "ns" : "pccoe124.emp", "name" : "_id_" }
{ "v" : 1, "key" : { "_id" : 1 }, "ns" : "pccoe124.zipcodes", "name" : "_id_" }
{ "v" : 1, "key" : { "_id" : 1 }, "ns" : "pccoe124.zipcode", "name" : "_id_" }
{ "v" : 1, "key" : { "tname" : 1 }, "ns" : "pccoe124.teachers", "name" : "tname_1" }
{ "v" : 1, "key" : { "roll" : 1 }, "ns" : "pccoe124.student", "name" : "roll_1" }
{ "v" : 1, "key" : { "tname" : 1 }, "ns" : "pccoe124.student", "name" : "roll_1" }
}
```

"ns": "pccoe124.teachers", "name": "tname_1_dno_1_experience_1_salary_1" }

10. Show all the indexes created in above collections

```
}
]
> db.zipcode.getIndexes()
[
       {
              "v" : 1,
              "key" : {
                     "_id" : 1
              },
              "ns": "pccoe124.zipcode",
              "name" : "_id_"
       }
]
> db.teachers.getIndexes()
[
       {
              "v" : 1,
              "key" : {
                     "_id" : 1
              },
              "ns": "pccoe124.teachers",
              "name" : "_id_"
       },
       {
              "v" : 1,
              "key" : {
                     "tname" : 1
              },
              "ns": "pccoe124.teachers",
              "name" : "tname_1"
       },
```

```
{
    "v":1,
    "key":{
        "tname":1,
        "dno":1,
        "experience":1,
        "salary":1
    },
    "unique":true,
    "ns":"pccoe124.teachers",
    "name":"tname_1_dno_1_experience_1_salary_1"
}
```