

An Explainable AI Model for IoMT Network Attack Detection

Ralph Lickley

Student ID: 730030331

Email: rl665@exeter.ac.uk

Abstract

The abstract should have 100-200 word.

☐ I certify that all material in this dissertation which is not my own has been identified.

Signature: _____

1 Introduction

Smart and connected medical devices are increasingly integrated into the delivery of healthcare services, leading to the development of the Internet of Medical Things (IoMT), a subset of the Internet of Things (IoT) encompassing medical equipment and devices. IoMT technology offers many advantages by enabling continuous monitoring of patients' health. This assists healthcare professionals in making remote diagnoses and better informing their clinical decisions; for example, data collected from IoMT devices has been used to predict patients' risk of heart disease [1]. With the growing digitalization of healthcare systems, there has been a significant increase in cyberattacks targeting medical infrastructure. According to the HIPAA Journals' report, there have been 546 healthcare breaches that affect more than 500 people so far in 2025 [2]. This, coupled with the sensitive nature of medical data, raises major concerns about patients' privacy, where patients' personal data may be exposed, as well as potential concerns about patients' safety, given that IoMT devices are used to deliver treatments. Recent research has shown that Machine Learning (ML) can be effectively used to detect network attacks by analyzing network traffic. Compared to traditional network attack detection methods, such as rule-based systems, ML techniques offer significant improvements by recognising complex patterns in network traffic that were previously not possible. However, the problem with complex ML techniques is their lack of interpretability in decision-making; in the context of healthcare systems, this interpretability is crucial, as medical staff and patients need to trust that IoMT networks are secure. To address the lack of interpretable ML models, this project will develop an Explainable Artificial Intelligence (XAI) model to detect network attacks in IoMT systems. This ensures that users of the system can understand and trust the model while still achieving high detection accuracy.

This project seeks to design and implement an XAI model that can detect network attacks in an IoMT system, whilst maintaining interpretability in its detections. The proposed model will be trained and evaluated using the CIC2024 IoMT dataset, a publicly available dataset synthesised by the Canadian Institute for Cybersecurity [3]. This dataset has been specifically designed to develop and benchmark network attack detection models. It simulates a number of IoMT devices and a wide variety of both benign and malicious network traffic.

The primary objectives of this project are: (1) to review current literature on AI-based network attack detection within IoT and IoMT networks; (2) to develop an accurate and interpretable attack detection model and select a suitable XAI technique; (3) Evaluate the models performance using the CIC2024 IoMT dataset; (4) Assess the models interpretability and its suitability for cybersecurity in a healthcare context.

2 Literature Review

2.1 Overview of IoMT and Security Issues

A common IoMT system can be divided into three primary layers: perception, network, and application. The perception layer can include sensors and wearable devices such as those used for tracking cardiovascular and heart health, temperature, and sleep monitoring.

The network layer enables these devices to communicate with other devices in the IoMT network using protocols such as Wi-Fi and Bluetooth.

The application layer facilitates the processing of this data, making it usable by medical systems and staff. This layered architecture introduces a variety of cybersecurity flaws, where vulnerabilities can easily be exploited between each of these layers. Potentially leading to compromised data privacy for patients, where their information could be leaked in the event of a breach, compromised patient safety, where the information captured by sensors could be tampered with, resulting in incorrect diagnoses and treatments, and system disruptions that cause medical equipment to be interrupted, potentially leading to serious harm to patients.

References

- [1] K. Baseer, K. Sivakumar, D. Veeraiah, G. Chhabra, P. K. Lakineni, M. J. Pasha, R. Gandikota, and G. Harikrishnan, “Healthcare diagnostics with an adaptive deep learning model integrated with the internet of medical things (iomt) for predicting heart disease,” *Biomedical Signal Processing and Control*, vol. 92, p. 105988, 2024.
- [2] S. Alder. (2025) Healthcare data breach statistics. The HIPAA Journal. Accessed: October 27, 2025. [Online]. Available: <https://www.hipaajournal.com/healthcare-data-breach-statistics/>
- [3] S. Dadkhah, E. C. P. Neto, R. Ferreira, R. C. Molokwu, S. Sadeghi, and A. A. Ghorbani, “Ciciomt2024: A benchmark dataset for multi-protocol security assessment in iomt,” *Internet of Things*, vol. 28, p. 101351, 2024.