




Veštačka inteligencija

CSP - Constraint Satisfaction Problems

Milena Frtunić Nataša Veljković Vladan Mihajlović

Bojenje grafa

- Kako obojiti graf tako da ni jedna dva susedna čvora nemaju istu boju.
 - V (čvorovi grafa)
 - D (moguće boje za svaki čvor)
 - C (ni jedna dva susedna čvora nemaju istu boju)



Promenljive: {1,2,3,4,5}

Domeni: $\{D1,D2,D2,D4,D5\}\ Di_{(1,5)}=\{R,G,B\}$

U ovom priomeru domeni su isti za sve promenljive!


Ograničenja: $\{1 \neq 2, 1 \neq 3, 2 \neq 1, 2 \neq 3, 2 \neq 5, 3 \neq 2, 3 \neq 4, 3 \neq 5, 4 \neq 3, 4 \neq 5\}$






N Kraljica

- Kako rasporediti n kraljica na šahovskoj tabli dimenzija nxn tako da se ne napadaju
- n=4





Promenljive: $\{K1,K2,K3,K4\}$ $Ki_{(1,4)}$ – kraljica u i-tom redu

Domeni: $\{D1,D2,D3,D4\}\ Di_{(1,4)} = \{1,2,3,4\}$ opseg mogućih

kolona za Ki kraljicu

Ograničenja: (Ki,Kj) ne mogu biti u istoj koloni ili na


dijagonali





Backtracking (BT)

Polazno stanje




Promenljive: {1,2,3,4,5}


Domeni: $\{D1,D2,D2,D4,D5\}\ Di_{(1,5)}=\{R,G,B\}$

Ograničenja: $\{1 \neq 2, 1 \neq 3, 2 \neq 1, 2 \neq 3, 2 \neq 5, 3 \neq 2, 3 \neq 4, 3 \neq 5, 4 \neq 3, 4 \neq 5\}$

Ciljno stanje/a












CG & GIS L@B

Backtracking


































Forward Checking (1)








Forward Checking (2)




Forward Checking (3)






Forward Checking (4)






Forward Checking (5)






Forward Checking (6)




SGIS L@B

Forward checking & Degree Heuristics (1)







Forward checking & Degree Heuristics (2)




Forward checking & Degree Heuristics (3)



Forward checking & Degree Heuristics (4)




Forward checking & Degree Heuristics (5)




Forward checking & MRV (1)






Start with order: 1,2,5,4,3

Forward checking & MRV (2)






Forward checking & MRV (3)






Forward checking & MRV (4)






Forward checking & MRV (5)





Forward checking & MRV & DH (1)

3	2	5	4	1








Forward checking & MRV & DH (2)

3	2	5	4	1








Forward checking & MRV & DH (3)

3	2	5	4	1








Forward checking & MRV & DH (4)

3	2	5	4	1








Forward checking & MRV & DH (5)

3	2	5	4	1









Forward checking & LCV (1)









Forward checking & LCV (2)



Forward checking & LCV (3)




Forward checking & LCV (4)






Forward checking & LCV (5)





CSP za problem 4 kraljice


Početno i ciljno stanje problema



	W		
			W
W			
		www.	



CSP za problem 4 kraljice





- Stanje problema odgovara dodeljivanju vrednosti jednoj od promenljivih, tj. izboru kolone u kojoj će se naći jednoj od kraljica
- Redosled izbora kraljice kojoj treba dodeliti kolonu je proizvoljan






CSP FC MVR 4 kraljice









CSP FC MVR 4 kraljice (2)








CSP FC MVR 4 kraljice (3)







FC: failure






CSP FC MVR 4 kraljice (4)








CSP FC MVR 4 kraljice (5)











CSP FC MVR 4 kraljice (6)












CSP FC MVR 4 kraljice (7)









CSP FC MVR 4 kraljice (8)









CSP FC MVR 4 kraljice (9)








CSP FC LCV 4 kraljice







LCV: K₁ - 1

Obilazak: K₁ K₂ K₃ K₄



CSP FC LCV 4 kraljice (2)







LCV: K₂ - 4



CSP FC LCV 4 kraljice (3)







LCV: K₃ - 2




CSP FC LCV 4 kraljice (4)








CSP FC LCV 4 kraljice (5)







FC: failure



CSP FC LCV 4 kraljice (6)







LCV: K1 - 3



CSP FC LCV 4 kraljice (7)







LCV: K₂ - 1



CSP FC LCV 4 kraljice (8)







LCV: K₃ - 4



CSP FC LCV 4 kraljice (9)





LCV: K₄ - 2

 $(K_1,K_2,K_3,K_4)=(3,1,4,2)$

