

			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	
2			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	2
			CC	00	00	BB	00	00
4			CC	00	00	BB	00	00
			CC	00	00	BB	00	00
6			CC	00	00	BB	00	00
			CC	00	00	BB	00	00
8			CC	00	00	BB	00	00
			CC	00	00	BB	00	00
10			CC	00	00	BB	00	00
			CC	00	00	BB	00	00
12			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	12
			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	
14								14
16		JJJJJJJJ	11	333333333	999999999	55555555555	AAAAAAAAA	16
		JJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAA	
18		JJ	1111	33	99	99	55	18
		JJ	11		33	99	99	55
20		JJ	11		33	99	99	55
		JJ	11		3333	99999999999	555555555	
22		JJ	11		3333	99999999999	555555555	22
		JJ	11		33		99	55
24		JJ	JJ	11	33		99	55
		JJ	JJ	11	33	99	99	55
26		JJJJJJJ	111111111	33333333333	99999999999	55555555555	AA	26
		JJJJJJ	111111111	3333333333	9999999999	55555555555	AA	
28								28
30	****A	START	JOB 1395	COBOL	COBOL PROGRAM	ROOM	9.02.24 PM 13 JUN 26	30
32							PRINTER1	32
							SYS HMVS	
34							JOB 1395	34
							START	
36							A****	36
38								38
40								40
42								42
44								44
46								46
48								48
50								50
52								52
54								54
56								56
58								58
60								60
62								62
64								64

J E S 2 J O B L O G

21.01.50 JOB 1395 \$HASP373 COBOL STARTED - INIT 1 - CLASS A - SYS HMVS
21.01.50 JOB 1395 IEF403I COBOL - STARTED - TIME=21.01.50
21.01.50 JOB 1395 IEC130I SYSPUNCH DD STATEMENT MISSING
21.01.50 JOB 1395 IEC130I SYSLIB DD STATEMENT MISSING
21.01.50 JOB 1395 IEC130I SYSPUNCH DD STATEMENT MISSING
21.01.50 JOB 1395 IEFACTRT COB /IKFCBL00/00:00:00.05/00:00:00.17/00000/COBOL
21.01.51 JOB 1395 IEFACTRT GO /LOADER /00:00:00.01/00:00:00.05/00000/COBOL
21.01.51 JOB 1395 IEF404I COBOL - ENDED - TIME=21.01.51
21.01.51 JOB 1395 \$HASP395 COBOL ENDED

----- JES2 JOB STATISTICS -----

13 JUN 26 JOB EXECUTION DATE

70 CARDS READ

192 SYSOUT PRINT RECORDS

0 SYSOUT PUNCH RECORDS

0.00 MINUTES EXECUTION TIME

```

CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LL
CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LL
CC          CC 00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BBBBBBBBBB 00          00 LL
CC          00          00 BBBBBBBBBB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LLLLLLLLLLLL

```

JJJJJJJJJ	11	333333333	999999999	55555555555	AAAAAAAAA			
JJJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAAAAA			
JJ	1111	33	33	99	99	55	AA	AA
JJ	11		33	99	99	55	AA	AA
JJ	11		33	99	99	55	AA	AA
JJ	11		3333	99999999999	55555555		AAAAAAAAAAAA	
JJ	11		3333	99999999999	555555555		AAAAAAAAAAAA	
JJ	11		33		99	55	AA	AA
JJ JJ	11		33		99	55	AA	AA
JJ JJ	11	33	33	99	99	55	AA	AA
JJJJJJJ	111111111	33333333333	99999999999	55555555555			AA	AA
JJJJJ	111111111	3333333333	999999999	5555555555			AA	AA

```

****A  END  JOB 1395  COBOL      COBOL PROGRAM      ROOM      9.02.24 PM 13 JUN 26  PRINTER1  SYS HMVS  JOB 1395  END  A****

```

			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	
2			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	2
			CC	00	00	BB	00	
4			CC	00	00	BB	00	4
			CC	00	00	BB	00	
6			CC	00	00	BBBBBBBBB	00	6
			CC	00	00	BBBBBBBBB	00	
8			CC	00	00	BB	00	8
			CC	00	00	BB	00	
10			CC	00	00	BB	00	10
			CC	00	00	BB	00	
12			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	12
			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	
14								14
16		JJJJJJJJ	11	333333333	999999999	55555555555	AAAAAAAAA	16
		JJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAA	
18		JJ	1111	33	99	99	55	18
		JJ	11		33	99	99	
20		JJ	11		33	99	99	20
		JJ	11		3333	99999999999	555555555	
22		JJ	11		3333	99999999999	555555555	22
		JJ	11		33		99	
24		JJ	11		33		99	24
		JJ	11		33	99	99	
26		JJJJJJJ	111111111	33333333333	99999999999	55555555555	AA	26
		JJJJJJ	111111111	3333333333	9999999999	55555555555	AA	
28								28
30	****A	START	JOB 1395	COBOL	COBOL PROGRAM	ROOM	9.02.24 PM 13 JUN 26	30
						PRINTER1	SYS HMVS	
32							JOB 1395	32
							START	
34							A****	34
36								36
38								38
40								40
42								42
44								44
46								46
48								48
50								50
52								52
54								54
56								56
58								58
60								60
62								62
64								64

1	//COBOL JOB 1, 'COBOL PROGRAM', CLASS=A, MSGCLASS=X	JOB 1395	
2	//COBOL EXEC PROC=COBUG		2
3	XXCOBUG PROC CPARM1='LOAD',	100000100	
4	XX CPARM2='SIZE=2048K, BUF=1024K'	00000200	4
4	XXCOB EXEC PGM=IKFCBL00, REGION=4096K,	00000301	
6	XX PARM='&CPARM1, &CPARM2'	00000401	6
5	XXSTEPLIB DD DSN=SYSC.LINKLIB, DISP=SHR	00000501	
8	XXSYSPRINT DD SYSOUT=*	00000600	8
7	XXSYSUT1 DD UNIT=SYSDA, SPACE=(460, (700, 100))	00000700	
8	XXSYSUT2 DD UNIT=SYSDA, SPACE=(460, (700, 100))	00000800	10
9	XXSYSUT3 DD UNIT=SYSDA, SPACE=(460, (700, 100))	00000900	
10	XXSYSUT4 DD UNIT=SYSDA, SPACE=(460, (700, 100))	00001000	12
11	XXSYSLIN DD DSN=&LOADSET, DISP=(MOD, PASS),	00001100	
14	XX UNIT=SYSDA, SPACE=(80, (500, 100))	00001200	14
12	//COB.SYSIN DD *		
16	XXGO EXEC PGM=LOADER, PARM='MAP, LET', COND=(5, LT, COB), REGION=100K	00001300	16
14	XXSYSLIN DD DSN=*.COB.SYSLIN, DISP=(OLD, DELETE)	00001400	
15	XXSYSLOUT DD SYSOUT=*	00001504	18
16	XXSYSLIB DD DSN=SYSC.COBLIB, DISP=SHR	00001602	
20	//GO.INPUT DD *		20
18	//GO.OUTPUT DD SYSOUT=*, DCB=(RECFM=FBA, LRECL=133, BLKSIZE=13300)		
22	//		22
24			24
26			26
28			28
30			30
32			32
34			34
36			36
38			38
40			40
42			42
44			44
46			46
48			48
50			50
52			52
54			54
56			56
58			58
60			60
62			62
64			64

```

CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LL
CC          CC 00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BBBB BBBB          00          00 LL
CC          00          00 BBBB BBBB          00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL

```

JJJJJJJJJ	11	333333333	999999999	55555555555	AAAAAAAAA			
JJJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAAAAA			
JJ	1111	33	33	99	99	55	AA	AA
JJ	11		33	99	99	55	AA	AA
JJ	11		33	99	99	55	AA	AA
JJ	11		3333	99999999999	55555555		AAAAAAAAAAAA	
JJ	11		3333	99999999999	555555555		AAAAAAAAAAAA	
JJ	11		33		99	55	AA	AA
JJ JJ	11		33		99	55	AA	AA
JJ JJ	11	33	33	99	99	55	AA	AA
JJJJJJJ	111111111	33333333333	99999999999	55555555555			AA	AA
JJJJJ	111111111	3333333333	999999999	5555555555			AA	AA

```

****A  END  JOB 1395  COBOL      COBOL PROGRAM      ROOM      9.02.24 PM 13 JUN 26  PRINTER1  SYS HMVS  JOB 1395  END  A****

```

```
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
```

JJJJJJJJJ	11	3333333333	9999999999	55555555555	AAAAAAAAA			
JJJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAA			
JJ	1111	33	33	99	55	AA	AA	
JJ	11		33	99	99	55	AA	AA
JJ	11		33	99	99	55	AA	AA
JJ	11		3333	99999999999	555555555	AAAAAAAAA		
JJ	11		3333	99999999999	5555555555	AAAAAAAAA		
JJ	11		33		99	55	AA	AA
JJ	JJ	11		33	99	55	AA	AA
JJ	JJ	11	33	99	99	55	AA	AA
JJJJJJJJ	1111111111	33333333333	99999999999	55555555555		AA	AA	
JJJJJJ	1111111111	3333333333	9999999999	5555555555		AA	AA	

```
*****A  START  JOB 1395  COBOL      COBOL PROGRAM      ROOM      9.02.25 PM 13 JUN 26  PRINTER1  SYS HMVS  JOB 1395  START  A*****
```

STMT NO. MESSAGE

```
2 4 IEF653I SUBSTITUTION JCL - PARM='LOAD,SIZE=2048K,BUF=1024K'
4 IEF236I ALLOC. FOR COBOL COB COBOL
4 IEF237I 253 ALLOCATED TO STEPLIB
6 IEF237I 253 ALLOCATED TO SYS00096
6 IEF237I JES2 ALLOCATED TO SYSPRINT
8 IEF237I 191 ALLOCATED TO SYSUT1
8 IEF237I 191 ALLOCATED TO SYSUT2
10 IEF237I 191 ALLOCATED TO SYSUT3
10 IEF237I 191 ALLOCATED TO SYSUT4
12 IEF237I 191 ALLOCATED TO SYSLIN
12 IEF237I JES2 ALLOCATED TO SYSIN
14 IEC130I SYSPUNCH DD STATEMENT MISSING
14 IEC130I SYSLIB DD STATEMENT MISSING
16 IEC130I SYSPUNCH DD STATEMENT MISSING
16 IEF142I COBOL COB COBOL - STEP WAS EXECUTED - COND CODE 0000
18 IEF285I SYSC.LINKLIB KEPT *------0
18 IEF285I VOL SER NOS= SYSCPK.
20 IEF285I UCSYSCPK KEPT *------0
20 IEF285I VOL SER NOS= SYSCPK.
22 IEF285I JES2.JOB01395.S00103 SYSOUT
22 IEF285I SYS26164.T210150.RA000.COBOL.R0000001 DELETED *------6
24 IEF285I VOL SER NOS= MYSTUF.
24 IEF285I SYS26164.T210150.RA000.COBOL.R0000002 DELETED *------6
26 IEF285I VOL SER NOS= MYSTUF.
26 IEF285I SYS26164.T210150.RA000.COBOL.R0000003 DELETED *------9
28 IEF285I VOL SER NOS= MYSTUF.
28 IEF285I SYS26164.T210150.RA000.COBOL.R0000004 DELETED *------3
30 IEF285I VOL SER NOS= MYSTUF.
30 IEF285I SYS26164.T210150.RA000.COBOL.LOADSET PASSED *------59
32 IEF285I VOL SER NOS= MYSTUF.
32 IEF285I JES2.JOB01395.SI0101 SYSIN
34 IEF373I STEP /COB / START 26164.2101
34 IEF374I STEP /COB / STOP 26164.2101 CPU 0MIN 00.04SEC SRB 0MIN 00.01SEC VIRT 2076K SYS 224K
36 **** JOB NAME: COBOL JOBCARD READ 2026/164 21:01:50 370/ 33 VS2 R03.8 HMVS *****
36 *
38 * STEP NUMBER: 1 USER CORE: 2076K START TIME: 21:01:50 CPU TIME: 00:00:00.05 ACTIVE TIME: 00:00:00.12 *
38 * STEP NAME: COB SYSTEM CORE: 224K STOP TIME: 21:01:50 SRB TIME: 00:00:00.01 ALLOC TIME: 21:01:50 *
40 * PROGRAM NAME: IKFCBL00 REGION SIZE: 4096K ELAPSED TIME: 00:00:00.17 TCB TIME: 00:00:00.04 PROGRAM LOAD: 21:01:50 *
40 * CONDITION CODE: 00000 PERFORMANCE GROUP: 004 *
42 * JES2 CARDS: 5 SERVICE UNITS PAGES IN/OUT # SWAPS PAGES SWAP IN/OUT VIO PAGES IN/OUT *
42 * 607 0 / 0 0 0 / 0 0 / 0 *
44 *
44 * ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT *
46 * 253/D3350 0 253/D3350 0 191/D3390 6 191/D3390 6 191/D3390 9 191/D3390 3 *
46 * 191/D3390 59 *
48 *****
48 IEF236I ALLOC. FOR COBOL GO COBOL
50 IEF237I 191 ALLOCATED TO SYSLIN
50 IEF237I JES2 ALLOCATED TO SYSLOUT
52 IEF237I 253 ALLOCATED TO SYSLIB
52 IEF237I 253 ALLOCATED TO SYS00098
54 IEF237I JES2 ALLOCATED TO INPUT
54 IEF237I JES2 ALLOCATED TO OUTPUT
56 IEF142I COBOL GO COBOL - STEP WAS EXECUTED - COND CODE 0000
56 IEF285I SYS26164.T210150.RA000.COBOL.LOADSET DELETED *------60
58 IEF285I VOL SER NOS= MYSTUF.
58 IEF285I JES2.JOB01395.S00104 SYSOUT
60 IEF285I SYSC.COBLIB KEPT *------7
60 IEF285I VOL SER NOS= SYSCPK.
```



```
IEF285I UCSYSCPK                                KEPT          *-----0
2 IEF285I VOL SER NOS= SYSCPK.
IEF285I JES2.JOB01395.SI0102
4 IEF285I JES2.JOB01395.S00105                      SYSIN
IEF373I STEP /GO          / START 26164.2101          SYSOUT
6 IEF374I STEP /GO          / STOP 26164.2101 CPU      0MIN 00.01SEC SRB      0MIN 00.00SEC VIRT  100K SYS  224K
*****
8 *
* STEP NUMBER:          2  USER CORE:          100K  START TIME:   21:01:50      CPU TIME:    00:00:00.01  ACTIVE TIME:  00:00:00.03 *
10 * STEP NAME:          GO      SYSTEM CORE:      224K  STOP TIME:    21:01:51      SRB TIME:    00:00:00.00  ALLOC TIME:   21:01:50 *
* PROGRAM NAME:  LOADER    REGION SIZE:      100K  ELAPSED TIME: 00:00:00.05  TCB TIME:    00:00:00.01  PROGRAM LOAD: 21:01:50 *
12 * CONDITION CODE:   00000  PERFORMANCE GROUP: 004
* JES2 CARDS:          1      SERVICE UNITS  PAGES IN/OUT  # SWAPS  PAGES SWAP IN/OUT  VIO PAGES IN/OUT *
14 *                               423          0 /    0          0          0 /    0          0 /    0
*
* ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT
16 * 191/D3390          60  253/D3350          7  253/D3350          0
*****
18 IEF375I JOB /COBOL      / START 26164.2101
20 IEF376I JOB /COBOL      / STOP 26164.2101 CPU      0MIN 00.05SEC SRB      0MIN 00.01SEC
22
24
26
28
30
32
34
36
38
40
42
44
46
48
50
52
54
56
58
60
62
64
```

```

CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LL
CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LL
CC          CC 00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BBBBBBBBBB 00          00 LL
CC          00          00 BBBBBBBBBB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          CC 00          00 BB          BB 00          00 LL
CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LLLLLLLLLLLL

```

JJJJJJJJJ	11	333333333	999999999	55555555555	AAAAAAAAA				
JJJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAAAAA				
JJ	1111	33	33	99	55	AA	AA		
JJ	11		33	99	99	55	AA	AA	
JJ	11		33	99	99	55	AA	AA	
JJ	11		3333	99999999999	555555555	AAAAAAAAAAAA			
JJ	11		3333	99999999999	5555555555	AAAAAAAAAAAA			
JJ	11			33	99		55	AA	AA
JJ	JJ	11		33	99		55	AA	AA
JJ	JJ	11	33	33	99	99	55	AA	AA
JJJJJJJ	111111111	33333333333	99999999999	55555555555		AA	AA	AA	AA
JJJJJ	111111111	3333333333	9999999999	5555555555		AA	AA	AA	AA

```
*****A   END   JOB 1395   COBOL      COBOL PROGRAM      ROOM      9.02.25 PM 13 JUN 26   PRINTER1   SYS HMVS   JOB 1395   END   A*****
```

```
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
```

JJJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAAAAAA					
JJ	111	33	33	99	55	AA	AA			
JJ	11		33	99	99	55	AA	AA		
JJ	11		33	99	99	55	AA	AA		
JJ	11		3333	99999999999	555555555	AAAAAAAAAAAAA				
JJ	11		3333	99999999999	5555555555	AAAAAAAAAAAAA				
JJ	11		33		99		55	AA	AA	
JJ	JJ	11		33		99		55	AA	AA
JJ	JJ	11	33	33	99	99		55	AA	AA
JJJJJJJJ	1111111111	33333333333	99999999999	55555555555	55555555555	AA	AA	AA	AA	
JJJJJJ	1111111111	3333333333	9999999999	5555555555		AA	AA	AA	AA	

```

****A  START  JOB 1395  COBOL      COBOL PROGRAM      ROOM      9.02.25 PM 13 JUN 26  PRINTER1  SYS HMVS  JOB 1395  START  A****

```

```
2
4 1
6
8 00001 IDENTIFICATION DIVISION.
00002 PROGRAM-ID. CARD-LISTER2.
00003 *
10 00004 ENVIRONMENT DIVISION.
00005 CONFIGURATION SECTION.
12 00006 SOURCE-COMPUTER. IBM-370.
00007 OBJECT-COMPUTER. IBM-370.
14 00008 INPUT-OUTPUT SECTION.
00009 FILE-CONTROL.
16 00010 SELECT CARD-FILE ASSIGN TO UT-S-INPUT.
00011 SELECT PRINT-FILE ASSIGN TO UT-S-OUTPUT.
18 00012 *
00013 DATA DIVISION.
20 00014 FILE SECTION.
00015 FD CARD-FILE
22 00016 LABEL RECORD IS OMITTED.
00017 01 CARD-RECORD PIC X(80).
24 00018 *
00019 FD PRINT-FILE
26 00020 LABEL RECORD IS OMITTED.
00021 01 PRINT-LINE PIC X(132).
28 00022 *
00023 WORKING-STORAGE SECTION.
30 00024 77 MORE-CARDS PIC XXX VALUE 'YES'.
00025 *
32 00026 PROCEDURE DIVISION.
00027 000-MAIN.
34 00028 PERFORM INITIALIZATION THRU INITIALIZATION-EXIT.
00029 PERFORM READ-AND-PRINT THRU READ-AND-PRINT-EXIT
36 00030 UNTIL MORE-CARDS EQUAL TO 'NO'.
00031 PERFORM CLOSING.
38 00032 STOP RUN.
00033 *
40 00034 INITIALIZATION.
00035 OPEN INPUT CARD-FILE,
42 00036 OUTPUT PRINT-FILE.
00037 READ CARD-FILE
44 00038 AT END MOVE 'NO' TO MORE-CARDS.
00039 INITIALIZATION-EXIT.
46 00040 EXIT.
00041 *
48 00042 *
00043 READ-AND-PRINT.
50 00044 MOVE CARD-RECORD TO PRINT-LINE.
00045 WRITE PRINT-LINE.
52 00046 READ CARD-FILE
00047 AT END MOVE 'NO' TO MORE-CARDS.
54 00048 READ-AND-PRINT-EXIT.
00049 EXIT.
56 00050 *
00051 CLOSING.
58 00052 CLOSE CARD-FILE, PRINT-FILE.
60
62
64
```

2

2

4

4

STATISTICS SOURCE RECORDS = 52 DATA DIVISION STATEMENTS = 5 PROCEDURE DIVISION STATEMENTS = 14

6

6

OPTIONS IN EFFECT SIZE = 2097152 BUF = 1048576 LINECNT = 57 SPACE1, FLAGW, SEQ, SOURCE

8

8

OPTIONS IN EFFECT NODMAP, NOPMAP, NOCLIST, SUPMAP, NOXREF, LOAD, NODECK, APOST, NOTRUNC, NOLIB, NOVERB

OPTIONS IN EFFECT ZWB

10

10

12

12

14

14

16

16

18

18

20

20

22

22

24

24

26

26

28

28

30

30

32

32

34

34

36

36

38

38

40

40

42

42

44

44

46

46

48

48

50

50

52

52

54

54

56

56

58

58

60

60

62

62

64

64

```

CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LL
CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LL
CC          CC 00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BBBBBBBBBB 00          00 LL
CC          00          00 BBBBBBBBBB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBBBBBBBBBB 000000000000 LLLLLLLLLLLL

```

JJJJJJJJJ	11	333333333	999999999	55555555555	AAAAAAAAA				
JJJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAAAAA				
JJ	1111	33	33	99	55	AA	AA		
JJ	11		33	99	99	55	AA	AA	
JJ	11		33	99	99	55	AA	AA	
JJ	11		3333	99999999999	555555555	AAAAAAAAAAAA			
JJ	11		3333	99999999999	5555555555	AAAAAAAAAAAA			
JJ	11			33		99	55	AA	AA
JJ	JJ	11		33		99	55	AA	AA
JJ	JJ	11	33	33	99	99	55	AA	AA
JJJJJJJ	111111111	33333333333	99999999999	55555555555				AA	AA
JJJJJ	111111111	3333333333	9999999999	5555555555				AA	AA

```
*****A  END  JOB 1395  COBOL      COBOL PROGRAM      ROOM      9.02.25 PM 13 JUN 26  PRINTER1  SYS HMVS  JOB 1395  END  A*****
```

```
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
```

JJJJJJJJJ	11	3333333333	9999999999	55555555555	AAAAAAAAA				
JJJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAA				
JJ	1111	33	33	99	55	AA	AA		
JJ	11		33	99	99	55	AA	AA	
JJ	11		33	99	99	55	AA	AA	
JJ	11		3333	99999999999	555555555	AAAAAAAAA			
JJ	11		3333	99999999999	5555555555	AAAAAAAAA			
JJ	11		33		99	55	AA	AA	
JJ	JJ	11		33		99	55	AA	AA
JJ	JJ	11	33	33	99	99	55	AA	AA
JJJJJJJ	1111111111	33333333333	99999999999	55555555555					
JJJJJJ	1111111111	3333333333	9999999999	5555555555					

```

****A  START  JOB 1395  COBOL      COBOL PROGRAM      ROOM      9.02.25 PM 13 JUN 26  PRINTER1  SYS HMVS  JOB 1395  START  A****

```

VS LOADER

```
OPTIONS USED - PRINT, MAP, LET, CALL, RES, NOTERM, SIZE=69632, NAME=**GO
```

NAME	TYPE	ADDR	NAME	TYPE	ADDR	NAME	TYPE	ADDR	NAME	TYPE	ADDR	NAME	TYPE	ADDR
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

8	CARDOLIS	SD	9C010	ILB0STP0*	SD	9C7B0	ILB0STP1*	LR	9C7C6	8
---	----------	----	-------	-----------	----	-------	-----------	----	-------	---

10	TOTAL LENGTH	7D8	10
----	--------------	-----	----

ENTRY	ADDRESS	9C010

```
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
```

JJJJJJJJJ	11	3333333333	9999999999	555555555555	AAAAAAAAAA
JJJJJJJJJ	111	333333333333	999999999999	555555555555	AAAAAAAAAA
JJ	1111	33	99	99	55
JJ	11	33	99	99	55
JJ	11	33	99	99	55
JJ	11	3333	999999999999	555555555	AAAAAAAAAA
JJ	11	3333	999999999999	5555555555	AAAAAAAAAA
JJ	11	33	99	55	AA
JJ	11	33	99	55	AA
JJ	11	33	99	55	AA
JJ	11	33	99	55	AA
JJJJJJJ	1111111111	333333333333	999999999999	555555555555	AA
JJJJJJ	1111111111	3333333333	9999999999	5555555555	AA

```

****A      END      JOB 1395  COBOL      COBOL PROGRAM      ROOM      9.02.25 PM 13 JUN 26  PRINTER1  SYS HMVS  JOB 1395  END  A****

```

```
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
```

JJJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAAAAAA					
JJ	111	33	33	99	55	AA	AA			
JJ	11		33	99	99	55	AA	AA		
JJ	11		33	99	99	55	AA	AA		
JJ	11		3333	99999999999	555555555	AAAAAAAAAAAAA				
JJ	11		3333	99999999999	5555555555	AAAAAAAAAAAAA				
JJ	11		33		99		55	AA	AA	
JJ	JJ	11		33		99		55	AA	AA
JJ	JJ	11	33	33	99	99		55	AA	AA
JJJJJJJJ	1111111111	33333333333	99999999999	55555555555	55555555555	AA	AA	AA	AA	
JJJJJJ	1111111111	3333333333	9999999999	5555555555		AA	AA	AA	AA	

```

****A  START  JOB 1395  COBOL      COBOL PROGRAM      ROOM      9.02.25 PM 13 JUN 26  PRINTER1  SYS HMVS  JOB 1395  START  A****

```

	MARGI OLSON MIS 3-098 SECTION 1	
2	THIS IS A PROGRAM	2
	TO READ AN PRINT	
4	PUNCHED CARDS.	4
	IF IT WORKS,	
6	TEN CARDS	6
	WILL PRINT.	
8	THE LAST CARD	8
	IS MARKED,	
10	'THIS IS THE LAST CARD.'	10
12		12
14		14
16		16
18		18
20		20
22		22
24		24
26		26
28		28
30		30
32		32
34		34
36		36
38		38
40		40
42		42
44		44
46		46
48		48
50		50
52		52
54		54
56		56
58		58
60		60
62		62
64		64

```

CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LL
CC          CC 00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BBBB BBBB          00          00 LL
CC          00          00 BBBB BBBB          00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL

```

JJJJJJJJJ	11	333333333	999999999	55555555555	AAAAAAAAA					
JJJJJJJJJ	111	33333333333	99999999999	55555555555	AAAAAAAAAAAA					
JJ	1111	33	33	99	55	AA	AA			
JJ	11		33	99	99	55	AA	AA		
JJ	11		33	99	99	55	AA	AA		
JJ	11		3333	99999999999	555555555	AAAAAAAAAAAA				
JJ	11		3333	99999999999	5555555555	AAAAAAAAAAAA				
JJ	11		33		99		55	AA	AA	
JJ	JJ	11		33		99		55	AA	AA
JJ	JJ	11	33	33	99	99		55	AA	AA
JJJJJJJ	111111111	33333333333	99999999999	55555555555						
JJJJJ	111111111	3333333333	9999999999	5555555555						

```
*****A   END   JOB 1395   COBOL      COBOL PROGRAM      ROOM      9.02.25 PM 13 JUN 26   PRINTER1   SYS HMVS   JOB 1395   END   A*****
```