

		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	
2		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	2
		CC	00	00 BB	BB 00	00 LL	
4		CC	00	00 BB	BB 00	00 LL	4
		CC	00	00 BB	BB 00	00 LL	
6		CC	00	00 BBBB	00	00 LL	6
		CC	00	00 BBBB	00	00 LL	
8		CC	00	00 BB	BB 00	00 LL	8
		CC	00	00 BB	BB 00	00 LL	
10		CC	00	00 BB	BB 00	00 LL	10
		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	
12		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	12
14							14
16		JJJJJJJJ	11	33333333	77777777	66666666	AAAAAAAA
		JJJJJJJJ	111	33333333	77777777	66666666	AAAAAAAA
18		JJ	111	33	77	66	AA AA
		JJ	11	33	77	66	AA AA
20		JJ	11	33	77	66	AA AA
		JJ	11	3333	77	66666666	AAAAAAAA
22		JJ	11	3333	77	66666666	AAAAAAAA
		JJ	11	33	77	66	AA AA
24		JJ JJ	11	33	77	66	AA AA
		JJ JJ	11	33	77	66	AA AA
26		JJJJJJ	11111111	33333333	77	66666666	AA AA
		JJJJJJ	11111111	33333333	77	66666666	AA AA
28							
30		****A	START	JOB 1376	COBOL	COBOL PROGRAM	ROOM 6.47.54 PM 13 JUN 26 PRINTER1 SYS HMVS JOB 1376 START A****
32							
34							
36							
38							
40							
42							
44							
46							
48							
50							
52							
54							
56							
58							
60							
62							
64							

J E S 2 J O B L O G

15.51.26 JOB 1376 \$HASP373 COBOL STARTED - INIT 1 - CLASS A - SYS HMVS
15.51.26 JOB 1376 IEF403I COBOL - STARTED - TIME=15.51.26
15.51.26 JOB 1376 IEC130I SYSPUNCH DD STATEMENT MISSING
15.51.26 JOB 1376 IEC130I SYSLIB DD STATEMENT MISSING
15.51.26 JOB 1376 IEC130I SYSPUNCH DD STATEMENT MISSING
15.51.26 JOB 1376 IEFACTRT COB /IKFCBL00/00:00:00.05/00:00:00.18/00000/COBOL
15.51.26 JOB 1376 IEFACTRT GO /LOADER /00:00:00.01/00:00:00.06/00000/COBOL
15.51.26 JOB 1376 IEF404I COBOL - ENDED - TIME=15.51.26
15.51.26 JOB 1376 \$HASP395 COBOL ENDED

----- JES2 JOB STATISTICS -----

13 JUN 26 JOB EXECUTION DATE

60 CARDS READ

182 SYSOUT PRINT RECORDS

0 SYSOUT PUNCH RECORDS

0.00 MINUTES EXECUTION TIME

			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	
2			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	2
			CC	00	00	BB	00	
4			CC	00	00	BB	00	4
			CC	00	00	BB	00	
6			CC	00	00	BB	00	6
			CC	00	00	BB	00	
8			CC	00	00	BB	00	8
			CC	00	00	BB	00	
10			CC	00	00	BB	00	10
			CC	00	00	BB	00	
12			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	12
			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	
14								14
16		JJJJJJJJ	11	333333333	7777777777	666666666	AAAAAAAAA	16
		JJJJJJJJ	111	3333333333	7777777777	6666666666	AAAAAAAAA	
18		JJ	1111	33	77	66	AA	18
		JJ	11	33	77	66	AA	
20		JJ	11	33	77	66	AA	20
		JJ	11	3333	77	666666666	AAAAAAAAA	
22		JJ	11	3333	77	6666666666	AAAAAAAAA	22
		JJ	11	33	77	66	AA	
24		JJ JJ	11	33	77	66	AA	24
		JJ JJ	11	33	77	66	AA	
26		JJJJJJJ	111111111	3333333333	77	6666666666	AA	26
		JJJJJJ	111111111	333333333	77	666666666	AA	
28								28
30	****A	END	JOB 1376	COBOL	COBOL PROGRAM	ROOM	6.47.54 PM 13 JUN 26	30
						PRINTER1	SYS HMVS	
32						JOB 1376	END	32
						A****		
34								34
36								36
38								38
40								40
42								42
44								44
46								46
48								48
50								50
52								52
54								54
56								56
58								58
60								60
62								62
64								64

```
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
```

JJJJJJJJJ	11	3333333333	777777777777	6666666666	AAAAAAAAAA
JJJJJJJJJ	111	333333333333	77777777777	666666666666	AAAAAAAAAA
JJ	1111	33	77	66	AA
JJ	11	33	77	66	AA
JJ	11	33	77	66	AA
JJ	11	3333	77	6666666666	AAAAAAAAAA
JJ	11	3333	77	666666666666	AAAAAAAAAA
JJ	11	33	77	66	AA
JJ	11	33	77	66	AA
JJ	11	33	77	66	AA
JJJJJJJJ	1111111111	333333333333	77	666666666666	AA
JJJJJJ	1111111111	3333333333	77	6666666666	AA

```
*****A  START  JOB 1376  COBOL      COBOL PROGRAM      ROOM      6.47.54 PM 13 JUN 26  PRINTER1  SYS HMVS  JOB 1376  START  A*****
```

1	//COBOL JOB 1, 'COBOL PROGRAM', CLASS=A, MSGCLASS=X	JOB 1376	
2	//COBOL EXEC PROC=COBUG		2
3	XXCOBUG PROC CPARAM1='LOAD',	100000100	
4	XX CPARAM2='SIZE=2048K, BUF=1024K'	00000200	4
4	XXCOB EXEC PGM=IKFCBL00, REGION=4096K,	00000301	
6	XX PARM='&CPARM1, &CPARM2'	00000401	6
5	XXSTEPLIB DD DSN=SYSC.LINKLIB, DISP=SHR	00000501	
8	XXSYSPRINT DD SYSOUT=*	00000600	8
7	XXSYSUT1 DD UNIT=SYSDA, SPACE=(460, (700, 100))	00000700	
8	XXSYSUT2 DD UNIT=SYSDA, SPACE=(460, (700, 100))	00000800	10
9	XXSYSUT3 DD UNIT=SYSDA, SPACE=(460, (700, 100))	00000900	
10	XXSYSUT4 DD UNIT=SYSDA, SPACE=(460, (700, 100))	00001000	12
11	XXSYSLIN DD DSN=&LOADSET, DISP=(MOD, PASS),	00001100	
14	XX UNIT=SYSDA, SPACE=(80, (500, 100))	00001200	14
12	//COB.SYSIN DD *		
16	XXGO EXEC PGM=LOADER, PARM='MAP, LET', COND=(5, LT, COB), REGION=100K	00001300	16
14	XXSYSLIN DD DSN=*.COB.SYSLIN, DISP=(OLD, DELETE)	00001400	
15	XXSYSLOUT DD SYSOUT=A	00001500	18
16	XXSYSLIB DD DSN=SYSC.COBLIB, DISP=SHR	00001602	
20	//GO.INPUT DD *		20
18	//GO.OUTPUT DD SYSOUT=*, DCB=(RECFM=FBA, LRECL=133, BLKSIZE=13300)		
22	//		22
24			24
26			26
28			28
30			30
32			32
34			34
36			36
38			38
40			40
42			42
44			44
46			46
48			48
50			50
52			52
54			54
56			56
58			58
60			60
62			62
64			64

			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	
2			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	2
			CC	00	00	BB	00	
4			CC	00	00	BB	00	4
			CC	00	00	BB	00	
6			CC	00	00	BB	00	6
			CC	00	00	BB	00	
8			CC	00	00	BB	00	8
			CC	00	00	BB	00	
10			CC	00	00	BB	00	10
			CC	00	00	BB	00	
12			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	12
			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	
14								14
16		JJJJJJJJ	11	333333333	7777777777	666666666	AAAAAAAAA	16
		JJJJJJJJ	111	3333333333	7777777777	66666666666	AAAAAAAAA	
18		JJ	1111	33	77	66	AA	18
		JJ	11	33	77	66	AA	
20		JJ	11	33	77	66	AA	20
		JJ	11	3333	77	666666666	AAAAAAAAA	
22		JJ	11	3333	77	66666666666	AAAAAAAAA	22
		JJ	11	33	77	66	AA	
24		JJ JJ	11	33	77	66	AA	24
		JJ JJ	11	33	77	66	AA	
26		JJJJJJJ	111111111	3333333333	77	66666666666	AA	26
		JJJJJJ	111111111	333333333	77	666666666	AA	
28								28
30	****A	END	JOB 1376	COBOL	COBOL PROGRAM	ROOM	6.47.54 PM 13 JUN 26	30
						PRINTER1	SYS HMVS	
32						JOB 1376	END	32
						A****		
34								34
36								36
38								38
40								40
42								42
44								44
46								46
48								48
50								50
52								52
54								54
56								56
58								58
60								60
62								62
64								64

		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	
2		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	2
		CC	00	00 BB	BB 00	00 LL	
4		CC	00	00 BB	BB 00	00 LL	4
		CC	00	00 BB	BB 00	00 LL	
6		CC	00	00 BBBB	00	00 LL	6
		CC	00	00 BBBB	00	00 LL	
8		CC	00	00 BB	BB 00	00 LL	8
		CC	00	00 BB	BB 00	00 LL	
10		CC	00	00 BB	BB 00	00 LL	10
		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	
12		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	12
14							14
16		JJJJJJJJ	11	33333333	77777777	66666666	AAAAAAAAA
		JJJJJJJJ	111	333333333	77777777	666666666	AAAAAAAAA
18		JJ	111	33	77	66	AA AA
		JJ	11	33	77	66	AA AA
20		JJ	11	33	77	66	AA AA
		JJ	11	3333	77	66666666	AAAAAAAAA
22		JJ	11	3333	77	666666666	AAAAAAAAA
		JJ	11	33	77	66	AA AA
24		JJ JJ	11	33	77	66	AA AA
		JJ JJ	11	33	77	66	AA AA
26		JJJJJJ	11111111	333333333	77	666666666	AA AA
		JJJJJ	11111111	33333333	77	66666666	AA AA
28							
30		****A	START	JOB 1376	COBOL	COBOL PROGRAM	ROOM
32							
34							
36							
38							
40							
42							
44							
46							
48							
50							
52							
54							
56							
58							
60							
62							
64							

STMT NO. MESSAGE

```
2 4 IEF653I SUBSTITUTION JCL - PARM='LOAD,SIZE=2048K,BUF=1024K'
4 IEF236I ALLOC. FOR COBOL COB COBOL
6 IEF237I 253 ALLOCATED TO STEPLIB
8 IEF237I 253 ALLOCATED TO SYS00032
10 IEF237I JES2 ALLOCATED TO SYSPRINT
12 IEF237I 191 ALLOCATED TO SYSUT1
14 IEF237I 191 ALLOCATED TO SYSUT2
16 IEF237I 191 ALLOCATED TO SYSUT3
18 IEF237I 191 ALLOCATED TO SYSUT4
20 IEF237I 191 ALLOCATED TO SYSLIN
22 IEF237I JES2 ALLOCATED TO SYSIN
24 IEC130I SYSPUNCH DD STATEMENT MISSING
26 IEC130I SYSLIB DD STATEMENT MISSING
28 IEC130I SYSPUNCH DD STATEMENT MISSING
30 IEF142I COBOL COB COBOL - STEP WAS EXECUTED - COND CODE 0000
32 IEF285I SYSC.LINKLIB KEPT *------0
34 IEF285I VOL SER NOS= SYSCPK.
36 IEF285I UCSYSCPK KEPT *------0
38 IEF285I VOL SER NOS= SYSCPK.
40 IEF285I JES2.JOB01376.S00103 SYSOUT
42 IEF285I SYS26164.T155126.RA000.COBOL.R0000001 DELETED *------6
44 IEF285I VOL SER NOS= MYSTUF.
46 IEF285I SYS26164.T155126.RA000.COBOL.R0000002 DELETED *------6
48 IEF285I VOL SER NOS= MYSTUF.
50 IEF285I SYS26164.T155126.RA000.COBOL.R0000003 DELETED *------9
52 IEF285I VOL SER NOS= MYSTUF.
54 IEF285I SYS26164.T155126.RA000.COBOL.R0000004 DELETED *------3
56 IEF285I VOL SER NOS= MYSTUF.
58 IEF285I SYS26164.T155126.RA000.COBOL.LOADSET PASSED *------54
60 IEF285I VOL SER NOS= MYSTUF.
62 IEF285I JES2.JOB01376.SI0101 SYSIN
64 IEF373I STEP /COB / START 26164.1551
66 IEF374I STEP /COB / STOP 26164.1551 CPU 0MIN 00.04SEC SRB 0MIN 00.01SEC VIRT 2076K SYS 220K
68 **** JOB NAME: COBOL JOBCARD READ 2026/164 15:51:26 370/ 33 VS2 R03.8 HMVS *****
70 *
72 * STEP NUMBER: 1 USER CORE: 2076K START TIME: 15:51:26 CPU TIME: 00:00:00.05 ACTIVE TIME: 00:00:00.12 *
74 * STEP NAME: COB SYSTEM CORE: 220K STOP TIME: 15:51:26 SRB TIME: 00:00:00.01 ALLOC TIME: 15:51:26 *
76 * PROGRAM NAME: IKFCBL00 REGION SIZE: 4096K ELAPSED TIME: 00:00:00.18 TCB TIME: 00:00:00.04 PROGRAM LOAD: 15:51:26 *
78 * CONDITION CODE: 00000 PERFORMANCE GROUP: 004 *
80 * JES2 CARDS: 4 SERVICE UNITS PAGES IN/OUT # SWAPS PAGES SWAP IN/OUT VIO PAGES IN/OUT *
82 * 578 0 / 0 0 0 / 0 0 / 0 *
84 *
86 * ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT ADDR/UNIT I/O COUNT *
88 * 253/D3350 0 253/D3350 0 191/D3390 6 191/D3390 6 191/D3390 9 191/D3390 3 *
90 * 191/D3390 54 *
92 *****
94 IEF236I ALLOC. FOR COBOL GO COBOL
96 IEF237I 191 ALLOCATED TO SYSLIN
98 IEF237I JES2 ALLOCATED TO SYSLOUT
100 IEF237I 253 ALLOCATED TO SYSLIB
102 IEF237I 253 ALLOCATED TO SYS00034
104 IEF237I JES2 ALLOCATED TO INPUT
106 IEF237I JES2 ALLOCATED TO OUTPUT
108 IEF142I COBOL GO COBOL - STEP WAS EXECUTED - COND CODE 0000
110 IEF285I SYS26164.T155126.RA000.COBOL.LOADSET DELETED *------55
112 IEF285I VOL SER NOS= MYSTUF.
114 IEF285I JES2.JOB01376.S00104 SYSOUT
116 IEF285I SYSC.COBLIB KEPT *------7
118 IEF285I VOL SER NOS= SYSCPK.
```



```
IEF285I UCSYSCPK                                KEPT          *-----0
2 IEF285I VOL SER NOS= SYSCPK.
IEF285I JES2.JOB01376.SI0102
4 IEF285I JES2.JOB01376.S00105                      SYSIN
IEF373I STEP /GO          / START 26164.1551          SYSOUT
6 IEF374I STEP /GO          / STOP 26164.1551 CPU      0MIN 00.01SEC SRB      0MIN 00.00SEC VIRT  100K SYS  216K
*****
8 *
* STEP NUMBER:          2  USER CORE:          100K  START TIME:   15:51:26      CPU TIME:    00:00:00.01  ACTIVE TIME:  00:00:00.03 *
10 * STEP NAME:          GO      SYSTEM CORE:      216K  STOP TIME:    15:51:26      SRB TIME:    00:00:00.00  ALLOC TIME:   15:51:26 *
* PROGRAM NAME:  LOADER    REGION SIZE:      100K  ELAPSED TIME: 00:00:00.06  TCB TIME:    00:00:00.01  PROGRAM LOAD: 15:51:26 *
12 * CONDITION CODE:   00000  PERFORMANCE GROUP: 004
* JES2 CARDS:          1      SERVICE UNITS  PAGES IN/OUT  # SWAPS  PAGES SWAP IN/OUT  VIO PAGES IN/OUT *
14 *                               389      0 /    0      0      0 /    0      0 /    0
*
* ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT  ADDR/UNIT I/O COUNT
16 * 191/D3390      55  253/D3350      7  253/D3350      0
*****
18 IEF375I JOB /COBOL    / START 26164.1551
20 IEF376I JOB /COBOL    / STOP 26164.1551 CPU      0MIN 00.05SEC SRB      0MIN 00.01SEC
22
24
26
28
30
32
34
36
38
40
42
44
46
48
50
52
54
56
58
60
62
64
```

			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	
2			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	2
			CC	00	00	BB	00	
4			CC	00	00	BB	00	4
			CC	00	00	BB	00	
6			CC	00	00	BBBBBBBBB	00	6
			CC	00	00	BBBBBBBBB	00	
8			CC	00	00	BB	00	8
			CC	00	00	BB	00	
10			CC	00	00	BB	00	10
			CC	00	00	BB	00	
12			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	12
			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	
14								14
16		JJJJJJJJ	11	333333333	7777777777	666666666	AAAAAAAAA	16
		JJJJJJJJ	111	3333333333	7777777777	66666666666	AAAAAAAAA	
18		JJ	1111	33	77	66	AA	18
		JJ	11	33	77	66	AA	
20		JJ	11	33	77	66	AA	20
		JJ	11	3333	77	666666666	AAAAAAAAA	
22		JJ	11	3333	77	66666666666	AAAAAAAAA	22
		JJ	11	33	77	66	AA	
24		JJ JJ	11	33	77	66	AA	24
		JJ JJ	11	33	77	66	AA	
26		JJJJJJJ	111111111	3333333333	77	66666666666	AA	26
		JJJJJJ	111111111	333333333	77	666666666	AA	
28								28
30	****A	END	JOB 1376	COBOL	COBOL PROGRAM	ROOM	6.47.54 PM 13 JUN 26	30
						PRINTER1	SYS HMVS	
32						JOB 1376	END	32
						A****		
34								34
36								36
38								38
40								40
42								42
44								44
46								46
48								48
50								50
52								52
54								54
56								56
58								58
60								60
62								62
64								64

```

CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LL
CC          CC 00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BBBB BBBB          00          00 LL
CC          00          00 BBBB BBBB          00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CC          00          00 BB          BB 00          00 LL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL
CCCCCCCCCCCC 000000000000 BBBB BBBB BBBB 000000000000 LLLLLLLLLLLLLL

```

JJJJJJJJJ	11	3333333333	7777777777	6666666666	AAAAAAAA					
JJJJJJJJJ	111	33333333333	7777777777	66666666666	AAAAAAAAAAAA					
JJ	1111	33	33	77	66	66	AA	AA		
JJ	11		33		77		66	AA	AA	
JJ	11		33		77		66	AA	AA	
JJ	11		3333		77		6666666666	AAAAAAAAAAAA		
JJ	11		3333		77		66666666666	AAAAAAAAAAAA		
JJ	11			33	77		66	66	AA	AA
JJ	JJ	11		33	77		66	66	AA	AA
JJ	JJ	11	33	33	77		66	66	AA	AA
JJJJJJJ	111111111		33333333333	77			66666666666	AA	AA	AA
JJJJJ	111111111		3333333333	77			6666666666	AA	AA	AA

```

*****A  START  JOB 1376  COBOL          COBOL PROGRAM          ROOM          6.47.54 PM 13 JUN 26  PRINTER1  SYS HMVS  JOB 1376  START  A*****

```

```
2
4 1
6
8 00001 IDENTIFICATION DIVISION.
00002 PROGRAM-ID. CARD-LISTER.
00003 *
10 00004 ENVIRONMENT DIVISION.
00005 CONFIGURATION SECTION.
12 00006 SOURCE-COMPUTER. IBM-370.
00007 OBJECT-COMPUTER. IBM-370.
14 00008 INPUT-OUTPUT SECTION.
00009 FILE-CONTROL.
16 00010 SELECT CARD-FILE ASSIGN TO UT-S-INPUT.
00011 SELECT PRINT-FILE ASSIGN TO UT-S-OUTPUT.
18 00012 *
00013 DATA DIVISION.
20 00014 FILE SECTION.
00015 FD CARD-FILE
22 00016 LABEL RECORD IS OMITTED.
00017 01 CARD-RECORD PIC X(80).
24 00018 *
00019 FD PRINT-FILE
26 00020 LABEL RECORD IS OMITTED.
00021 01 PRINT-LINE PIC X(132).
28 00022 *
00023 WORKING-STORAGE SECTION.
30 00024 *
00025 PROCEDURE DIVISION.
32 00026 000-MAIN.
00027 PERFORM INITIALIZATION.
34 00028 PERFORM READ-AND-PRINT 10 TIMES.
00029 PERFORM CLOSING.
36 00030 STOP RUN.
00031 *
38 00032 INITIALIZATION.
00033 OPEN INPUT CARD-FILE,
40 00034 OUTPUT PRINT-FILE.
00035 *
42 00036 READ-AND-PRINT.
00037 READ CARD-FILE AT END STOP RUN.
44 00038 MOVE CARD-RECORD TO PRINT-LINE.
00039 WRITE PRINT-LINE.
46 00040 *
00041 CLOSING.
48 00042 CLOSE CARD-FILE, PRINT-FILE.
50
52
54
56
58
60
62
64
```

2

2

4

4

STATISTICS SOURCE RECORDS = 42 DATA DIVISION STATEMENTS = 4 PROCEDURE DIVISION STATEMENTS = 10

6

6

OPTIONS IN EFFECT SIZE = 2097152 BUF = 1048576 LINECNT = 57 SPACE1, FLAGW, SEQ, SOURCE

8

8

OPTIONS IN EFFECT NODMAP, NOPMAP, NOCLIST, SUPMAP, NOXREF, LOAD, NODECK, APOST, NOTRUNC, NOLIB, NOVERB

OPTIONS IN EFFECT ZWB

10

10

12

12

14

14

16

16

18

18

20

20

22

22

24

24

26

26

28

28

30

30

32

32

34

34

36

36

38

38

40

40

42

42

44

44

46

46

48

48

50

50

52

52

54

54

56

56

58

58

60

60

62

62

64

64

			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	
2			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	2
			CC	00	00	BB	00	
4			CC	00	00	BB	00	4
			CC	00	00	BB	00	
6			CC	00	00	BB	00	6
			CC	00	00	BB	00	
8			CC	00	00	BB	00	8
			CC	00	00	BB	00	
10			CC	00	00	BB	00	10
			CC	00	00	BB	00	
12			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	12
			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	
14								14
16		JJJJJJJJ	11	333333333	7777777777	666666666	AAAAAAAAA	16
		JJJJJJJJ	111	3333333333	7777777777	66666666666	AAAAAAAAA	
18		JJ	1111	33	77	66	AA	18
		JJ	11	33	77	66	AA	
20		JJ	11	33	77	66	AA	20
		JJ	11	3333	77	666666666	AAAAAAAAA	
22		JJ	11	3333	77	66666666666	AAAAAAAAA	22
		JJ	11	33	77	66	AA	
24		JJ JJ	11	33	77	66	AA	24
		JJ JJ	11	33	77	66	AA	
26		JJJJJJJ	111111111	3333333333	77	66666666666	AA	26
		JJJJJJ	111111111	333333333	77	666666666	AA	
28								28
30	****A	END	JOB 1376	COBOL	COBOL PROGRAM	ROOM	6.47.54 PM 13 JUN 26	30
						PRINTER1	SYS HMVS	
32						JOB 1376	END	32
						A****		
34								34
36								36
38								38
40								40
42								42
44								44
46								46
48								48
50								50
52								52
54								54
56								56
58								58
60								60
62								62
64								64

		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	
2		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	2
		CC	00	00 BB	BB 00	00 LL	
4		CC	00	00 BB	BB 00	00 LL	4
		CC	00	00 BB	BB 00	00 LL	
6		CC	00	00 BBBB	00	00 LL	6
		CC	00	00 BBBB	00	00 LL	
8		CC	00	00 BB	BB 00	00 LL	8
		CC	00	00 BB	BB 00	00 LL	
10		CC	00	00 BB	BB 00	00 LL	10
		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	
12		CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	12
14							14
16		JJJJJJJJ	11	33333333	77777777	66666666	AAAAAAAA
		JJJJJJJJ	111	33333333	77777777	66666666	AAAAAAAA
18		JJ	111	33	77	66	AA AA
		JJ	11	33	77	66	AA AA
20		JJ	11	33	77	66	AA AA
		JJ	11	3333	77	66666666	AAAAAAAA
22		JJ	11	3333	77	66666666	AAAAAAAA
		JJ	11	33	77	66	AA AA
24		JJ JJ	11	33	77	66	AA AA
		JJ JJ	11	33	77	66	AA AA
26		JJJJJJ	11111111	33333333	77	66666666	AA AA
		JJJJJJ	11111111	33333333	77	66666666	AA AA
28							
30		****A	START	JOB 1376	COBOL	COBOL PROGRAM	ROOM 6.47.54 PM 13 JUN 26 PRINTER1 SYS HMVS JOB 1376 START A****
32							
34							
36							
38							
40							
42							
44							
46							
48							
50							
52							
54							
56							
58							
60							
62							
64							

	MARGI OLSON MIS 3-098 SECTION 1	
2	THIS IS A PROGRAM	2
	TO READ AN PRINT	
4	PUNCHED CARDS.	4
	IF IT WORKS,	
6	TEN CARDS	6
	WILL PRINT.	
8	THE LAST CARD	8
	IS MARKED,	
10	'THIS IS THE LAST CARD.'	10
12		12
14		14
16		16
18		18
20		20
22		22
24		24
26		26
28		28
30		30
32		32
34		34
36		36
38		38
40		40
42		42
44		44
46		46
48		48
50		50
52		52
54		54
56		56
58		58
60		60
62		62
64		64

			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	
2			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LL	2
			CC	00	00	BB	00	
4			CC	00	00	BB	00	4
			CC	00	00	BB	00	
6			CC	00	00	BB	00	6
			CC	00	00	BB	00	
8			CC	00	00	BB	00	8
			CC	00	00	BB	00	
10			CC	00	00	BB	00	10
			CC	00	00	BB	00	
12			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	12
			CCCCCCCCC	00000000000	BBBBBBBBBB	00000000000	LLLLLLLLLLL	
14								14
16		JJJJJJJJ	11	333333333	7777777777	666666666	AAAAAAAAA	16
		JJJJJJJJ	111	3333333333	7777777777	66666666666	AAAAAAAAA	
18		JJ	1111	33	77	66	AA	18
		JJ	11	33	77	66	AA	
20		JJ	11	33	77	66	AA	20
		JJ	11	3333	77	666666666	AAAAAAAAA	
22		JJ	11	3333	77	66666666666	AAAAAAAAA	22
		JJ	11	33	77	66	AA	
24		JJ JJ	11	33	77	66	AA	24
		JJ JJ	11	33	77	66	AA	
26		JJJJJJJ	111111111	3333333333	77	66666666666	AA	26
		JJJJJJ	111111111	333333333	77	666666666	AA	
28								28
30	****A	END	JOB 1376	COBOL	COBOL PROGRAM	ROOM	6.47.54 PM 13 JUN 26	30
						PRINTER1	SYS HMVS	
32						JOB 1376	END	32
						A****		
34								34
36								36
38								38
40								40
42								42
44								44
46								46
48								48
50								50
52								52
54								54
56								56
58								58
60								60
62								62
64								64