

오픈소스SW의 이해

CHAPTER 5

SEMESTER | 2026-2


박성미

Cherry Pick 사용하기

한림대학교

Cherry-pick 사용하기


▶ Cherry-pick 사용하기



- Hot Fix
- Backporting
- 격리 변경


Cherry-pick 사용하기

Cherry-pick 사용하기



Cherry-pick 사용하기


▶ Cherry-pick 사용하기



Cherry-pick 사용하기

Cherry-pick 사용하기


Main브랜치에 fight브랜치를 merge할 경우



Cherry-pick 사용하기

Cherry-pick 사용하기

Main브랜치에 fight브랜치의 f1을 cherry-pick할 경우



Hello.txt


```
1 # Section1
2 Hello world!
3 안녕 세상아!
4 Hallo Welt!
5
6 # Section 2
7 Bye world!
```

git cherry-pick <commit-hash>

Cherry-pick 사용하기

▶ Cherry-pick 사용하기

CLASSSUM



- (1) 옆의 git graph 형태 만들기
- (2) feature_2에서 commit 2번 진행
- (3) 이전 commit을 cherry-pick하기

목차

Table of Contents



01. Github 시작하기

02. 지역-원격 저장소 연결하기

Github 시작하기

한림대학교

Github 시작하기

원격 저장소와 깃허브

❖ 원격 저장소란?

- 지역 저장소가 아닌 컴퓨터나 서버에 만든 저장소
- **백업**의 역할: 지역 저장소의 자료를 외부 (인터넷) 장소에 쉽게 보관 가능
- **협업**의 역할: 여러 명의 팀원들과 함께 자료 공유 및 동시 작업 가능

Github 시작하기

원격 저장소와 깃허브

❖ Github

- Git을 기반으로 한 웹 호스팅 서비스로, 개발자들의 협업과 코드 공유를 위한 플랫폼
- 코드 저장소: 프로젝트의 소스코드를 저장하고 관리할 수 있는 공간 제공
- 버전 관리: Git의 기능을 활용하여 코드의 변경사항 추적 및 관리 가능
- 협업 도구: 풀 리퀘스트 (Pull Request)와 이슈 트래킹 (Issue Tracking) 등 기능 제공
- 코드 리뷰: 다른 개발자들이 코드 검토 및 개선 사항 제시 가능
- 지속적 통합 및 배포: CI/CD (Continuous Integration/Continuous Development) 파이프라인 구축 가능

Github 시작하기



원격 저장소와 깃허브

telegramdesktop / tdesktop

🔍 Type / to search

<> Code

🕒 Issues 889

🔗 Pull requests 38

🎬 Actions

📖 Wiki

🛡 Security

📊 Insights

👉 Want to contribute to telegramdesktop/tdesktop?

Dismiss

If you have a bug or an idea, read the [contributing guidelines](#) before opening an issue.

🕒 Issues needing community help on reports to third-party projects

#25126 · ilya-fedin opened on Sep 24, 2022

14

🕒 Search settings

#27796 · Aokromes opened on Apr 22, 2024

2

is:issue state:open

🔍

🏷 Labels

📅 Milestones

New issue

Open 888

Closed 14,522

Author

Labels

Projects

Milestones

Assignees

Types

📄 Newest

🕒 Saved messages has wrong name in ctrl+tab switcher

bug

#29896 · roundedrectangle opened 1 hour ago

1

🕒 notification not showing up sometimes while window in background

bug

waiting for answer

#29894 · nati011 opened yesterday

1

🕒 Old chat links stop working after converting a group to a supergroup

bug

#29886 · Flidusu opened 2 days ago

5

🕒 Add support for additional music codecs using ffmpeg.

enhancement

#29885 · aletschfirn opened 2 days ago

1


Github 시작하기



▶ 지역(local) 저장소와 원격(remote) 저장소

- ❖ 지역 저장소 (로컬 저장소): 사용자 컴퓨터에 있는 저장소
- ❖ 원격 저장소: 깃헙에 있는 저장소

- ✓ Pull: 원격 저장소 → 지역 저장소
- ✓ Push: 지역 저장소 → 원격 저장소
- ✓ 동기화: 지역 저장소와 원격 저장소의 자료를 동일하게 유지하는 것 (변경사항 공유)




Github 시작하기



깃헙에 원격 저장소 만들기

❖ 깃헙에서 원격 저장소 만들기 = 새로운 리포지토리 (repository) 생성



Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Required fields are marked with an asterisk (*).

Repository template

No template

Start your repository with a template repository's contents.

Owner *

Repository name *

outspark

 /

test

test is available.

Great repository names are short and memorable. Need inspiration? How about [vigilant-lamp](#) ?

Description (optional)

this is a test

☒ Public

Anyone on the internet can see this repository. You choose who can commit.

☐ Private

You choose who can see and commit to this repository.

Github 시작하기

▶ 깃헙에 원격 저장소 만들기

- ❖ README.md 추가
- ❖ .gitignore 추가
- ❖ license 추가

Initialize this repository with:

☒ Add a README file
This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: None ▾

.gitignore template

Q python ✓

Python

This will set `main` as the default branch. Change the default name in your [settings](#).

Initialize this repository with:

☒ Add a README file
This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: Python ▾

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

License: MIT License ✓

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

This will set `main` as the default branch. Change the default name in your [settings](#).

ⓘ You are creating a public repository in your personal account.

✓
Create repository

Github 시작하기



깃헙에 원격 저장소 만들기

outspark / test

Type / to search

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

test

Public

Pin

Unwatch 1

Fork 0

Star 0

main

Go to file

t

+

<> Code

outspark

Initial commit

dfa1a02 · now

1 Commit

.gitignore	Initial commit	now
LICENSE	Initial commit	now
README.md	Initial commit	now

README

MIT license

test

this is a test

About

this is a test

Readme

Activity

0 stars

1 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published


Publish your first package

Github 시작하기



원격 저장소 삭제하기

❖ Settings ➔ Delete this repository



밑으로
스크롤

Danger Zone

Change repository visibility

This repository is currently public.

Change visibility

Disable branch protection rules

Disable branch protection rules enforcement and APIs

Disable branch protection rules

Transfer ownership

Transfer this repository to another user or to an organization where you have the ability to create repositories.

Transfer

Archive this repository


Mark this repository as archived and read-only.

Archive this repository

Delete this repository

Once you delete a repository, there is no going back. Please be certain.

Delete this repository



Delete outspark/test


outspark/test
☆ 0 stars 👁 1 watcher

To confirm, type "outspark/test" in the box below

outspark/test


Delete this repository

지역- 원격 저장소 연결하기

한림대학교


지역-원격 저장소 연결하기 |

▶ 지역-원격 저장소 연결하기 (개념)




지역-원격 저장소 연결하기 |

▶ 지역-원격 저장소 연결하기 (개념)




지역-원격 저장소 연결하기 |

▶ 지역-원격 저장소 연결하기 (개념)




지역-원격 저장소 연결하기 |

▶ 지역-원격 저장소 연결하기 (개념)




지역-원격 저장소 연결하기 |

▶ 지역-원격 저장소 연결하기 (개념)



지역-원격 저장소 연결하기 |

▶ 지역-원격 저장소 연결하기 (개념)



지역-원격 저장소 연결하기

원격 저장소 만들기

Home

Issues

Pull requests

Projects

Discussions

Codespaces

Copilot

Explore

Marketplace

OR

outspark
Suz

Set status

Your profile

Your repositories

Your Copilot

Your projects

Your stars

Your gists

Your organizations

Your enterprises

Your sponsors

Try Enterprise

Feature preview

Type / to search

Projects Packages Stars 25

Find a repository...

Type

Language

Sort

New

Repository template

No template

Start your repository with a template repository's contents.

Owner *

Repository name *

outspark / git_test

Great repository names are short and memorable. Need inspiration? How about musical-dollop ?

Description (optional)

☒ Public

Anyone on the internet can see this repository. You choose who can commit.

☐ Private

You choose who can see and commit to this repository.

Initialize this repository with:

☒ Add a README file

This is where you can write a long description for your project. [Learn more about READMEs.](#)

Add .gitignore

.gitignore template: Python

Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)

Choose a license

License: MIT License

A license tells others what they can and can't do with your code. [Learn more about licenses.](#)

This will set main as the default branch. Change the default name in your [settings](#).

You are creating a public repository in your personal account.

Create repository

지역-원격 저장소 연결하기

▶ 지역 저장소 만들기

EXPLORER

WEEK7

Welcome

Start

PROBLEMS

DEBUG CONSOLE

OUTPUT

TERMINAL

PORTS

GITLENS

COMMENTS

PS F:\한림대\오픈소스SW의이해\week7> git init
Initialized empty Git repository in F:/한림대/오픈소스SW의이해/week7/.git/
PS F:\한림대\오픈소스SW의이해\week7>

git_test Public

main 1 Branch 0 Tags

Go to file

Add file

Code

Local Codespaces

Clone

HTTPS SSH GitHub CLI

Copy url to clipboard

https://github.com/outspark/git_test.git

Clone using the web URL.

Open with GitHub Desktop

Download ZIP

git_test

지역-원격 저장소 연결하기 |

▶ 지역-원격 저장소 연결하기

- 원격 저장소에 연결하기

- ✓ git remote add **origin** <깃헙주소>

└ 일반적으로 사용하는 원격 저장소 이름

- 연결된 원격 저장소 확인

- ✓ git remote -v

```
● PS F:\한림대\오픈소스SW의이해\week7> git remote add origin https://github.com/outspark/git_test.git
```

```
● PS F:\한림대\오픈소스SW의이해\week7> git remote -v
origin https://github.com/outspark/git_test.git (fetch)
origin https://github.com/outspark/git_test.git (push)
```

지역-원격 저장소 연결하기 |

▶ 커밋 내려받기 (git pull)


- 브랜치 선택 없이 pull할 경우: 오류 발생

```
PS F:\한림대\오픈소스SW의이해\week7> git pull
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:

git branch --set-upstream-to=origin/<branch> main
```




```
● PS F:\한림대\오픈소스SW의이해\week7> git pull origin main
From https://github.com/outspark/git_test
 * branch          main          -> FETCH_HEAD
● PS F:\한림대\오픈소스SW의이해\week7> git branch
 * main
○ PS F:\한림대\오픈소스SW의이해\week7> 
```

```
WEEK7
  .gitignore
  LICENSE
  README.md
```


지역-원격 저장소 연결하기 |

▶ 커밋 올리기기 (git push)




EXPLORER

- WEEK7
 - .gitignore
 - LICENSE
 - new.py
 - README.md

new.py

```
1 print('Hello, World!')
```

```
PS F:\한림대\오픈소스SW의이해\week7> git add .
PS F:\한림대\오픈소스SW의이해\week7> git commit -m 'new python'
[main 9fde690] new python
1 file changed, 1 insertion(+)
create mode 100644 new.py
```




지역-원격 저장소 연결하기 |

▶ Push할 브랜치 연결해주기

- `git push -u origin main` 또는
- `git push --set-upstream origin main`


설정해준 원격 저장소 이름

PUSH하고자 하는 LOCAL 브랜치




인증 요청

```
PS F:\한림대\오픈소스SW의이해\week7> git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 28 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 284 bytes | 284.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/outspark/git_test.git
   3d5574..9fde690  main -> main
branch 'main' set up to track 'origin/main'.
```






CLASSSUM



```
EXPLORER
WEEK7
.gitignore
hello.py
LICENSE
new.py
README.md

hello.py
1 import datetime
2
3 print(f"Hello, World! {datetime.datetime.now()}")
4
5
6
```

1) hello.py를 원격저장소에 push하시오.
(원격저장소 스크린샷으로 인증)



CLASSUM

2) 새로운 로컬 브랜치를 만들어 push하시오

`git push -u origin <브랜치 이름>`

예) `git push -u origin feature/login`

The background image shows a wide-angle view of a university campus. In the center is a large, modern building with a glass facade. In the foreground, there is a large, circular fountain with several tall, dark columns. The Korean text '한림대학교' (Hanlim University) is visible on a sign in the foreground. The entire image is covered with a semi-transparent blue overlay.

Oh My Git!

Oh My Git

❖ Git 시각화 게임

<https://ohmygit.org/>

다운로드:

<https://blinry.itch.io/oh-my-git>

▼ 오늘


oh-my-git ✓



oh-my-git.pck

▼ 지난 달

dependencies







Back

Reload

Toggle music

intro

Living dangerously

Making backups

Enter the time machine

The command line

Your first commit

Working together

files

Unexpected Roommates

Interior design

branches

Moving through time

Make parallel commits

Creating branches

Branches grow with you!

Deleting branches

Moving branches around

merge

Merging timelines

Contradictions

index

Step by step

Add new files to the index


CLASSUM

- 1) 조별로 github id 공유
- 2) 팀장 선택 > 팀장은 public 레포지토리 생성
- 3) 조원들 collaborator로 추가
- 4) 팀장은 main 브랜치에 README.md, LICENSE, .gitignore 생성 및 커밋
- 5) 각 팀원은 레포지토리 clone > 각자 브랜치 생성 > 브랜치 퍼블리시
 - 팀장도 다른 브랜치 생성해서 작업
- 6) 새 챕터마다 새 브랜치 사용 (chapter-<챕터제목>)
- 7) 문제 다 풀면 main으로 merge 요청 (classum 사용)
- 8) 팀장은 코드 검토 후 merge 수행

CLASSUM

예)

chapter/branches



The screenshot shows a dark-themed application window with a tab titled 'chapter-branches.md' and a preview icon. The main content area displays the title 'Branches' followed by the section '1. Moving through time'. Below this, a code block contains the text 'git branch'.

```
git branch
```


오늘은 여기까지.

Thank you for listening.