annotate-equations.sty

ST John

https://github.com/st--/annotate-equations

1   Introduction

This package is there to make it easier to make annotated equations in LaTeX, such as in this example:


```
\vspace{4em}
\renewcommand{\eqnhighlightheight}{\vphantom{\hat{H}}\mathstrut}
\begin{equation*}
    i \tikzmarknode{hbar}{\mathstrut\hbar} \frac{\partial}{\partial t}
    \eqnmarkbox[blue]{Psi1}{\Psi(x, t)} = \eqnmark[red]{Hhat}{\hat{H}}
    \eqnmarkbox[blue]{Psi2}{\Psi(x, t)}
\end{equation*}
\annotate[yshift=3em]{above}{hbar}{$\hbar = \frac{h}{2\pi}$, reduced Planck constant}
\annotate[yshift=1em]{above}{Hhat}{Hamilton operator}
\annotatetwo[yshift=-1em]{below}{Psi1}{Psi2}{Wave function}
\vspace{1em}
```

There is still a bit of manual tweaking required (such as adding vertical space before/after the equation), but hopefully this package will already make it a bit more inviting to annotate your equations!

Note that this package relies on TikZ's `remember picture` option and therefore you have to compile your LaTeX document at least twice to get everything in the right place (or just use `latexmk`!).

2   Marking annotation targets within your equation

Use `\eqnmarkbox[⟨color⟩]{⟨node name⟩}{⟨equation term(s)⟩}` or `\eqnmark[⟨color⟩]{⟨node name⟩}{⟨equation term(s)⟩}` to define the target of an annotation within your equation. `\eqnmarkbox` adds background shading, whereas `\eqnmark` changes the text color. (You can also use `\tikzmarknode{⟨node name⟩}{⟨equation term(s)⟩}`, but this is likely to end up with the arrow tip too close to the target, so you may want to also pass the `outer ysep` option, see section 6.3.)

e_q^n $f(x)$ kT

```
\begin{equation*}
    \eqnmarkbox[blue]{node1}{e_q^n}
    \eqnmark[red]{node2}{f(x)}
    \tikzmarknode{node3}{kT}
\end{equation*}
```

3   Simple annotations

Once you have defined nodes within your equations, you can annotate them using `\annotate[⟨tikz options⟩]{⟨annotate keys⟩}{⟨node name[,...]⟩}{⟨annotation text⟩}`. ⟨tikz options⟩ is passed through to

the options for the TikZ node defining the annotation; its most important use is to set the `yshift`. For ⟨*annotate keys*⟩, see section 3.1. ⟨*node name*⟩ is the same name you used to mark the node within the equation, e.g. using `\eqnmarkbox`. ⟨*annotation text*⟩ is the text of the annotation itself.

my annotation text

e_q^n $f(x)$ kT

```
\begin{equation*}
    \eqnmarkbox[blue]{node1}{e_q^n}
    \eqnmark[red]{node2}{f(x)}
    \tikzmarknode{node3}{kT}
\end{equation*}
\annotate[yshift=1em]{}{node1,node2}{my annotation text}
```

You generally need to manually adjust the `yshift` to move the annotations to an appropriate distance above (or negative values for below) the equation. If you want an annotation below the equation, with negative `yshift`, remember to also pass the `below` option (see section 3.1). (You can also adjust `xshift` if needed, also positive or negative.)

The annotation picks the same text color as given to `\eqnmarkbox` or `\eqnmark`, but you can also override it using `color` option.

One annotation can point to multiple targets, and multiple annotations can point to the same target.

3.1   Annotation options

⟨*annotate keys*⟩ can be empty, or contain one or more of:

- `above` (default) or `below`,

- `right` (default) or `left`,

- `label above` (default) or `label below`.

  Note: currently only works for `\annotatetwo` (section 4).

my

e_q^n $f(x)$ kT

annotation   text

```
\begin{equation*}
    \eqnmarkbox[blue]{node1}{e_q^n}
    \eqnmark[red]{node2}{f(x)}
    \tikzmarknode{node3}{kT}
\end{equation*}
\annotate[yshift=1em]{left}{node1}{my}
\annotate[yshift=-0.5em]{below,left}{node2}{annotation}
\annotate[yshift=-1em]{below}{node3}{text}
```

4   Double annotations

`\annotatetwo[`⟨*tikz options*⟩`]{`⟨*annotate keys*⟩`}{`⟨*first node name*⟩`}{`⟨*second node name*⟩`}{`⟨*annotation text*⟩`}`. ⟨*tikz options*⟩ and ⟨*annotate keys*⟩ are as described above in sections 3 and 3.1. Note that ⟨*annotate keys*⟩ `left`/`right` have no effect in `\annotatetwo`.

var 1
var 2

a b $=$ b a

var 2

```
\begin{equation*}
    \eqnmarkbox[red]{a1}{a} \eqnmarkbox[blue]{b1}{b} =
    \eqnmarkbox[green]{b2}{b} \eqnmarkbox{a2}{a}
\end{equation*}
\annotatetwo[yshift=1.5em]{above, label below}{a1}{a2}{var 1}
\annotatetwo[yshift=0.5em]{above}{b1}{b2}{var 2}
\annotatetwo[yshift=-0.5em]{below}{b2}{b1}{var 2}
```

Color is picked from the first of the two nodes.

5 Package options

5.1 Size of highlight: shrink to content or always full height

`\eqnhighlightheight` is inserted into every `\eqnhighlight`, `\eqncolor`, `\eqnmark`, and `\eqnmarkbox` and by redefining it you can specify the minimum height for the corresponding box:

$\hbar$ q
```
\renewcommand{\eqnhighlightheight}{}  % package default
\begin{equation*}
    \eqnmarkbox[red]{hbar}{\hbar} \eqnmarkbox[blue]{q}{q}
\end{equation*}
```

$\hbar$ q
```
\renewcommand{\eqnhighlightheight}{\mathstrut}  % 0-width "constant" height
\begin{equation*}
    \eqnmarkbox[red]{hbar}{\hbar} \eqnmarkbox[blue]{q}{q}
\end{equation*}
```

`\eqnhighlightheight` is used in math mode.

Note that in some cases `\mathstrut` might not be enough, as in the introductory example:

$\hat{H}$ Ψ
```
\renewcommand{\eqnhighlightheight}{\mathstrut}  % 0-width "constant" height
\begin{equation*}
    \eqnmarkbox[red]{Hhat}{\hat{H}} \eqnmarkbox[blue]{Psi}{\Psi}
\end{equation*}
```

You can create custom 0-width characters using `\vphantom`:

$\hat{H}$ Ψ
```
\renewcommand{\eqnhighlightheight}{\vphantom{\hat{H}}\mathstrut}  % custom
    0-width height
\begin{equation*}
    \eqnmarkbox[red]{Hhat}{\hat{H}} \eqnmarkbox[blue]{Psi}{\Psi}
\end{equation*}
```

(It looks more balanced if you still include the `\mathstrut`.)

5.2 Amount of shading of mark highlight

`\eqnhighlightshade` defines the percentage of the specified color to take:

$\hbar$ q
```
\renewcommand{\eqnhighlightshade}{17}  % package default
\begin{equation*}
    \eqnmarkbox[red]{hbar}{\hbar} \eqnmarkbox[blue]{q}{q}
\end{equation*}
```

By redefining this command, you can change the "alpha" value of the highlight:

$\hbar$ q
```
\renewcommand{\eqnhighlightshade}{47}  % 0 is white, 100 is solid color
\begin{equation*}
    \eqnmarkbox[red]{hbar}{\hbar} \eqnmarkbox[blue]{q}{q}
\end{equation*}
```

5.3 Default formatting of annotation labels

`\eqnannotationfont` is a one-argument command that feeds into the `font` field of TikZ and can be used to have consistent formatting:

v

velocity

```
% package default:
\renewcommand{\eqnannotationfont}{\sffamily\footnotesize}

\begin{equation*}
    \eqnmarkbox[blue]{v}{v}
\end{equation*}
\annotate[yshift=-0.5em]{below}{v}{velocity}
\vspace{1em}
```

v

velocity

```
\renewcommand{\eqnannotationfont}{\bfseries\small}

\begin{equation*}
    \eqnmarkbox[blue]{v}{v}
\end{equation*}
\annotate[yshift=-0.5em]{below}{v}{velocity}
\vspace{1em}
```

`\eqnannotationstrut` is defined to be a strut (zero-width height) to provide minimum distance between the text and the corresponding arrow line. By default it is `\strut`, which has, which has a similar effect to `\mathstrut` in `\eqnhighlightheight`.

s

The size

```
% Default
\renewcommand{\eqnannotationstrut}{\strut}
\begin{equation*}
        \eqnmarkbox[blue]{size}{s}
\end{equation*}
\annotate[yshift=-0.5em]{below}{size}{The size}
\vspace{1em}
```

s

The size

```
\renewcommand{\eqnannotationstrut}{}

\begin{equation*}
  \eqnmarkbox[blue]{size}{s}
\end{equation*}
\annotate[yshift=-0.5em]{below}{size}{The size}
\vspace{1em}
```

6 Recommendations, tips & tricks

6.1 Use `\colorlet` for consistent, easily changeable colors

6.2 Relations such as "="

Wrapping a mathematical relation symbol such as $=$ in, for example, `\tikzmarknode`, breaks how TeXdetermines spacing in equations:

$a{=}b$

equality

```
\[
a \tikzmarknode{node1}{=} b
\]
\annotate[yshift=-1em]{below}{node1}{equality}
```

This can be fixed by wrapping the `\tikzmarknode` in `\mathrel`:

$a = b$

equality

```
\[
a \mathrel{\tikzmarknode{node1}{=}} b
\]
\annotate[yshift=-1em]{below}{node1}{equality}
```

6.3 Extra spacing between \tikzmarknode and arrow

If you want more space between arrow tip and annotated term, you can pass the `outer ysep` option to \tikzmarknode:

$a = b$

equality

```
\[
a \mathrel{\tikzmarknode[outer ysep=5pt]{node1}{=}} b
\]
\annotate[yshift=-1em]{below}{node1}{equality}
```

7 Known issues

- `label above`/`label below` is not implemented for \annotate.

- Annotations of mathematical relations require some manual patching to get the correct surrounding spacing (see section 6.2).