



| _ | | | | | M | | | | |
|--------|---------|------------------------|-------|--------------------|----------|----------------|--------------|--|--|
| | | S | STYK | LISTE | | | | | |
| # | Antal | Betegnelse | | Materiale | Noter | | | | |
| 1 | 2 | Modul | | | Side 4 | | | | |
| 2 | 1 | Modul top | | | Side 10 | | | | |
| 3 | 1 | Modul bund | | | Side 11 | | | | |
| 4 | 3 | Hegnspæl | | | Side 29 | Side 29 | | | |
| 5 | 4 | Hegnspæl omvendt | | | Side 29 | | | | |
| 6 | 1 | Hegnspæl, platform | | | Side 30 | | | | |
| 7 | 1 | Træhåndfang | | | Side 40 | | | | |
| 9 | 48 | ISO 7089 - 12 | | | | | | | |
| 10 | 24 | ISO 4032 - M12 | | | | | | | |
| 11 | 24 | ISO 4017 - M12 x 30 |) | | | | | | |
| | d by 4 | actryr difuseringsylad | er | PC/ABS | Date | | | | |
| Kristo | ffer Ek | | | Plastic | 26-09-20 | 19 | | | |
| | | | | 1 | | | | | |
| | | | Bepla | ntet bæredygtig tr | appe | Edition 1.10.3 | Sheet 3 / 41 | | |

小




| | | | | <u>STYK</u> | LISTE | | _ | | |
|---------|---------------|----------------|-------------|-----------------------------|----------------|--------------|----------|----------------|-----------------|
| # | Antal | Beteg | gnelse | | Mat | teriale | | Noter | |
| 1 | 1 | vange | | | S355I | 55MC Side 13 | | | |
| 2 | 1 | baluster-fod | | | S355I | МС | Side 22 | | |
| 3 | 2 | skot | | | S355I | МС | Side 23 | | |
| 4 | 2 | skot opad | | | S355I | МС | Side 23 | | |
| 5 | 1 | 1 laske | | | S355I | МС | Side 24 | | |
| 6 | 1 | laske spejlet | | | S355I | МС | Side 24 | | |
| 7 | 4 | trappestift | | | S355J2 Side 28 | | Side 28 | | |
| 8 | 4 | trappestift sl | krå | | S355J2 Si | | Side 28 | | |
| 9 | 1 | stilladssøjle | | | | | | | |
| 10 | 1 | håndfang | | | | | Side 12 | | |
| Designe | ed by | Checked by | Approved by | | Date | | Date | | |
| Kristo | Kristoffer Ek | | | | | | 26-09-20 | 19 | |
| | | | | | | | | | |
| Modul | | | | | | | | | |
| ' | | | | Beplantet bæredygtig trappe | | | | Edition 1.10.3 | Sheet 4 / 41 |





Svejsninger i topmoduler udføres som i midtermoduler




Placering af lasker sker ved at montere lasker med skruer på nabomodul adskildt af 2 mm spalte mellem moduler

| Designed by | Checked by | Approved by | Date | | Date | | |
|---------------|-------------|-------------|--------------|-----------------|----------|-----------------------|--------------|
| Kristoffer Ek | | | | | 26-09-20 | 19 | |
| Sycieningo | r of locker | | | | | | |
| Svejsningei | ai iaskei | | Beplantet bæ | redygtig trappe | | Edition 1.10.3 | Sheet 6 / 41 |





Svejsninger i top- og bundmoduler udføres som i midtermoduler




| Designed by | Checked by | Approved by | Date | | Date | | |
|---------------|------------|-------------|--------------|-----------------|----------|----------------|---------------------|
| Kristoffer Ek | | | | | 26-09-20 | 19 | |
| Constanting | - C - L:CL | | | | | | |
| Svejsning | ar stirter | | Beplantet bæ | redygtig trappe | | Edition 1 10 3 | Sheet 7 / 41 |

小








| | | | STYK | LISTE | | | | | |
|----|---|---------------------|-----------|----------------|--------------|-----------|---------------|---------|-------|
| # | Antal | Betegnelse | Materiale | | | | | Noter | |
| 1 | 1 | vange top | | S355MC Side 16 | | | 16 | | |
| 2 | 1 | baluster-fod | | S355 | MC | C Side 22 | | | |
| 3 | 1 | skot | | S355 | MC | Side | 23 | | |
| 4 | 4 1 skot opad | | | S355 | MC | Side | 23 | | |
| 5 | 1 | laske | | S355 | MC | Side | 24 | | |
| 6 | 6 1 laske spejlet | | | S355MC Side 24 | | | | | |
| 7 | 1 | top vange-endeplade | е | S235. | JR | Side | 27 | | |
| 8 | 4 | trappestift | | S355. | J2 | Side 28 | | | |
| 9 | 4 | trappestift skrå | | S355J2 Side 28 | | | | | |
| 10 | 1 | stilladssøjle | | | | | | | |
| 11 | 1 | håndfang | | | | Side | 12 | | |
| | Designed by Checked by Approved by Kristoffer Ek | | | Date | | Da 26 | te 5-09-20 | 19 | |
| M | Modul top | | | ntet hæi | redvatia tra | nne | | Edition | Sheet |

Edition Sheet 1.10.3 10 / 41

Beplantet bæredygtig trappe




| | | | STYI | KLISTE | | | | | |
|---------|---------|---------------|-------------|--------|---------|---------|------------|--|--|
| # | Antal | Beteg | gnelse | Ma | teriale | | Noter | | |
| 1 | 1 | vange bund | | S355 | MC | Si | Side 19 | | |
| 2 | 1 | baluster-fod | | S355 | MC | Side 22 | | | |
| 3 | 1 | skot | | S355 | MC | Si | de 23 | | |
| 4 | 1 | bund vange- | -endeplade | S235 | JR | Si | de 26 | | |
| 5 | 1 | skot opad | skot opad | | MC | Si | de 23 | | |
| 6 | 1 | stilladssøjle | | | | | | | |
| 7 | 1 | håndfang bu | ınd | | | Si | de 12 | | |
| 8 | 4 | trappestift | | S355 | J2 | Si | de 28 | | |
| 9 | 4 | trappestift s | krå | S355 | J2 | Si | de 28 | | |
| Designe | ed by | Checked by | Approved by | Date | | | Date | | |
| Kristo | ffer Ek | | | | | | 26-09-2019 | | |
| | | | | | | | | | |

Beplantet bæredygtig trappe

Edition Sheet 1.10.3 11 / 41


小

Modul bund



1139,0

| | STYKLISTE | | | | | | | | | |
|---|-----------|---------------------|-----------|-------|--|--|--|--|--|--|
| # | Antal | Betegnelse | Materiale | Noter | | | | | | |
| 1 | 2 | håndfang | S235JR | 25x5 | | | | | | |
| 2 | 1 | afstandsstykke | S235JR | 10x4 | | | | | | |
| 3 | 4 | afstandsstykke kort | S235JR | 10x4 | | | | | | |





| | STYKLISTE | | | | | | | | | | |
|------------------------|-----------|--------------|---------------------|--|-----------|----|-----|------------|--|--|--|
| # | Antal | Betegnelse | | | Materiale | | | Noter | | | |
| 1 | 2 | håndfang | | | S235JR | | 25 | x5 | | | |
| 2 | 4 | afstandsstyk | afstandsstykke kort | | | JR | 10 | x4 | | | |
| Designed by Checked by | | Checked by | Approved by | | Date | | [| Date | | | |
| Kristoffer Ek | | | | | | | - 2 | 26-09-2019 | | | |


Håndfang


Beplantet bæredygtig trappe


| Edition | Sheet | 1.10.3 | 12 / 41 |





































| Ве | tegnelse | | Materiale | Noter | | | |
|------------------|------------|--------------|------------------|------------|-----------------------|----------------------|--|
| laske spejlet S3 | | | 355MC | 5 mm plade | | | |
| Designed by | Checked by | Approved I | by Date | | Date | | |
| Kristoffer Ek | | | | 26-09-20 | 19 | | |
| Lasker | huk | | | | | | |
| Laskei | buk | Beplantet bæ | eredygtig trappe | ! | Edition 1.10.3 | Sheet 25 / 41 | |

本





| Bete | gnelse | | Materiale | | Note | er | |
|---------------|------------|----------|------------------|----------|-----------------------|---------------|--|
| bund vange-er | ndeplade | 235JR | 8 mm plade | | | | |
| Designed by | Checked by | Approved | d by Date | | Date | | |
| Kristoffer Ek | | | | 26-09-20 | 19 | | |
| Bund-vange- | endenlade | | 1) | | | | |
| bullu-vallge- | enuepiaue | | eredygtig trappe | | Edition 1.10.3 | Sheet 26 / 41 | |






Trappestift (1:2)






| Betegnelse | Materiale | Noter |
|-------------|-----------|-------|
| trappestift | S355J2 | |

Trappestift skrå (1:2)







| Beteg | Ма | ateriale | | | Noter | | | |
|-------------------------------|----|----------|--------|--------|-------|---------------|------------|--|
| trappestift skrå | | | | S355J2 | | Ø25 stangstål | | |
| Designed by Checked by Approx | | | ved by | Date | е | | Date | |
| Kristoffer Ek | | | | | | | 26-09-2019 | |
| | | | | | | | | |
| | | | | | | | | |

Beplantet bæredygtig trappe

Edition Sheet 1.10.3 28 / 41




| | STYKLISTE | | | | | | | | |
|---|------------|--------------------|-------------|----------|--|--|--|--|--|
| # | Antal | Betegnelse | Materiale | Noter | | | | | |
| 1 | 900,000 mm | DIN 1024 - T30-900 | Steel, Mild | | | | | | |
| 2 | 2 | hage | Steel | 25x5 | | | | | |
| 3 | 1 | gevindmuffe | Steel | M6 15x10 | | | | | |
| 4 | 1 | ISO 4762 - M6 x 16 | A4 | | | | | | |





| STYKLISTE | | | | | | | | | | |
|---------------|------------|--------------------|-----------|----------|--|--|--|--|--|--|
| # | Antal | Betegnelse | Materiale | Noter | | | | | | |
| 1 | 900,000 mm | DIN 1024 - T30-900 | | | | | | | | |
| 2 | 2 | hage | Steel | 25x5 | | | | | | |
| 3 | 1 | gevindmuffe | Steel | M6 15x10 | | | | | | |
| 4 | 1 | ISO 4762 - M6 x 16 | A4 | | | | | | | |
| Designed by | Checked by | Approved by Da | te Date | | | | | | | |
| Kristoffer Ek | ζ | | 26- | 9-2019 | | | | | | |


Beplantet bæredygtig trappe


Edition Sheet 1.10.3 29 / 41

















| Betegnelse M | | | | ateriale | Noter | | | | |
|--------------------|------------|-------|--------|--------------------|-------|----------------|------|---------|------------------|
| svejselære 3 | | | | Generic 3 mm plade | | | | | |
| Designed by | Checked by | Appro | ved by | y Date | | | Date | | |
| Kristoffer Ek | | | | 26-09-20 | | | 19 | | |
| Svejselære 3 (1:6) | | | | Beplantet ba | ere | edygtig trappe | | Edition | Sheet 36 / 41 |

小

