



| | | | | $\overline{}$ | ` | | | |
|----------------------|---------|------------------------|------|---------------------|---------|-----------|-----------------------|--------------|
| | | 9 | STYK | LISTE | | | | |
| # | Antal | Betegnelse | | Materiale | | | Noter | |
| 1 | 2 | Modul | | | Side 4 | | | |
| 2 | 1 | Modul top | | | Si | de 10 | | |
| 3 1 Modul bund | | | | | Si | de 11 | | |
| 4 | 3 | Hegnspæl | | | Si | de 29 | | |
| 5 4 Hegnspæl omvendt | | | | | Si | de 29 | | |
| 6 | 1 | Hegnspæl, platform | | | Side 30 | | | |
| 7 | 1 | Træhåndfang | | | Si | de 40 | | |
| 9 | 48 | ISO 7089 - 12 | | | | | | |
| 10 | 24 | ISO 4032 - M12 | | | | | | |
| 11 | 24 | ISO 4017 - M12 x 30 |) | | | | | |
| | ed by 4 | actryr-difuseringsplad | er | PC/ABS | | Date | | |
| Kristo | ffer Ek | | | Plastic | | 26-09-201 | L9 | |
| | | 1 | | i idolic | | | | |
| | | | | ntet bæredygtig tra | рре | | Edition 1.12.1 | Sheet 3 / 41 |

本




| | | | | <u>STYK</u> | LISTE | | _ | | |
|---------|-------------------|---------------|-------------|-------------|--------------|-------------|----------|----------------|---------------------|
| # | Antal | Beteg | gnelse | | Materiale No | | | Noter | |
| 1 | 1 | vange | | S355 | MC | Side 13 | | | |
| 2 | 1 | baluster-fod | | S355 | MC | Side 22 | | | |
| 3 | 2 | skot | | | S355 | MC | Side 23 | | |
| 4 | 2 | skot opad | | | S355 | MC | Side 23 | | |
| 5 | 1 | laske | | | S355 | MC | Side 24 | | |
| 6 | 6 1 laske spejlet | | | | S355 | MC | Side 24 | | |
| 7 | 4 | trappestift | | | S355. | 12 | Side 28 | | |
| 8 | 4 | trappestift s | krå | | S355. | 12 | Side 28 | | |
| 9 | 1 | stilladssøjle | | | | | | | |
| 10 | 1 | håndfang | | | | | Side 12 | | |
| Designe | ed by | Checked by | Approved by | | Date | | Date | | |
| Kristo | Kristoffer Ek | | | | | | 26-09-20 | 19 | |
| | | | | | | | | | |
| Ιм | Modul | | | | | | | | |
| 1*1 | Modul | | | Bepla | ntet bær | edygtig tra | рре | Edition 1.12.1 | Sheet 4 / 41 |

小





Svejsninger i topmoduler udføres som i midtermoduler




Placering af lasker sker ved at montere lasker med skruer på nabomodul adskildt af 2 mm spalte mellem moduler

| Designed by | Checked by | Approved by | Date | | Date | | |
|---------------|-------------|-------------|--------------|-----------------|----------|----------------|--------------|
| Kristoffer Ek | | | | | 26-09-20 | 19 | |
| Sycieningo | r of lockor | | | | | | |
| Svejsningei | ai iaskei | | Beplantet bæ | redygtig trappe | | Edition 1.12.1 | Sheet 6 / 41 |





Svejsninger i top- og bundmoduler udføres som i midtermoduler




| Designed by | Checked by | Approved by | Date | | Date | Ì | |
|---------------|------------|-------------|--------------|-----------------|----------|-----------------------|---------------------|
| Kristoffer Ek | | | | | 26-09-20 | 19 | |
| Constantina | - C - L:Ch | | | | | | |
| Svejsning | ar stifter | | Beplantet bæ | redygtig trappe | | Edition 1 12 1 | Sheet 7 / 41 |


小







| | | | 9 | STYK | LISTE | | | | |
|---------|-------------------------|---------------|-------------|-------|----------|-------------|----------|----------------|------------------|
| # | | | | | Ma | teriale | | Noter | |
| 1 | 1 | vange top | | S355 | MC | Side 16 | | | |
| 2 | 1 | baluster-fod | | | S355 | MC | Side 22 | | |
| 3 | 1 | skot | | | S355 | MC | Side 23 | | |
| 4 | 4 1 skot opad | | | | S355 | MC | Side 23 | | |
| 5 | 5 1 laske | | | | S355 | MC | Side 24 | | |
| 6 | 6 1 laske spejlet | | | | S355 | MC | Side 24 | | |
| 7 | 7 1 top vange-endeplade | | | 9 | S235. | JR | Side 27 | | |
| 8 | 4 | trappestift | | | S355. | J2 | Side 28 | | |
| 9 | 4 | trappestift s | krå | | S355. | J2 | Side 28 | | |
| 10 | 1 | stilladssøjle | | | | | | | |
| 11 | 1 | håndfang | | | | | Side 12 | | |
| Designe | • | Checked by | Approved by | | Date | | Date | | |
| Kristof | Kristoffer Ek | | | | | | 26-09-20 |)19 | |
| | | | | | | | | | |
| Mo | Modul top | | | Bepla | ntet bæı | edygtig tra | ppe | Edition 1.12.1 | Sheet 10 / 41 |




| | | | | `T\/// | ITCTE | | | | | | | |
|---------|------------------------|---------------|-------------|-------------|----------|----------------|----------|-----------------------------|--|--|--|--|
| | T | | S | IYKI | LISTE | | | | | | | |
| # | Antal | gnelse | | Mat | teriale | | | | | | | |
| 1 | 1 | vange bund | | S355 | MC | Side 19 | | | | | | |
| 2 | 2 1 baluster-fod | | | | S355 | S355MC Side 22 | | | | | | |
| 3 | 3 1 skot | | | | S355 | S355MC Side 23 | | | | | | |
| 4 | 4 1 bund vange-endepla | | | | S235. | JR | Side 26 | | | | | |
| 5 | 5 1 skot opad | | | | S355 | MC | Side 23 | | | | | |
| 6 | 1 | stilladssøjle | | | | | | | | | | |
| 7 | 1 | håndfang bu | ınd | | | | Side 12 | | | | | |
| 8 | 4 | trappestift | | | S355. | J2 | Side 28 | | | | | |
| 9 | 4 | trappestift s | krå | | S355. | J2 | Side 28 | | | | | |
| Designe | ed by | Checked by | Approved by | | Date | | Date | | | | | |
| Kristo | ristoffer Ek | | | | | | 26-09-20 | 19 | | | | |
| | Modul bund | | | | | | | | | | | |
| Ιм | | | | | | | | | | | | |
| * | ouul L | Juliu | | Benlar | ntet hær | edvatia tra | nne | Benjantet bæredygtig tranne | | | | |

Beplantet bæredygtig trappe


Edition **1.12.1**

Sheet 11 / 41



1139,0

| | STYKLISTE | | | | | | | | |
|---|-----------|---------------------|-----------|-------|--|--|--|--|--|
| # | Antal | Betegnelse | Materiale | Noter | | | | | |
| 1 | 2 | håndfang | S235JR | 25x5 | | | | | |
| 2 | 1 | afstandsstykke | S235JR | 10x4 | | | | | |
| 3 | 4 | afstandsstykke kort | S235JR | 10x4 | | | | | |





| | STYKLISTE | | | | | | | | | | |
|---------------|-----------|---------------|-------------|------|-----------------|----------|-----|--|--|--|--|
| # | Antal | al Betegnelse | | | Materiale Noter | | | | | | |
| 1 | 2 | håndfang | | S235 | JR | 25x5 | | | | | |
| 2 | 4 | afstandsstyk | ke kort | S235 | JR | 10x4 | | | | | |
| Designe | ed by | Checked by | Approved by | Date | | Date | | | | | |
| Kristoffer Ek | | | | | | 26-09-20 |)19 | | | | |


Håndfang


Beplantet bæredygtig trappe


| Sheet | 1.12.1 | 12 / 41 |






































| Bete | Betegnelse | | | | Noter | | | |
|--------------------------------|------------|--|---|--------------|------------------|----------|-----------------------|----------------------|
| laske spejlet | | | | 5MC | 5 mm plade | е | | |
| Designed by Checked by Approve | | | | Date | е | Date | | |
| Kristoffer Ek | | | | | | 26-09-20 | 19 | |
| Lacker h | vide | | | | | | | |
| Lasker buk | | | | Beplantet ba | eredygtig trappe | | Edition 1.12.1 | Sheet 25 / 41 |
| - | | | Z | 7 | | | | |






| Bete | egnelse | Mate | riale | | Note | er | | |
|---------------|------------|--------|--------|------------|------------------|----------|---------|-------|
| bund vange-e | endeplade | S235JR | | 8 mm plade | | | | |
| Designed by | Checked by | Appro | ved by | Date | | Date | | |
| Kristoffer Ek | | | | | | 26-09-20 | 19 | |
| Bund-vange | -endeplade | (1 | | plantet hæ | eredygtig trappe | | Edition | Sheet |


/Ν






Trappestift (1:2)







| Betegnelse | Materiale | Noter |
|-------------|-----------|-------|
| trappestift | S355J2 | |

Trappestift skrå (1:2)






| Bete | gnelse | ateriale | | Note | er | | | |
|---------------------------------|--------|--------------|------------------|------|----------------|---------------|----|--|
| trappestift skrå S35 | | | | 5J2 | Ø25 stangs | tål | | |
| Designed by Checked by Approved | | | | Date | 2 | Date | | |
| Kristoffer Ek | | | | | | 26-09-20 | 19 | |
| | | | | | | | | |
| | | | | | | | | |
| | | Beplantet ba | eredygtig trappe | | Edition 1.12.1 | Sheet 28 / 41 | | |




| | STYKLISTE | | | | | | | | |
|---|------------|--------------------|-------------|----------|--|--|--|--|--|
| # | Antal | Betegnelse Materia | | Noter | | | | | |
| 1 | 900,000 mm | DIN 1024 - T30-900 | Steel, Mild | | | | | | |
| 2 | 2 | hage | Steel | 25x5 | | | | | |
| 3 | 1 | gevindmuffe | Steel | M6 15x10 | | | | | |
| 4 | 1 | ISO 4762 - M6 x 16 | A4 | | | | | | |





| STYKLISTE | | | | | | | | | |
|---------------|------------|--------------------|-------------|----------|--|--|--|--|--|
| # | Antal | Betegnelse | Materiale | Noter | | | | | |
| 1 | 900,000 mm | DIN 1024 - T30-900 | Steel, Mild | | | | | | |
| 2 | 2 | hage | Steel | 25x5 | | | | | |
| 3 | 1 | gevindmuffe | Steel | M6 15x10 | | | | | |
| 4 | 1 | ISO 4762 - M6 x 16 | A4 | | | | | | |
| Designed by | Checked by | Approved by Dat | e Date | | | | | | |
| Kristoffer Ek | ζ | | 26- | 09-2019 | | | | | |


Beplantet bæredygtig trappe


Edition Sheet 1.12.1 29 / 41

















| Betegnelse Ma | | | lateriale | | Noter | | | | |
|--------------------|------------|-------|-----------|--------------------------------|-------|--|------------|---------|-------|
| svejselære 3 Gene | | | eric | 3 mm plade | | | | | |
| Designed by | Checked by | Appro | ved by | Dat | e | | Date | | |
| Kristoffer Ek | | | | | | | 26-09-2019 | | |
| Svejselære 3 (1:6) | | | | | | | | Edition | Sheet |
| | | | | Beplantet bæredygtig trappe 1. | | | 1.12.1 | 36 / 41 | |

本

