RaceDay – API Endpoint Plan (v2)

Authentication

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/auth/register	Registers a new account as an Organiser or a Participant.	None	{ role, name, surname, email, password, dateOfBirth } (dateOfBirth required only when role is Participant)	**201** Created – account created (no password returned); **400** Bad Request – invalid data or role not Organiser/Participant; **409** Conflict – email already registered (in either table)
POST	/api/auth/login	Verifies credentials, starts a session that stores the user ID and role.	None	{ email, password }	**200** OK – { userId, role, name } and session cookie; **400** Bad Request – missing fields; **401** Unauthorized – invalid email or password
POST	/api/auth/logout	Ends the current session.	Any	None	204 No Content – session cleared; 401 Unauthorized – no active session

User Profile

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
GET	/api/profile	Returns the logged-in user's own profile (Participant profile also includes date of birth and profile picture URL).	Any	None	**200** OK – profile details (never the password hash); **401** Unauthorized
PUT	/api/profile	Updates the logged-in user's own profile details.	Any	{ name, surname, email, dateOfBirth } (dateOfBirth Participants only)	**200** OK – updated profile; **400** Bad Request – invalid data; **401** Unauthorized; **409** Conflict – email already in use

Events

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
GET	/api/events	Lists events. Optional query filters: type, from, to, search, upcoming=true.	Any	None	**200** OK – list of events; **401** Unauthorized
GET	/api/events/mine	Lists the events created by the logged-in Organiser with the enrolment count for each (Organiser dashboard).	Organiser	None	**200** OK – list of the Organiser's events with enrolment counts; **401**; **403**
GET	/api/events/{id}	Returns the full details of one event, including its categories.	Any	None	**200** OK – event details; **401** Unauthorized; **404** Not Found – event does not exist
POST	/api/events	Creates a new event owned by the logged-in Organiser.	Organiser	{ eventName, eventType, description, distance, location, date }	**201** Created – created event with Location header; **400** Bad Request – invalid data (e.g. distance ≤ 0, unknown event type); **401**; **403**
PUT	/api/events/{id}	Updates an event's details.	Organiser (owner)	{ eventName, eventType, description, distance, location, date }	**200** OK – updated event; **400** Bad Request; **401**; **403** Forbidden – not the owner; **404** Not Found
DELETE	/api/events/{id}	Deletes an event and its categories.	Organiser (owner)	None	**204** No Content – deleted; **401**; 403 Forbidden – not the owner; 404 Not Found; 409 Conflict – event already has enrolments

Categories

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
GET	/api/events/{eventId}/categories	Lists the age or distance categories of an event.	Any	None	**200** OK – list of categories; **401**; **404** Not Found – event does not exist
GET	/api/categories/{id}	Returns one category.	Any	None	**200** OK – category; **401**; **404** Not Found
POST	/api/events/{eventId}/categories	Adds a category (e.g. "Under 20", "21km") to an event.	Organiser (owner)	{ categoryName, description }	**201** Created – created category; **400** Bad Request; **401; 403** Forbidden – not the event owner; **404** Not Found – event; **409** Conflict – category name already exists for this event
PUT	/api/categories/{id}	Updates a category's name or description.	Organiser (owner)	{ categoryName, description }	**200** OK – updated category; **400; 401; 403; 404** Not Found; **409** Conflict – duplicate name for the event
DELETE	/api/categories/{id}	Removes a category from an event.	Organiser (owner)	None	**204** No Content; **401**; 403; 404 Not Found; **409**

					Conflict – participants are already enrolled in this category

Event Enrolments

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/events/{eventId}/enrolments	Enrols the logged-in Participant in an event under a chosen category. Records the Participant, event and category, with status Pending.	Participant	{ categoryId }	**201** Created – enrolment (id, event, category, status Pending, date); **400** Bad Request – category does not belong to the event, or event has already taken place; **401**; 403; 404 Not Found – event or category; **409** Conflict – already enrolled in this event
GET	/api/enrolments/mine	Lists the logged-in Participant's enrolments with event, category and status.	Participant	None	**200** OK – list of enrolments; **401; 403**
PUT	/api/enrolments/{id}/cancel	Cancels the Participant's own enrolment (status becomes Cancelled; the record is kept).	Participant (owner)	None	**200** OK – enrolment with status Cancelled; **401; 403** Forbidden – not your enrolment; **404** Not Found; 409 Conflict – already cancelled or a result

					already exists
GET	/api/events/{eventId}/enrolments	Lists every enrolment for one of the Organiser's events, with participant name, category and status.	Organiser (owner)	None	**200** OK – list of enrolments; **401; 403** Forbidden – not the event owner; **404** Not Found – event
PUT	/api/enrolments/{id}/status	Organiser confirms (or changes the status of) an enrolment.	Organiser (owner)	{ status }	**200** OK – updated enrolment; **400** Bad Request – invalid status; **401; 403** Forbidden – not the event owner; **404** Not Found

Results

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/enrolments/{enrolmentId}/result	Captures the finish time and finishing position for an enrolled Participant. Saved as unpublished.	Organiser (owner)	{ finishingTime, finishingPosition }	**201** Created – result; **400** Bad Request – invalid time/position, or enrolment is cancelled; **401; 403** Forbidden – not the event owner; **404** Not Found – enrolment; **409** Conflict – result already exists, or position already taken in this event
PUT	/api/results/{id}	Corrects a captured result.	Organiser (owner)	{ finishingTime, finishingPosition }	**200** OK – updated result; **400; 401; 403; 404** Not Found; **409** Conflict – position already taken
PUT	/api/events/{eventId}/results/publish	Publishes all captured results for an event so Participants can see them.	Organiser (owner)	None	**200** OK – { publishedCount }; **401; 403; 404** Not Found – event
GET	/api/events/{eventId}/results	Lists the results for an event, ordered by position. Participants see published results	Any	None	**200** OK – list of results; **401; 404** Not Found – event

		only; the owning Organiser sees all.			
GET	/api/results/mine	Returns the logged-in Participant's published race history: event name, date, category, finish time, finishing position and total finishers.	Participant	None	**200** OK – list of results (empty list if none); **401; 403**
GET	/api/events/{eventId}/results/mine	Returns the logged-in Participant's published result for one event.	Participant	None	**200** OK – result; **401; 403; 404** Not Found – event, or no published result yet