

## order requests failures

Since date time

✓ 10 events (25/02/2021 14:45:12.057 to 25/02/2021 15:04:06.000)

	Time	Event
1	25/02/2021 14:46:22.506	<p>[ERROR] 2021-02-25 14:46:22.506 [http-nio-8080-exec-3] OrderController - The cart is empty for userName=orderfailure</p> <p>EVENT_TYPE = [ERROR]   host = WUKST185229-4KJ   source = app.log</p> <p>sourcetype = log4j   timestartpos = 8   userName = orderfailure</p>
2	25/02/2021 14:46:22.503	<p>[DEBUG] 2021-02-25 14:46:22.503 [http-nio-8080-exec-3] UserService - Find by user userName=orderfailure</p> <p>EVENT_TYPE = [DEBUG]   host = WUKST185229-4KJ   source = app.log</p> <p>sourcetype = log4j   timestartpos = 8   userName = orderfailure</p>
3	25/02/2021 14:46:22.503	<p>[INFO ] 2021-02-25 14:46:22.503 [http-nio-8080-exec-3] OrderController - Order being requested for the user =orderfailure</p> <p>EVENT_TYPE = [INFO]   host = WUKST185229-4KJ   source = app.log</p> <p>sourcetype = log4j   timestartpos = 8   user = orderfailure</p>
4	25/02/2021 14:46:22.501	<p>[DEBUG] 2021-02-25 14:46:22.501 [http-nio-8080-exec-3] JWTAuthorizationFilter - Login successful</p> <p>EVENT_TYPE = [DEBUG]   host = WUKST185229-4KJ   source = app.log</p> <p>sourcetype = log4j   timestartpos = 8</p>
5	25/02/2021 14:46:05.401	<p>[INFO ] 2021-02-25 14:46:05.401 [http-nio-8080-exec-2] UserController - User created=User{id=2, username='orderfailure', cart=Cart{id=2, items=null, user=null, total=null}}</p> <p>EVENT_TYPE = [INFO]   host = WUKST185229-4KJ   id = 2   items = null   source = app.log</p> <p>sourcetype = log4j   timestartpos = 8   total = null   user = null   username = 'orderfailure'</p>
6	25/02/2021 14:46:05.401	<p>[DEBUG] 2021-02-25 14:46:05.401 [http-nio-8080-exec-2] UserController - User userName=orderfailure is created successfully</p> <p>EVENT_TYPE = [DEBUG]   host = WUKST185229-4KJ   source = app.log</p> <p>sourcetype = log4j   timestartpos = 8   userName = orderfailure</p>
7	25/02/2021 14:46:05.401	<p>[DEBUG] 2021-02-25 14:46:05.401 [http-nio-8080-exec-2] UserService - Find by user user=User{id=2, username='orderfailure', cart=Cart{id=2, items=null, user=null, total=null}}</p> <p>EVENT_TYPE = [DEBUG]   host = WUKST185229-4KJ   id = 2   items = null   source = app.log</p> <p>sourcetype = log4j   timestartpos = 8   total = null   user = null   username = 'orderfailure'</p>
8	25/02/2021 14:46:05.281	<p>[DEBUG] 2021-02-25 14:46:05.281 [http-nio-8080-exec-2] CartService - The cart to be saved=Cart{id=null, items=null, user=null, total=null}</p> <p>EVENT_TYPE = [DEBUG]   host = WUKST185229-4KJ   id = null   items = null   source = app.log</p> <p>sourcetype = log4j   timestartpos = 8   total = null   user = null</p>

	Time	Event
9	25/02/2021 14:46:05.281	<p>[DEBUG] 2021-02-25 14:46:05.281 [http-nio-8080-exec-2] UserController - User to be created userName=orderfailure</p> <p>EVENT_TYPE = [DEBUG]   host = WUKST185229-4KJ   source = app.log  </p> <p>sourcetype = log4j   timestartpos = 8   userName = orderfailure</p>
10	25/02/2021 14:45:12.057	<p>[INFO ] 2021-02-25 14:45:12.057 [http-nio-8080-exec-1] OrderController - A order has been created successfully with id=1 for the user =[[!com.example.demo.model.persistence.User@3c2b3e56=&gt;java.lang.StackOverflowError:null!!!] with total of 11.95</p> <p>EVENT_TYPE = [INFO   host = WUKST185229-4KJ   id = 1  </p> <p>source = app.log  </p> <p>sourcetype = log4j   timestartpos = 8  </p> <p>user =</p> <p>[[!com.example.demo.model.persistence.User@3c2b3e56=&gt;java.lang.StackOverflowError:null!!!]</p>