

An Introduction to L^AT_EX

Skand Hurkat

January 17, 2011

Don't Books Look Different From What MS Word Produces?

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures

& Captions

In Conclusion

Here are some major differences between how books look and how an MS Word document looks

- A larger left margin on the left page and a larger right margin on the right page
- Paragraphs are spaced so that if a paragraph would look better on a new page, then it is put on the next page
- Spacing between words is adjusted so that the text appears justified
- There is a larger space at the end of a sentence, than between words in that sentence
- Ligatures: These are actually two letters joined together as one, e.g. *fi*, *fl*, *ff* etc.

Ever Wondered How Your Books Are Typeset?

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

This is how the process is executed

- An author types his book and gives it to the publishing company
- The publishing company hires book-designers to decide the layout of the document
- The book-designer puts formatting information as marginal notes on the manuscript (?)
- The manuscript then goes to the typesetter, who, based on the notes of the book-designer typesets the book

Now imagine if you were able to get professional quality typesetting without going through this lengthy process, for something not as big as a book, say, a lab project report. . .

That is where \LaTeX comes into the picture.

What is \LaTeX ?

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures

& Captions

In Conclusion

\TeX

- Created by Donald E. Knuth.
- Started writing it in 1977.
- Objective was to explore the potential of digital publishing and to reverse the deteriorating typographical quality at that time.

\LaTeX

- Enables users to typeset and print their work at the highest typographical quality.
- Uses predefined, professional layouts.
- Originally written by Leslie Lamport, now maintained by Frank Mittelbach

Major Advantages of \LaTeX

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures

& Captions

In Conclusion

- \LaTeX defines the document structure and not the layout
- The layout is in a separate file or in another place in the file
- This is similar to CSS and HTML
- Allows for easy portability
- If the formatting needs to be changed, it can be easily managed by changing the style file. The rest of the document does not have to be changed

Major Advantages of \LaTeX

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

- Professionally designed layouts are available, so the documents look as if they are “printed”
- Mathematical formulae can be typeset in a convenient way
- Users need only a few commands to define document structure. They do not have to bother with the messy job of document layout
- Footnotes, references, table of contents, bibliography, links and cross-reference can be generated easily
- Add-on packages are available for tasks not directly supported by \LaTeX
- Authors are encouraged to write well-structured texts
- \TeX is highly portable and free, and this means that it works on almost all platforms

Disadvantages of \LaTeX ?

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

- \LaTeX does not work well for people who have sold their souls . . .
- Although parameters can be adjusted within a predefined document style, the design of a new style is complex and difficult and takes a lot of time¹.
- It is extremely difficult to write unstructured and disorganized documents.
- Your dog may never understand the concept of Logical Markup.

¹This may be corrected in $\text{\LaTeX}3$

A comparison of \LaTeX with MS Word

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures

& Captions

In Conclusion




Figure: A comparison of \LaTeX with MS Word

The L^AT_EX Document Classes

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

A L^AT_EX document begins with a

```
\documentclass[options]{document class}
```

L^AT_EX broadly supports the following document classes:

- `article`
- `proc`
- `minimal`
- `report`
- `book`
- `slides`
- `memoir`
- `letter`

“Hello World!” Equivalent in \LaTeX

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

“Hello World!”
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

Hello World!
My first \LaTeX document!

```
1 \documentclass{article}
2 \begin{document}
3 Hello World!
4
5 My first \LaTeX{}
   document!
6 \end{document}
```

Spaces I

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special
Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

- Any tab, newline or space is considered a whitespace
- Whitespaces at the start of a line are generally ignored
- Several consecutive whitespace characters are treated as a single whitespace
- An empty line marks end of paragraph
- Several empty lines are considered as a single empty line

Spaces II

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special
Characters
Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

It does not matter whether you enter one or several spaces after a word.

An empty line starts a new paragraph.

```
1 It does not matter
   whether you
2 enter one or several
                                   spaces
3 after a word.
4
5 An empty line starts a
   new
6 paragraph.
```

Special Characters

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

**Special
Characters**

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

- These are reserved characters that either have special meaning under \LaTeX or are not available in all the fonts
- Entering these directly in the document can make \LaTeX do all sorts of weird things
- The special characters are
 $\# \$ \% \^{} \& _ \{ \} \sim \backslash$
- They can be typed in the document by appending a backslash before the character, i.e.
 $\backslash\# \backslash\$ \backslash\% \backslash\^{} \backslash\& \backslash_ \backslash\{ \backslash\} \backslash\sim \backslash\text{textbackslash}$

Commands

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures
& Captions

In Conclusion

- These begin with a backslash
- Name consists of letters only, or of letters followed by exactly one non-letter
- Terminated by a space or a non letter
- They may support parameters which must be given in braces {} and optional parameters which must be given in square brackets []. For example:

```
\command[option1, option2,...]{argument1}  
{argument2}...
```

Environments

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures
& Captions

In Conclusion

- Similar to commands
- Generally used when effect is desired over a larger part of the document (or the whole of the document)

- Syntax is of the form

```
\begin{environment}
```

```
...
```

```
\end{environment}
```

Comments I

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures
& Captions

In Conclusion

- When the % symbol is encountered, everything till the end of the line is ignored
- This is similar to the // comments in C++
- Can be used to insert text in the source file which does not occur in the final output file
- There also exists a *comment* environment in the *verbatim* package

Comments II

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

This is an example of a comment

This is another example of a comment

```
1 This is an %rather  
           stupid  
2 %but instructive  
3 example of a comment
```

```
1 This is another \begin{  
                  comment}rather  
                  stupid  
2 but instructive\end{  
                  comment}  
3 example of a comment
```

Packages

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

- These are bundles of commands, environments and layouts
- These can add functionality not present in \LaTeX by default
- A package can be included in your document by adding a `\usepackage{package name}` just after `\documentclass{}` (i.e. in the preamble)

Typesetting Text I

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

This text is bold
This text is slanted
This text is emphasized

```
1 \textbf{This text is  
bold}
```

```
2  
3 \textsl{This text is  
slanted}
```

```
4  
5 \emph{This text is  
emphasized}
```

Typesetting Text II

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

We quote in L^AT_EX like "this"
and not like "this"

Hyphenate commander-in-
chief

Please read pages 21–32

Is your answer a yes—or a no?

- 1 We quote in `\LaTeX{}`
like `'this'` and
not like `"this"`
- 2 Hyphenate `commander-in-
chief`
- 3 Please read pages
`21--32`
- 4 Is your answer a yes---
or a no?

Typesetting Text III

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures

& Captions

In Conclusion

```
My      website      is
http://www.ee.iitb.ac.in/
student/~skandhurkat
My      website      is
http://www.ee.iitb.ac.in/
student/~skandhurkat
My      website      is      http:
//www.ee.iitb.ac.in/
student/~skandhurkat
```

```
1 My website is http://
  www.ee.iitb.ac.in/
2 student/\~{ }skandhurkat
  \
3 My website is http://
  www.ee.iitb.ac.in/
4 student/$\sim$
  skandhurkat\
5 My website is \url{http
  ://www.ee.iitb.ac.
  in/student/~
  skandhurkat}
```

Typesetting Text IV

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures

& Captions

In Conclusion

30° C is 86° F

Ellipses are put in not like
this... but like this...

Not shelfful, but shelfful

Hôtel, Naïve, élève,
! 'Señorita!

Phone number: +91 22 2572
2545

Phone number:
+91 22 2572 2545

1 \$30^\circ C\$ is \$86^\circ F\$

2 Ellipses are put in not
like this... but
like this\ldots

3 \fontfamily{times-ttf}\
selectfont Not
shelfful, but shelf
\mbox{ful }
normalfont

4 H^\circ tel, Na\"ive, \'el
'eve, !'Se~norita
!\

5 Phone number: +91 22
2572 2545

6 Phone number: \mbox{+91
22 2572 2545}

Typesetting Text V

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures

& Captions

In Conclusion

Mr. and Mrs. Dursley of number four, Privet Drive
Mr. and Mrs. Dursley of number four Privet Drive
I like BASIC. What about you?
I like BASIC. What about you?

```
1 Mr. and Mrs. Dursley of
    number four,
    Privet Drive\\
2 Mr.\ and Mrs.\ Dursley
    of number four
    Privet Drive\\
3 I like BASIC. What
    about you?\\
4 I like BASIC\@. What
    about you?
```

Typesetting Text VI

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures

& Captions

In Conclusion

The following sectioning commands are used in L^AT_EX:

- `\part{}`
- `\chapter{}`
- `\section{}`
- `\subsection{}`
- `\subsubsection{}`
- `\paragraph{}`
- `\subparagraph{}`

`\appendix` changes the chapter numbers to letters.

`\tableofcontents` creates the table of contents.

The above sectioning commands are available in the starred versions. They are not numbered. For example:

`\chapter*{Preface}`

Typesetting Text VII

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

`\maketitle` creates the title page

The contents of the title are defined in the preamble as

```
\title{An Introduction to \LaTeX{}}  
\author{Skand Hurkat}
```

and optionally

```
\date{Whatever date you want. Default is \today{}}
```

Typesetting Text VIII

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

Apart from the sectioning commands mentioned previously, $\text{\LaTeX} 2_{\epsilon}$ introduced some additional commands for the book class. These alter chapter headings and page numbering. They are

- `\frontmatter`

- Should be the first thing after `\begin{document}`
- Switches page numbering to Roman and chapters and sections are non-enumerated
- These chapters/sections shall appear in the table of contents

- `\mainmatter`

- Should be placed just before the first chapter of the book
- Page numbering to Arabic and chapters/sections are numbered

Typesetting Text IX

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

- `\appendix`
 - Should be placed just before additional material in the book
 - Chapter numbering to alphabets
- `\backmatter`
 - Should be placed before bibliography and index
 - No visual effect

Typesetting Text X

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

This is an example of a reference to section ?? on page ??
Footnotes are often used in L^AT_EX

```
1 This is an\label{sec:
    this_section}
    example of a
    reference to
    section~\ref{sec:
    this_section} on
    page~\pageref{sec:
    this_section}\\
2 Footnotes\footnote{This
    is a footnote} are
    often used in \
    LaTeX{}
```

Typesetting Math I

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

**Typesetting
Math**

Floats, Figures
& Captions

In Conclusion

For typesetting advanced math formulae, we need to use the \LaTeX package. This can be included with a simple `\usepackage{amsmath}` in the preamble.

\LaTeX is produced by the *American Mathematical Society* and is used extensively for mathematical typesetting.

Typesetting Math II

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

**Typesetting
Math**

Floats, Figures
& Captions

In Conclusion

Single equations are typeset within a paragraph by enclosing them between `$ $` or between `\(\)`

Add a squared to b squared to
get c squared. Or equivalently
$$a^2 + b^2 = c^2$$

Add a squared to b squared to
get c squared. Or equivalently
$$a^2 + b^2 = c^2$$

- 1 Add a squared to b squared to get c squared. Or equivalently `$a^2+b^2=c^2$\\`
- 2 Add a squared to b squared to get c squared. Or equivalently `\(a^2+b^2=c^2\)`

Typesetting Math III

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

An equation can be typeset on its own line by enclosing it within `\[\]` or within the `equation*` environment. Equations can be numbered by enclosing them in the `equation` environment.

Einstein's theory of relativity states that energy equals mass times speed of light squared. Putting this in a mathematical form:

$$E = mc^2$$

`\[E = m c^2\]`
1 Einstein's theory of relativity states that energy equals mass times speed of light squared. Putting this in a mathematical form:

Typesetting Math IV

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

**Typesetting
Math**

Floats, Figures
& Captions

In Conclusion

Einstein's theory of relativity states that energy equals mass times speed of light squared. Putting this in a mathematical form:

$$E = mc^2$$

1 Einstein's theory of
relativity states
that energy equals
mass times speed of
light squared.
Putting this in a
mathematical form:

```
2 \begin{equation*}  
3 E = m c^2  
4 \end{equation*}
```


Typesetting Math V

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

**Typesetting
Math**

Floats, Figures
& Captions

In Conclusion

Einstein's theory of relativity states that energy equals mass times speed of light squared. Putting this in a mathematical form:

$$E = mc^2 \quad (1)$$

(1) is considered to be ...

1 Einstein's theory of
relativity states
that energy equals
mass times speed of
light squared.

Putting this in a
mathematical form:

```
2 \begin{equation} \label  
   {eq:emcsquare}
```

```
3 E = m c^2
```

```
4 \end{equation}
```

```
5 \eqref{eq:emcsquare} is  
   considered to be \  
   ldots
```

Typesetting Math VI

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

**Typesetting
Math**

Floats, Figures
& Captions

In Conclusion

Lowercase Greek letters are typeset as

`\alpha`, `\beta`, `\gamma`... while uppercase letters are
typeset as `\Gamma`, `\Delta`...

This is how Greek letters are
typeset:

$$\alpha, \beta, \gamma \dots$$
$$\Gamma, \Delta \dots$$

¹This is how Greek
letters are typeset

:

²`\[\alpha, \beta, \gamma`
`\ldots\]`

³`\[\Gamma, \Delta \ldots`
`\]`

Typesetting Math VII

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

**Typesetting
Math**

Floats, Figures
& Captions

In Conclusion

$$\text{sgn}(x) = \begin{cases} 1 & \text{if } x > 0 \\ 0 & \text{if } x = 0 \\ -1 & \text{if } x < 0 \end{cases} \quad (2)$$

```
1 \begin{equation}
2 \text{sgn}(x) =
3 \begin{cases}
4 1 \ \hfill \text{\text{if } } x \ \
      \text{greater } 0 \\
5 0 \ \hfill \text{\text{if } } x
      = 0 \\
6 -1 \ \hfill \text{\text{if } } x \ \
      \text{less } 0
7 \end{cases}
8 \end{equation}
```

Typesetting Math VIII

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

**Typesetting
Math**

Floats, Figures
& Captions

In Conclusion

$$\lim_{x \rightarrow 0} \frac{\sin(x)}{x} = 0 \quad (\text{incorrect})$$

$$\begin{aligned} a &= b + c & (3) \\ &= d + e & (4) \end{aligned}$$

```
1 \begin{equation}
2 \lim_{x \rightarrow 0} \frac{\sin(x)}{x} =
  0 \tag{incorrect}
3 \end{equation}
```

```
1 \begin{eqnarray}
2 a &= & b+c \\
3 &= & d + e
4 \end{eqnarray}
```

Typesetting Math IX

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

**Typesetting
Math**

Floats, Figures
& Captions

In Conclusion

$$\int_{-\infty}^{\infty} \left| \frac{\sin(x)}{x} \right| dx = \infty \quad (5)$$

```
1 \begin{equation}
2 \int_{-\infty}^{\infty} \left| \frac{\sin(x)}{x} \right| dx = \infty
3 \end{equation}
```

Typesetting Math X

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & \cdots \\ a_{21} & a_{22} & \cdots \\ \vdots & \vdots & \ddots \end{bmatrix} \quad (6)$$

```
1 \begin{equation}
2 \mathbf{A} = \left[
3 \begin{matrix}
4 a_{11} & a_{12} & \cdots \\
5 a_{21} & a_{22} & \cdots \\
6 \vdots & \vdots & \ddots
7 \end{matrix}
8 \right]
9 \end{equation}
```

Typesetting Math XI

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math


Floats, Figures
& Captions

In Conclusion

Theorem (Fermat)

No three positive integers a , b and c can satisfy the equation $a^n + b^n = c^n$ for any integer value of n greater than two.

Proof.

The proof cannot fit on this slide. 

```
1 \newtheorem{thm}{  
    Theorem}  
2 \begin{thm}[Fermat] No  
    three positive  
    integers $a$, $b$  
    and $c$ can  
    satisfy the  
    equation $a^n + b^n  
    = c^n$ for any  
    integer value of $  
    n$ greater than  
    two.\end{thm}  
3 \begin{proof}  
4 The proof cannot fit  
    on this slide.  
5 \end{proof}
```

Typesetting Math XII

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

Paradox (Liar's)

This is a lie.

Proof.

Paradoxes have no proofs. \square

Remark

Best not to get into a
paradoxical situation.

```
1 \newtheorem{paradox}{  
    Paradox}  
2 \theoremstyle{remark}  
    \newtheorem*{rmk}{  
        Remark}  
3 \begin{paradox}[Liar's  
    ]  
4 This is a lie.  
5 \end{paradox}  
6 \begin{proof}  
7 Paradoxes have no  
    proofs.\qedhere  
8 \end{proof}  
9 \begin{rmk}  
10 Best not to get into a  
    paradoxical  
    situation.  
11 \end{rmk}
```


Floats

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures
& Captions

In Conclusion

- Floats are a term for items that cannot be broken over a page
- By default, L^AT_EX provides the “table” and “figure” floats
- They are not a part of the normal flow of text but separate entities
- May be positioned in a part of the page to themselves
- They always have a caption and are numbered that they may be referred from another part of the text

Figures

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures
& Captions

In Conclusion

Figures are typeset as

```
\begin{figure}[placement specifier]  
... figure contents ...  
\end{figure}
```

The following placement specifiers are supported:

- h
- t
- p
- b
- !
- H

Tables

Tables are typeset as

Country	Pageviews
India	67
United States	6
France	3
:	:

Table: Pageviews by country

```
1 \begin{table}
2 \begin{center}
3 \begin{tabular}{|l|r|}
4 \hline
5 \textbf{Country} & \textbf{Pageviews}\\
6 \hline
7 India & 67 \\
8 United States & 6\\
9 France & 3\\
10 \vdots & \vdots\\
11 \hline
12 \end{tabular}
13 \caption{Pageviews by country}
14 \end{center}
15 \end{table}
```

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

List of Floats

An
Introduction
to L^AT_EX

Skand Hurkat

What is
L^AT_EX?

Why L^AT_EX?

Diving Into
L^AT_EX

"Hello World!"
in L^AT_EX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting

Math

Floats, Figures
& Captions

In Conclusion

Just as `\tableofcontents` inserts the table of contents, a list of floats too may be obtained.

The commands `\listoffigures` and `\listoftables` insert the list of figures and list of tables respectively.

How to Proceed Further

An
Introduction
to \LaTeX

Skand Hurkat

What is
 \LaTeX ?

Why \LaTeX ?

Diving Into
 \LaTeX

"Hello World!"
in \LaTeX

Absolute Basics

Spaces

Special

Characters

Commands

Environments

Comments

Packages

Typesetting Text

Typesetting
Math

Floats, Figures
& Captions

In Conclusion

This was a (very) short introduction to \LaTeX and should give enough material to start writing documents in \LaTeX

Because \LaTeX is so vast and has been developed extensively, one can master \LaTeX only with a lot of practice.

I would recommend that you try typesetting some simple documents in \LaTeX . Try to make your lab reports in \LaTeX .

Otherwise, head to www.gutenberg.org and try to typeset a classic in \LaTeX .

Here are some useful resources on the net:

- <http://en.wikibooks.org/wiki/LaTeX>
- <http://www.ctan.org/tex-archive/info/lshort/english/lshort.pdf>
- <http://www.google.co.in/search?q=LaTeX>