



Proofmark

Verified once. Enforced by every asset. Revoked everywhere.

LIVE

Creditcoin CC3 · Ethereum Sepolia

CLEARTEXT PII ON CHAIN

0 bytes

INTERFACE

`isVerified(wallet, policyId)`

Every tokenised asset has to know who holds it. At issuance, on every transfer, every day after.

Securities law, AML rules and licence conditions all ask the same question. On chain it has three answers, and all three fail the day a holder is revoked.

ANSWER ONE

Per-app KYC

Vendor contract, personal-data flow, evidence retention and rescreening, rebuilt for every asset on every chain.

ANSWER TWO

“KYC passed”

A boolean that hides who checked, what was checked, under which regime, how long ago, and whether it is still true.

ANSWER THREE

A relayer

Copy the flag to another chain and one signing key becomes the compliance authority. The trust problem moves; it does not go away.

What is missing is a policy layer the **asset** owns: what was checked, by whom, how recently, and whether it still stands.

One read. The asset enforces it inside every transfer.

`isVerified(wallet, policyId)`

CREDENTIAL

What an issuer verified. Method bitmap, assurance, regime, jurisdiction, timestamps, two commitments. Names and account numbers stay off chain.

POLICY

What this asset requires. Required checks, minimum assurance, trusted issuer, regime, jurisdiction, maximum age. Frozen at birth; nobody can loosen it later.

ENFORCEMENT

Inside the transfer hook. Sender and recipient are both read. Ineligible, expired, sanctioned or revoked holders cannot send or receive.

Verify. Prove. Enforce.

● `ComplianceSource.issueOnce()`
one event on Ethereum, request ID consumed once

● `BlockProver.verifyAndEmit()`
inside `ProofmarkASC.execute()`, source pinned

● `GatedRwaNote._update()`
reads `isVerified` for sender and recipient

VERIFY · ETHEREUM SEPOLIA

Credential in

Wallet signature, ID document, bank account, sanctions against OFAC, UN and EU source lists. Only a check that ran sets a bit. `ComplianceSource` emits the mark as an event.

PROVE · ATTESTCOIN

Proof, not relay

Creditcoin's `BlockProver` verifies that exact Ethereum transaction inside our ASC. The worker only carries proof material. Anyone could run it; it holds no authority.

ENFORCE · CREDITCOIN CC3

Frozen policy

`ProofmarkRegistry` judges the mark against the asset's policy. The tokenised note reverts on its own: `RecipientNotVerified`, `SenderNotVerified`.

Remove Attestcoin and the middle box becomes a relay we operate. **That is the trust the product exists to remove.**

It runs end to end.
Every verdict reproduces from your terminal.

ON-CHAIN EVIDENCE	CHAIN	RESULT
Two marks issued in one issueBatch	Sepolia	0x29049802...69f1
Attestcoin proof materialised both marks	Creditcoin CC3	0x50c30b31...67d8
Verified A → verified B, 40 KPCN	Creditcoin CC3	0xefe550ff...aa0d
Verified A → unissued wallet	Creditcoin CC3	RecipientNotVerified
Revoked A → verified B	Creditcoin CC3	SenderNotVerified
Roster epoch root published, then accepted	Sepolia → CC3	8m 15s

ISSUE → ENFORCEABLE ON CREDITCOIN

7m 55s – 10m 48s

REVOKE → TOMBSTONE ON CREDITCOIN

8m 43s

SANCTIONS INDEX, PARSED FROM SOURCE

26,566 entries

One mark. Two policies. Two answers.

POLICY 1 · KR PRODUCTION	
<code>isVerified = false</code>	
methods	0x10024 · ID document · bank account · sanctions
assurance	≥ 2
max age	30 days
regime	1 · production
jurisdiction	410 · KR
issuer	pinned · policy frozen

POLICY 2 · KR SANDBOX PILOT	
<code>isVerified = true</code>	
methods	0x10024 · ID document · bank account · sanctions
assurance	≥ 2
max age	7 days
regime	2 · sandbox
jurisdiction	410 · KR
issuer	pinned · policy frozen

Same wallet, same mark, same block. The mark carries regime = sandbox, so production says no and the pilot says yes. **Portability is a view function, not a promise.**

Revoke on Ethereum. The asset on Creditcoin refuses. Nobody touched it.

ETHEREUM SEPOLIA	ATTESTCOIN	CREDITCOIN CC3	THE NOTE, 8M 43S LATER
revoke(A)	proof of the event	tombstone on A	SenderNotVerified

An older issuance proof cannot resurrect a revoked mark: every subject carries a cursor on source block and transaction index. A sanctions denial cannot be cleared by a later issue. Deny beats allow, in code, on every asset that reads the policy.

Regulation puts the holder question on the issuer. Attestcoin makes the answer portable.

RULES

Issuer owns AML

GENIUS Act signed, MiCA in force. Korea's FIU 2026 plan puts AML duties directly on stablecoin issuers, with freeze and burn. Gating holders is no longer optional.

RAILS

Proof, not trust

Attestcoin proves Ethereum state inside Creditcoin execution today. For the first time a compliance fact can cross chains without a relay key becoming the authority.

DEMAND

Repeated per asset

Every RWA, stablecoin and lending market on Creditcoin repeats the same eligibility work per asset. One frozen policy and one read replace it. Reads stay permissionless.

We do not size this top-down. **Every regulated token needs the read.** We sell the operations that keep it true.

The compliance layer of a stablecoin company. Not a standalone KYC tool.

VALIDATOR STACK	WHAT IS IN IT	STATUS
Issuance	mint and burn contracts · real-time proof of reserve · 1:1 reserve verification · post-quantum signatures	iM Bank PoC done
Distribution	exchange and payment APIs · cross-border rails · gasless wallets	building
Compliance	KYC/AML command centre · sanctions · travel rule · freeze and burn · Proofmark, the on-chain read	testnet live

REVENUE LINE 1 Reserve yield, as issuer scales with issuance, not headcount	REVENUE LINE 2 Infrastructure fees mint and burn, remittance, payment, API	REVENUE LINE 3 · THE TOLLGATE Compliance licence every issuer and distributor the FIU 2026 rule touches
--	---	--

Whether we issue, a bank issues, or USDC lands in Korea, the tollgate gets paid. Proofmark is the tollgate's on-chain face.

Who pays whom.

- runs the check
identity · bank account · sanctions
- issues, proves, revokes
Ethereum event → Creditcoin proof
- reads `isVerified()`
every transfer · frozen policy
- holds the asset
or is refused, on chain

CREDENTIAL RAILS

Vendors

CODEF, KFTC Open Banking,
Sumsub, OFAC, UN and EU lists.
They verify; they do not decide.

per completed check, at cost

OPERATOR OF RECORD

Proofmark

Verify, issue, rescreen, revoke,
keep the evidence. One lifecycle,
one policy surface, every chain.

bills the platform; owns the margin

CONSUMERS

Asset operators

Stablecoin issuers, RWA
platforms, lenders, exchanges.
They bind one frozen policy and
read it forever.

contract + per active wallet / month

END USERS

Holders

Submit documents once. Reuse
the mark across every asset that
accepts the issuer.

pay nothing

On-chain reads stay free and permissionless. Revenue attaches to the regulated work, never to the read.

One meter: the active verified wallet.

LINE	WHAT IS BILLED	UNIT
Platform	issuer platform, policy governance, service levels	annual contract
Issuance	each completed identity, bank-account or sanctions check	per check
Continuous compliance	rescreening, revocation, roster epochs, monitoring	per active wallet / month
Evidence	encrypted vault, retention, audit export, erasure records	annual tier + storage
Services	provider and jurisdiction adapters, policy integration	project + subscription

PASS - THROUGH	MARGIN	COST DRIVER
Vendor checks, at cost	Compliance and evidence	Wallets and reviews, not reads

The first two design partners set the price. The pilot measures willingness to pay and operating burden, not gross margin.

Sell to ourselves first. Then to the chain. Then to every issuer the rule touches.

1 · 2026 H2 Captive issuer Validator's own won - stablecoin stack, with the iM Bank PoC as the channel. Proofmark gates our own issuance and distribution. → first production issuer	2 · TO 2027 Q1 Creditcoin CEIP pilot. Two design partners among Creditcoin RWA and lending applications, one of them paid. Measured issue → revoke → gate service level. → first external consumers	3 · 2027 Korean issuers FIU obligations land on every stablecoin issuer and distributor. Sell the tollgate: platform, rescreening, evidence. → the licence line	4 · 2027 ONWARD Other chains Spoke readers expose the same verified root and policy semantics on additional chains. Same product, more readers. → one issuer, every chain
MONTH-12 TARGET 1 production issuer	MONTH-12 TARGET 2 design partners	MONTH-12 TARGET 1 paid pilot	MONTH-12 TARGET 1 external provider

We attacked the state machine. Then the protocol’s base contract.

SOLIDITY	TYPESCRIPT	FAILURE MODE	CONTROL IN CODE
118	600	Same address, second attested chain	source chain key and contract pinned once
Foundry tests	worker · AML · roster	Stale proof resurrects a revoked mark	per-subject cursor: block, transaction index
		Sanctions denial downgraded	monotonic; only a governed correction supersedes
FAILURE MODES	UPSTREAM	Policy changed under a live asset	permanent freeze, checked in the note constructor
9	2	Forged roster non-membership	domain-separated hashes, committed leaf count
one regression test each	high-severity, ASCBase	Replay, crash mid-send, owner-only recovery	issueOnce · persisted envelope · proposal + delay

ASCBase did not pass chain key or block height to the handler: a same-address contract on another chain passed as trusted, and a stale proof revived a revoked mark. **Our fork widens one internal signature. Report offered upstream under MIT.**

Seven years running a regulated exchange.

FOUNDER AND CEO

Ash Han

Sungkyunkwan University, Business Administration · born 1989

Founded GDAC at 28 and ran it for seven years as CEO: VASP registration, ISMS, incident response, FSC examinations, bank due diligence. Grew it into Korea’s largest B2B exchange. Closed it in 2025 and founded Validator to build the infrastructure underneath.

Author of four books on Bitcoin and blockchain finance.

REGULATORY RECORD

VASP	Korea’s fourth registration; the first and only corporate-focused exchange
AML rating	Top tier in the FSC risk-based assessment, three quarters in a row
ISMS	First in the industry to certify exchange and custody together
FinCEN MSB	Obtained directly from the US Treasury

INDUSTRY

Community	Founded Ethereum Korea Meetup and the Deconomy forum
Protocol	Tendermint advisor; Interchain Foundation founding member
Institutions	Trained and advised Bank of Korea, Shinhan, Hana and Hanwha
Research	Three research books for institutions, cited by the Bank of Korea
Clients	400+ corporate members, Samsung, Hyundai and Kakao among them
IP	Five blockchain-finance patents

Regulation, finance and engineering in one team.

CEO Ash Han Sungkyunkwan University, Business Administration Founder and CEO, GDAC, 7 years VASP no. 4 · FinCEN MSB · ISMS Founder, Deconomy forum Advisor, Tendermint	CHIEF COMPLIANCE OFFICER Youree Lee, Ph.D Ewha Womans University, Ph.D International Business CCO and VP, Peertec (GDAC) IB, Shinhan Macquarie Sumitomo Mitsui Banking Corp. Adjunct professor, Hanyang	CTO Yongku Lee Korea University, Computer Engineering CTO, Permachain (FIG) CTO, Peertec (GDAC) CTO, Riiid Exchange core, wallet, custody	PRODUCT AND PROTOCOL Incheol Yang KAIST, Computer Science Co-founder, Baekdu Technologies Engineer, Coinone Engineer, PUBG Proofmark implementation lead
VALIDATOR INC. Seoul, founded 2026 won-stablecoin issuance, distribution, AML/KYC	VALIDATOR FZCO Dubai DMCC, Dec 2025 global issuance and distribution entity	BANK-GRADE PROOF OF WORK iM Bank QSSN PoC, June 2026 issuance, reserves, bank integration · with Finger and MCC	

USD 100k. 12 weeks. Milestone-gated.

WEEKS 1 – 4 · \$25K

Productise

v2 contracts redeployed with role separation.
Managed vault and KMS. Adapter
specification. Design-partner discovery.

WEEKS 5 – 8 · \$35K

Integrate

One external credential provider on testnet.
Distributed API controls. A Creditcoin
application in partner staging.

WEEKS 9 – 12 · \$40K

Pilot

External security review and fixes. Two design
partners or one paid pilot. Measured issue →
revoke → gate service level.

Week 12: an independent credential → Attestcoin → a frozen Creditcoin policy → **a partner's asset admitting and refusing holders on its own.**