


F1 Repair count and work across overlap probabilities


Avoidance 0; sync interval 0.125; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities Avoidance 0; sync interval 0.25; observation window 256


—●— Bartender -■- In-place repair



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0; sync interval 0.5; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0; sync interval 1; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0; sync interval 2; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0; sync interval 8; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.


F1 Repair count and work across overlap probabilities

Avoidance 0; sync interval 32; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities Avoidance 0.5; sync interval 0.125; observation window 256




Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0.5; sync interval 0.25; observation window 256

—●— Bartender -■- In-place repair



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.


F1 Repair count and work across overlap probabilities Avoidance 0.5; sync interval 0.5; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0.5; sync interval 1; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0.5; sync interval 2; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0.5; sync interval 8; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.


F1 Repair count and work across overlap probabilities

Avoidance 0.5; sync interval 32; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities Avoidance 0.9; sync interval 0.125; observation window 256




Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0.9; sync interval 0.25; observation window 256

—●— Bartender -■- In-place repair




Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities Avoidance 0.9; sync interval 0.5; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.


F1 Repair count and work across overlap probabilities Avoidance 0.9; sync interval 1; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0.9; sync interval 2; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities


Avoidance 0.9; sync interval 8; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.

F1 Repair count and work across overlap probabilities

Avoidance 0.9; sync interval 32; observation window 256



Means and 95% normal intervals across 30 seeds. Vertical scales vary by slice; effort includes observed partial repairs.