


## F2 Synchronization interval, overlap and first conflicts Bartender; 2 agents; dependency 0




Dashed first-order model:  $C(n,2)p\lambda^2\tau$ , for zero avoidance/dependency; applies only to overlap pairs.

95% normal intervals across available seeds. Conflict size excludes seeds with no conflict; actual  $n$  is in the full table.

## F2 Synchronization interval, overlap and first conflicts


### In-place repair; 2 agents; dependency 0



Dashed first-order model:  $C(n,2)p\lambda^2\tau$ , for zero avoidance/dependency; applies only to overlap pairs.

95% normal intervals across available seeds. Conflict size excludes seeds with no conflict; actual  $n$  is in the full table.

## F2 Synchronization interval, overlap and first conflicts Bartender; 4 agents; dependency 0




Dashed first-order model:  $C(n,2)p\lambda^2\tau$ , for zero avoidance/dependency; applies only to overlap pairs.

95% normal intervals across available seeds. Conflict size excludes seeds with no conflict; actual  $n$  is in the full table.

## F2 Synchronization interval, overlap and first conflicts


### In-place repair; 4 agents; dependency 0



Dashed first-order model:  $C(n,2)p\lambda^2\tau$ , for zero avoidance/dependency; applies only to overlap pairs.

95% normal intervals across available seeds. Conflict size excludes seeds with no conflict; actual  $n$  is in the full table.

## F2 Synchronization interval, overlap and first conflicts Bartender; 8 agents; dependency 0




Dashed first-order model:  $C(n,2)p\lambda^2\tau$ , for zero avoidance/dependency; applies only to overlap pairs.

95% normal intervals across available seeds. Conflict size excludes seeds with no conflict; actual  $n$  is in the full table.

## F2 Synchronization interval, overlap and first conflicts

### In-place repair; 8 agents; dependency 0




Dashed first-order model:  $C(n,2)p\lambda^2\tau$ , for zero avoidance/dependency; applies only to overlap pairs.

95% normal intervals across available seeds. Conflict size excludes seeds with no conflict; actual  $n$  is in the full table.

## F2 Synchronization interval, overlap and first conflicts Bartender; 4 agents; dependency 0.1

—●— Avoidance 0   
 —■— Avoidance 0.5   
 —▲— Avoidance 0.9




Dependency is nonzero: the independent-edit first-order prediction is not overlaid.  
95% normal intervals across available seeds. Conflict size excludes seeds with no conflict; actual n is in the full table.

## F2 Synchronization interval, overlap and first conflicts

### In-place repair; 4 agents; dependency 0.1

—●— Avoidance 0   
 —■— Avoidance 0.5   
 ···▲··· Avoidance 0.9




Dependency is nonzero: the independent-edit first-order prediction is not overlaid.

95% normal intervals across available seeds. Conflict size excludes seeds with no conflict; actual  $n$  is in the full table.

## F2 Synchronization interval, overlap and first conflicts

### Bartender; 4 agents; dependency 0.3

—●— Avoidance 0
—■— Avoidance 0.5
—▲— Avoidance 0.9




Dependency is nonzero: the independent-edit first-order prediction is not overlaid.

95% normal intervals across available seeds. Conflict size excludes seeds with no conflict; actual n is in the full table.

## F2 Synchronization interval, overlap and first conflicts

### In-place repair; 4 agents; dependency 0.3

—●— Avoidance 0
—■— Avoidance 0.5
—▲— Avoidance 0.9



Dependency is nonzero: the independent-edit first-order prediction is not overlaid.

95% normal intervals across available seeds. Conflict size excludes seeds with no conflict; actual n is in the full table.