

create agent [\_\_} agent for a production liv build using the provided template. Tailor the template to agent [\_\_}'s design function and purpose for a production live build of enterprise grade quality designed for the creditx platform: # AGENT [X]: [AGENT NAME]

```
## Document Control
**Version:** [X.0.0]-production
**Status:** Production Ready | In Development | Deprecated
**Owner:** [Team Name]
**Last Updated:** YYYY-MM-DD
**Review Required By:** Engineering Lead, Security Architect, SRE Lead
```

---

```
## [__]. AGENT [Name] [Agent Type]
```

```
```sql
INSERT INTO agent_registry (
    agent_id,
    name,
    version,
    engine,
    faces,
    agent_type,
    scope,
    input_entities,
    output_entities,
    required_tools,
    risk_level,
    requires_human_review,
    max_auto_actions,
    status,
    milestone,
    config_json,
    owner_team
) VALUES (
    '[engine].[name].v[X]',
    '[Human-readable Name]',
    '[X.0.0]',
    '[engine_name]',
    ARRAY['[face1]', '[face2]'],
    '[assistantoperatorlambassador]',
    '[Brief description of agent responsibility]',
    ARRAY['[InputEntity1]', '[InputEntity2]'],
    ARRAY['[OutputEntity1]', '[OutputEntity2]'],
    ARRAY['[tool1]', '[tool2]'],
    '[low|medium|high]',
    [true|false],
```

```
[NULL|number],  
'active',  
'[M0-M5]',  
'{[config_json]}':jsonb,  
'[team-name]'  
);
```