MCP-first client setup playbook

How to get a new client's ads, tracking, store and site connected in one sitting, so Claude does the build work and you only approve. Everything here comes from setting up ceoturbo.com (Google Ads, Merchant Center, GA4, Microsoft Ads, Meta, Shopify, Vercel).

The idea

Each client gets connected once: an invite on their side, a login on yours. After that you ask Claude for the outcome ("audit tracking", "build the search campaign", "why are products disapproved") and it uses the connected tools. Anything with no API (some Google and Merchant Center screens) Claude does through your Chrome with the Claude in Chrome extension. Always have the client invite **you** as admin. Never ask for their password.

Target timeline per client

Step	Who	Time
Send the access-request message (section 3)	You	2 min
Client accepts invites on each platform	Client	10–20 min
Connect MCPs / CLIs you do not have yet (one-time, reuse for every client)	You + Claude	30–60 min once
Tracking audit: tags, conversions, feeds, policies	Claude	15 min
Fix list: conversion actions, feed, returns/shipping, pixels	Claude + you approve	30–90 min
Campaign build (paused), then you switch on	Claude + you	30 min

1. Your tool stack (install once, reuse for every client)

Tool	What Claude can do with it	Access
Microsoft Advertising MCP (official)	List accounts, campaigns, ad groups, ads, keywords and performance (spend, clicks, CTR, conversions, ROAS). Launch scope is exploration and reporting, so campaign edits may still need the Microsoft Ads UI.	Read
Google Ads MCP (official google-ads-mcp)	list_accessible_customers, GAQL search, resource metadata. Perfect for audits: conversions, keywords, search terms, wasted spend. It cannot create or change anything.	Read-only
Google Analytics MCP (analytics-mcp)	GA4 reports, realtime, conversions report, funnel report, Ads links. Needs the Analytics Data API enabled in your Google Cloud project.	Read
Meta Ads MCP (official, mcp.facebook.com/ads)	Reporting, ad creation and management, catalogs, signals and datasets (pixel/Conversions API health), A/B tests, activity logs. Signs in with OAuth as your Facebook user; no app of your own needed. Tools are permission-scoped to what your user can access.	Read + write
Shopify MCP	Products, variants, images, collections, orders, discounts, GraphQL. Fixes listing data directly.	Read + write
Vercel MCP / CLI	Deployments, env vars, logs, domains.	Read + write
Claude in Chrome (extension)	Does anything that only exists in a web UI: Merchant Center policies, Google Ads conversion actions, Meta settings. Slow but it works.	Acts as you

CLIs to have installed

CLI	Install	Why
Azure CLI (`az`)	brew install azure-cli	Creates the app registration the Microsoft Ads MCP signs in with
Google Cloud CLI (`gcloud`)	brew install --cask google-cloud-sdk	Application Default Credentials for the Google Ads and GA4 MCPs
pipx	brew install pipx	Installs python-based MCP servers cleanly
Vercel CLI	npm i -g vercel	Deploys. Run prod deploys yourself; Claude may be blocked from them
GitHub CLI (gh)	brew install gh	Repos and PRs if the client has code

Microsoft Advertising MCP setup (about 10 minutes)

- Create the sign-in app once; reuse it for every client because the sign-in is per Microsoft user, not per client.
- If `az login` crashes with an AttributeError on a personal account without an Azure subscription, run `az config set core.login_experience_v2=off` and use the device-code flow below.

```
az login --allow-no-subscription --use-device-code
az ad app create --display-name "Ads MCP App" --sign-in-audience AzureADandPersonalMicrosoftAccount
az ad app list --display-name "Ads MCP App" --query "[].appId" --output tsv      # = <client-id>
# Claude desktop / claude.ai redirect URI:
az ad app update --id <client-id> --public-client-redirect-uris "https://claude.ai/api/mcp/auth_callback"
```

Then add the connector in Claude: Settings → Connectors → Add custom connector → URL `https://partner.api.bingads.microsoft.com/ext/mcp/vnext?toolSetNames=OpenBeta` → Advanced → paste the client ID → sign in with the Microsoft account that has access to the client's Microsoft Ads account.

Source: Microsoft's MCP setup guide (learn.microsoft.com, advertising/guides/mcp-setup). Microsoft changes tool-set names; re-read it if a call fails.

Google Ads + GA4 MCP setup (about 15 minutes)

```
pipx install --python /opt/homebrew/bin/python3.14 google-ads-mcp   # default pipx python can be too new
pipx install analytics-mcp
gcloud auth application-default login \
  --scopes=https://www.googleapis.com/auth/adwords,https://www.googleapis.com/auth/analytics.readonly,https://www.go
# register both as user-scope MCP servers in Claude Code (claude mcp add ...)
# google-ads-mcp also needs your Google Ads developer token and, if you work through a manager account,
# the login customer id. Enable the Google Ads API and the Analytics Data API in your Cloud project.
```

Re-run the ADC login with all three scopes together; logging in again with one scope silently drops the others.

Meta Ads MCP setup (about 2 minutes)

```
claude mcp add --transport http --scope user meta-ads https://mcp.facebook.com/ads
claude mcp login meta-ads        # browser opens, approve with the Facebook user that has the clients' assets
```

Scopes it asks for: ads_management, ads_read, catalog_management, business_management, pages_show_list, pages_manage_ads, instagram_basic, ads_mcp_management.

2. Get admin access without the back-and-forth

The fastest setup is a **manager account** on each platform (Google Ads manager/MCC, Microsoft manager account, Meta Business Portfolio) so clients link to you once and you never swap logins. Where a manager link does not exist, ask for an **Administrator invite** to your own email. Menu names move; if a path below is gone, search the console for the word in bold.

Platform	Client does this	Role to ask for
Google Ads	Admin → Access and security → **Managers** → accept your manager-account link request. (You send the request from your manager account: Accounts → Link existing.)	Link to your manager (best) or Admin
Google Merchant Center	Settings → **Access and services** → Add person → your email. Then Linked accounts → Google Ads → approve.	Admin
GA4	Admin → Property → **Property access management** → + → your email.	Editor (Administrator if you link Ads)
Google Tag Manager	Admin → **User management** → your email, container permission.	Publish
Search Console	Settings → **Users and permissions** → Add user.	Full (Owner to verify sites)
Microsoft Advertising	Account → **Users** → Invite, or accept your manager-account link.	Super Admin or Advertiser campaign manager
Meta	Business Settings → **Partners** → Add → your Business Portfolio ID → share Ad account, Pixel/Dataset, Page.	Full control on the assets
TikTok / Reddit / LinkedIn	Each ads manager → user management → invite your email.	Admin
Shopify	Settings → Users → **Collaborator request code** (give you the 4-digit code) or add a staff account.	Products, orders, apps, themes
Vercel / DNS / registrar	Team → Members → Invite. Registrar: add you as delegate, or share DNS edit.	Member / DNS editor
Cal.com / email platform	Invite as admin to the team or workspace.	Admin

Copy-paste message to the client

```
Hi [Name], to set up your ads and tracking I need admin access on these (takes about 10 minutes).
Please invite ceoturbo@proton.me as Admin on:
1) Google Ads  2) Google Merchant Center  3) Google Analytics (GA4)  4) Google Tag Manager
5) Search Console  6) Microsoft Advertising  7) Meta Business (share Ad account + Pixel + Page)
8) Shopify (collaborator request code)  9) your website host / domain DNS
No passwords needed. You can remove access any time. Reply "done" when you've sent them.
```

3. Tracking blueprint (the one we use)

Same plan for every client. One source of truth in code; ad platforms receive events, never double-count them.

Event	Google Ads	Microsoft Ads	Meta
Lead / quiz submit	Submit lead form	Lead (submit_lead_form)	Lead (browser + server, deduped)
Booked call	Book appointment	Booked call (book_appointment)	Schedule
Phone tap (tel: link)	Contact (set Secondary)	Phone click (contact, excluded from bidding)	Contact

Event	Google Ads	Microsoft Ads	Meta
Purchase	Purchase	Purchase	Purchase
Begin checkout	(optional)	Begin checkout (excluded from bidding)	InitiateCheckout

- **One conversion path per platform.** We send Google Ads conversions from code (gtag with the conversion labels). Do not also import them from GA4 or fire them from GTM: that double counts.
- **Dedupe with an event id** on browser and server events (Meta pixel + Conversions API).
- **Shopify purchases** come from a Shopify customer-events custom pixel because checkout is off-site. It needs the Google Ads id, the Purchase label and the UET id.
- **Conversion creation has no API in the read-only Google MCP.** Create actions in the Google Ads UI (Goals → Conversions → New → Website → Manually with code) and read each label from "See event snippet". Claude can do this in Chrome.
- **Test on the live site:** add `?gclid=TEST`, click a tel: link and confirm the conversion with the right label fires (we read the page's gtag queue).

4. Merchant Center: the checklist that got us approved

- Submit the feed with the **www** URL. A redirecting URL (non-www → www) can fail the scheduled fetch.
- Target **only the countries you ship to** (US). Worldwide targeting creates errors like the Korean business registration number.
- **Do not let two sources feed the same products.** Shopify's Google & YouTube app adds products with myshopify.com links, which causes "mismatched online store URL". Disconnect it when the site is not on Shopify's storefront.
- **Checkout URL:** choose "Don't include a URL" unless every product has a working cart link. Shopify's default /cart/{id}:1 link will 404 on a custom site.
- **Return policy must match the website exactly**: window, method, who pays the label, restocking fee, refund time. Ours said "free" in Merchant Center while the site said customer pays.
- **Images:** clean product shots only (no text pills, overlays, watermarks, foreign-language screens). 1000px+ square. Real photos beat renders.
- Support email and phone visible on the site (footer and returns page) and in Merchant Center business info.
- Site must be **Verified and Claimed** (Business info). Trademark-heavy product names (for example "Google") may need a review request; keep a "not affiliated" line on the page.

5. Writing campaigns that convert (rules we followed)

- Build campaigns **paused**; the owner switches them on. A tool should never turn on live spend for you.
- Start Search with **exact and phrase** match on buyer-intent terms, a long negative list (free, jobs, diy, template, reddit, review-writing services), US only, location option "presence".
- Use **Maximize clicks with a CPC cap** until a platform has 15–30 conversions, then switch to Maximize conversions or target CPA.
- Bid only on goals that matter: lead, booked call, purchase. Phone taps and begin-checkout are secondary.
- Keywords come from your own search terms and competitor names after week one. Do not trust any list that claims to be the strongest in the world; the data from your account decides.
- Do not turn on Google's auto-apply recommendations. They add broad match, expand to Display and change bids without your approval.

6. Problems we hit (and the fix)

Problem	Fix
`az login` crashes with a NoneType error	az config set core.login_experience_v2=off, then az login --allow-no-subscription --use-device-code
pipx install fails on the newest Python	pipx install --python /opt/homebrew/bin/python3.14 <package>
ADC login lost scopes	Re-run gcloud auth application-default login with adwords + analytics.readonly + cloud-platform in one command
Lead webhook returns stored:false	The secret in Vercel and in the Apps Script must be identical; redeploy the script as a new version and redeploy the site
Claude cannot read credential files or run prod deploys	By design. You run `vercel deploy --prod` and approve secret writes yourself

Problem	Fix
Merchant Center page looks blank in the browser tool	It loads slowly; wait 10 seconds and re-screenshot. Direct deep links often redirect to Overview, so click through the menu
Git push did not deploy	Deploy from the CLI; do not rely on the Git integration

7. Running client accounts from your own login (without breaking yours)

Short answer: **yes, if the client gives your login access**. One sign-in per platform covers every client who shares an account with you. You never need to sign out and back in; you tell Claude which account ID to act on.

Platform	How one login reaches many clients	Catch
Google Ads	Link each client to your **manager account**. API calls send the manager id as login-customer-id and the client's id as customer id.	The Google Ads API needs a developer token with **Basic or Standard access** to touch real (non-test) accounts. With test-level access the MCP returns "only approved for test accounts". Apply in the manager account: Admin → API Center.
Microsoft Advertising	Your user sees every customer/account that invited or linked to you; tools take an account id.	The MCP launch scope is exploration and reporting. Edits may still need the Microsoft Ads UI (Claude can drive it in Chrome) or bulk upload.
Meta	Clients share ad account, dataset/pixel and Page to your **Business Portfolio** as a partner. Your one OAuth login then sees them.	Permission-scoped: if the client only gave Analyst access, Claude can read but not edit. Ask for the level you need.
GA4 / GTM / Search Console	Same Google login, access granted per property or container.	GA4 MCP needs the Analytics Data API enabled in your Cloud project.
Merchant Center / Shopify	Add your Google user as Admin; Shopify via collaborator access.	Many fixes have no API, so Claude does them in Chrome as you.

Keep yours and theirs separate

- **One folder per client** with a short CLAUDE.md holding their account IDs (Google customer id, Microsoft account id, Meta ad account id, GA4 property, Merchant Center id, pixel ids) and rules: "never act on any ID not listed here". Start Claude from that folder.
- **Always name the account in the prompt**: "On Acme (Google 123-456-7890) ...". Ask Claude to state the account it is about to change before any write.
- **Read first, then write.** Have Claude audit and list changes, then approve. Campaigns are created paused; you switch on spend.
- **Never reuse a pixel, conversion label or tag id across clients.** Each client gets their own GA4, Ads conversion actions, Meta dataset and UET tag.
- **Your own accounts stay out of client folders.** Keep CEO Turbo's IDs only in the CEO Turbo folder.
- Put access, approval and ad-spend responsibility in your client agreement. Use partner/manager access, never shared passwords. Every change appears under your user in each platform's change history.

Conversion values: set them per business in 5 minutes

Every business is different, so tell Claude three numbers and it sets the values everywhere (Google Ads, Microsoft, Meta, GA4, Shopify pixel):

Number	Example	Used for
Average sale value	$1,200	Purchase / booked-job value
Close rate from a booked call	25%	Booked call value = sale × close rate = $300
Lead-to-booking rate	30%	Lead value = booked call value × rate = $90

Claude then creates the conversion actions and labels, writes the event code (gtag, Meta Pixel + Conversions API, UET, Shopify custom pixel), removes double counting, and tests the live site by firing each event. You post or approve the ads.

8. Prompts to paste into Claude

```
Audit [client]'s tracking: list every Google Ads conversion action and its status, check GA4 key events,
read the site for gtag/pixel/UET/GTM, and tell me what double counts or is missing.

Read [client]'s Merchant Center diagnostics, compare the feed to the site (price, availability, links, returns),
and list every fix in order. Do the ones you can; ask me before anything that spends money or deletes data.

Using the Microsoft Ads MCP, show spend, clicks, CTR, conversions by campaign for the last 30 days and the
10 search terms wasting the most money.

Build a paused Google Search campaign for [offer]: exact + phrase keywords, negatives, 3 responsive search ads,
US only, conversion goals = lead + booked call + purchase. Show me before anything goes live.
```

Menu names and URLs on Google, Microsoft and Meta change often. Treat click-paths as a guide and search the console for the bold word if one has moved. Never share tokens, secrets or passwords in chat; set them as environment variables yourself.