UX



Remade Music



Stuff About Original Music



People and Groups

Getting Music

Voting Class

Instance Variables	Methods
→ Hash Map called **Competition** → Key: a random generated int that represents the ID of that competition → Value: Array list called **Songs Involved** → **Songs Involved** is an Array list of Song objects. Each element in that ArrayList is involved in a competition with each other	void addCompetition(int UniqueCompetitionID, ArrayList SongsInvolved) → Adds to the HashMap Competition: → key: UniqueCompetitionID → Value: ArrayList SongsInvolved
→ public instance variable: **int VotesForSong1** → public instance variable: **int VotesForSong2** → HashMap called **Votes:** Key: Unique Competition ID Value: Int Array in which one element is VotesForSong1 and the second element is VotesForSong2	void deleteCompetition(int UniqueCompetitionID) → Searches through hashmap and finds key that matches int UniqueCompetitionID → Once found, that Key-Value Pair is removed from the HashMap
	Competition SearchForCompetition(int UniqueCompetitionID) →user enters UniqueCompetitionID and ArrayVotes
	void Vote(int preferredSong) → the preferredSong int can either be 1 or 2. If it is 1, the person prefers the song in the competition classified Song1. If preferredSong = 2, the person prefers the song in the competition classified Song2. →Based on the value of preferredSong (if it is one or two), the int value for VotesForSong__ will increase → when int **TotalVotes** (this value is equal to **VotesForSong1** + **VotesForSong2**) equals some numerical value, the ability to vote stops and based on whether **VotesForSong1** or **VotesForSong2** is bigger, than song1 or song2 wins.
	createCompetition() When user publishes their work they choose whether or not they want their work to be in competitions with other people's works. If they do, their song is put into an ArrayList called **SongsWantedForCompetition** and two songs are randomonly chosen from that ArrayList, and they compete with each other.