## i2b2 Pediatric Congenital Cohort - i2b2 Dev (PID: 164) 20/09/2024 10:48am

Instruments	Events
Languages	

	#	Variable / Field	Field Label Field Note	Field Attributes (Field Type, Validation, Choices, Calculations,					
		112		etc.)					
Inst	Active languages: None								
		Active languag	es: None						
	1	[record_id]	Record ID	text					
	2	[enrl_fversion]	Enrollment form version:	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: add questions about premature birth					
	3	[enrl_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY					
	4	[enrl_dag]	Data Access Group:	text Field Annotation: @HIDDEN @HIDDEN-PDF @DEFAULT='[record-dag-name]'					
	5	[enrl_admincom]	Administrative Comment:	notes Custom alignment: LV Field Annotation: @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)					
	6	[enrl_inclyn]	Does the participant meet all of the RECOVER study inclusion criteria?	radio, Required  1 Yes 0 No  Custom alignment: LV					
	7	[enrl_exclyn]	Does the participant meet any of the RECOVER study exclusion criteria?	radio, Required  1 Yes 0 No  Custom alignment: LV					
	8	[enrl_eligyn]	Participant eligibility:	calc Calculation: if([enrl_inclyn]="1" AND [enrl_exclyn]="0", 1,					

			if([enrl_inclyn]="0" OR [enrl_exclyn]="1", 0, "")) Field Annotation: @HIDDEN @HIDDEN-PDF
9	<pre>[enrl_elign_warnin g] Show the field ONLY if: [enrl_eligyn]="0"</pre>	Error: the participant is not eligible for the study. They should not have data entered into REDCap. Please contact the DRC at mgb-recover-drc@partners.org to have this record deleted.	descriptive
10	[enrl_consyn]  Show the field ONLY  if: [enrl_eligyn]="1"	Has the caregiver signed the consent form?	radio, Required  1 Yes 0 No  Custom alignment: LV
11	<pre>[enrl_cons_reminde r] Show the field ONLY if: [enrl_consyn]="1"</pre>	Reminder: you need to document the signed consent in a copy of the "Consent tracking" form.	descriptive
12	<pre>[enrl_cons_warning] Show the field ONLY if: [enrl_consyn]="0"</pre>	Error: the participant has not consented to the study. They may not be enrolled into the study.	descriptive
13	[enrl_yn] Show the field ONLY if: [enrl_eligyn]="1" and [enrl_consyn]="1"	The participant is being enrolled into the RECOVER study.	radio, Required  1 Yes  Custom alignment: LV
14	[enrl_warning]  Show the field ONLY if: [enrl_eligyn]="1" and [enrl_consyn]="1" an d [enrl_yn]=""	You need to affirm the participant is being enrolled to proceed.	descriptive
15	[enrl_dt] Show the field ONLY if: [enrl_yn]="1"	Date of enrollment:	text (date_mdy, Max: today), Required
16	<pre>[enrl_fname] Show the field ONLY if: [enrl_yn]="1"</pre>	First name of the child for substitution into the forms:	text, Required

17	[enrl_fnamecap]	Child's name with first letter capitalized:	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(concat(upper(left([enrl_fname]), right([enrl_fname]), length([enrl_fname]))))
18	<pre>[enrl_dob] Show the field ONLY if: [enrl_yn]="1"</pre>	Child participant's date of birth:	text (date_mdy, Min: 1996-04-01, Max: today), Required, Identifier Field Annotation: @HIDEBUTTON
19	[enrl_age]	Age at enrollment	calc Calculation: rounddown(datediff([enrl_dob], [enrl_dt], 'y')) Field Annotation: @HIDDEN @HIDDEN-PDF
20	<pre>[enrl_premature] Show the field ONLY if: [enrl_yn]="1" and [en rl_fversion]&gt;=2</pre>	Was the child born prematurely? This means born less than 37 weeks gestational age.	radio, Required  1 Yes  0 No -1 Unknown  Custom alignment: LV Field Annotation: @IF([baseline_arm_1] [asq_fversion]<>"" and ([user-role-label]<>"Admin") and ([user-role-label]<>"DRC - CRCs"), @READONLY, "")
21	[enrl_prematureemr] Show the field ONLY if: [enrl_prematur e]="1"	Is the medical record (EMR) available to determine gestational age?	radio  1 Yes  0 No  Custom alignment: LV Field Annotation: @IF([baseline_arm_1] [asq_fversion]<>"" and ([user-role-label]<>"Admin") and ([user-role-label]<>"DRC - CRCs"), @READONLY, "")
22	[enrl_prematureexp] Show the field ONLY if: [enrl_prematureem r]="1"	Estimated (expected) delivery date:	text (date_mdy) Field Annotation: @IF([baseline_arm_1] [asq_fversion]<>"" and ([user-role-label]<>"Admin") and ([user-role-label]<>"DRC - CRCs"), @READONLY, "")

23	<pre>[enrl_prematureact] Show the field ONLY if: [enrl_prematureem r]="1"</pre>	Actual delivery date:[enrl_dob]	descriptive
24	[enrl_prematurerep w] Show the field ONLY if: [enrl_prematureem r]="0"	Mother's self-reported gestational age ("how many weeks pregnant were you when you gave birth?") in weeks:  weeks	text (number, Min: 20, Max: 40) Field Annotation: @IF([baseline_arm_1] [asq_fversion]<>"" and ([user-role-label]<>"Admin") and ([user-role-label]<>"DRC - CRCs"), @READONLY, "")
25	[enrl_prematurerep d] Show the field ONLY if: [enrl_prematureem r]="0"	Mother's self-reported gestational age extra days (if they reported 32 weeks and 5 days, for example): days; enter 0 if not specified	text (number, Min: 0, Max: 6) Field Annotation: @IF([baseline_arm_1] [asq_fversion]<>"" and ([user-role-label]<>"Admin") and ([user-role-label]<>"DRC - CRCs"), @READONLY, "")
26	<pre>[enrl_prematureoffs etcalc]</pre>	Premature birth offset as fraction of months: if EMR available, difference between dates; if not, based on self report, defaults to 0 so that it won't change any calculations otherwise	calc Calculation: if([enrl_prematureemr]="1", (datediff([enrl_prematureexp], [enrl_dob], "M")), if([enrl_prematureemr]="0", (((40*7)- (([enrl_prematurerepw]*7)+[enrl_prematurerepw]) Field Annotation: @HIDDEN @HIDDEN-PDF
27	<pre>[enrl_prematureoffs et]</pre>	Range-bound on premature offset calculation (ie, if less than 0.6898 months (three weeks), offset should be 0)	calc Calculation: if([enrl_prematureoffsetcalc]<((3*7)/30.0, [enrl_prematureoffsetcalc]) Field Annotation: @HIDDEN @HIDDEN-PDF
28	[enrl_prematureoob]  Show the field ONLY if: [enrl_prematur e]="1" and ([enrl_pre matureexp]<>"" or [e nrl_prematurerep w]<>"") and [enrl_pre matureoffset]="0"	Reminder! A premature birth for the purpose of this study is one that is before 37 weeks of gestational age. This birth does not appear to qualify. Please double-check!	descriptive
29	<pre>[enrl_prematurelock ed] Show the field ONLY if:</pre>	Note: the ASQ has been started, so information about premature birth has been locked. To change this, you will need to contact the DRC.	descriptive

30	<pre>[enrl_fversion]&gt;=2 an d [baseline_arm_1][a sq_complete]&lt;&gt;""  [enrl_cgid] Show the field ONLY if: [enrl_yn]="1"  [enrl_cgcovidpreg] Show the field ONLY if: [enrl_yn]="1"</pre>	Birth mother adult protocol participant ID: e.g. RA1NNNN-XXXXX  Did the birth mother have COVID during their pregnancy with this child?	radi	(recover_adult), I o, Required Yes No tom alignment: L'	
32	<pre>[enrl_reftype] Show the field ONLY if: [enrl_yn]="1"</pre>	From which population was the participant enrolled?	1 2 3 4 5 6 7 8	o, Required Community out Public health de Community hea Participant teste health system Existing, prospe COVID cohort Existing non-CO clinical cohort Long COVID clin Self-referral from website or othe self-referral Other {enrl_reft tom alignment: L'	epartment list alth center ed/treated in the ectively-followed avID research or lic m RECOVER r unsolicited  ype_oth:icons}
33	[enrl_reftype_oth] Show the field ONLY if: [enrl_reftype] = "99"	If other, please specify:	text		<u> </u>
34	[enr1_spop] Show the field ONLY if: [enrl_yn]="1"	Is the participant a member of one of the following special populations? A rural area as defined by the Health Resources and Services Administration: https://data.hrsa.gov/tools/rural-healthA medically underserved area is defined by the Health Resources and Services Administration: https://data.hrsa.gov/tools/shortage-area/by-addressYou can find shortage areas by entering an address to determine whether it is	3 4	enrl_spop3 enrl_spop4	Rural participant  Medically underserved area  Non-English speaking participant

		located in a shortage area: https://data.hrsa.gov	99 enrl_spop99 No, not a member of a special population
			Custom alignment: LV Field Annotation: @NONEOFTHEABOVE=99
35	[enrl_remoteonly]	Is this participant "remote-only"?A remote-only participant will not receive any of the in-person assessments, such as the Bayley-4, the DAS-ii, or Anthropometry.	checkbox  1 enrl_remoteonly1 Remoteonly participant
36	<pre>[enrollment_complet e]</pre>	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
strum	ent: Consent Trac	king Tier 1-2 (consent_tracking_tier_1	12)
	Active language	es: None	,
37	[cons12_icfversion]		dropdown, Required  1 Congenital Exposure Age Newborn-5 Tier 1-2 12.29.2021  2 Congenital Exposure Age Newborn-5 Tier 1-2 2022.03.01  3 Congenital Exposure Age Newborn-5 Tier 1-2 08.29.2022  4 Congenital Exposure Age Newborn-5 Tier 1-2 Oct2022  5 Congenital Exposure Age Newborn-5 Tier 1-2 2022.12.29
38	[cons12_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
39	[cons12_icflocal]	Local ICF version (if applicable):	text
40	[cons12_lang]	Language of consent form:	radio, Required  1 English 2 Spanish 9 Other  Custom alignment: LV
41	[cons12_langspec] Show the field ONLY	Please specify consent form language:	text, Required

	if: [cons12_lang]="9"		
42	[cons12_dt]	Date consent form signed:	text (date_mdy, Max: today), Required
43	[cons12_comm]	Communicating with the research team:	radio, Required
			1 Yes, caregiver agrees to receive texts from the research team
			0 No, caregiver does not agree to receive texts from the research team
			Custom alignment: LV
44	[cons12_genfind]	New findings from genetic research	radio, Required
	Show the field ONLY if: [cons12_genfind]< >"" or [cons12_icfver		1 Yes, caregiver would like to be told about gene test results that might affect the participant's health
	sion]="4" or [cons12 _icfversion]="5"		No, caregiver would not like to be told about gene test results that might affect the participant's health
			Custom alignment: LV
45	[cons12_signed]	Caregiver signed the consent form:	radio, Required
			1 Yes, caregiver signed consent
			0 No
			Custom alignment: LV
46	[consent_tracking_t	Section Header: Form Status	dropdown
	ier_12_complete]	Complete?	0 Incomplete
			1 Unverified
			2 Complete
strum	nent: Visit Form (vi	sit_form)	
1	Active language	s: None	,
47	[visit_fversion]	Visit form version:	text Field Annotation: @DEFAULT='3' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: reimbursement fields v3: updates to CBCL, BISQ, and ASQ cutoffs
48	[visit_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY

49	<pre>[visit_dag]</pre>	Data Access Group:	text Field Annotation: @HIDDEN @HIDDEN-PDF @DEFAULT='[record-dag-name]'
50	<pre>[visit_surveyqueueu r1]</pre>	Survey queue url	text Field Annotation: @HIDDEN @HIDDEN-PDF @DEFAULT='[survey-queue-url]'
51	<pre>[visit_enroll_compw arning] Show the field ONLY if: [enrollment_arm_1] [enrollment_complet e]&lt;&gt;"2"</pre>	ERROR! You must complete the enrollment form before you can start a visit form.	descriptive
52	[visit_admincom]	Administrative Comment:	notes Custom alignment: LV Field Annotation: @IF([user-role-label]<>"Admin", @HIDDEN @HIDDEN-PDF, "")
53	<pre>[visit_vistidt_comp letenote]</pre>	In order for the REDCap project to work properly, all visit forms must be completed, even for visits the participant is too old for. This lets us pull forward information from the baseline visit. If you are completing this form for this purpose, you should enter the current date as the visit date, even though there is no "real" visit occurring.	descriptive
54	[visit_eventtype]	Event type (baseline / followup /other)	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT( if([event-name]="baseline_arm_1", "baseline", if([event-name]="12month_arm_1" or [event-name]="18month_arm_1" or [event-name]="24month_arm_1" or [event-name]="36month_arm_1" or [event-name]="48month_arm_1", "followup", "other")))
55	<pre>[visit_priordtmissi ng] Show the field ONLY if: ([visit_eventtype]="fo llowup") and ([previo us-event-name][visit _dt]="")</pre>	The prior event's visit form has not been filled out. You must complete all of the event forms in order for this project to work.	descriptive

56	[visit_dt]	Date of visit:	text (date_mdy), Required
	Show the field ONLY if:  ([visit_eventtype]="b aseline") or ([visit_eventtype]="followup" and [previous-eventname][visit_dt]<>"")		
57	<pre>[visit_age]</pre>	Age at visit	calc Calculation: rounddown(datediff([enrollment_arm_1] [enrl_dob], [visit_dt], 'y')) Field Annotation: @HIDDEN @HIDDEN-PDF
58	3 [visit_agemo]	Age at visit in months	calc Calculation: rounddown(datediff([enrollment_arm_1] [enrl_dob], [visit_dt], 'M')) Field Annotation: @HIDDEN @HIDDEN-PDF
59	(visit_agemoreal)	Age at visit in months not rounded	calc Calculation: datediff([enrollment_arm_1] [enrl_dob], [visit_dt], 'M') Field Annotation: @HIDDEN @HIDDEN-PDF
60	[visit_agemopremature]	`visit_agemoreal` accounting for the premature offset factor	calc Calculation: [visit_agemoreal]- [enrollment_arm_1] [enrl_prematureoffset] Field Annotation: @HIDDEN @HIDDEN-PDF
61	[visit_agewindow]	What is the window that this age is in: 12 month: 11m0d - 12m30d 18 month: 16m0d - 20m30d 24 month: 23m0d - 32m30d 36 month: 34m16d - 41m30d 48 month: 48m0d - 53m30d	calc Calculation: if([visit_agemoreal]>=11 and [visit_agemoreal]< 13, 12, if([visit_agemoreal]>=16 and [visit_agemoreal]< 21, 18, if([visit_agemoreal]>=23 and [visit_agemoreal]< 33, 24, if([visit_agemoreal]>=34.5 and [visit_agemoreal]< 42, 36, if([visit_agemoreal]>=48 and [visit_agemoreal]< 54, 48, ""))))) Field Annotation: @HIDDEN @HIDDEN-PDF 2024-02-01 expanded 24-month window from "29m30d" (ie, <30) to "32m30d" (<33)

62	[visit_blagemo]	Age in months that the baseline visit occurred at, using the windowed age if available	calc Calculation: if([visit_eventtype]="baseline" and [visit_agewindow]<>"", [visit_agewindow], if([visit_eventtype]="baseline", [visit_agemo], [previous-event-name] [visit_blagemo])) Field Annotation: @HIDDEN @HIDDEN-PDF
63	<pre>[visit_blvisitdispl ay]</pre>	Text to display for baseline visit	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT( if([visit_eventtype]<>"baseline", "", if([visit_agewindow]<>"", concat([visit_agewindow], "-month visit (in window)"), if([visit_blagemo]<>"", concat([visit_blagemo], "-month visit (not in a window)"), ""))))
64	<pre>[visit_baselineage_ note] Show the field ONLY if: [visit_eventtype]="baseline"</pre>	This is the baseline event, and it is occurring while the participant is [visit_agemo] months old.	descriptive
65	<pre>[visit_agewindownot e] Show the field ONLY if: [visit_eventtype]="ba seline" and [visit_age window]&lt;&gt;""</pre>	The participant is [visit_agemo] months old. This age is within the window for the [visit_agewindow] month visit, so this visit will be a [visit_agewindow] month visit.	descriptive
66	[visit_agewindowerr or] Show the field ONLY if: [visit_eventtype]="ba seline" and [visit_age window]=""	Stop! The participant is [visit_agemo] months old. This age is not within a valid window for any visit, so you should not proceed. Please schedule the baseline visit within the appropriate age window.	descriptive
67	[visit_noagewindown ote]  Show the field ONLY if: [visit_eventtype]="ba seline" and [visit_age window]=""	The participant is [visit_agemo] months old. This age is not within the window for any standard visit, so some of the standardized forms may not be available.	descriptive

68	[visit_eventage]	Age in months that this event should happen at	calc Calculation: if([event- name]="baseline_arm_1", -1, if([event- name]="12month_arm_1", 12, if([event-name]="18month_arm_1", 18, if([event- name]="24month_arm_1", 24, if([event-name]="36month_arm_1", 36, if([event- name]="48month_arm_1", 48, "")))))) Field Annotation: @HIDDEN @HIDDEN-PDF
69	[visit_overlapbl]	Does this event overlap with the baseline event (1 month either way? slightly arbitrary here) (nb, this can probably be done differently, but let's not break it now; the windows should be fixing this)	calc Calculation: if([visit_eventtype]="followup", if([visit_eventage]=[visit_blagemo], 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
70	<pre>[visit_eventbloverl ap_note] Show the field ONLY if: [visit_overlapbl]="1"</pre>	The baseline visit occurred (age at baseline, accounting for windows: [visit_blagemo] months) during the time frame that this event is valid for ([visit_eventage] months), and all of the data was collected then.	descriptive
71	<pre>[visit_eventtimingo k]</pre>	Is the event happening at the correct time	calc Calculation: if([visit_eventage]="", "", if([visit_eventage]="-1", 1, if([visit_overlapbl]="1", 0, if([visit_agewindow]<>"" and ([visit_agewindow]=[visit_eventage]), 1, 0)))) Field Annotation: @HIDDEN @HIDDEN-PDF
72	<pre>[visit_eventtimingf uture]</pre>	Is the event supposed to be in the future (ie, the visit date corresponds to an event that the participant should not yet be having)	calc Calculation: if([visit_eventage]="", "", if([visit_eventage]="-1", 0, if([visit_agewindow]<>"" and ([visit_agewindow]=[visit_eventage]), 0, if([visit_eventage]-[visit_agemo]>1, 1, 0)))) Field Annotation: @HIDDEN @HIDDEN-PDF
73	[visit_eventpastnot e] Show the field ONLY if: [visit_dt]<>"" and [vis it_eventtimingo k]="0" and [visit_eve	This event should have happened when the participant was [visit_eventage] months old; they are now [visit_agemo] months. All other forms for this event may be ignored, except that you must save this form so that some variables may be carried through. Please go to	descriptive

	nttimingfuture]="0" a nd [visit_overlapb l]="0"	the next event.	
74	[visit_eventfuturen ote] Show the field ONLY if: [visit_eventtimingfut ure]="1"	This event should happen when the participant is [visit_eventage] months old; they are now [visit_agemo] months. This is too early. Go to an earlier event!	descriptive
75	<pre>[visit_eventtimingo knote] Show the field ONLY if: [visit_eventtimingo k]="1" and [event-na me]&lt;&gt;"baseline_arm _1"</pre>	This event occurs when the participant is [visit_eventage] months old, the participant is [visit_agemo] months old, which lies within the correct window.  Congratulations - proceed with the visit!	descriptive
76	<pre>[visit_priorvisitd t]</pre>	Prior visit date	text (date_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([event-name]="baseline_arm_1", "", if([previous-event-name] [visit_eventtimingok]="1", [previous-event-name][visit_dt], [previous-event-name][visit_priorvisitdt])))
77	[visit_admin] Show the field ONLY if: [visit_eventtimingo k]="1"	How was this survey administered?	radio  1 Self-administered remote  2 Self-administered in person  3 Staff-administered remote  4 Staff-administered in person  Custom alignment: LV
78	[visit_remoteonlyov erride]  Show the field ONLY if: [enrollment_arm_1] [enrl_remoteonly (1)]="1"	Did the remote-only participant complete any in-person assessments? This question may be completed after the visit is over (and the answer known).	checkbox bayley visit_remoteonlyoverridebayley visit_remoteonlyoverridedayley anthro visit_remoteonlyoverrideanthro visit_remoteonlyoverrideand none visit_remoteonlyoverrideno  Custom alignment: LV Field Annotation: @NONEOFTHEABOVE="none"

79	[visit_specimensok] Show the field ONLY if: [visit_eventtimingo k]="1" and ([visit_eve ntage]="24" or [visit_ agewindow]="24")	Does the parent agree to a blood draw for sample collection?	radio, Required  1 Yes 0 No  Custom alignment: LV
80	[visit_surveyqueuel ink] Show the field ONLY if: [visit_eventtimingo k]="1"	The survey queue URL for this participant is: [survey-queue-url]. You may right click on [survey-queue-link:this link] to copy and paste it somewhere else.	descriptive
81	[visit_missed]  Show the field ONLY if: [visit_eventtimingo k]="1" and [visit_dt]< >""	Did the participant miss some or all of this event? You may leave this question blank, and we will assume the participant did not miss the event. You only need to supply an answer if they did miss the event. (You may answer "no" if you like; it will not hurt anything.) You may leave this question blank; if the participant misses the visit, come back and change this question.	radio  1 Yes  0 No  Custom alignment: LV
82	[visit_missedtype] Show the field ONLY if: [visit_missed]="1"	What parts of the event did the participant miss?	radio, Required  1 Participant missed the entire event  2 Participant did not fill out the surveys  3 Participant did not come in for the in-person visit  Custom alignment: LV
83	[visit_missedreas] Show the field ONLY if: [visit_missed]="1"	Why did the participant miss this visit?	radio, Required  2 Unable to contact  1 Too ill  3 Declined visit  4 Out of visit window  9 Other  Custom alignment: LV
84	[visit_missedreassp ec] Show the field ONLY if: [visit_missedrea	Why did the participant miss this event?	text, Required

		s]="9"			
8	85	<pre>[visit_reimburseyn] Show the field ONLY if: [visit_fversion] &gt;= 2 a nd [visit_dt] &lt;&gt; " and [visit_missed] &lt;&gt; '1'</pre>	Request for travel:	checkbox 1 visit_reimburseyn1 Yes  Custom alignment: LV	
8	86	[visit_traveltype] Show the field ONLY if: [visit_reimburseyn (1)] = '1'	Ticketed Travel - please select one of the following:	radio, Required  1 Train 2 Bus 3 Plane  Custom alignment: LV	
3	87	<pre>[visit_reimburseatt est] Show the field ONLY if: [visit_reimburseyn (1)] = '1'</pre>	I attest that the above information is accurate, and all relevant receipts have been retained by our site and will be produced upon request.	checkbox, Required  1 visit_reimburseattest1 Yes  Custom alignment: LV	
8	88	[visit_caregiverch] Show the field ONLY if: [visit_dt]<>"" and [vis it_eventtype]<>"base line"	Has the participant's caregiver changed since their last visit?	radio  1 Yes  0 No  Custom alignment: LV	
	89	[visit_cgrel] Show the field ONLY if: [visit_caregiverc h]="1"	What is the new caregiver's relationship to the participant?	radio  1 Mother  2 Father  3 Grandmother  4 Grandfather  5 Sister  6 Brother  7 Aunt  8 Uncle  9 Cousin  10 Stepmother  11 Stepfather  12 Other legal guardian  99 Other, please explain {visit_cgrelspec:icons}	

			Custom alignment: LV
90	[visit_cgrelspec] Show the field ONLY if: [visit_cgrel]="99"	Please specify:	text
91	[visit_reconsent]  Show the field ONLY  if: [visit_caregiverc h]="1"	With a change in caregivers, a new consent form will need to be signed. Has the new caregiver signed a consent form for the participant?	radio, Required  1 Yes  3 Not necessary; new caregiver is not participant's consenting legal guardian  Custom alignment: LV
92	<pre>[visit_reconsentred cap] Show the field ONLY if: [visit_reconsent]="1"</pre>	Has the additional consent form been recorded on a Consent Tracking Form in the "Enrollment" arm?	radio, Required  1 Yes 0 No  Custom alignment: LV
93	<pre>[visit_reconsentred capwarning] Show the field ONLY if: [visit_reconsentredc ap]="0"</pre>	STOP! You cannot proceed with this visit until the participant has been consented.	descriptive
94	[visit_reconsentdt] Show the field ONLY if: [visit_reconsentredc ap]="1"	What was the date of consent for the new consent?	text (date_mdy, Min: [visit_priorvisitdt], Max: today)
95	<pre>[visit_sitecontacte mail]</pre>	Site contact email (from Site Info project):	text Field Annotation: @HIDDEN @HIDDEN-PDF
96	[visit_infected]	Try to capture if the participant is infected, however possible 2022-03-04: if the previous event symptoms form believes infection, use that, then check for the previous visit form infection, then check for enrollment; still to handle: crossing event, followup, managing on study infections	calc Calculation: if([previous-event-name] [ps_infected]<>"", [previous-event- name][ps_infected],if([previous-event- name][visit_infected]<>"", [previous- event-name][visit_infected],"")) Field Annotation: @HIDDEN @HIDDEN-PDF
97	[sname]	Name to substitute into the forms	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT([enrollment_arm_1] [enrl_fnamecap])

98	[snameposs]	Possessive form of the substitution name	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if(ends_with([sname], "s"), concat([sname], """), concat([sname], ""s")))
99	[visit_bisqver]	Appropriate version of the BISQ to display	calc Calculation: if([visit_fversion]<3 and [visit_agemoreal]>=23 and [visit_agemoreal]<=25.5, "24", if([visit_fversion]>=3 and [visit_agemoreal]>=23 and [visit_agemoreal]<29, "24", "")) Field Annotation: @HIDDEN @HIDDEN-PDF
100	[visit_asqver]	Appropriate version of the ASQ to display; note that after 2 years, prematurity no longer applies	calc Calculation: if([visit_agewindow]="12" and ([visit_agemopremature]>=7 and [visit_agemopremature]< 9), "8", if([visit_agewindow]="12" and ([visit_agemopremature]>=9 and [visit_agemopremature]>=9 and [visit_agemopremature]>=10, "9", if([visit_agewindow]="12" and ([visit_agemopremature]>=10 and [visit_agemopremature]>=10 and [visit_agemopremature]>=11 and [visit_agemopremature]>=11 and [visit_agemopremature]>=11 and [visit_agemopremature]>=19 and [visit_agemopremature]>=19 and [visit_agemopremature]>=21, "20", if([visit_agewindow]="24" and ([visit_agemopremature]>=21 and [visit_agemopremature]>=21 and [visit_agemopremature]>=23 and [visit_agemopremature]>=23 and [visit_agemopremature]>=23 and [visit_agemopremature]>=25.5, "24", if([visit_agemoreal]>=25.5 and [visit_agemoreal]>=25.5 and [visit_agemoreal]>=36" and ([visit_agemoreal]>=36" and ([visit_agemoreal]>=30, "36", if([visit_agemoreal]>=30, "30, "30", if

1	O1 [visit_asqsever]	Appropriate version of the ASQ-SE to display	calc Calculation: if([visit_agemoreal]>=15 and [visit_agemoreal]<21, "18", "") Field Annotation: @HIDDEN @HIDDEN-PDF
1	02 [visit_mchatver]	Appropriate version of the MCHAT to display	calc Calculation: if([visit_agemoreal]>=16 and [visit_agemoreal]< 21, "18", "") Field Annotation: @HIDDEN @HIDDEN-PDF
1	03 [visit_cbclver]	Appropriate version of the CBCL to display	calc Calculation: if([visit_fversion]<3 and [visit_agemoreal]>=23 and [visit_agemoreal]<=25.5, "24", if([visit_fversion]>=3 and [visit_agemoreal]>=23 and [visit_agemoreal]<29, "24", if([visit_fversion]<3 and [visit_agemoreal]>34.5 and [visit_agemoreal]<39, "36", if([visit_fversion]>=3 and [visit_agemoreal]>=34.5 and [visit_agemoreal]>=34.5 and [visit_agemoreal]>=34.5 and [visit_agemoreal]<42, "36", "")))) Field Annotation: @HIDDEN @HIDDEN-PDF
1	04 [visit_dp4ver]	Appropriate version of the DP-4 to display	calc Calculation: if(([visit_agewindow]="36" or [visit_agewindow]="48"), [visit_agewindow], "") Field Annotation: @HIDDEN @HIDDEN-PDF
1	05 [visit_bayleyver]	Appropriate version of the Bayley to display	calc Calculation: if([visit_agewindow]="24" and ([enrollment_arm_1] [enrl_remoteonly(1)]<>"1" or [visit_remoteonlyoverride(bayley)]="1") and ([visit_missedtype]<>"1" and [visit_missedtype]<>"3"), [visit_agewindow], "") Field Annotation: @HIDDEN @HIDDEN-PDF
1	06 [visit_dasiiver]	Appropriate version of the DAS-ii to display	calc Calculation: if(([visit_agewindow]="36") and ([enrollment_arm_1] [enrl_remoteonly(1)]<>"1" or [visit_remoteonlyoverride(dasii)]="1") and ([visit_missedtype]<>"1" and [visit_missedtype]<>"3"), [visit_agewindow], "")

			Field Annotation: @HIDDEN @HIDDEN-PDF
107	[visit_anthrover]	Appropriate version of the Anthropometry to display	calc Calculation: if(([visit_agewindow]="24" or [visit_agewindow]="36" or [visit_agewindow]="48") and ([enrollment_arm_1] [enrl_remoteonly(1)]<>"1" or [visit_remoteonlyoverride(anthro)]="1") and ([visit_missedtype]<>"1" and [visit_missedtype]<>"3"), [visit_agewindow], "") Field Annotation: @HIDDEN @HIDDEN-PDF
108	<pre>[visit_hcn_asthmacu rr]</pre>	Carry-forward for 'hcn_asthmacurr'	calc Calculation: if([previous-event-name] [hcn_asthmacurr]<>"", [previous-event-name][hcn_asthmacurr], if([previous-event-name] [hcnfu_asthmacurr]<>"", [previous-event-name][hcnfu_asthmacurr], if([previous-event-name] [visit_hcn_asthmacurr]<>"", [previous-event-name][visit_hcn_asthmacurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
109	[visit_hcn_diabcur r]	Carry-forward for 'hcn_diabcurr'	calc Calculation: if([previous-event-name] [hcn_diabcurr]<>"", [previous-event-name][hcn_diabcurr], if([previous-event-name][hcnfu_diabcurr]<>"", [previous-event-name] [hcnfu_diabcurr], if([previous-event-name][visit_hcn_diabcurr]<>"", [previous-event-name] [visit_hcn_diabcurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
110	[visit_hcn_seizcur r]	Carry-forward for 'hcn_seizcurr'	calc Calculation: if([previous-event-name] [hcn_seizcurr]<>"", [previous-event-name][hcn_seizcurr], if([previous-event-name][hcnfu_seizcurr]<>"", [previous-event-name] [hcnfu_seizcurr], if([previous-event-name][visit_hcn_seizcurr]<>"", [previous-event-name] [visit_hcn_seizcurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF

111	<pre>[visit_hcn_heartcur r]</pre>	Carry-forward for 'hcn_heartcurr'	calc Calculation: if([previous-event-name] [hcn_heartcurr]<>"", [previous-event-name][hcn_heartcurr], if([previous-event-name][hcnfu_heartcurr]<>"", [previous-event-name] [hcnfu_heartcurr], if([previous-event-name][visit_hcn_heartcurr]<>"", [previous-event-name] [visit_hcn_heartcurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
112	[visit_hcn_migcurr]	Carry-forward for 'hcn_migcurr'	calc Calculation: if([previous-event-name] [hcn_migcurr]<>"", [previous-event-name][hcn_migcurr], if([previous-event-name][hcnfu_migcurr]<>"", [previous-event-name] [hcnfu_migcurr], if([previous-event-name][visit_hcn_migcurr]<>"", [previous-event-name] [visit_hcn_migcurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
113	<pre>[visit_hcn_ticscur r]</pre>	Carry-forward for 'hcn_ticscurr'	calc Calculation: if([previous-event-name] [hcn_ticscurr]<>"", [previous-event-name][hcn_ticscurr], if([previous-event-name][hcnfu_ticscurr]<>"", [previous-event-name] [hcnfu_ticscurr], if([previous-event-name][visit_hcn_ticscurr]<>"", [previous-event-name] [visit_hcn_ticscurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
114	[visit_hcn_anxietyc urr]	Carry-forward for 'hcn_anxietycurr'	calc Calculation: if([previous-event-name] [hcn_anxietycurr]<>"", [previous-event-name][hcn_anxietycurr], if([previous-event-name] [hcnfu_anxietycurr]<>"", [previous-event-name][hcnfu_anxietycurr], if([previous-event-name] [visit_hcn_anxietycurr]<>"", [previous-event-name][visit_hcn_anxietycurr], """))) Field Annotation: @HIDDEN @HIDDEN-PDF

115	<pre>[visit_hcn_depressc urr]</pre>	Carry-forward for 'hcn_depresscurr'	calc Calculation: if([previous-event-name] [hcn_depresscurr]<>"", [previous-event-name][hcn_depresscurr], if([previous-event-name] [hcnfu_depresscurr]<>"", [previous-event-name][hcnfu_depresscurr], if([previous-event-name] [visit_hcn_depresscurr]<>"", [previous-event-name][visit_hcn_depresscurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
116	<pre>[visit_hcn_conductc urr]</pre>	Carry-forward for 'hcn_conductcurr'	calc Calculation: if([previous-event-name] [hcn_conductcurr]<>"", [previous-event-name] [hcn_conductcurr], if([previous-event-name] [hcnfu_conductcurr]<>"", [previous-event-name][hcnfu_conductcurr], if([previous-event-name] [visit_hcn_conductcurr]<>"", [previous-event-name] [visit_hcn_conductcurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
117	<pre>[visit_hcn_delaycur r]</pre>	Carry-forward for 'hcn_delaycurr'	calc Calculation: if([previous-event-name] [hcn_delaycurr]<>"", [previous-event-name][hcn_delaycurr], if([previous-event-name][hcnfu_delaycurr]<>"", [previous-event-name] [hcnfu_delaycurr], if([previous-event-name][visit_hcn_delaycurr]<>"", [previous-event-name] [visit_hcn_delaycurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
118	<pre>[visit_hcn_speechdi scurr]</pre>	Carry-forward for 'hcn_speechdiscurr'	calc Calculation: if([previous-event-name] [hcn_speechdiscurr]<>"", [previous-event-name][hcn_speechdiscurr], if([previous-event-name] [hcnfu_speechdiscurr]<>"", [previous-event-name][hcnfu_speechdiscurr], if([previous-event-name] [visit_hcn_speechdiscurr]<>"", [previous-event-name] [visit_hcn_speechdiscurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF

119	<pre>[visit_hcn_learndis curr]</pre>	Carry-forward for 'hcn_learndiscurr'	calc Calculation: if([previous-event-nan [hcn_learndiscurr]<>"", [previous- event-name][hcn_learndiscurr], if([previous-event-name] [hcnfu_learndiscurr]<>"", [previous- event-name][hcnfu_learndiscurr], if([previous-event-name] [visit_hcn_learndiscurr]<>"", [previous-event-name] [visit_hcn_learndiscurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
120	<pre>[visit_hcn_asdcurr]</pre>	Carry-forward for 'hcn_asdcurr'	calc Calculation: if([previous-event-nar [hcn_asdcurr]<>"", [previous-even name][hcn_asdcurr], if([previous- event-name][hcnfu_asdcurr]<>"", [previous-event-name] [hcnfu_asdcurr], if([previous-even- name][visit_hcn_asdcurr]<>"", [previous-event-name] [visit_hcn_asdcurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
121	<pre>[visit_hcn_adhdcur r]</pre>	Carry-forward for 'hcn_adhdcurr'	calc Calculation: if([previous-event-nane][hcn_adhdcurr]<>"", [previous-evename][hcn_adhdcurr], if([previous event-name][hcnfu_adhdcurr]<>"" [previous-event-name] [hcnfu_adhdcurr], if([previous-evename][visit_hcn_adhdcurr]<>"", [previous-event-name] [visit_hcn_adhdcurr], ""))) Field Annotation: @HIDDEN @HIDDEN-PDF
122	[visit_hcn_edcurr]	Carry-forward for 'hcn_edcurr'	calc Calculation: if([previous-event-nar [hcn_edcurr]<>"", [previous-event- name][hcn_edcurr], if([previous-event- name][hcnfu_edcurr]<>"", [previous- event-name][hcnfu_edcurr], if([previous-event-name] [visit_hcn_edcurr]<>"", [previous- event-name][visit_hcn_edcurr], "") Field Annotation: @HIDDEN @HIDDEN-PDF
123	<pre>[visit_form_complet e]</pre>	Section Header: Form Status Complete?	dropdown  0 Incomplete

				1 Unverified
				2 Complete
Instr	um	ent: Identity (iden		
	404		es - Data Entry: None   Survey: None	T
	124	[id_fversion]	Identity form version:	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
	125	[id_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
	126	<pre>[id_visit_compwarni ng] Show the field ONLY if: [visit_form_complet e]&lt;&gt;"2"</pre>	ERROR! You must complete the visit form before you can start this form.	descriptive
	127	[id_colldt]	What is the date that this survey is being done?  MM-DD-YYYY	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
	128	[id_coord]	Check this box if the coordinator is entering data:	checkbox  1 id_coord1 Coordinator data entry  Field Annotation: @HIDDEN-SURVEY
	129	[id_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
	130	[id_caregiver]	We would like to know if you are the main caregiver for the child who is part of this study ([sname]). The main caregiver is a person, like a family member (biological (blood related)) or non-biological (not blood related)) or guardian, who is in charge of taking care of the child who is part of this study. The main caregiver: Is the person who spends the most time with the child, or is one of the people who spend the most time with the child. Is the person most responsible for taking care of the child every day, or is one of the people most responsible for taking care of the child every day. Lives in the same home as the child. Knows the most about the child, or is one of the people who knows	radio 1 Yes 0 No  Custom alignment: LV Stop actions on 0

		the most about the child.Must be older than 18 years of age if the main caregiver is not blood related.Are you [snameposs] main caregiver?		
131	[id_cgrel]	What is your relationship to [sname]?	radio	
	Show the field ONLY		1	Mother
	if: [id_caregiver]="1"		2	Father
	[id_caregiver]= 1		3	Grandmother
			4	Grandfather
			5	Sister
			6	Brother
			7	Aunt
			8	Uncle
			9	Cousin
			10	Stepmother
			11	Stepfather
			12	Other legal guardian
				Other, please explain {id_cgrelspec:icons}
			Custo	om alignment: LV
132	<pre>[id_cgrelspec]</pre>	Relationship to [sname]	text	
	Show the field ONLY			
	if: [id_cgrel]="99"			
133	[id_ptfname]	What is your child's first name?	text,	Required, Identifier
	Show the field ONLY	j	Field	Annotation:
	if: [id_caregiver]="1"		@DEI	FAULT='[sname]'
134	<pre>[id_ptfname_warnin g] Show the field ONLY</pre>	The research site has used the name "[sname]" for your child's name. This name has already been used to create	descr	riptive
	if: trim(upper([id_ptfna me]))<>trim(upper([s name]))	the surveys, and will be used in all the questions.		
135	[identity_complete]	Section Header: Form Status	dropo	down
		Complete?	0 Ir	ncomplete
			1 U	Inverified
		İ	2   C	Complete

	Active language	es - Data Entry: None   Survey: None	
136	[demo_fversion]	Demographics form version:	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
137	[demo_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVI @READONLY
138	<pre>[demo_visit_compwar ning] Show the field ONLY if: [visit_form_complet e]&lt;&gt;"2"</pre>	ERROR! You must complete the visit form before you can start this form.	descriptive
139	[demo_colldt]	Date of Demographic Data Collection  MM/DD/YYYY	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVI @TODAY
140	[demo_coord]	Check this box if the coordinator is entering data:	checkbox  1 demo_coord1 Coordinator data entry  Field Annotation: @HIDDEN-SURVI
141	[demo_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
142	[demo_ptintro]	Now we are going to ask you questions about [sname].	descriptive
143	[demo_dob]	What is [snameposs] birthday?	text (date_mdy, Min: 1996-04-01, Noted today), Required, Identifier Field Annotation: @HIDEBUTTON @DEFAULT='[enrollment_arm_1] [enrl_dob]'
144	[biosex]	What was [snameposs] sex assigned at birth?	radio, Required  1 Female  0 Male  2 Intersex  3 None of these describe [sname]  -1 I don't know  -88 I do not want to answer  Custom alignment: LV

1/15	[domo_naco]	Which group(s) hast describe [sname]?	https proto COVI Remo	xup_sociodemogra s://www.phenxtoolk ocols/view/11601 F D Lab Reporting Sp oved 'Biological' ter kbox, Required	it.org/ IHS/CDC ecifications
	Which group(s) best describe [sname]? Please check all groups that describe [sname]. You can choose one of more of these	1	demo_race1	American Indian or Alaska Native(For example: Aztec, Blackfeet Tribe, Mayan, Navajo Nation, Native Village of Barrow (Utqiagvik) Inupiat Traditional Government, Nome Eskimo Community, etc.)	
			2	demo_race2	Asian(For example: Asian Indian, Chinese, Filipino, Japanese, Korean, Vietnamese, etc.)
			3	demo_race3	Black or African American(For example: African American, Ethiopian, Haitian, Jamaican, Nigerian, Somali, etc.)
			4	demo_race4	Hispanic, Latino, or Spanish(For example: Colombian,

				Cuban, Dominican, Mexican or Mexican American, Puerto Rican, Salvadoran, etc.)
		5	demo_race5	Middle Eastern or North African(For example: Algerian, Egyptian, Iranian, Lebanese, Moroccan, Syrian, etc.)
		6	demo_race6	Native Hawaiian or other Pacific Islander(For example: Chamorro, Fijian, Marshallese, Native Hawaiian, Tongan, etc.)
		7	demo_race7	White(For example: English, European, French, German, Irish, Italian, Polish, etc.)
		15	demo_race15	None of these fully describe [sname]
		-1	demo_race1	I don't know
		-88	demo_race88	l do not want to answer
		Field #allo	om alignment: LV Annotation: ·fus_basics_race# ;; au, Census 2020, Qi	

			@NONEOFTHEABOVE='15,-88,-1'			
146	[demo_native]	Which of these American Indian or	checkbox			
	Show the field ONLY	Alaska Native groups best describes [sname]? (You can choose one or more	1	demo_native1	American Indian	
		of these)	2	demo_native2	Alaska Native	
			3	demo_native3	Central or South American Indian	
			4	demo_native4	None of these fully describe [sname]	
			-1	demo_native1	l don't know	
			-88	demo_native88	I do not want to answer	
			Custom alignment: LV Field Annotation: #allofus_basics_race# @NONEOFTHEABOVE="-88,-1"			
147	[demo_asian]	Which of these Asian groups best	chec	kbox		
	Show the field ONLY	describes [sname]? (You can choose one	1	demo_asian1	Asian Indian	
	if:	or more of these) You can choose one of more of these	2	demo_asian2	Cambodian	
	[demo_race(2)]='1'		3	demo_asian3	Chinese	
			4	demo_asian4	Filipino	
			5	demo_asian5	Hmong	
			6	demo_asian6	Japanese	
			7	demo_asian7	Korean	
			8	demo_asian8	Pakistani	
			9	demo_asian9	Vietnamese	
			15	demo_asian15	Other Asian { {demo_asian	
			-1	demo_asian1	I don't know	
			-88	demo_asian88	l do not want	
			Field #allo	om alignment: LV Annotation: ofus_basics_race# ONEOFTHEABOVE="-8	8,-1"	

148	[demo_asian_oth] Show the field ONLY if:	If others, please describe:	text		
	[demo_asian(1 5)]="1"				
149	[demo_black]	Which of these Black or African groups	chec	kbox	
	Show the field ONLY	best describes [sname]? (You can choose one or more of these)  You can choose one of more of these	1	demo_black1	African Amer
	if:		2	demo_black2	Barbadian
	[demo_race(3)]='1'		3	demo_black3	Caribbean
			4	demo_black4	Ethiopian
			5	demo_black5	Ghanaian
			6	demo_black6	Haitian
			7	demo_black7	Jamaican
			8	demo_black8	Liberian
			9	demo_black9	Nigerian
			10	demo_black10	Somali
			11	demo_black11	South African
			15	demo_black15	Other Black o group {demo_black_
			-1	demo_black1	I don't know
			-88	demo_black88	l do not want
			Custom alignment: LV Field Annotation: #allofus_basics_race# @NONEOFTHEABOVE="-88,-1"		
150	[demo_black_oth]  Show the field ONLY if: [demo_black(1 5)]="1"	If others, please describe:	text		
151	[demo_hisp]	Which of these Hispanic groups best	chec	kbox	
	Show the field ONLY	describes [sname]? (You can choose one	1	demo_hisp1	Colombian
	if:	or more of these) You can choose one of more of these	2	demo_hisp2	Cuban
	[demo_race(4)]='1'		3	demo_hisp3	Dominican
			4	demo_hisp4	Ecuadorian
			5	demo_hisp5	Honduran
			6	demo_hisp6	Mexican or Me American

			7		Puerto Rican
			8	demo_hisp8	Salvadoran
			9	demo_hisp9	Spanish
			15	demo_hisp15	Other Hispanic {demo_hisp_ot
			-1	demo_hisp1	I don't know
			-88	demo_hisp88	l do not want t answer
			Field #allo	om alignment: LV Annotation: fus_basics_race# DNEOFTHEABOVE="-	88,-1"
152	[demo_hisp_oth]	If others, please describe:	text		
	Show the field ONLY				
	if: [demo_hisp(15)]="1"				
153	[demo_mideast]	Which of these Middle Eastern or North	chec	kbox	
	Show the field ONLY	African groups best describes [sname]? (You can choose one or more of these)  You can choose one of more of these	1	demo_mideast1	Afghan
	if: [demo_race(5)]='1'		2	demo_mideast2	Algerian
			3	demo_mideast3	Egyptian
			4	demo_mideast4	Iranian
			5	demo_mideast5	i Iraqi
			6	demo_mideast6	i Israeli
			7	demo_mideast7	' Lebanese
			8	demo_mideast8	B Moroccan
			9	demo_mideast9	Syrian
			10	demo_mideast1	0 Tunisian
			15	demo_mideast1	5 Other Mide North Afric {demo_mid
			-1	demo_mideast	1 I don't kno
			-88	demo_mideast	88 I do not wa
			Field #allo	om alignment: LV Annotation: fus_basics_race# ONEOFTHEABOVE="-	88,-1"
154	[demo_mideast_oth]	If others, please describe:	text		
	Show the field ONLY if:				

	[demo_mideast(1 5)]="1"				
155	[demo_pacisl]	Which of these Native Hawaiian or Pacific Islander groups best describes		kbox	Cl
	Show the field ONLY if:	[sname]? (You can choose one or more	1	demo_pacisl1	Chamorro
		of these) You can choose one of more of these	2	demo_pacisl2	Chuukese
		Tour can enouse one of more of these	3	demo_pacisl3	Fijian
			4	demo_pacisl4	Kosraen
			5	demo_pacisl5	Maori
			6	demo_pacisl6	Marshallese
			7	demo_pacisl7	Native Hawali
			8	demo_pacisl8	Pacific Islande
			9	demo_pacisl9	Palauan
			10	demo_pacisl10	Pohnpeian
			11	demo_pacisl11	Samoan
			12	demo_pacisl12	Tahitian
			13	demo_pacisl13	Tongan
			14	demo_pacisl14	Yapese
			15	demo_pacisl15	Other Pacific group {demo_pacis
			-1	demo_pacisl1	I don't know
			-88	demo_pacisl88	I do not want
			Field #allo @NO	om alignment: LV Annotation: ofus_basics_race# ONEOFTHEABOVE="-8	88,-1"
156	[demo_pacisl_oth]  Show the field ONLY if: [demo_pacisl(1 5)]="1"	If others, please describe:	text		
157	[demo_white]	Which of these White or European	chec	kbox	
	Show the field ONLY	groups best describes [sname]? (You can choose one or more of these)	1	demo_white1	Dutch
	if:	You can choose one of more of these	2	demo_white2	English
	[demo_race(7)]='1'		3	demo_white3	French
			4	demo_white4	German
			5	demo_white5	Irish

			7	demo_white7	Norwegian
			8	demo_white8	Polish
			9	demo_white9	Russian
			10	demo_white10	Scottish
			11	demo_white11	Spanish
			15	demo_white15	Other White European gro {demo_white
			-1	demo_white1	I don't know
			-88	demo_white88	I do not want
			Field #allo	om alignment: LV Annotation: fus_basics_race# DNEOFTHEABOVE="-{	38,-1"
158	Show the field ONLY if: [demo_white(15)] = "	If others, please describe:	text		
159	[demo_race_oth]  Show the field ONLY if: [demo_race(15)] = "1	If none of these describe [sname], please explain	note Cust	s om alignment: LV	
	"				
160	[demo_eng]	Is English the main language [sname]	radio		
		speaks?	1	Yes	
			0	No	
			-1	I don't know	
			-88	I do not want to an	swer
				om alignment: LV Annotation:	
			#rad for C 19 Si detro	xup_housing_emplo EAL Program from C urvey. https:// bitsurvey.umich.edu/ ey-and-resources/. N .Horwitz 2021-10-28	MACS COVID COVID 19- lodified REM
161	[demo_lang]	What language(s) other than English	#rad for C 19 Si detro surve per I	EAL Program from Durvey. https:// bitsurvey.umich.edu/ ey-and-resources/. Machine 2021-10-28 kbox	MACS COVID COVID 19- lodified REM
161	[demo_lang]	does [sname] speak? (You can choose	#rad for C 19 Si detro surve per L chec	EAL Program from Durvey. https:// bitsurvey.umich.edu/ ey-and-resources/. Machine 2021-10-28 kbox	MACS COVID COVID 19- lodified REM
161	[demo_lang]		#rad for C 19 Si detro survo per L	EAL Program from Durvey. https:// bitsurvey.umich.edu/ ey-and-resources/. Machine 2021-10-28 kbox demo_lang1	MACS COVID COVID 19- lodified REM

			4	demo_lang4	Cantonese
			5	demo_lang5	Tagalog
			6	demo_lang6	Hawaiian
	,		7	demo_lang7	Ilocano
			8	demo_lang8	Navajo
			9	demo_lang9	Russian
			10	demo_lang10	Hindi
			11	demo_lang11	Haitian Creole
			12	demo_lang12	Cape Verdean Creole
			13	demo_lang13	French
			14	demo_lang14	Arabic
			15	demo_lang15	Native American or Indigenous languages
	,		90	demo_lang90	Other
			0	demo_lang0	[sname] only speaks English
			-1	demo_lang1	I don't know
			-88	demo_lang88	I do not want to answer
			Field #rad for C 19 St detro surve	om alignment: LV Annotation: EXUP_housing_emplo EAL Program from urvey. https:// pitsurvey.umich.edu ey-and-resources/. DNEOFTHEABOVE="	DMACS COVID
162	2 [demo_langspec] Show the field ONLY if: [demo_lang(90)]="1"	What other language(s) does [sname] speak?	#rad for C 19 St detro	Annotation:  xup_housing_emplo  EAL Program from  urvey. https://  oitsurvey.umich.edu  ey-and-resources/.	DMACS COVID

163	[demo_birthplace]	Where was [sname] born?	radio			
			1	In the United States or a United States territory		
			2	Outside the United States and territories		
			-1	I don't know		
			-88	I do not want to answer		
			Custo	om alignment: LV		
164	[demo_school]	1	radio	radio		
	Show the field ONLY	[sname] is between school years (for example, it is summer) but attends	1	Yes		
	if:	school during the school year, you	0	No		
	[visit_age]>=3	should answer yes. If [sname] is home schooled, you should also answer yes.	-1	I don't know		
		schooled, you should also aliswer yes.	-88	I do not want to answer		
				om alignment: LV		
165	[demo_schooltype]	What type of school does [sname] go to?	radio			
	Show the field ONLY if: [demo_school]=1		1	Public school		
			2	Private school		
			3	Home school		
			4	Daycare		
			99	Other, please explain {demo_schooltypespec:icons}		
			-1	I don't know		
			-88	I do not want to answer		
			Custo	om alignment: LV		
166	<pre>[demo_schooltypespe c]</pre>	Please explain what type of school [sname] attends:	text			
	Show the field ONLY if: [demo_schooltyp e]="99"					
167	[demo_grade]	What grade is [sname] in? If [sname] is	radio			
	Show the field ONLY	currently between grades (for example,	1	Pre-school/pre-kindergarten		
1 1	if:	it is summer), please pick the grade they will be starting in the next school year.	2	Kindergarten		
				0		
	[demo_school]='1'	will be starting in the flext school year.	3	1st grade		
		will be starting in the flext school year.		_		
		will be starting in the flext school year.	3	1st grade		

			7	5th grade
			8	6th grade
			9	7th grade
			10	8th grade
			11	9th grade
			12	10th grade
			13	11th grade
			14	12th grade
			15	College or University
			16	Graduate school
			17	[sname] is not in school
			-1	I don't know
			-88	I do not want to answer
			Cust	om alignment: LV
168	[demographics_compl	Section Header: Form Status	drop	odown
	ete]	Complete?	0 1	ncomplete
			1 L	Jnverified
			2 (	Complete
rum	nent: Child Birth Hi	story (child_birth_history)	bled a	as survey
	Active language	es - Data Entry: None   Survey: None		
169	Active language	cs - Data Entry: None   Survey: None  Child Birth History form version:	@IF() @HII prem	nature birth questions, as those
		<u> </u>	Field @IF() @HII pren are p text Field	[user-role-label]="Admin", "", DDEN @HIDDEN-PDF) v2: remove nature birth questions, as those part of the enrollment form now
170	[cbh_fversion]	Child Birth History form version:  Placeholder to attach form-level queries	Field @IF() @HII pren are p text Field @RE.	[user-role-label]="Admin", "", DDEN @HIDDEN-PDF) v2: remove nature birth questions, as those part of the enrollment form now I Annotation: @HIDDEN-SURVEY
170	<pre>[cbh_fversion]  [cbh_fqueries]  [cbh_visit_compwarn</pre>	Child Birth History form version:  Placeholder to attach form-level queries This field cannot be edited and should be blank  ERROR! You must complete the visit	Field @IF() @HII pren are p text Field @RE.	[user-role-label]="Admin", "", DDEN @HIDDEN-PDF) v2: remove the part of the enrollment form now the content of

173	[cbh_coord]	Check this box if the coordinator is	checkbox
		entering data:	1 cbh_coord1 Coordinator data entry
			Field Annotation: @HIDDEN-SURVEY
174	[cbh_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
175	[cbh_intro]	Now we are going to ask you some questions about [snameposs] birth.	descriptive
176	[cbh_bwu]	We would like to know [snameposs]	radio
		weight at birth. Please tell us if you know [snameposs] birth weight in	1 Pounds and ounces
		pounds and ounces, or kilograms and	2 Kilograms or grams
		grams.	-1 I don't know
			-88 I do not want to answer
			Custom alignment: LV
177	[cbh_bwcust_display] Show the field ONLY if: [cbh_bwu]="1"	How much did [sname] weigh when [sname] was born?Pounds: {cbh_bwlb:icons}Ounces: {cbh_bwoz:icons}(please enter 0 if weight is only in pounds)	descriptive
178	[cbh_bwlb]	Child birth weight in pounds: pounds	text (integer) Field Annotation: @PLACEHOLDER="pounds"
179	[cbh_bwoz]	Child birth weight in ounces: ounces (please enter 0 if weight is only in pounds)	text (number) Field Annotation: @PLACEHOLDER="ounces"
180	[cbh_bwsi_display]	How much did [sname] weigh when	descriptive
	Show the field ONLY if: [cbh_bwu]="2"	[sname] was born?Kilograms: {cbh_bwkg:icons}Grams: {cbh_bwg:icons}(please enter 0 if weight is only in kilograms)	
181	[cbh_bwkg]	Child birth weight in kg:  kilograms	text (number) Field Annotation: @PLACEHOLDER="kilograms"
182	[cbh_bwg]	Child birth weight in g: grams (please enter 0 if weight is only in kilograms)	text (number, Min: 0) Field Annotation: @PLACEHOLDER="grams"
183	[cbh_lengthu]	We would like to know [snameposs]	radio
		length at birth. Please let us know if you know [snameposs] birth length in inches	1 Inches
		or centimeters.	2 Centimeters
			-1 I don't know

			-88 I don't want to answer
			Custom alignment: LV
184	[cbh_lengthin] Show the field ONLY if: [cbh_lengthu]="1"	How long was [sname] when [sname] was born in inches? inches	text (number)
185	[cbh_lengthcm]  Show the field ONLY  if: [cbh_lengthu]="2"	How long was [sname] when [sname] was born in centimeters?	text (number)
186	[cbh_premature] Show the field ONLY if: [cbh_fversion]="1"	Was [sname] born prematurely (meaning more than 3 weeks before the due date)?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
187	[cbh_premature_wee k] Show the field ONLY if: [cbh_premature] = " 1"	How many weeks pregnant was [snameposs] birth mother when [sname] was born?  weeks	text (number, Min: 23, Max: 44)
188	[cbh_delivery]	How was [sname] delivered?	radio  1 Vaginal birth  2 Birth by cesarean section  -1 I don't know  -88 I do not want to answer  Custom alignment: LV
189	[cbh_nicu]	Was [sname] admitted to the neonatal intensive care unit (NICU)?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
190	[cbh_feedintro] Show the field ONLY if:	Section Header: The next set of questions ask about how [sname] is being fed.	descriptive

	[visit_age] >= 0 and [visit_age] <= 2		
191	[cbh_feed1wk]  Show the field ONLY if: [visit_age] >= 0 and [visit_age] <= 2	During the first week after [sname] was born, did [sname] breastfeed or drink ANY breast milk?	radio  1 Yes  0 No  -1 I don't know  -88 I do not want to answer  Custom alignment: LV
192	[cbh_feedcurr]  Show the field ONLY if: [visit_age] >= 0 and [visit_age] <= 2	Is [sname] breastfeeding or drinking ANY breast milk now?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
193	[cbh_feedstop_displ ay] Show the field ONLY if: ([visit_age] >= 0 and [visit_age] <= 2) and ([cbh_feedcurr]="0")	How old was [sname] when [sname] completely stopped breastfeeding or drinking breast milk? If [sname] never breastfed or drank breast milk, please enter 0 days.{cbh_feedstop:icons} {cbh_feedstopu:icons}	descriptive
194	[cbh_feedstop]	Child stopped breastfeeding at:	dropdown       0     0       1     1       2     2       3     3       4     4       5     5       6     6       7     7       8     8       9     9       10     10       11     11       12     12       13     13       14     14

199	<pre>[cchs_visit_compwar ning]</pre>	ERROR! You must complete the visit form before you can start this form.	descriptive
198	[cchs_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
197	[cchs_fversion]	Child Current Health Status version:	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
	Active language	es - Data Entry: None   Survey: None	
rum	ent: Child Current	Health Status (child_current_health	n_status) 🛂 Enabled as survey
			2 Complete
			1 Unverified
196	<pre>[child_birth_histor y_complete]</pre>	Complete?	dropdown  0 Incomplete
100	Falsa I to the to	Section Header: Form Status	
			2 Weeks 3 Months
		breastfeeding:	1 Days
195	[cbh_feedstopu]	Day, weeks, or month child stopped	radio
			32 32
			31 31
			29 29 30 30
			28 28
			27 27
			26 26
			25 25
			24 24
			22 22 23 23
			21 21
			20 20
			19 19
			18 18
			16   16   17   17   17   17   17   17
			15 15 16 16

	Show the field ONLY if: [visit_form_complet e]<>"2"			
200	[cchs_colldt]	Date when this form was completed:	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY	
201	[cchs_coord]	Check this box if the coordinator is entering data:	checkbox  1 cchs_coord1 Coordinator data entry  Field Annotation: @HIDDEN-SURVEY	
202	[cchs_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN	
203	[cchs_htu]	We would like to know how long or how tall [sname] is now. Would you like to tell us [snameposs] height in feet and inches or in centimeters?	radio  1 Feet and inches  2 Centimeters  -1 I don't know  -88 I do not want to answer  Custom alignment: LV	
204	[cchs_htcust_display] Show the field ONLY if: [cchs_htu]="1"	Currently, how long or how tall is [sname] without shoes?Feet: {cchs_htft:icons}Inches:{cchs_htin:icons}	descriptive	
205	[cchs_htft]	Child's heel to head length (feet) feet	text (number, Min: 0) Field Annotation: @PLACEHOLDER="feet"	
206	[cchs_htin]	Child's heel to head length (inches) inches	text (number, Min: 0, Max: 12) Field Annotation: @PLACEHOLDER="inches"	
207	[cchs_htcm]  Show the field ONLY  if: [cchs_htu]="2"	Currently, how long or how tall is [sname] without shoes? centimeters	text (number, Min: 0)	
208	[cchs_wtu]	We would like to know how much [sname] weighs now. Would you like to tell us [snameposs] weight in pounds or in kilograms?	radio  1 Pounds and ounces  2 Kilograms  -1 I don't know  -88 I do not want to answer	

			Custom alignment: LV	
209	<pre>[cchs_wtcust_displa y] Show the field ONLY if: [cchs_wtu]="1"</pre>	How much does [sname] weigh?Pounds: {cchs_wtlb:icons}Ounces (if available): {cchs_wtoz:icons}	descriptive	
210	[cchs_wtlb] Show the field ONLY if: [cchs_wtu]="1"	How much does [sname] weigh without clothes or shoes in pounds?  pounds	text (number, Min: 0) Field Annotation: @PLACEHOLDER="pounds"	
211	[cchs_wtoz] Show the field ONLY if: [cchs_wtu]="1"	How much does [sname] weigh without clothes or shoes in ounces?  ounces	text (number, Min: 0) Field Annotation: @PLACEHOLDER="ounces"	
212	[cchs_wtkg] Show the field ONLY if: [cchs_wtu]="2"	How much does [sname] weigh without clothes or shoes in kilograms: kilograms	text (number, Min: 0)	
213	[cchs_intro]  Show the field ONLY if: [visit_eventtype]="baseline"	Next, we will ask questions about [snameposs] birth parents' height and weight.	descriptive	
214	[cchs_bmhtu]  Show the field ONLY if: [visit_eventtype]="baseline"	We would like to know how tall [snameposs] birth mother is. If you are [snameposs] birth mother, please answer about your own height. Would you like to tell us this height in feet and inches or in centimeters?	radio  1 Feet and inches  2 Centimeters  -1 I don't know  -88 I do not want to answer  Custom alignment: LV	
215	<pre>[cchs_bmhtcust_disp lay] Show the field ONLY if: [cchs_bmhtu]="1"</pre>	How tall is [snameposs] birth mother without shoes?Feet:{cchs_bmhtft:icons} Inches:{cchs_bmhtin:icons}	descriptive	
216	[cchs_bmhtft]	Birth mother's heel to head length (feet) feet	text (number, Min: 0) Field Annotation: @PLACEHOLDER="feet"	
217	[cchs_bmhtin]	Birth mother's heel to head length (inches) inches	text (number, Min: 0) Field Annotation: @PLACEHOLDER="inches"	

218	<pre>[cchs_bmhtcm] Show the field ONLY if: [cchs_bmhtu]="2"</pre>	How tall is [snameposs] birth mother without shoes? centimeters	text (number, Min: 0)
219	[cchs_bmwtu] Show the field ONLY if:	We would like to know how much [snameposs] birth mother weighs. If you are [snameposs] birth mother, please	radio  1 Pounds  2 Kilograms
	[visit_eventtype]="ba seline"	answer about your own weight. Would you like to tell us this weight in pounds or in kilograms?	2 Kilograms -1 I don't know -88 I do not want to answer  Custom alignment: LV
220	[cchs_bmwtlb]  Show the field ONLY if: [cchs_bmwtu]="1"	How much does [snameposs] birth mother weigh without clothes or shoes in pounds?  pounds	text (number, Min: 0)
221	[cchs_bmwtkg]  Show the field ONLY if: [cchs_bmwtu]="2"	How much does [snameposs] birth mother weigh without clothes or shoes in kilograms?  kilograms	text (number, Min: 0)
222	[cchs_bfhtu]  Show the field ONLY  if: [visit_eventtype]="ba  seline"	We would like to know how tall [snameposs] biological father is. If you are [snameposs] biological father, please answer about your own height. Would you like to tell us this height in feet and inches or in centimeters?	radio  1 Feet and inches 2 Centimeters -1 I don't know -88 I do not want to answer  Custom alignment: LV
223	<pre>[cchs_bfhtcust_disp lay] Show the field ONLY if: [cchs_bfhtu]="1"</pre>	How tall is [snameposs] biological father without shoes?Feet:{cchs_bfhtft:icons} Inches:{cchs_bfhtin:icons}	descriptive
224	[cchs_bfhtft]	Biological father's heel to head length (feet)  feet	text (number, Min: 0) Field Annotation: @PLACEHOLDER="feet"
225	[cchs_bfhtin]	Biological father's heel to head length (inches) inches	text (number, Min: 0, Max: 12) Field Annotation: @PLACEHOLDER="inches"
226	[cchs_bfhtcm]  Show the field ONLY  if: [cchs_bfhtu]="2"	How tall is [snameposs] biological father without shoes? centimeters	text (number, Min: 0)

22	27 [cchs_bfwtu]	We would like to know how much [snameposs] biological father weighs. If	radio 1 Pounds		
	Show the field ONLY if:	you are [snameposs] biological father,	2 Kilograms		
	[visit_eventtype]="ba	please answer about your own weight. Would you like to tell us this weight in	-1 I don't know		
	seline"	pounds or in kilograms?	-88 I do not want to answer		
			Custom alignment: LV		
22	28 [cchs_bfwtlb]	How much does [snameposs] biological father weigh without clothes or shoes in	text (number, Min: 0)		
	Show the field ONLY if: [cchs_bfwtu]="1"	pounds			
22	29 [cchs_bfwtkg]	How much does [snameposs] biological	text (number, Min: 0)		
	Show the field ONLY	father weigh without clothes or shoes in kilograms?			
	if: [cchs_bfwtu]="2"	kilograms			
25	30 [cchs_sympintro]	Does [sname] have any of the following?	descriptive		
	31 [cchs_sympdeaf]	Deafness or problems with hearing	radio (Matrix)		
25	or [ceris_sympuear]	Dearness of problems with flearing	1 Yes		
			0 No		
			-1 I don't know		
			-88 I do not want to answer		
23	32 [cchs_sympblind]	Blindness or problems with seeing, even	radio (Matrix)		
		when wearing glasses	1 Yes		
			0 No		
			-1 I don't know		
			-88 I do not want to answer		
23	33 [cchs_smoke]	Right now, does anyone in your	radio		
		household use cigarettes, cigars, or pipe	1 Yes		
		tobacco or vape?	0 No		
			-1 I don't know		
			-88 I do not want to answer		
			Custom alignment: LV		
23	[cchs_smokeindoor]	If yes, does anyone smoke inside your	radio		
	Show the field ONLY	home?	1 Yes		
	if: [cchs_smoke]='1'		0 No		
			-1 I don't know		
			-88 I do not want to answer		

			Custo	om alignment: LV	
235	[cchs_cannabis]	Right now, does anyone in your	radic	)	
		household use cannabis (also known as marijuana)?	1	Yes	
			0	No	
			-1	I don't know	
			-88	I do not want to answer	
			Custo	om alignment: LV	
236	[cchs_cannabishow]	How do they use cannabis (also known	chec	kbox	
	Show the field ONLY if: [cchs_cannabis]="1"	as marijuana)? (You can choose one or more of these)	1	cchs_cannabishow1	Eat it (also known as edibles
			2	cchs_cannabishow2	Smoke it
			3	cchs_cannabishow3	Vape it
			-1	cchs_cannabishow1	l don't know
			-88	cchs_cannabishow88	I do no want to answe
			Custom alignment: LV Field Annotation: @NONEOFTHEABOVE="-1,-88"		
237	[child_current_heal	Section Header: Form Status	drop	down	
	th_status_complete]	Complete?	0 1	ncomplete	
			1 L	Jnverified	
			2 0	Complete	
	ent: Special Healt as survey	h Care Needs Screener (special_he	alth_c	are_needs_screener)	•
	Active language	es - Data Entry: None   Survey: None			
238	[hcn_fversion]	Special Health Care Needs Screener form version:	@IF([	Annotation: @DEFAULT='1 [user-role-label]="Admin", " DDEN @HIDDEN-PDF)	
239	[hcn_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank		Annotation: @HIDDEN-SU	RVEY

240	<pre>[hcn_visit_compwarn ing] Show the field ONLY if: [visit_form_complet</pre>	ERROR! You must complete the visit form before you can start this form.	descriptive
	e]<>"2"		
241	[hcn_colldt]	Date of form collection:	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
242	[hcn_coord]	Check this box if the coordinator is entering data:	checkbox  1 hcn_coord1 Coordinator data entry  Field Annotation: @HIDDEN-SURVEY
243	[hcn_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
244	[hcn_intro]	Now we are going to ask some questions about whether [sname] has any health care needs.	descriptive
245	[hcn_medsyn]	Does [sname] currently need or use medicine prescribed by a doctor (other than vitamins)?	radio 1 Yes 0 No
			Custom alignment: LV
246	[hcn_medscond] Show the field ONLY if: [hcn_medsyn]="1"	Is this because of ANY medical, behavioral, or other health condition?	radio 1 Yes 0 No Custom alignment: LV
247	[hcn_meds12m] Show the field ONLY if: [hcn_medscond]="1"	Is this a condition that has lasted, or is expected to last, for at least 12 months?	radio 1 Yes 0 No Custom alignment: LV
248	[hcn_servyn]	Does [sname] need or use more medical care, mental health, or educational services than is usual for most children of the same age?	radio 1 Yes 0 No Custom alignment: LV
249	[hcn_servcond] Show the field ONLY if:	Is this because of ANY medical, behavioral, or other health condition?	radio 1 Yes

	[hcn_servyn]="1"		0 No -88 I do not want to answer  Custom alignment: LV
250	[hcn_serv12m] Show the field ONLY if: [hcn_servcond]="1"	Is this a condition that has lasted, or is expected to last, for at least 12 months?	radio  1 Yes 0 No  Custom alignment: LV
251	[hcn_limityn]	Is [sname] limited or prevented in any way in their ability to do the things most children of the same age can do?	radio  1 Yes  0 No  Custom alignment: LV
252	[hcn_limitcond] Show the field ONLY if: [hcn_limityn]="1"	Is this because of ANY medical, behavioral, or other health condition?	radio  1 Yes 0 No  Custom alignment: LV
253	[hcn_limit12m]  Show the field ONLY if: [hcn_limitcond]="1"	Is this a condition that has lasted, or is expected to last, for at least 12 months?	radio 1 Yes 0 No  Custom alignment: LV
254	[hcn_therapyyn]	Does [sname] need or get special therapy, such as physical, occupational, or speech therapy?	radio 1 Yes 0 No Custom alignment: LV
255	[hcn_therapycond] Show the field ONLY if: [hcn_therapyyn]="1"	Is this because of ANY medical, behavioral, or other health condition?	radio 1 Yes 0 No Custom alignment: LV
256	[hcn_therapy12m] Show the field ONLY if: [hcn_therapycon d]="1"	Is this a condition that has lasted, or is expected to last, for at least 12 months?	radio 1 Yes 0 No Custom alignment: LV

257	[hcn_counselyn]	Does [sname] child have any kind of emotional, developmental, or behavioral problem for which they need or get treatment or counseling?	radio 1 Yes 0 No Custom alignment: LV
258	[hcn_counsel12m] Show the field ONLY if: [hcn_counselyn]="1"	Is this a condition that has lasted, or is expected to last, for at least 12 months?	radio  1 Yes 0 No  Custom alignment: LV
259	[hcn_screenycalc]	Calculation if the child meets the screening criteria:	calc Calculation: if([hcn_meds12m]="1" or [hcn_serv12m]="1" or [hcn_limit12m]="1" or [hcn_therapy12m]="1" or [hcn_counsel12m]="1", 1, 0) Field Annotation: @HIDDEN @HIDDEN-PDF
260	[hcnfu_existingintro]  Show the field ONLY if: [visit_eventtype]="fol lowup" and ([visit_hc n_asthmacurr]="1" o r [visit_hcn_diabcur r]="1" or [visit_hcn_migcur r]="1" or [visit_hcn_migcur r]="1" or [visit_hcn_ti cscurr]="1" or [visit_hcn_ti cscurr]="1" or [visit_hcn_depress curr]="1" or [visit_hcn_depress curr]="1" or [visit_hcn_delaycu rr]="1" or [visit_hcn_delaycu rr]="1" or [visit_hcn_speechdiscurr]="1" or [visit_hcn_speechdiscurr]="1" or [visit_hcn_asdcurr]="1" or [visit_hcn_asdcurr]="1" or [visit_hcn_adhdcurr]="1" or [visit_hcn_edcur r]="1")	On your last survey on [visit_priorvisitdt], you told us that [sname] had the following health problems. Does [sname] still have these health problems?	descriptive
261	[hcnfu_asthmacurr] Show the field ONLY	Asthma	radio (Matrix)

		[visit_eventtype]="fol		0	No
		lowup" and [visit_hcn _asthmacurr]="1"		-1	I don't know
				-88	I do not want to answer
	262	[hcnfu_diabcurr]	Diabetes	radic	o (Matrix)
		Show the field ONLY		1	Yes
		if:		0	No
		[visit_eventtype]="fol lowup" and [visit_hc		-1	I don't know
		n_diabcurr]="1"		-88	I do not want to answer
	263	[hcnfu_seizcurr]	Epilepsy or seizure disorder	radic	o (Matrix)
		Show the field ONLY		1	Yes
		if:		0	No
		[visit_eventtype]="fol lowup" and [visit_hc		-1	I don't know
		n_seizcurr]="1"		-88	I do not want to answer
	264	[hcnfu_heartcurr]	Heart problem	radic	o (Matrix)
		Show the field ONLY	·	1	Yes
		if:		0	No
		[visit_eventtype]="fol lowup" and [visit_hc		-1	I don't know
		n_heartcurr]="1"		-88	I do not want to answer
	265	[hcnfu_migcurr]	Frequent or severe headaches, including	radio	) (Matrix)
		Show the field ONLY	migraines	1	Yes
		if:		0	No
		[visit_eventtype]="fol lowup" and [visit_hc		-1	I don't know
		n_migcurr]="1"		-88	I do not want to answer
	266	[hcnfu_ticscurr]	Tourette's syndrome or tics	radic	o (Matrix)
		Show the field ONLY		1	Yes
		if:		0	No
		[visit_eventtype]="fol		_	I don't know
1		lowup" and [visit_hc		-1	T don't know
		lowup" and [visit_hc n_ticscurr]="1"		-1 -88	I do not want to answer
	267		Anxiety (feeling nervous or anxious)	-88	
	267	n_ticscurr]="1"	Anxiety (feeling nervous or anxious)	-88	I do not want to answer
	267	n_ticscurr]="1"  [hcnfu_anxietycurr]  Show the field ONLY if:	Anxiety (feeling nervous or anxious)	-88	I do not want to answer
	267	n_ticscurr]="1"  [hcnfu_anxietycurr]  Show the field ONLY	Anxiety (feeling nervous or anxious)	-88 radio	I do not want to answer (Matrix) Yes
	267	n_ticscurr]="1"  [hcnfu_anxietycurr]  Show the field ONLY if: [visit_eventtype]="fol	Anxiety (feeling nervous or anxious)	-88 radic	I do not want to answer  (Matrix)  Yes  No
		n_ticscurr]="1"  [hcnfu_anxietycurr]  Show the field ONLY if: [visit_eventtype]="fol lowup" and [visit_hc	Anxiety (feeling nervous or anxious)  Depression (feeling very sad)	-88 radio 1 0 -1 -88	I do not want to answer  (Matrix)  Yes  No  I don't know
		n_ticscurr]="1"  [hcnfu_anxietycurr]  Show the field ONLY if: [visit_eventtype]="fol lowup" and [visit_hc n_anxietycurr]="1"		-88 radio 1 0 -1 -88	I do not want to answer  (Matrix)  Yes  No  I don't know  I do not want to answer

	[visit_eventtype]="fol lowup" and [visit_hcn _depresscurr]="1"		0 No -1 I don't know -88 I do not want to answer
269	[hcnfu_conductcurr] Show the field ONLY if: [visit_eventtype]="fol lowup" and [visit_hc n_conductcurr]="1"	Problems with behavior	radio (Matrix)  1 Yes  0 No  -1 I don't know  -88 I do not want to answer
270	[hcnfu_delaycurr] Show the field ONLY if: [visit_eventtype]="fol lowup" and [visit_hc n_delaycurr]="1"	Developmental delay	radio (Matrix)  1 Yes  0 No  -1 I don't know  -88 I do not want to answer
271	[hcnfu_speechdiscur r]  Show the field ONLY if: [visit_eventtype]="fol lowup" and [visit_hc n_speechdiscur r]="1"	Speech or other language disorder (problems with talking or understanding words)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
272	[hcnfu_learndiscur r]  Show the field ONLY if: [visit_eventtype]="fol lowup" and [visit_hc n_learndiscurr]="1"	Learning disability (problem with learning)	radio (Matrix)  1 Yes  0 No  -1 I don't know  -88 I do not want to answer
273	[hcnfu_asdcurr] Show the field ONLY if: [visit_eventtype]="fol lowup" and [visit_hc n_asdcurr]="1"	Autism or Autism Spectrum Disorder (ASD)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
274	[hcnfu_adhdcurr] Show the field ONLY if: [visit_eventtype]="fol lowup" and [visit_hc n_adhdcurr]="1"	Attention Deficit Disorder (ADD) or Attention Deficit/Hyperactivity Disorder (ADHD)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer

275	[hcnfu_edcurr]	Eating disorders (like Anorexia or Binge	radic	o (Matrix)
	Show the field ONLY	eating disorder)	1	Yes
	if: [visit_eventtype]="fol		0	No
	lowup" and [visit_hc		-1	I don't know
	n_edcurr]="1"		-88	I do not want to answer
276	Show the field ONLY if: [hcn_screenycal c]="1" and [visit_eve nttype]="baseline"	Has a doctor or other health care provider EVER told you that [sname] has:	desci	riptive
277	[hcnfu_disintro] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_eve nttype]="followup"	Since your last survey on [visit_priorvisitdt], has a doctor or other health care provider told you that [sname] has:	desci	riptive
278	[hcn_asthmarow]  Show the field ONLY  if: [hcn_screenycal c]="1" and (([visit_ev enttype]="baseline") or ([visit_eventtyp e]="followup" and [vi sit_hcn_asthmacur r]<>"1"))	Asthma?{hcn_asthmayn:icons} {hcn_asthmacurr_text} {hcn_asthmacurr:icons}	desci	riptive
279	[hcn_asthmayn]	Asthma?	radio	)
	Show the field ONLY		1	Yes
	if:		0	No
	[hcn_screenycal c]="1"		-1	I don't know
			-88	I do not want to answer
			Custo	om alignment: LV
280	<pre>[hcn_asthmacurr_tex t]</pre>	Does [sname] currently have asthma?	desci	riptive
	Show the field ONLY if: [hcn_asthmayn]="1"			
281	[hcn_asthmacurr]	Does [sname] currently have asthma?	radio	)
	Show the field ONLY	,	1	Yes
	if:		0	No
	[hcn_asthmayn]="1"			

			-1	I don't know
			-88	l do not want to answer
				om alignment: LV
28	2 [hcn_cprow]	Cerebral Palsy?{hcn_cpyn:icons}	desc	riptive
	Show the field ONLY if: [hcn_screenycal c]="1" and [visit_eve			
	nttype]="baseline"			
28	3 [hcn_cpyn]	Cerebral Palsy?	radic	)
	Show the field ONLY		1	Yes
	if:		0	No
	[hcn_screenycal c]="1"		-1	I don't know
			-88	l do not want to answer
			Custo	om alignment: LV
28	Show the field ONLY if: [hcn_screenycal c]="1" and (([visit_ev enttype]="baseline") or ([visit_eventtyp e]="followup" and [vi sit_hcn_diabcurr]< >"1"))	Diabetes?{hcn_diabyn:icons} {hcn_diabtype_text} {hcn_diabtype:icons}{hcn_diabcurr_text} {hcn_diabcurr:icons}	desc	riptive
28	5 [hcn_diabyn]	Diabetes?	radio	)
	Show the field ONLY		1	Yes
	if: [hcn_screenycal		0	No
	c]="1"		-1	I don't know
			-88	I do not want to answer
			Custo	om alignment: LV
28	6 [hcn_diabtype_text]	What type of diabetes?	desc	riptive
	Show the field ONLY if: [hcn_diabyn]="1"			
28	7 [hcn_diabtype]	What type of diabetes?	radio	)
	Show the field ONLY if: [hcn_diabyn]="1"		2	Type 1 Type 2
	[//c/i_d/dbyfi]= 1		-1	I don't know

			-88 I don't want to answer
			Custom alignment: LV
2	88 [hcn_diabcurr_text] Show the field ONLY if: [hcn_diabyn]="1"	Does [sname] currently have diabetes?	descriptive
2	89 [hcn_diabcurr]	Does [sname] currently have diabetes?	radio
	Show the field ONLY		1 Yes
	if: [hcn_diabyn]="1"		0 No
	[IICII_dlabyII]= I		-1 I don't know
			-88 I do not want to answer
			Custom alignment: LV
2	90 [hcn_seizrow]  Show the field ONLY if: [hcn_screenycal c]="1" and (([visit_ev enttype]="baseline") or ([visit_eventtyp e]="followup" and [vi sit_hcn_seizcurr]< >"1"))	Epilepsy or seizure disorder? {hcn_seizyn:icons}{hcn_seizcurr_text} {hcn_seizcurr:icons}	descriptive
2	91 [hcn_seizyn]	Epilepsy or seizure disorder?	radio
	Show the field ONLY if:		1 Yes
	[hcn_screenycal		0 No
	c]="1"		-1 I don't know
			-88   I do not want to answer
2	92 [hcn_seizcurr_text] Show the field ONLY if: [hcn_seizyn]="1"	Does [sname] currently have epilepsy or a seizure disorder?	Custom alignment: LV  descriptive
2	93 [hcn_seizcurr]	Does [sname] currently have epilepsy or	radio
	Show the field ONLY	a seizure disorder?	1 Yes
	if: [hcn_seizyn]="1"		0 No
	[IICII_SeizyII]= 1		-1 I don't know
			-88 I do not want to answer
			Custom alignment: LV

294	[hcn_heartrow]  Show the field ONLY  if: [hcn_screenycal c]="1" and (([visit_ev enttype]="baseline") or ([visit_eventtyp e]="followup" and [vi sit_hcn_heartcurr]< >"1"))	Heart problem?{hcn_heartyn:icons} {hcn_hearttype_text} {hcn_hearttype:icons} {hcn_heartborn_text} {hcn_heartborn:icons} {hcn_heartcurr_text} {hcn_heartcurr_icons}	descriptive
295	[hcn_heartyn] Show the field ONLY if: [hcn_screenycal c]="1"	Heart problem?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
296	<pre>[hcn_hearttype_tex t] Show the field ONLY if: [hcn_heartyn]="1"</pre>	What type of heart problem?	descriptive
297	[hcn_hearttype] Show the field ONLY if: [hcn_heartyn]="1"	What type of heart problem?	text
298	[hcn_heartborn_tex t]  Show the field ONLY if: [hcn_heartyn]="1" an d [visit_eventtyp e]="baseline"	Was [sname] born with a heart problem?	descriptive
299	[hcn_heartborn] Show the field ONLY if: [hcn_heartyn]="1" an d [visit_eventtyp e]="baseline"	Was [sname] born with a heart problem?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
300	<pre>[hcn_heartcurr_tex t] Show the field ONLY</pre>	Does [sname] currently have a heart problem?	descriptive

	if: [hcn_heartyn]="1"		
301	[hcn_heartcurr] Show the field ONLY if: [hcn_heartyn]="1"	Does [sname] currently have a heart problem?	radio  1 Yes  0 No  -1 I don't know  -88 I do not want to answer  Custom alignment: LV
302	[hcn_migrow]  Show the field ONLY if: [visit_age]>=3 and [h cn_screenycalc]="1" and (([visit_eventtyp e]="baseline") or ([visit_eventtype]="follow up" and [visit_hcn_m igcurr]<>"1"))	Frequent or severe headaches, including migraines?{hcn_migyn:icons} {hcn_migcurr_text} {hcn_migcurr:icons}	descriptive
303	[hcn_migyn] Show the field ONLY if: [hcn_screenycal c]="1"	Frequent or severe headaches, including migraines?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
304	[hcn_migcurr_text] Show the field ONLY if: [hcn_migyn]="1"	Does [sname] currently have headaches?	descriptive
305	[hcn_migcurr] Show the field ONLY if: [hcn_migyn]="1"	Does [sname] currently have headaches?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
306	[hcn_ticsrow]  Show the field ONLY if: [visit_age]>=3 and [h cn_screenycalc]="1"	Tourette's syndrome or tics (movements of the face or other body parts that [sname] cannot control)? {hcn_ticsyn:icons}{hcn_ticscurr_text} {hcn_ticscurr:icons}	descriptive

	and (([visit_eventtyp e]="baseline") or ([vis it_eventtype]="follow up" and [visit_hcn_tic scurr]<>"1"))		
307	[hcn_ticsyn]  Show the field ONLY  if: [hcn_screenycal  c]="1"	Tourette's syndrome or tics?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
308	[hcn_ticscurr_text] Show the field ONLY if: [hcn_ticsyn]="1"	Does [sname] currently have Tourette's syndrome or tics?	descriptive
309	[hcn_ticscurr] Show the field ONLY if: [hcn_ticsyn]="1"	Does [sname] currently have Tourette's syndrome or tics?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
310	[hcn_anxietyrow]  Show the field ONLY if: [visit_age]>=3 and [h cn_screenycalc]="1" and (([visit_eventtyp e]="baseline") or ([visit_eventtype]="follow up" and [visit_hcn_a nxietycurr]<>"1"))	Anxiety (Feeling nervous or anxious)? {hcn_anxietyyn:icons} {hcn_anxietycurr_text} {hcn_anxietycurr:icons}	descriptive
311	[hcn_anxietyyn] Show the field ONLY if: [hcn_screenycal c]="1"	Anxiety (Feeling nervous or anxious)?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
312	<pre>[hcn_anxietycurr_te xt]</pre>	Does [sname] currently have anxiety?	descriptive

	Show the field ONLY if: [hcn_anxietyyn]="1"		
	[hcn_anxietycurr] Show the field ONLY if: [hcn_anxietyyn]="1"	Does [sname] currently have anxiety?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
314	[hcn_depressrow] Show the field ONLY if: [visit_age]>=3 and [h cn_screenycalc]="1" and (([visit_eventtyp e]="baseline") or ([vis it_eventtype]="follow up" and [visit_hcn_d epresscurr]<>"1"))	Depression (feeling very sad)? {hcn_depressyn:icons} {hcn_depresscurr_text} {hcn_depresscurr:icons}	descriptive
315	[hcn_depressyn]  Show the field ONLY if: [hcn_screenycal c]="1"	Depression?	radio  1 Yes  0 No  -1 I don't know  -88 I do not want to answer  Custom alignment: LV
316	[hcn_depresscurr_te xt] Show the field ONLY if: [hcn_depressyn]="1"	Does [sname] currently have depression?	descriptive
317	[hcn_depresscurr] Show the field ONLY if: [hcn_depressyn]="1"	Does [sname] currently have depression?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
318	[hcn_downrow] Show the field ONLY if:	Down syndrome?{hcn_downyn:icons}	descriptive

	[hcn_screenycal c]="1" and [visit_eve nttype]="baseline"			
319	[hcn_downyn]	Down syndrome?	radio	
	Show the field ONLY		1	Yes
	if:		0	No
	[hcn_screenycal c]="1"		-1	I don't know
			-88	I do not want to answer
			Cust	om alignment: LV
320	[hcn_blooddisrow]	Blood disorder (such as sickle cell	desc	riptive
	Show the field ONLY if: [hcn_screenycal c]="1" and [visit_eve nttype]="baseline"	disease, thalassemia, or hemophilia)? {hcn_blooddisyn:icons} {hcn_blooddisspec_text} {hcn_blooddisspec:icons}		
321	[hcn_blooddisyn]	Blood disorder?	radio	)
	Show the field ONLY		1	Yes
	if:		0	No
	[hcn_screenycal c]="1"		-1	I don't know
	-		-88	I do not want to answer
			Cust	om alignment: LV
322	<pre>[hcn_blooddisspec_t ext]</pre>	Which blood disorder does [sname] have?	desc	riptive
	Show the field ONLY if: [hcn_blooddisy n]="1"			
323	[hcn_blooddisspec]	Which blood disorder does [sname]	text	
	Show the field ONLY	have?		om alignment: LV
	if: [hcn_blooddisy n]="1"			
324	[hcn_cfrow]	Cystic fibrosis?{hcn_cfyn:icons}	desc	riptive
	Show the field ONLY if: [hcn_screenycal c]="1" and [visit_eve nttype]="baseline"			
325	[hcn_cfyn]	Cystic fibrosis?	radio	)
	Show the field ONLY if:		1	Yes

326	[hcn_screenycal c]="1"  [hcn_othgenrow]  Show the field ONLY if: [hcn_screenycal c]="1" and [visit_eve nttype]="baseline"	Other genetic or inherited condition? (Problem related to the genes. Genes are the part of your body that have DNA, the building blocks of the body that are passed on from parent to child) {hcn_othgenyn:icons} {hcn_othgenspec_text} {hcn_othgenspec:icons}	0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV  descriptive
327	[hcn_othgenyn] Show the field ONLY if: [hcn_screenycal c]="1"	Other genetic or inherited condition?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
328	[hcn_othgenspec_tex t]  Show the field ONLY if: [hcn_othgenyn]="1"	Which genetic condition does [sname] have?	descriptive
329	[hcn_othgenspec] Show the field ONLY if: [hcn_othgenyn]="1"	Which genetic condition does [sname] have?	text Custom alignment: LV
330	[hcn_learnintro]  Show the field ONLY  if: [hcn_screenycal c]="1" and [visit_eve nttype]="baseline"	Has a doctor, other health care provider, or teacher ever told you that [sname] has:	descriptive
331	[hcnfu_learnintro] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_eve nttype]="followup"	Since your last survey on [visit_priorvisitdt], has a doctor, other health care provider, or teacher told you that [sname] has:	descriptive
332	[hcn_conductrow] Show the field ONLY	Problems with behavior? {hcn_conductyn:icons} {hcn_conductcurr_text}	descriptive

	if: [hcn_screenycal c]="1" and (([visit_eve nttype]="baseline") o r ([visit_eventtype]="f ollowup" and [visit_h cn_conductcurr]< >"1"))	{hcn_conductcurr:icons}		
333	Show the field ONLY if: [hcn_screenycal c]="1"	Problems with behavior?	radic 1 0 -1 -88	Yes No I don't know
334	[hcn_conductcurr_te xt]  Show the field ONLY if: [hcn_conductyn]="1"	Does [sname] currently have behavioral problems?	desc	riptive
335	[hcn_conductcurr] Show the field ONLY if: [hcn_conductyn]="1"	Does [sname] currently have behavioral problems?	1 0 -1 -88	Yes No I don't know I do not want to answer om alignment: LV
336	Show the field ONLY if: [hcn_screenycal c]="1" and (([visit_ev enttype]="baseline") or ([visit_eventtyp e]="followup" and [vi sit_hcn_delaycurr]< >"1"))	Developmental delay?(Being slower than other children in learning things like talking, building with blocks, walking, or running.){hcn_delayyn:icons} {hcn_delaycurr_text} {hcn_delaycurr:icons}	desc	riptive
337	[hcn_delayyn] Show the field ONLY if: [hcn_screenycal c]="1"	Developmental delay?	radic 1 0 -1 -88	Yes No I don't know

			Custom alignment: LV
338	[hcn_delaycurr_tex t]  Show the field ONLY if: [hcn_delayyn]="1" an d [visit_age]>=0 and [visit_age]<7	Does [sname] currently have developmental delay?	descriptive
339	[hcn_delaycurr] Show the field ONLY if: [hcn_delayyn]="1" an d [visit_age]>=0 and [visit_age]<7	Does [sname] currently have developmental delay?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
340	[hcn_mentdisrow] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_eve nttype]="baseline"	Intellectual disability? {hcn_mentdisyn:icons}	descriptive
341	[hcn_mentdisyn]  Show the field ONLY if: [hcn_screenycal c]="1"	Intellectual disability?	radio  1 Yes 0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
342	[hcn_speechdisrow]  Show the field ONLY  if: [hcn_screenycal c]="1" and (([visit_ev enttype]="baseline") or ([visit_eventtyp e]="followup" and [vi sit_hcn_speechdiscur r]<>"1"))	Speech or other language disorder (problems with talking or understanding words)?{hcn_speechdisyn:icons} {hcn_speechdiscurr_text} {hcn_speechdiscurr:icons}	descriptive
343	[hcn_speechdisyn] Show the field ONLY if: [hcn_screenycal c]="1"	Speech or other language disorder?	radio  1 Yes  0 No -1 I don't know

			-88 I do not want to answer
			Custom alignment: LV
344	[hcn_speechdiscurr_ text]	Does [sname] currently have a speech or other language disorder?	descriptive
	Show the field ONLY if: [hcn_speechdisy n]="1"		
345	[hcn_speechdiscurr]	Does [sname] currently have a speech	radio
	Show the field ONLY	or other language disorder?	1 Yes
	if: [hcn_speechdisy		0 No
	n]="1"		-1 I don't know
			-88 I do not want to answer
			Custom alignment: LV
346	[hcn_learndisrow]  Show the field ONLY  if: [visit_age]>=3 and [h cn_screenycalc]="1"  and (([visit_eventtyp	Learning disability (problem with learning)?{hcn_learndisyn:icons} {hcn_learndisspec_text} {hcn_learndisspec:icons} {hcn_learndiscurr_text} {hcn_learndiscurr:icons}	descriptive
	e]="baseline") or ([vis it_eventtype]="follow up" and [visit_hcn_le arndiscurr]<>"1"))		
347	it_eventtype]="follow up" and [visit_hcn_le	Learning disability?	radio
347	<pre>it_eventtype]="follow up" and [visit_hcn_le arndiscurr]&lt;&gt;"1"))  [hcn_learndisyn] Show the field ONLY</pre>	Learning disability?	radio 1 Yes
347	<pre>it_eventtype]="follow up" and [visit_hcn_le arndiscurr]&lt;&gt;"1"))  [hcn_learndisyn] Show the field ONLY if:</pre>	Learning disability?	1 Yes 0 No
347	it_eventtype]="follow up" and [visit_hcn_le arndiscurr]<>"1")) [hcn_learndisyn] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_ag	Learning disability?	1 Yes 0 No -1 I don't know
347	<pre>it_eventtype]="follow up" and [visit_hcn_le arndiscurr]&lt;&gt;"1"))  [hcn_learndisyn]  Show the field ONLY if: [hcn_screenycal</pre>	Learning disability?	1 Yes 0 No
347	it_eventtype]="follow up" and [visit_hcn_le arndiscurr]<>"1")) [hcn_learndisyn] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_ag	Learning disability?	1 Yes 0 No -1 I don't know
	it_eventtype]="follow up" and [visit_hcn_le arndiscurr]<>"1")) [hcn_learndisyn] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_ag	Learning disability?  What type of learning disability or problem? Choose one or more of these.	1 Yes 0 No -1 I don't know -88 I do not want to answer
	<pre>it_eventtype]="follow up" and [visit_hcn_le arndiscurr]&lt;&gt;"1"))  [hcn_learndisyn] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_ag e]&gt;=3</pre> [hcn_learndisspec_t	What type of learning disability or	1 Yes 0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
	<pre>it_eventtype]="follow up" and [visit_hcn_le arndiscurr]&lt;&gt;"1"))  [hcn_learndisyn] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_ag e]&gt;=3  [hcn_learndisspec_t ext] Show the field ONLY if:</pre>	What type of learning disability or	1 Yes 0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
348	<pre>it_eventtype]="follow up" and [visit_hcn_le arndiscurr]&lt;&gt;"1"))  [hcn_learndisyn] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_ag e]&gt;=3  [hcn_learndisspec_t ext] Show the field ONLY if: [hcn_learndisyn]="1"</pre>	What type of learning disability or problem? Choose one or more of these.	1 Yes 0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV  descriptive
348	<pre>it_eventtype]="follow up" and [visit_hcn_le arndiscurr]&lt;&gt;"1"))  [hcn_learndisyn] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_ag e]&gt;=3  [hcn_learndisspec_t ext] Show the field ONLY if: [hcn_learndisyn]="1" [hcn_learndisspec]</pre>	What type of learning disability or	1 Yes 0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV  descriptive  checkbox
348	<pre>it_eventtype]="follow up" and [visit_hcn_le arndiscurr]&lt;&gt;"1"))  [hcn_learndisyn] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_ag e]&gt;=3  [hcn_learndisspec_t ext] Show the field ONLY if: [hcn_learndisyn]="1"</pre>	What type of learning disability or problem? Choose one or more of these.  What type of learning disability or	1 Yes 0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV  descriptive

			Custom alignment: LV
350	<pre>[hcn_learndiscurr_t ext] Show the field ONLY if: [hcn_learndisyn]="1"</pre>	Does [sname] currently have a learning disability?	descriptive
351	[hcn_learndiscurr] Show the field ONLY if: [hcn_learndisyn]="1"	Does [sname] currently have a learning disability?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
352	[hcn_asdrow]  Show the field ONLY  if: [hcn_screenycal c]="1" and (([visit_ev enttype]="baseline") or ([visit_eventtyp e]="followup" and [vi sit_hcn_asdcurr]< >"1"))	Autism or Autism Spectrum Disorder (ASD)?{hcn_asdyn:icons} {hcn_asdcurr_text} {hcn_asdcurr:icons}	descriptive
353	[hcn_asdyn] Show the field ONLY if: [hcn_screenycal c]="1"	Autism or autism spectrum disorder (ASD)?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
354	[hcn_asdcurr_text]  Show the field ONLY  if: [hcn_asdyn]="1"	Does [sname] currently have autism?	descriptive
355	[hcn_asdcurr] Show the field ONLY if: [hcn_asdyn]="1"	Does [sname] currently have autism?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV

356	[hcn_adhdrow]  Show the field ONLY  if: [hcn_screenycal c]="1" and (([visit_ev enttype]="baseline") or ([visit_eventtyp e]="followup" and [vi sit_hcn_adhdcurr]< >"1"))	Attention Deficit Disorder or Attention Deficit/Hyperactivity Disorder, that is, ADD or ADHD?{hcn_adhdyn:icons} {hcn_adhdcurr_text} {hcn_adhdcurr:icons}	descriptive
357	[hcn_adhdyn] Show the field ONLY if: [hcn_screenycal c]="1"	Attention deficit disorder (ADD) or attention deficit hyperactivity disorder (ADHD)?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
358	[hcn_adhdcurr_text] Show the field ONLY if: [hcn_adhdyn]="1"	Does [sname] currently have ADD or ADHD?	descriptive
359	[hcn_adhdcurr] Show the field ONLY if: [hcn_adhdyn]="1"	Does [sname] currently have ADD or ADHD?	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
360	[hcn_edrow]  Show the field ONLY if: [visit_age]>=3 and [h cn_screenycalc]="1" and (([visit_eventtype]="baseline") or ([visit_eventtype]="follow up" and [visit_hcn_e dcurr]<>"1"))	Eating disorders (like Anorexia or Binge eating disorder)?{hcn_edyn:icons} {hcn_edcurr_text} {hcn_edcurr:icons}	descriptive
361	[hcn_edyn] Show the field ONLY if: [hcn_screenycal c]="1" and [visit_ag e]>=3	Eating disorders (like Anorexia or Binge eating disorder)?	radio  1 Yes  0 No  -1 I don't know  -88 I do not want to answer

			Custom alignment: LV
362	Show the field ONLY if: [hcn_edyn]="1"	Does [sname] currently have an eating disorder?	descriptive
363	S [hcn_edcurr] Show the field ONLY if: [hcn_edyn]="1"	Does [sname] currently have an eating disorder?	radio  1 Yes  0 No  -1 I don't know  -88 I do not want to answer  Custom alignment: LV
364	[hcn_other] Show the field ONLY if: [hcn_screenycal c]="1"	Please list any other health problems that [sname] currently has that you have not already told us about.	notes Custom alignment: LV
365	<pre>[special_health_car e_needs_screener_co mplete]</pre>	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
rum	nent: PROMIS (pron	nis) 🛂 Enabled as survey	
	Active language	s - Data Entry: None   Survey: None	
	[promis_fversion]	PROMIS form version:	text
366			Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
	[promis_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	@IF([user-role-label]="Admin", "",
367			@IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)  text Field Annotation: @HIDDEN-SURVEY
368	[promis_fqueries]  [promis_visit_compw arning]  Show the field ONLY if: [visit_form_complet	This field cannot be edited and should be blank  ERROR! You must complete the visit	@IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)  text Field Annotation: @HIDDEN-SURVEY @READONLY

			data entry
			Field Annotation: @HIDDEN-SURVEY
371	[promis_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
372	[promis_global01] Show the field ONLY if: [visit_age]>=0	In general, would you say [snameposs] health is:	radio (Matrix)  5 Excellent  4 Very Good  3 Good  2 Fair  1 Poor  Custom alignment: LV
373	[promis_global02] Show the field ONLY if: [visit_age]>=0	In general, would you say [snameposs] quality of life is:	radio (Matrix)  5 Excellent  4 Very Good  3 Good  2 Fair  1 Poor
374	[promis_global03] Show the field ONLY if: [visit_age]>=0	In general, how would you rate [snameposs] physical health?	radio (Matrix)  5 Excellent 4 Very Good 3 Good 2 Fair 1 Poor  Custom alignment: LV
375	<pre>[promis_global04pxr 1a] Show the field ONLY if: [visit_age]&gt;=1 and [vi sit_age]&lt;6</pre>	In general, how would you rate [snameposs] mental health?	radio (Matrix)  5 Excellent  4 Very Good  3 Good  2 Fair  1 Poor

376	[promis_global04pxr 1b] Show the field ONLY if: [visit_age]>=1 and [vi sit_age]<6	How would you rate [snameposs] mood?	radio (Matrix)  5 Excellent  4 Very Good  3 Good  2 Fair  1 Poor  Custom alignment: LV
377	[nsch_teethinf]  Show the field ONLY if: [visit_age]>=0 and [visit_age]<3	How would you describe the condition of [snameposs] teeth?	radio  0 My child does not have any teeth 5 Excellent 4 Very Good 3 Good 2 Fair 1 Poor  Custom alignment: LV
378	[nsch_teeth]  Show the field ONLY  if: [visit_age]>=3	How would you describe the condition of [snameposs] teeth?	radio 5 Excellent 4 Very Good 3 Good 2 Fair 1 Poor  Custom alignment: LV
379	[promis_gloec3r1] Show the field ONLY if: [visit_age]>=0 and [vi sit_age]<6	How would you rate [snameposs] social skills?	radio 5 Excellent 4 Very Good 3 Good 2 Fair 1 Poor  Custom alignment: LV
380	[promis_global04pxr 1c] Show the field ONLY if: [visit_age]>=1 and [vi sit_age]<6	How would you rate [snameposs] ability to think?	radio 5 Excellent 4 Very Good 3 Good 2 Fair

			1 Poor Custom alignment: LV
381	[promis_gloec1] Show the field ONLY if: [visit_age]>=0 and [vi sit_age]<6	How well is [sname] meeting developmental milestones?	radio 5 Excellent 4 Very Good 3 Good 2 Fair 1 Poor  Custom alignment: LV
382	[promis_complete]	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
trum		nfection History (first_covid_infection	n_history) 🔄 Enabled as survey
Г	Active language	s - Data Entry: None   Survey: None	
383	[fcih_fversion]	First COVID Infection History form version:	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
384	[fcih_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
	<pre>[fcih_fqueries]  [fcih_visit_compwar ning]  Show the field ONLY if: [visit_form_complet e]&lt;&gt;"2"</pre>	•	Field Annotation: @HIDDEN-SURVEY
385	<pre>[fcih_visit_compwar ning] Show the field ONLY if: [visit_form_complet</pre>	This field cannot be edited and should be blank  ERROR! You must complete the visit	Field Annotation: @HIDDEN-SURVEY @READONLY
385	<pre>[fcih_visit_compwar ning] Show the field ONLY if: [visit_form_complet e]&lt;&gt;"2"</pre>	This field cannot be edited and should be blank  ERROR! You must complete the visit form before you can start this form.  Date First COVID Infection History form	Field Annotation: @HIDDEN-SURVEY @READONLY  descriptive  text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY

389	[fcih_covidyn]	Has your child had COVID at any time since birth?	radio, Required  1 Yes
			0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
390	[fcih_postacuteintr o] Show the field ONLY if: [fcih_covidyn]="1"	Some people may get COVID more than once. Here, we are asking about [snameposs] first COVID infection.	descriptive
391	[fcih_dty] Show the field ONLY if: [fcih_covidyn]="1"	What year was the first time [sname] had a COVID infection?	text (integer, Min: 2019), Required
392	[fcih_dtm] Show the field ONLY if: [fcih_covidyn]="1"	In [fcih_dty], the first time you said [sname] had a COVID infection, what month was it?	dropdown, Required  1 January  2 February  3 March  4 April  5 May  6 June  7 July  8 August  9 September  10 October  11 November  12 December
393	[fcih_reason] Show the field ONLY if: [fcih_covidyn]="1"	Why did you think [sname] had COVID in [fcih_dtm] [fcih_dty] (the first time [sname] had COVID)? Choose one or more of these:	checkbox  1 fcih_reason1 A doctor told me [sname] had COVID because [sname] had symptoms  2 fcih_reason2 I thought [sname]

					at this time, but a doctor did not tell me [sname] had COVID
			3	fcih_reason3	A test done at a doctor's office or laboratory said that [sname] had COVID
			4	fcih_reason4	A test done at home said that [sname] had COVID
			5	fcih_reason5	A test done at school said that [sname] had COVID
			-1	fcih_reason1	l don't know
			-88	fcih_reason88	I do not want to answer
			Field	om alignment: LV Annotation: NEOFTHEABOVE="-	88,-1"
394	[fcih_testtype] Show the field ONLY if: [fcih_reason(3)]='1' o r [fcih_reason(4)]='1'	If [sname] was tested for COVID in [fcih_dtm] [fcih_dty], what type of test(s) did [sname] get? You can choose one or more of these.	thec 1a	kbox fcih_testtype1a	Antigen test done in a laboratory, doctor's office, or testing center (sometimes called a rapid test)
			1b	fcih_testtype1b	Antigen test done at home (sometimes

		2	fcih_testtype2	PCR/
				molecular test, throat or nose swab
		3	fcih_testtype3	Blood test for antibodies
		-1	fcih_testtype1	l don't know
		0	fcih_testtype0	[sname] didn't have a test
		-88	fcih_testtype88	l do not want to answer
		Field	Annotation:	88,-1,0"
[fcih_testposyn] Show the field ONLY	Were any of the results positive for COVID (showed that [sname] had	radio	Yes	
if:	COVID)?	0	No	
a)]='1' or [fcih_testty		-1 -88		swer
sttype(2)]='1' or [fcih _testtype(3)]='1'			<u> </u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
[fcih_testpostype]	Which test was positive? You can choose		<del>-</del>	
Show the field ONLY if: [fcih_testposyn]='1'	one or more of these.	1a		1a Antigen test done in a laborator doctor's office, or testing center (sometim called a rapid test
	Show the field ONLY if:  [fcih_testtype(1 a)]='1' or [fcih_testty pe(1b)]='1' or [fcih_te sttype(2)]='1' or [fcih_testtype(3)]='1'  [fcih_testpostype] Show the field ONLY if:	Show the field ONLY if:  [fcih_testtype(1 a)]='1' or [fcih_testty pe(1b)]='1' or [fcih_te sttype(2)]='1' or [fcih_testtype(3)]='1'  [fcih_testpostype] Show the field ONLY if:  COVID (showed that [sname] had COVID)?  Which test was positive? You can choose one or more of these.	[fcih_testposyn] Show the field ONLY if: [fcih_testtype(1 a)]='1' or [fcih_testty pe(1b)]='1' or [fcih_testtype(2)]='1' or [fcih_testtype(3)]='1'  [fcih_testpostype] Show the field ONLY if: [fcih_testpostype] Show the field ONLY if:  [fcih_testpostype] Show the field ONLY if:    Custric    -1	Custom alignment: LV   Field Annotation: @NONEOFTHEABOVE="-88   fcih_testtype38      Fcih_testposyn   Show the field ONLY if: [fcih_testtype(1 a)]='1' or [fcih_testtype(2)]='1' or [fcih_testtype(3)]='1'   Custom alignment: LV     Fcih_testposype   Show the field ONLY if:   Custom alignment: LV     Fcih_testposype   Show the field ONLY if:   Custom alignment: LV     Fcih_testposype   Show the field ONLY if:   Custom alignment: LV     Fcih_testposype   Show the field ONLY if:   Custom alignment: LV     Fcih_testposype   Show the field ONLY if:   Custom alignment: LV     Fcih_testposype   Show the field ONLY if:   Custom alignment: LV     Fcih_testposype   Show the field ONLY if:   Custom alignment: LV     Fcih_testposype   Show the field ONLY if:   Custom alignment: LV     Fcih_testposype   Show the field ONLY if:   Custom alignment: LV     Fcih_testposype   Custom alig

2 fcih_testpostype2 3 fcih_testpostype3	PCR/ molecular test, throa or nose
3 fcih_testpostype3	swab
<u>                                    </u>	Blood test for antibodies
-1 fcih_testpostype1	I don't know
-88 fcih_testpostype8	I do not want to answer
Custom alignment: LV Field Annotation: @NONEOFTHEABOVE="-1,-8	8"
397 [fcih_sympyn] The first time [sname] had COVID, did radio	
Show the field ONLY Symptoms are signs of being sick, like 1 Yes	
having a fever or cough   0   No	
[fcih_covidyn]="1"   Having a rever or coagn:   -1   I don't know	
-88 I do not want to answ	er
Custom alignment: LV	
398 [fcih_sympdur] The first time [sname] had COVID, how radio long did [snameposs] symptoms last?  1 1 week or less	¬
Show the field ONLY	
if: [fcih_sympyn]="1"  2 2 weeks	_
3 3 weeks	_
4 4 weeks	_
5 More than 4 weeks	
-1   I don't know	
-88   I do not want to answ	<u>er</u>
Custom alignment: LV	
399 [fcih_sympsev] During [snameposs] first COVID radio	
Show the field ONLY [snameposs] symptoms?	)
if: 2 Mild (a little bad)	

	[fcih_sympyn]="1"		3	Moderate (med	ium bad)
			4	Severe (very bac	d)
			5	Extreme (extren	nely bad)
			6	Life-threatening from COVID)	(almost died
			-1	I don't know	
			-88	I do not want to	answer
			Cust	om alignment: LV	,
400	[fcih_care]	The first time [sname] had COVID, what	chec	kbox	
	Show the field ONLY if: [fcih_reason(1)]="1" or [fcih_reason (3)]='1' or [fcih_reason(4)]='1'	kind of health care did [sname] get? Choose one or more of these.	1	fcih_care1	I was able to take care of [sname] at home without talking with [snameposs] doctor's office
			2	fcih_care2	I took care of [sname] at home and talked to [snameposs] doctor by phone
			3	fcih_care3	I took care of [sname] at home and talked to [snameposs] doctor using an online video visit
			4	fcih_care4	[sname] was seen in person at [snameposs] regular doctor's office
			5	fcih_care5	[sname] was seen at an urgent care facility (a place where you can walk in to get care right away without an

				appointment)	
		6	fcih_care6	[sname] was seen at the emergency department	
		-1	fcih_care1	I don't know	
		-88	fcih_care88	l do not want to answer	
		Field	Annotation:		
[fcih_hospyn]	The first time [sname] had COVID, did	radio	)		
Show the field ONLY	, ,	1	Yes		
if:  [fcib_reason(1)]="1"	admitted)?	0	No		
or [fcih_reason		-1	I don't know		
(3)]='1' or [fcih_reaso n(4)]='1'		-88 I do not want to answer			
		Custom alignment: LV			
[fcih_hospdur]  Show the field ONLY  if: [fcih_hospyn]="1"	How many days was [sname] in the hospital?  days			4	
[fcih_picuyn]	At any time during the first time	radio	)		
Show the field ONLY	[sname] had COVID, did [sname] have to	1 Yes			
if: [fcih_hospyn]="1"	or pediatric ICU?	0 No			
		-1	I don't know		
		-88 I do not want to answer			
			Custom alignment: LV		
[fcih_picudur]	For how many days was [sname] in the	text (integer, Min: 0)			
Show the field ONLY if:  [fcih picuvn]="1"	pediatric intensive care unit, or pediatric CICU?  days		Custom alignment: RH		
[fcih_treatintro]  Show the field ONLY  if: [fcih_reason(1)]="1"  or [fcih_reason	The first time [sname] had COVID, did they get any of the following treatments?	desc	riptive		
	Show the field ONLY if: [fcih_reason(1)]="1" or [fcih_reason (3)]='1' or [fcih_reaso n(4)]='1'  [fcih_hospdur] Show the field ONLY if: [fcih_picuyn] Show the field ONLY if: [fcih_picuyn]="1"  [fcih_picudur] Show the field ONLY if: [fcih_picudur] Show the field ONLY if: [fcih_picudur] Show the field ONLY if: [fcih_picuyn]="1"  [fcih_picuyn]="1" [fcih_treatintro] Show the field ONLY if: [fcih_treatintro]	Show the field ONLY if:   [fcih_reason(1)]="1" or [fcih_reason (3)]='1' or [fcih_reason (3)]='1' or [fcih_reason (3)]='1' or [fcih_reason (3)]='1'     [fcih_hospdur]	[fcih_hospyn] Show the field ONLY if: [fcih_reason(1)]="1" or [fcih_reason (3)]="1' or [fcih_reaso (A)]="1"  Show the field ONLY if: [fcih_hospdur] Show the field ONLY if: [fcih_hospyn]="1"  Show the field ONLY if: [fcih_picuyn] "1"  Show the field ONLY if: [fcih_picuyn]="1"  The first time [sname] had COVID, did [sname] have to stay in the pediatric intensive care unit, or pediatric ICU?  The first time [sname] had COVID, did they get any of the following treatments?  The first time [sname] had COVID, did they get any of the following treatments?	The first time [sname] had COVID, did [sname] have to stay in the hospital?   Testin_care unit, or pediatric Intensive care unit, or pediatric Intensive	

406	[fcih_treato2]	Oxygen therapy (extra oxygen is given	radio	(Matrix)
	Show the field ONLY	when a person's oxygen is low)	1	Yes
	if: [fcih_reason(1)]="1"		0	No
	or [fcih_reason		-1	I don't know
	(3)]='1' or [fcih_reaso n(4)]='1'		-88	I do not want to answer
407	[fcih_treativfluid]	Intravenous fluids (giving fluids through	radio	(Matrix)
	Show the field ONLY	a needle placed in a blood vessel)	1	Yes
	if:		0	No
	[fcih_reason(1)]="1" or [fcih_reason		-1	I don't know
	(3)]='1' or [fcih_reaso n(4)]='1'		-88	I do not want to answer
408	[fcih_treatster]	Treatment with steroids (medicines that	radic	(Matrix)
	Show the field ONLY	help decrease swelling (inflammation) in	1	Yes
	if:	the body)	0	No
	[fcih_reason(1)]="1" or [fcih_reason		-1	I don't know
	(3)]='1' or [fcih_reaso n(4)]='1'		-88	I do not want to answer
409	[fcih_treathydroxy]	Treatment with hydroxychloroquine	radio	(Matrix)
	Show the field ONLY	(medicine mostly used to treat malaria	1	Yes
	if:	that has been studied for treating and preventing COVID)	0	No
	[fcih_reason(1)]="1" or [fcih_reason	,	-1	I don't know
	(3)]='1' or [fcih_reaso n(4)]='1'		-88	I do not want to answer
410	[fcih_treatav]	Treatment with antiviral drug (medicines	radio	(Matrix)
	Show the field ONLY	used to treat infections caused by a	1	Yes
	if:	virus)	0	No
	[fcih_reason(1)]="1" or [fcih_reason		-1	I don't know
	(3)]='1' or [fcih_reaso n(4)]='1'		-88	I do not want to answer
411	[fcih_treatmono]	Treatment with monoclonal antibody	radio	o (Matrix)
	Show the field ONLY	(proteins made in a lab that act like the	1	Yes
	if:	body's antibodies, to help the immune system find and kill germs)	0	No
	[fcih_reason(1)]="1" or [fcih_reason	, , , , , , , , , , , , , , , , , , ,	-1	I don't know
	(3)]='1' or [fcih_reaso n(4)]='1'		-88	I do not want to answer
412	[fcih_treatplasma]	Treatment with convalescent plasma	radio	(Matrix)
	Show the field ONLY	(giving a person the plasma part of	1	Yes
	if:	COVID survivors' blood, which may have antibodies to the virus that causes	0	No

	or [fcih_reason (3)]='1' or [fcih_reaso n(4)]='1'	COVID)	-1 -88	I don't know I do not want to answer
413	[fcih_treatthinner]	Treatment with blood thinner (medicines used to treat or prevent		o (Matrix)
	Show the field ONLY if:	blood clots)	1	Yes
	.   [fcih_reason(1)]="1"		0	No
	or [fcih_reason		-1	I don't know
	(3)]='1' or [fcih_reaso n(4)]='1'		-88	I do not want to answer
414	[fcih_treatantibio]	Treatment with antibiotics (medicines	radio	(Matrix)
	Show the field ONLY	used to treat infections caused by bacteria)	1	Yes
	if:	bucterial	0	No
	[fcih_reason(1)]="1" or [fcih_reason		-1	I don't know
	(3)]='1' or [fcih_reaso n(4)]='1'		-88	I do not want to answer
415	[fcih_treatvent]	Breathing tube / breathing machine	radio	(Matrix)
	Show the field ONLY	(ventilator which acts like the lungs	1	Yes
	if:	when a person can't breathe on their own)	0	No
	([fcih_reason(1)]="1" or [fcih_reason	,	-1	I don't know
	(3)]='1' or [fcih_reaso		-88	I do not want to answer
	n(4)]='1') and ([fcih_h ospyn]="1")			
416	[fcih_treatdial]	Dialysis (treatment that helps clean the	radio	(Matrix)
	Show the field ONLY	blood when the kidneys are hurt, or not	1	Yes
	if:	working)	0	No
	([fcih_reason(1)]="1" or [fcih_reason		-1	I don't know
	(3)]='1' or [fcih_reaso		-88	I do not want to answer
	n(4)]='1') and ([fcih_h ospyn]="1")			
417	[fcih_treatoth]	Other	radio	(Matrix)
	Show the field ONLY		1	Yes
	if:		0	No
	[fcih_reason(1)]="1" or [fcih_reason		-1	I don't know
	(3)]='1' or [fcih_reaso n(4)]='1'		-88	I do not want to answer
418	[fcih_treatothspec]	What other treatments for COVID did	note	S
	Show the field ONLY	[sname] get?	Custo	om alignment: LV
	if: [fcih_treatoth]='1'			
1	1	1	1	

419	<pre>[first_covid_infect ion_history_complet</pre>	Section Header: Form Status  Complete?	dropdown 0 Incomplete
	e]		1 Unverified
			2 Complete
			<u> </u>
	ent: Most Recent	COVID Infection History (most_rec	ent_covid_infection_history) <b>£</b>
ı	Active language	es - Data Entry: None   Survey: None	
420	[mrcih_fversion]	Most Recent COVID Infection History form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
421	[mrcih_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVE @READONLY
422	<pre>[mrcih_visit_compwa rning]</pre>	ERROR! You must complete the visit form before you can start this form.	descriptive
	Show the field ONLY if: [visit_form_complet e]<>"2"		
423	<pre>[mrcih_visit_compwa rning_2]</pre>	ERROR! You must answer "yes" on the questions: "Do you feel that [sname]	descriptive
	Show the field ONLY if: [fcih_covidyn] = "0"	had COVID?" before engage this form.	
424	[mrcih_colldt]	Date Most Recent COVID Infection History form collected:	text (date_mdy, Min: 2020-01-01, M today) Field Annotation: @HIDDEN-SURVE @TODAY
425	[mrcih_coord]	Check this box if the coordinator is	checkbox
		entering data:	1 mrcih_coord1 Coordinator data entry
			Field Annotation: @HIDDEN-SURVE
426	[mrcih_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
427	[mrcih_covidyn]	Do you think [sname] ever had COVID	radio, Required
	Show the field ONLY	again after the first time they got it (their first infection)?	1 Yes
	if: [fcih_covidyn] = "1"		0 No
			-1 I don't know
			-88 I do not want to answer

			Cust	tom alignment: LV
428	[mrcih_covidnum]	How many COVID infections did [sname]	dro	odown
	Show the field ONLY	have not including the first one?	1	1
	if: [mrcih_covidyn]="1"		2	2
	[[IIIICIII_covidyII]= 1		3	3
			4	4
			5	5
			6	6
			7	7
			8	8
			9	9
			10	10
			11	11
			12	12
			13	13
			14	14
			15	15
			16	16
			17	17
			18	18
			19	19
			20	20 or more
			Cus	tom alignment: LV
429	[mrcih_intro]	Now we're going to ask about		criptive
	Show the field ONLY	[snameposs] experience with	acs.	en pare
	if:	[snameposs] MOST RECENT COVID infection.		
	[mrcih_covidyn]="1"			
430	[mrcih_dty]	What year was [snameposs] most recent COVID infection?	text	(integer, Min: 2019), Required
	Show the field ONLY if:	. State Corto micedom		
	[mrcih_covidyn]="1"			
431	[mrcih_dtm]	What month did this COVID infection	dro	odown, Required
	Show the field ONLY	start?	1	January
	if: [mrcih_covidyn]="1"		2	February
	[ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [ [		3	March
			4	April
			5	May

			6 7 8 9 10 11	June July August September October November December		
432	[mrcih_reason]  Show the field ONLY if: [mrcih_covidyn]="1"	Why did you think [sname] had COVID in [mrcih_dtm] [mrcih_dty] (the most recent time they had COVID)? Choose one or more of these:	1	mrcih_reaso	on1	A doctor told me [sname] had COVID because they had symptoms
			2	mrcih_reaso	on2	I thought [sname] had COVID at this time, but a doctor did not tell me they had COVID
			3	mrcih_reaso	on3	A test done at a doctor's office or laboratory said that [sname] had COVID
			4	mrcih_reaso	on4	A test done at home said that [sname] had COVID
			5	mrcih_reaso	5 n5	A test done at school said that

					[sname] had COVID
			-1		l don't know
			-88	mrcih_reason88	I do not want to answer
			Field	om alignment: LV Annotation: NEOFTHEABOVE="-88	,-1"
433	[mrcih_testtype] Show the field ONLY if: [mrcih_reason(3)]='1' or [mrcih_reason (4)]='1'	If [sname] was tested for COVID in [mrcih_dtm] [mrcih_dty], what type of test(s) did they get? You can choose one or more of these.	1a	mrcih_testtype1a	Antigen test done in a laboratory doctor's office, or testing center (sometimes called a rapid test)
			1b	mrcih_testtype1b	Antigen test done at home (sometimes called a rapid test)
			2	mrcih_testtype2	PCR/ molecular test, throat or nose swab
			3	mrcih_testtype3	Blood test for antibodies
			-1	mrcih_testtype1	l don't know
			0	mrcih_testtype0	[sname] didn't have a test
			-88	mrcih_testtype88	I do not want to answer
			Custo	om alignment: LV	

				Annotation: DNEOFTHEABOVE="-88,-1,0	"
434	[mrcih_testposyn]	Were any of the results positive for	radio	)	
	Show the field ONLY	COVID (showed that [sname] had COVID)?	1	Yes	
	if:	COVID)?	0	No	
	[mrcih_testtype(1 a)]='1' or [mrcih_test		-1	I don't know	
	type(1b)]='1' or [mrci h_testtype(2)]='1' or		-88	I do not want to answer	
	[mrcih_testtype (3)]='1'		Cust	om alignment: LV	
435	[mrcih_testpostype]	Which test was positive? You can choose	chec	kbox	
	Show the field ONLY if: [mrcih_testposy n]='1'	one or more of these.	1a	mrcih_testpostype1a	Antigen test don in a laborate doctor's office, of testing center (sometime called a rapid testing testing center)
			1b	mrcih_testpostype1b	Antigen test don at home (sometir called a rapid tes
			2	mrcih_testpostype2	PCR/ molecul- test, thro or nose swab
			3	mrcih_testpostype3	Blood te for antibodi
			-1	mrcih_testpostype1	l don't know
			-88	mrcih_testpostype88	I do not want to answer
			Field	om alignment: LV   Annotation:   DNEOFTHEABOVE="-1,-88"	

436	[mrcih_sympyn]	Did [sname] have any symptoms? Symptoms are signs of being sick, like	radio		
	Show the field ONLY if:	having a fever or cough.	1	Yes	
	mrcih_covidyn]="1"		0	No	
			-1	I don't know	
			-88	I do not want to a	inswer
			Cust	om alignment: LV	
437	[mrcih_sympdur]	How long did [snameposs] symptoms	radio	)	
	Show the field ONLY	last?	1	1 week or less	
	if:		2	2 weeks	
	[mrcih_sympyn]="1"		3	3 weeks	
			4	4 weeks	
			5	More than 4 weel	<b>KS</b>
			-1	I don't know	
			-88	I do not want to a	inswer
			Cust	om alignment: LV	
438	[mrcih_sympsev]	During [snameposs] most recent COVID	radio		
	Show the field ONLY	infection, how bad, or severe, were	1	Very mild (slightly	bad)
	if:	[snameposs] symptoms?	2	Mild (a little bad)	
	[mrcih_sympyn]="1"		3	Moderate (mediu	m bad)
			4	Severe (very bad)	
			5	Extreme (extreme	ely bad)
			6	Life-threatening ( from COVID)	almost died
			-1	I don't know	
			-88	I do not want to a	inswer
			Cust	om alignment: LV	
439	[mrcih_care]	The most recent time [sname] had		kbox	
	Show the field ONLY if: [mrcih_covidyn]="1"	COVID, what kind of health care did they get for this COVID infection? Choose one or more of these.	1	mrcih_care1	I was able to take care of [sname] at home without talking with [snameposs] doctor's office

			2	mrcih_care2	I took care of [sname] at home and talked to [snameposs] doctor by phone
			3	mrcih_care3	I took care of [sname] at home and talked to [snameposs] doctor using an online video visit
			4	mrcih_care4	[sname] was seen in person at their regular doctor's office
			5	mrcih_care5	[sname] was seen at an urgent care facility (a place where you can walk in to get care right away without an appointment)
			6	mrcih_care6	[sname] was seen at the emergency department
			-1	mrcih_care1	I don't know
			-88	mrcih_care88	l do not want to answer
			Field	om alignment: LV Annotation: DNEOFTHEABOVE="-	-88,-1"
440	[mrcih_hospyn]	During the last time [sname] had COVID, did they have to stay in the hospital (get	radic		
	Show the field ONLY if:	admitted)?	0	Yes	
	[mrcih_covidyn]="1"		-1	I don't know	
l i	1		-88	I do not want to ar	

			Custom alignment: LV
441	[mrcih_hospdur]	How many days was [sname] in the	text (integer)
	Show the field ONLY if:	hospital for?  days	Custom alignment: RH
	[mrcih_hospyn]="1"		
442	[mrcih_picuyn]	Did [sname] have to stay in the pediatric	radio
	Show the field ONLY	intensive care unit, or pediatric ICU, during this COVID infection?	1 Yes
	if: [mrcih_hospyn] = "1"	daring this covis infection.	0 No
	[iiiiciii_iiospyii] = 1		-1 I don't know
			-88 I do not want to answer
			Custom alignment: LV
443	[mrcih_picudur]	How many days was [sname] in the	text (integer)
	Show the field ONLY if:	pediatric intensive care unit, or pediatric ICU, for?	Custom alignment: RH
	[mrcih_picuyn]="1"	days	
444	[mrcih_treatintro]	The last time [sname] got COVID, did	descriptive
	Show the field ONLY if:	they get any of the following treatments?	
	[mrcih_covidyn]="1"		
445	[mrcih_treato2]	Oxygen therapy (extra oxygen is given	radio (Matrix)
	Show the field ONLY	when a person's oxygen is low)	1 Yes
	if: [mrcih_covidyn]="1"		0 No
	[iiiieiii_covidyii] i		-1 I don't know
			-88 I do not want to answer
446	[mrcih_treativflui	Intravenous fluids (giving fluids through	radio (Matrix)
	<b>d</b> ]	a needle placed in a blood vessel)	1 Yes
	Show the field ONLY if:		0 No
	mrcih_covidyn]="1"		-1 I don't know
			-88 I do not want to answer
447	[mrcih_treatster]	Treatment with steroids (medicines that	radio (Matrix)
	Show the field ONLY	help decrease swelling (inflammation) in the body)	1 Yes
	if: [mrcih_covidyn]="1"	50ay	0 No
	[iiiiciii_covidyiij= i		-1 I don't know
			-88 I do not want to answer
448	[mrcih_treathydrox	Treatment with hydroxychloroquine	radio (Matrix)
	<b>y</b> ]	(medicine mostly used to treat malaria that has been studied for treating and	1 Yes
	Show the field ONLY	and the second state of the during and	0 No

	if: [mrcih_covidyn]="1"	preventing COVID)	-1	I don't know
			-88	I do not want to answer
449	[mrcih_treatav]	Treatment with antiviral drug (medicines		) (Matrix)
	Show the field ONLY	used to treat infections caused by a virus)	1	Yes
	if: [mrcih_covidyn]="1"		0	No
	[eeeay]		-1	I don't know
			-88	I do not want to answer
450	[mrcih_treatmono]	Treatment with monoclonal antibody	radio	(Matrix)
	Show the field ONLY	(proteins made in a lab that act like the body's antibodies, to help the immune	1	Yes
	if:	system find and kill germs)	0	No
	[mrcih_covidyn]="1"		-1	I don't know
			-88	I do not want to answer
451	[mrcih_treatplasma]	Treatment with convalescent plasma	radio	(Matrix)
	Show the field ONLY	(giving a person the plasma part of COVID survivors' blood, which may have	1	Yes
	if:	antibodies to the virus that causes	0	No
	[mrcih_covidyn]="1"	COVID)	-1	I don't know
			-88	I do not want to answer
452	[mrcih_treatthinne	Treatment with blood thinner	radio	(Matrix)
	r]	(medicines used to treat or prevent blood clots)	1	Yes
	Show the field ONLY	blood clots)	0	No
	if: [mrcih_covidyn]="1"		-1	I don't know
	,,		-88	I do not want to answer
453	[mrcih_treatantibi	Treatment with antibiotics (medicines	radio	(Matrix)
	0]	used to treat infections caused by bacteria)	1	Yes
	Show the field ONLY	bacteria)	0	No
	if: [mrcih_covidyn]="1"		-1	I don't know
			-88	I do not want to answer
454	[mrcih_treatvent]	Breathing tube / breathing machine	radio	o (Matrix)
	Show the field ONLY	(ventilator which acts like the lungs when a person can't breathe on their	1	Yes
	if:	own)	0	No
	[mrcih_covidyn]="1" and [mrcih_hospy		-1	I don't know
	n]="1"		-88	I do not want to answer
455	[mrcih_treatdial]	Dialysis (treatment that helps clean the	radio	o (Matrix)
	Show the field ONLY	blood when the kidneys are hurt, or not	1	Yes
	if:	working)	0	No
	[mrcih_covidyn]="1"		•	

	and [mrcih_hospy		-1 I don't know
	n]="1"		-88 I do not want to answer
456	[mrcih_treatoth]	Other	radio (Matrix)
	Show the field ONLY		1 Yes
	if: [mrcih_covidyn]="1"		0 No
	[[IIIICIII_COVIdyII]= 1		-1 I don't know
			-88 I do not want to answer
457	<pre>[mrcih_treatothspe c]</pre>	What other treatments for COVID did [sname] get?	notes Custom alignment: LV
	Show the field ONLY if: [mrcih_treatoth]='1'		
458	[most_recent_covid_	Section Header: Form Status	dropdown
	<pre>infection_history_c omplete]</pre>	Complete?	0 Incomplete
	ompiece]		1 Unverified
			2 Complete
		es - Data Entry: None   Survey: None  COVID Infection History (followup) form	text
bled	-	es - Data Entry: None   Survey: None  COVID Infection History (followup) form version	Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: fix branching issue logic with
<b>459</b>	Active language	COVID Infection History (followup) form	Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: fix
459 460	Active language	COVID Infection History (followup) form version  Placeholder to attach form-level queries	Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: fix branching issue logic with cihfu_sympdur (#2207)  text Field Annotation: @HIDDEN-SURVEY
459 460	Active language  [cihfu_fversion]  [cihfu_fqueries]  [cihfu_visit_compwa	COVID Infection History (followup) form version  Placeholder to attach form-level queries This field cannot be edited and should be blank  ERROR! You must complete the visit	Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: fix branching issue logic with cihfu_sympdur (#2207)  text Field Annotation: @HIDDEN-SURVEY @READONLY
459 460 461	Active language  [cihfu_fversion]  [cihfu_fqueries]  [cihfu_visit_compwarning]  Show the field ONLY if: [visit_form_complet	COVID Infection History (followup) form version  Placeholder to attach form-level queries This field cannot be edited and should be blank  ERROR! You must complete the visit	Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: fix branching issue logic with cihfu_sympdur (#2207)  text Field Annotation: @HIDDEN-SURVEY @READONLY
459 460 461	Active language  [cihfu_fversion]  [cihfu_fqueries]  [cihfu_visit_compwarning]  Show the field ONLY if: [visit_form_complet e]<>"2"	COVID Infection History (followup) form version  Placeholder to attach form-level queries This field cannot be edited and should be blank  ERROR! You must complete the visit form before you can start this form.  Date COVID Infection History followup	Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: fix branching issue logic with cihfu_sympdur (#2207)  text Field Annotation: @HIDDEN-SURVEY @READONLY  descriptive  text (date_mdy, Min: 2020-01-01, Matoday) Field Annotation: @HIDDEN-SURVEY

			Field Annotation: @HIDDEN-SURVEY
464	[cihfu_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
465	[cihfu_covidyn]	Since your last survey on [visit_priorvisitdt], do you think [sname] got COVID?	radio, Required  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
466	[cihfu_covidnum] Show the field ONLY if: [cihfu_covidyn]="1"	Since your last survey on [visit_priorvisitdt], how many times did [sname] get COVID?	dropdown  1 1 2 2 3 3 or more  Custom alignment: LV
467	[cihfu_intro_1] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=1	Now we're going to ask about [snameposs] first COVID infection since [visit_priorvisitdt].	descriptive
468	[cihfu_dty_1]  Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=1	What year was [snameposs] first COVID infection since [visit_priorvisitdt]?	text (integer, Min: 2019), Required
469	[cihfu_dtm_1]  Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=1	What month did this COVID infection start?	dropdown, Required  1 January  2 February  3 March  4 April  5 May  6 June  7 July  8 August  9 September  10 October

			11	November	
			12	December	
470	[cihfu_reason_1]	Why did you think [sname] had COVID in [cihfu_dtm_1] [cihfu_dty_1] (the first	chec 1	kbox	A doctor
	Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=1	time they had COVID since [visit_priorvisitdt])? Choose one or more of these:	1	cihfu_reason_11	told me [sname] had COVID because they had symptoms
			2	cihfu_reason_12	I thought [sname] had COVID at this time, but a doctor did not tell me they had COVID
			3	cihfu_reason_13	A test done at a doctor's office or laboratory said that [sname] had COVID
			4	cihfu_reason_14	A test done at home said that [sname] had COVID
			5	cihfu_reason_15	A test done at school said that [sname] had COVID
			-1	cihfu_reason_11	I don't know

			-88		l do not want to answer
			Field	om alignment: LV Annotation: NEOFTHEABOVE="-88,-1	"
471	[cihfu_testtype_1]	If [sname] was tested for COVID in	chec	kbox	
	Show the field ONLY if: [cihfu_reason_1 (3)]='1' or [cihfu_reas on_1(4)]='1'	or more of these.  eason_1  or [cihfu_reas]	1a	cihfu_testtype_11a	Antigen test done in a laborator doctor's office, or testing center (sometim called a rapid tes
			1b	cihfu_testtype_11b	Antigen test done at home (sometim called a rapid tes
			2	cihfu_testtype_12	PCR/ molecula test, thro or nose swab
			3	cihfu_testtype_13	Blood tes for antibodie
			-1	cihfu_testtype_11	l don't know
			0	cihfu_testtype_10	[sname] didn't ha a test
		-88	cihfu_testtype_188	I do not want to answer	
			Field	om alignment: LV Annotation: NEOFTHEABOVE="-88,-1	,0"
472	[cihfu_testposyn_1]	Were any of the results from the tests in	radic	)	
	Show the field ONLY	[cihfu_dtm_1] [cihfu_dty_1] positive for COVID (showed that [sname] had	1	Yes	

	if:	COVID)?	0	No	
	[cihfu_testtype_1(1 a)]='1' or [cihfu_testt		-1	I don't know	
	ype_1(1b)]='1' or [cih		-88	I do not want to answer	
	fu_testtype_1(2)]='1' or [cihfu_testtype_1 (3)]='1'		Cust	om alignment: LV	
47	3 [cihfu_testpostype_	Which test in [cihfu_dtm_1] [cihfu_dty_1]	chec	kbox	
	Show the field ONLY if: [cihfu_testposyn_ 1]='1'	was positive? You can choose one or more of these.	1a	cihfu_testpostype_11a	Antiger test do in a laborar doctor office, testing center (somet called a rapid t
			1b	cihfu_testpostype_11b	Antiger test do at hom (somet called a rapid t
			2	cihfu_testpostype_12	PCR/ molect test, th or nose swab
			3	cihfu_testpostype_13	Blood to for antiboo
			-1	cihfu_testpostype_11	l don't know
			-88	cihfu_testpostype_188	I do no want to answei
			Field	om alignment: LV Annotation: DNEOFTHEABOVE="-1,-88"	
47	4 [cihfu_sympyn_1]	Did [sname] have any symptoms during	radio	)	
	Show the field ONLY	their COVID infection starting in [cihfu_dtm_1] [cihfu_dty_1]? Symptoms	1	Yes	
	if: [cihfu_covidnum]<	are signs of being sick, like having a	0	No	
	>"" and [cihfu_covidn	fever or cough.	-1	I don't know	
	um]>=1		-88	I do not want to answer	

475	[cihfu_sympdur_1]	How long did [snameposs] symptoms	Cust		
	Show the field ONLY	from their COVID infection starting in	1	1 week or less	
	if:	[cihfu_dtm_1] [cihfu_dty_1] last?	2	2 weeks	
	([cihfu_fversion]<>"" and [cihfu_fversion]<		3	3 weeks	
	2 and [cihfu_covidnu		4	4 weeks	
	m]<>"" and [cihfu_co vidnum]>=1) or ([cihf		5	More than 4 weeks	j.
	u_fversion]>=2 and		-1	I don't know	
	[cihfu_sympyn_ 1]="1")		-88	I do not want to an	swer
	1]- 1 )		Cust	om alignment: LV	
176	<pre>[cihfu_sympsev_1]</pre>	During [snameposs] COVID infection	radio		
4/0		starting in [cihfu_dtm_1] [cihfu_dty_1],	1	Very mild (slightly b	nad)
	Show the field ONLY if:	how bad, or severe, were [snameposs]	2	Mild (a little bad)	,
	[cihfu_sympyn_	symptoms?	3	Moderate (medium	n bad)
	1]="1"		4	Severe (very bad)	
			5	Extreme (extremely	v bad)
			6	Life-threatening (al	•
			-1	I don't know	
			-88	I do not want to an	swer
				om alignment: LV 	
477	[cihfu_care_1]	During [snameposs] COVID infection starting in [cihfu_dtm_1] [cihfu_dty_1],	chec 1	kbox	I was able to
	Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=1	what kind of health care did they get?  Choose one or more of these.		cihfu_care_11	take care of [sname] at home without talking with [snamepost doctor's office
			2	cihfu_care_12	I took care of [sname] at home and talked to [snameposs doctor by phone

			3		I took care of [sname] at home and talked to [snameposs] doctor using an online video visit	
			4	cihfu_care_14	[sname] was seen in person at their regular doctor's office	
			5	cihfu_care_15	[sname] was seen at an urgent care facility (a place where you can walk in to get care right away without an appointment)	
			6	cihfu_care_16	[sname] was seen at the emergency department	
			-1	cihfu_care_11	I don't know	
			-88	cihfu_care_188	l do not want to answer	
			Field	Custom alignment: LV Field Annotation: @NONEOFTHEABOVE="-88,-1"		
4	78 [cihfu_hospyn_1]	During [snameposs] COVID infection	radio	)		
	Show the field ONLY	starting in [cihfu_dtm_1] [cihfu_dty_1], did they have to stay in the hospital (get	1	1 Yes		
	if: [cihfu_covidnum]<	admitted)?	0	No		
	>"" and [cihfu_covidn		-1	I don't know		
	um]>=1		-88	I do not want to ans	swer	
			Custom alignment: LV			
4	79 [cihfu_hospdur_1]	How many days was [sname] in the		(integer)		
	Show the field ONLY	hospital for? days	Cusu	om alignment: RH		
	if:					

480	[cihfu_picuyn_1]  Show the field ONLY  if: [cihfu_hospyn_1] = "  1"	During [snameposs] COVID infection starting in [cihfu_dtm_1] [cihfu_dty_1], did [sname] have to stay in the pediatric intensive care unit, or pediatric ICU?	radio 1 0 -1 -88	Yes No I don't know I do not want to answer om alignment: LV
481	[cihfu_picudur_1]  Show the field ONLY if: [cihfu_picuyn_1]="1"	How many days was [sname] in the pediatric intensive care unit, or pediatric ICU, for?		integer) om alignment: RH
482	[cihfu_treatintro_ 1] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=1	During [snameposs] COVID infection starting in [cihfu_dtm_1] [cihfu_dty_1], did [sname] get any of the following treatments?	descr	riptive
483	[cihfu_treato2_1]  Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=1	Oxygen therapy (extra oxygen is given when a person's oxygen is low)	1 0 -1	(Matrix) Yes No I don't know I do not want to answer
484	[cihfu_treativfluid _1] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=1	Intravenous fluids (giving fluids through a needle placed in a blood vessel)	radio 1 0 -1 -88	(Matrix) Yes No I don't know I do not want to answer
485	[cihfu_treatster_1] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=1	Treatment with steroids (medicines that help decrease swelling (inflammation) in the body)	radio 1 0 -1 -88	(Matrix) Yes No I don't know I do not want to answer

	<pre>[cihfu_treathydroxy _1] Show the field ONLY if:</pre>	Treatment with hydroxychloroquine (medicine mostly used to treat malaria that has been studied for treating and preventing COVID)	radio (Matrix)  1 Yes  0 No
	[cihfu_covidnum]< >"" and [cihfu_covidn um]>=1		-1 I don't know -88 I do not want to answer
487	[cihfu_treatav_1]  Show the field ONLY  if: [cihfu_covidnum]< >"" and [cihfu_covidn	Treatment with antiviral drug (medicines used to treat infections caused by a virus)	radio (Matrix)  1 Yes  0 No -1 I don't know
488	um]>=1  [cihfu_treatmono_1]  Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=1	Treatment with monoclonal antibody (proteins made in a lab that act like the body's antibodies, to help the immune system find and kill germs)	-88 I do not want to answer  radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
489	[cihfu_treatplasma_ 1]  Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=1	Treatment with convalescent plasma (giving a person the plasma part of COVID survivors' blood, which may have antibodies to the virus that causes COVID)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
490	[cihfu_treatthinner_1] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=1	Treatment with blood thinner (medicines used to treat or prevent blood clots)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
491	<pre>[cihfu_treatantibio _1] Show the field ONLY if: [cihfu_covidnum]&lt; &gt;"" and [cihfu_covidn um]&gt;=1</pre>	Treatment with antibiotics (medicines used to treat infections caused by bacteria)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
492	[cihfu_treatvent_1] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn	Breathing tube / breathing machine (ventilator which acts like the lungs when a person can't breathe on their own)	radio (Matrix)  1 Yes  0 No  -1 I don't know

	um]>=1 and [cihfu_h ospyn_1]="1"		-88 I do not want to answer
493	[cihfu_treatdial_1] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=1 and [cihfu_h ospyn_1]="1"	Dialysis (treatment that helps clean the blood when the kidneys are hurt, or not working)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
494	[cihfu_treatoth_1]  Show the field ONLY  if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=1	Other	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
495	[cihfu_treatothspec _1]  Show the field ONLY if: [cihfu_treatoth_1]='1'	During [snameposs] COVID infection starting in [cihfu_dtm_1] [cihfu_dty_1], what other treatments for COVID did [sname] get?	notes Custom alignment: LV
496	[cihfu_intro_2] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=2	Now we're going to ask about [snameposs] second COVID infection since [visit_priorvisitdt].	descriptive
497	[cihfu_dty_2] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=2	What year was [snameposs] second COVID infection since [visit_priorvisitdt]?	text (integer, Min: 2019), Required
498	[cihfu_dtm_2] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=2	What month did this COVID infection start?	dropdown, Required  1 January  2 February  3 March  4 April  5 May  6 June  7 July  8 August  9 September

			10 11 12	November December	
499	Show the field ONLY if:	w the field ONLY  [cihfu_dtm_2] [cihfu_dty_2] (the second time they had COVID since [visit_priorvisitdt])? Choose one or more of these:	1	cihfu_reason_21	A doctor told me [sname] had COVID because they had symptoms
			2	cihfu_reason_22	I thought [sname] had COVID at this time, but a doctor did not tell me they had COVID
			3	cihfu_reason_23	A test done at a doctor's office or laboratory said that [sname] had COVID
			4	cihfu_reason_24	A test done at home said that [sname] had COVID
			5	cihfu_reason_25	A test done at school said that [sname] had COVID
			-1	cihfu_reason_21	l don't know

			-88	,	l do not want to answer
			Field	om alignment: LV Annotation: NEOFTHEABOVE="-88,-1	п
50	00 [cihfu_testtype_2]	If [sname] was tested for COVID in	chec	kbox	
	Show the field ONLY if: [cihfu_reason_2 (3)]='1' or [cihfu_reas on_2(4)]='1'	or more of these.	1a	cihfu_testtype_21a	Antigen test done in a laborator doctor's office, or testing center (sometim called a rapid test
			1b	cihfu_testtype_21b	Antigen test done at home (sometim called a rapid test
			2	cihfu_testtype_22	PCR/ molecula test, thro or nose swab
			3	cihfu_testtype_23	Blood tes for antibodie
			-1	cihfu_testtype_21	l don't know
			0	cihfu_testtype_20	[sname] didn't hav a test
			-88	cihfu_testtype_288	I do not want to answer
			Field	om alignment: LV Annotation: ONEOFTHEABOVE="-88,-1	,0"
50	O1 [cihfu_testposyn_2]	Were any of the results from the tests in	radio	)	
	Show the field ONLY	[cihfu_dtm_2] [cihfu_dty_2] positive for COVID (showed that [sname] had	1	Yes	

	if: [cihfu_testtype_2(1 a)]='1' or [cihfu_testt ype_2(1b)]='1' or [cih fu_testtype_2(2)]='1' or [cihfu_testtype_2 (3)]='1'	COVID)?	0 -1 -88	No I don't know I do not want to answer om alignment: LV	
502	Cihfu_testpostype_2] Show the field ONLY if: [cihfu_testposyn_2]='1'	Which test in [cihfu_dtm_2] [cihfu_dty_2] was positive? You can choose one or more of these.	1a	cihfu_testpostype_21a	Antiger test do in a laborar doctor office, testing center (somet called a rapid t
			1b	cihfu_testpostype_21b	Antiger test do at hom (somet called a rapid t
			2	cihfu_testpostype_22	PCR/ molecu test, th or nose swab
			3	cihfu_testpostype_23	Blood to for antiboo
			-1	cihfu_testpostype_21	I don't know
			-88	cihfu_testpostype_288	I do no want to answe
			Field	om alignment: LV Annotation: DNEOFTHEABOVE="-1,-88"	
503	Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=2	Did [sname] have any symptoms during their COVID infection starting in [cihfu_dtm_2] [cihfu_dty_2]? Symptoms are signs of being sick, like having a fever or cough.	1 0 -1 -88	Yes No I don't know	

			Cust	om alignment: LV		
504	[cihfu_sympdur_2]		radio			
	Show the field ONLY	from their COVID infection starting in [cihfu_dtm_2] [cihfu_dty_2] last?	1	1 week or less		
	if: ([cihfu_fversion]<>""		2	2 weeks		
	and [cihfu_fversion]<		3	3 weeks		
	2 and [cihfu_covidnu m]<>"" and [cihfu_co		4	4 weeks		
	vidnum]>=2) or ([cihf		5	More than 4 weeks	5	
	u_fversion]>=2 and		-1	I don't know		
	[cihfu_sympyn_ 2]="1")		-88	I do not want to an	iswer	
		Cust	om alignment: LV			
505	[cihfu_sympsev_2]	During [snameposs] COVID infection	radio			
	Show the field ONLY	starting in [cihfu_dtm_2] [cihfu_dty_2],	1	Very mild (slightly b	oad)	
	if:	how bad, or severe, were [snameposs] symptoms?	2	Mild (a little bad)		
	[cihfu_sympyn_ 2]="1"	symptoms.	3	Moderate (medium	n bad)	
	2]- 1		4	Severe (very bad)		
			5	Extreme (extremely	y bad)	
				6	Life-threatening (al from COVID)	most died
			-1	I don't know		
			-88	I do not want to an	iswer	
			Cust	om alignment: LV		
506	[cihfu care 2]	During [snameposs] COVID infection	checkbox			
300	Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=2	starting in [cihfu_dtm_2] [cihfu_dty_2], what kind of health care did they get? Choose one or more of these. " and [cihfu_covidn	1	cihfu_care_21	I was able take care of [sname] at home without talking wit [snamepos doctor's office	
			2	cihfu_care_22	I took care [sname] at home and talked to [snamepos doctor by phone	

			3	cihfu_care_23	I took care of [sname] at home and talked to [snameposs] doctor using an online video visit	
			4	cihfu_care_24	[sname] was seen in person at their regular doctor's office	
			5	cihfu_care_25	[sname] was seen at an urgent care facility (a place where you can walk in to get care right away without an appointment)	
			6	cihfu_care_26	[sname] was seen at the emergency department	
			-1	cihfu_care_21	I don't know	
			-88	cihfu_care_288	l do not want to answer	
			Field	om alignment: LV Annotation: NEOFTHEABOVE="-8	88,-1"	
507	[cihfu_hospyn_2]	During [snameposs] COVID infection	radio	)		
	Show the field ONLY	starting in [cihfu_dtm_2] [cihfu_dty_2], did they have to stay in the hospital (get	1	Yes		
	if: [cihfu_covidnum]<	admitted)?	0	No		
	>"" and [cihfu_covidn		-1	I don't know		
	um]>=2		-88	I do not want to ans	swer	
			Cust	om alignment: LV		
508	[cihfu_hospdur_2]	How many days was [sname] in the	text (integer)			
	Show the field ONLY	hospital for?  days	Custom alignment: RH			
	if:					

5	Show to	u_picuyn_2] the field ONLY _hospyn_2] = "	During [snameposs] COVID infection starting in [cihfu_dtm_2] [cihfu_dty_2], did [sname] have to stay in the pediatric intensive care unit, or pediatric ICU?	1 0 -1 -88	Yes No I don't know
5	Show to	u_picudur_2] the field ONLY _picuyn_2]="1"	How many days was [sname] in the pediatric intensive care unit, or pediatric ICU, for?		(integer) om alignment: RH
	Show to the state of the state	u_treatintro_ the field ONLY _covidnum]< d [cihfu_covidn	During [snameposs] COVID infection starting in [cihfu_dtm_2] [cihfu_dty_2], did [sname] get any of the following treatments?	desc	riptive
5	Show to the state of the state	u_treato2_2] the field ONLY _covidnum]< d [cihfu_covidn	Oxygen therapy (extra oxygen is given when a person's oxygen is low)	1 0 -1 -88	Yes No I don't know I do not want to answer
-	_2] Show to the state of the st	u_treativfluid the field ONLY _covidnum]< d [cihfu_covidn	Intravenous fluids (giving fluids through a needle placed in a blood vessel)	radic 1 0 -1 -88	Yes No I don't know I do not want to answer
	Show to the state of the state	u_treatster_2] the field ONLY _covidnum]< d [cihfu_covidn :2	Treatment with steroids (medicines that help decrease swelling (inflammation) in the body)	1 0 -1 -88	Yes No I don't know I do not want to answer

515	<pre>[cihfu_treathydroxy _2] Show the field ONLY if: [cihfu_covidnum]&lt; &gt;"" and [cihfu_covidn um]&gt;=2</pre>	Treatment with hydroxychloroquine (medicine mostly used to treat malaria that has been studied for treating and preventing COVID)	radio (Matrix)  1 Yes  0 No  -1 I don't know  -88 I do not want to answer
516	[cihfu_treatav_2] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=2	Treatment with antiviral drug (medicines used to treat infections caused by a virus)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
517	[cihfu_treatmono_2] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=2	Treatment with monoclonal antibody (proteins made in a lab that act like the body's antibodies, to help the immune system find and kill germs)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
518	[cihfu_treatplasma_2]  Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=2	Treatment with convalescent plasma (giving a person the plasma part of COVID survivors' blood, which may have antibodies to the virus that causes COVID)	radio (Matrix)  1 Yes  0 No  -1 I don't know  -88 I do not want to answer
519	[cihfu_treatthinner_2] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=2	Treatment with blood thinner (medicines used to treat or prevent blood clots)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
520	<pre>[cihfu_treatantibio _2] Show the field ONLY if: [cihfu_covidnum]&lt; &gt;"" and [cihfu_covidn um]&gt;=2</pre>	Treatment with antibiotics (medicines used to treat infections caused by bacteria)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
521	[cihfu_treatvent_2] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn	Breathing tube / breathing machine (ventilator which acts like the lungs when a person can't breathe on their own)	radio (Matrix)  1 Yes  0 No -1 I don't know

	um]>=2 and [cihfu_h ospyn_2]="1"		-88 I do not want to answer	
522	[cihfu_treatdial_2]	Dialysis (treatment that helps clean the	radio (Matrix)	
	Show the field ONLY	blood when the kidneys are hurt, or not working)	1 Yes	
	if: [cihfu_covidnum]<		0 No	
	>"" and [cihfu_covidn		-1 I don't know	
	um]>=2 and [cihfu_h ospyn_2]="1"		-88 I do not want to answer	
523	[cihfu_treatoth_2]	Other	radio (Matrix)	
	Show the field ONLY		1 Yes	
	if:		0 No	
	[cihfu_covidnum]< >"" and [cihfu_covidn		-1 I don't know	
	um]>=2		-88 I do not want to answer	
524	[cihfu_treatothspec	During [snameposs] COVID infection	notes	
	_2]	starting in [cihfu_dtm_2] [cihfu_dty_2], what other treatments for COVID did	Custom alignment: LV	
	Show the field ONLY if:	[sname] get?		
	cihfu_treatoth_2]='1'			
525	[cihfu_intro_3]	Now we're going to ask about	descriptive	
	Show the field ONLY	[snameposs] third COVID infection since [visit_priorvisitdt].		
	if: [cihfu_covidnum]<	[visit_priorvisitate].		
	>"" and [cihfu_covidn			
	um]>=3			
526	[cihfu_dty_3]	What year was [snameposs] third COVID infection since [visit_priorvisitdt]?	text (integer, Min: 2019), Required	
	Show the field ONLY	infection since [visit_phorvisitat]:		
	if: [cihfu_covidnum]<			
	>"" and [cihfu_covidn			
<b>-</b>	um]>=3	What are attended the COVID infantion	desardours Dominad	
J∠/	[cihfu_dtm_3]	What month did this COVID infection start?	dropdown, Required  1 January	
	Show the field ONLY if:		2 February	
	[cihfu_covidnum]<		3 March	
	>"" and [cihfu_covidn um]>=3		4 April	
	, <u>.</u>			
			6 June	
			7    July	
			8 August 9 September	

			10 11 12	November December	
528	Show the field ONLY if:	1	cihfu_reason_31	A doctor told me [sname] had COVID because they had symptoms	
			2	cihfu_reason_32	I thought [sname] had COVID at this time, but a doctor did not tell me they had COVID
			3	cihfu_reason_33	A test done at a doctor's office or laboratory said that [sname] had COVID
			4	cihfu_reason_34	A test done at home said that [sname] had COVID
		5	cihfu_reason_35	A test done at school said that [sname] had COVID	
			-1	cihfu_reason_31	l don't know

			-88		l do not want to answer
			Field	om alignment: LV Annotation: NNEOFTHEABOVE="-88,-1	"
529	[cihfu_testtype_3]	If [sname] was tested for COVID in	chec	kbox	
	Show the field ONLY if: [cihfu_reason_3 (3)]='1' or [cihfu_reas on_3(4)]='1'	[cihfu_dtm_3] [cihfu_dty_3], what type of test(s) did they get? You can choose one or more of these.	1a	cihfu_testtype_31a	Antigen test done in a laboratory doctor's office, or testing center (sometime called a rapid test
			1b	cihfu_testtype_31b	Antigen test done at home (sometime called a rapid test)
			2	cihfu_testtype_32	PCR/ molecular test, throa or nose swab
			3	cihfu_testtype_33	Blood tes for antibodie
			-1	cihfu_testtype_31	l don't know
			0	cihfu_testtype_30	[sname] didn't hav a test
			-88	cihfu_testtype_388	I do not want to answer
			Field	om alignment: LV Annotation: NNEOFTHEABOVE="-88,-1	,0"
530	[cihfu_testposyn_3]	Were any of the results from the tests in	radic	)	
	Show the field ONLY	[cihfu_dtm_3] [cihfu_dty_3] positive for COVID (showed that [sname] had	1	Yes	

	if:	COVID)?	0	No	
	[cihfu_testtype_3(1 a)]='1' or [cihfu_testt		-1	I don't know	
	ype_3(1b)]='1' or [cih		-88	I do not want to answer	
	fu_testtype_3(2)]='1' or [cihfu_testtype_3 (3)]='1'		Cust	om alignment: LV	
5	[cihfu_testpostype_	Which test in [cihfu_dtm_3] [cihfu_dty_3]	chec	kbox	
	Show the field ONLY if: [cihfu_testposyn_3]='1'	was positive? You can choose one or more of these.	1a	cihfu_testpostype_31a	Antiger test do in a laboral doctor office, testing center (somet called a rapid t
			1b	cihfu_testpostype_31b	Antiger test do at hom (somet called a rapid t
			2	cihfu_testpostype_32	PCR/ molect test, th or nose swab
			3	cihfu_testpostype_33	Blood 1 for antibo
			-1	cihfu_testpostype_31	l don't know
			-88	cihfu_testpostype_388	I do no want to answei
			Field	om alignment: LV Annotation: DNEOFTHEABOVE="-1,-88"	
5	532 [cihfu_sympyn_3]	Did [sname] have any symptoms during	radio	)	
	Show the field ONLY	their COVID infection starting in [cihfu_dtm_3] [cihfu_dty_3]? Symptoms	1	Yes	
	if: [cihfu_covidnum]<	are signs of being sick, like having a	0	No	
	>"" and [cihfu_covidn	fever or cough.	-1	I don't know	
	um]>=3		-88	I do not want to answer	

			Cust	om alignment: LV	
533	Cihfu_sympdur_3   Show the field ONLY if: ([cihfu_fversion]<>"" and [cihfu_covidnu m]<>"" and [cihfu_covidnum]>=3) or ([cihfu_fversion]>=2 and [cihfu_sympyn_ 3]="1")		radio 1 2 3 4 5 -1 -88	1 week or less 2 weeks 3 weeks 4 weeks More than 4 weeks I don't know I do not want to an	
534	[cihfu_sympsev_3] Show the field ONLY if: [cihfu_sympyn_ 3]="1"	During [snameposs] COVID infection starting in [cihfu_dtm_3] [cihfu_dty_3], how bad, or severe, were [snameposs] symptoms?	radio 1 2 3 4 5 6	Very mild (slightly be Mild (a little bad) Moderate (medium Severe (very bad) Extreme (extremely Life-threatening (all from COVID) I don't know I do not want to ans	bad) bad) bad) most died
535	[cihfu_care_3]  Show the field ONLY  if: [cihfu_covidnum]< >"" and [cihfu_covidn  um]>=3	During [snameposs] COVID infection starting in [cihfu_dtm_3] [cihfu_dty_3], what kind of health care did they get? Choose one or more of these.		cihfu_care_32	I was able to take care of [sname] at home without talking with [snameposs] doctor's office  I took care of [sname] at home and talked to [snameposs] doctor by phone

			3	cihfu_care_33	I took care of [sname] at home and talked to [snameposs] doctor using an online video visit	
			4	cihfu_care_34	[sname] was seen in person at their regular doctor's office	
			5	cihfu_care_35	[sname] was seen at an urgent care facility (a place where you can walk in to get care right away without an appointment)	
			6	cihfu_care_36	[sname] was seen at the emergency department	
			-1	cihfu_care_31	I don't know	
			-88	cihfu_care_388	I do not want to answer	
			Custom alignment: LV Field Annotation: @NONEOFTHEABOVE="-88,-1"			
536	[cihfu_hospyn_3]	During [snameposs] COVID infection	radio			
	Show the field ONLY	starting in [cihfu_dtm_3] [cihfu_dty_3], did they have to stay in the hospital (get	1	Yes		
	if: [cihfu_covidnum]<	admitted)?	0	No		
	>"" and [cihfu_covidn		-1	I don't know		
	um]>=3		-88	I do not want to ans	swer	
	' I		Custom alignment: LV			
			Cust			
537	[cihfu_hospdur_3]	How many days was [sname] in the	text (	 (integer)		
537	[cihfu_hospdur_3] Show the field ONLY if:	How many days was [sname] in the hospital for?	text (			

	[cihfu_picuyn_3] Show the field ONLY if: [cihfu_hospyn_3] = " 1"	During [snameposs] COVID infection starting in [cihfu_dtm_3] [cihfu_dty_3], did [sname] have to stay in the pediatric intensive care unit, or pediatric ICU?	radio 1 0 -1 -88	Yes No I don't know I do not want to answer om alignment: LV
5	[cihfu_picudur_3]  Show the field ONLY if: [cihfu_picuyn_3]="1"	How many days was [sname] in the pediatric intensive care unit, or pediatric ICU, for?  days		integer) om alignment: RH
	[cihfu_treatintro_3]  Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=3	During [snameposs] COVID infection starting in [cihfu_dtm_3] [cihfu_dty_3], did [sname] get any of the following treatments?	desci	riptive
5	[cihfu_treato2_3] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=3	Oxygen therapy (extra oxygen is given when a person's oxygen is low)	1 0 -1 -88	Yes No I don't know I do not want to answer
	[cihfu_treativfluid _3] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=3	Intravenous fluids (giving fluids through a needle placed in a blood vessel)	radio 1 0 -1 -88	Yes No I don't know I do not want to answer
	[cihfu_treatster_3] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=3	Treatment with steroids (medicines that help decrease swelling (inflammation) in the body)	1 0 -1 -88	Yes No I don't know I do not want to answer

544	<pre>[cihfu_treathydroxy _3] Show the field ONLY if: [cihfu_covidnum]&lt; &gt;"" and [cihfu_covidn um]&gt;=3</pre>	Treatment with hydroxychloroquine (medicine mostly used to treat malaria that has been studied for treating and preventing COVID)	radio (Matrix)  1 Yes  0 No  -1 I don't know  -88 I do not want to answer
545	[cihfu_treatav_3] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=3	Treatment with antiviral drug (medicines used to treat infections caused by a virus)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
546	<pre>[cihfu_treatmono_3] Show the field ONLY if: [cihfu_covidnum]&lt; &gt;"" and [cihfu_covidn um]&gt;=3</pre>	Treatment with monoclonal antibody (proteins made in a lab that act like the body's antibodies, to help the immune system find and kill germs)	radio (Matrix)  1 Yes  0 No  -1 I don't know  -88 I do not want to answer
547	<pre>[cihfu_treatplasma_ 3] Show the field ONLY if: [cihfu_covidnum]&lt; &gt;"" and [cihfu_covidn um]&gt;=3</pre>	Treatment with convalescent plasma (giving a person the plasma part of COVID survivors' blood, which may have antibodies to the virus that causes COVID)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
548	[cihfu_treatthinner_3]  Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidnum]>=3	Treatment with blood thinner (medicines used to treat or prevent blood clots)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
549	<pre>[cihfu_treatantibio _3] Show the field ONLY if: [cihfu_covidnum]&lt; &gt;"" and [cihfu_covidn um]&gt;=3</pre>	Treatment with antibiotics (medicines used to treat infections caused by bacteria)	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
550	[cihfu_treatvent_3] Show the field ONLY if: [cihfu_covidnum]< >"" and [cihfu_covidn	Breathing tube / breathing machine (ventilator which acts like the lungs when a person can't breathe on their own)	radio (Matrix)  1 Yes  0 No  -1 I don't know

	um]>=3 and [cihfu_h ospyn_3]="1"		-88 I do not want to answer
551	[cihfu_treatdial_3] Show the field ONLY	Dialysis (treatment that helps clean the blood when the kidneys are hurt, or not working)	radio (Matrix)  1 Yes
	if: [cihfu_covidnum]< >"" and [cihfu_covidn um]>=3 and [cihfu_h ospyn_3]="1"		0 No -1 I don't know -88 I do not want to answer
552	Show the field ONLY if:  [cihfu_covidnum]< >"" and [cihfu_covidnum]>=3	Other	radio (Matrix)  1 Yes  0 No  -1 I don't know  -88 I do not want to answer
553	[ cihfu_treatothspec _3 ] Show the field ONLY if: [cihfu_treatoth_3]='1'	During [snameposs] COVID infection starting in [cihfu_dtm_3] [cihfu_dty_3], what other treatments for COVID did [sname] get?	notes Custom alignment: LV
554	[covid_infection_hi story_followup_comp lete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
strum		litions (related_conditions)	abled as survey
555	[miscpots_fversion]	<u> </u>	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
556	[miscpots_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
1	[miscpots_visit_com pwarning]	ERROR! You must complete the visit form before you can start this form.	descriptive
55/	Show the field ONLY if: [visit_form_complet e]<>"2"		

559	[miscpots_coord]	Check this box if the coordinator is	checkbox
		entering data:	1 miscpots_coord1 Coordinator data entry
			Field Annotation: @HIDDEN-SURVEY
560	[miscpots_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
561	[miscpots_intro]  Show the field ONLY if: [visit_eventtype]="ba seline"	The following questions ask if [sname] had any of the following health problems.	descriptive
562	[miscpotsfu_intro] Show the field ONLY if: [visit_eventtype]="fol lowup"	The following questions ask if [sname] had any of the following health problems since [visit_priorvisitdt].	descriptive
563	[miscpots_miscyn] Show the field ONLY if: [visit_eventtype]="ba seline"	Have you ever been told that [sname] has Multisystem Inflammatory Syndrome in Children (MIS-C)?MIS-C is when a child's immune system causes serious inflammation (swelling) in their body after fighting COVID. The inflammation can damage organs, like their heart, lungs, blood vessels, and brain. Some symptoms include a fever, throwing up (vomiting), diarrhea, belly pain, skin rash, blood shot eyes, and dizziness.	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
564	[miscpotsfu_miscyn] Show the field ONLY if: [visit_eventtype]="fol lowup"	Since your last survey on [visit_priorvisitdt], have you been told that [sname] has Multisystem Inflammatory Syndrome in Children (MIS-C)?MIS-C is when a child's immune system causes serious inflammation (swelling) in their body after fighting COVID. The inflammation can damage organs, like their heart, lungs, blood vessels, and brain. Some symptoms include a fever, throwing up (vomiting), diarrhea, belly pain, skin rash, blood shot eyes, and dizziness.	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
565	[miscpots_miscdty] Show the field ONLY if: [miscpots_miscy n]='1' or [miscpotsfu	What year were you told that [sname] had Multisystem Inflammatory Syndrome in Children (MIS-C)? year	text (number, Min: 2020)

	_miscyn]="1"			
566	[miscpots_miscdtm]	What month were you told that [sname]	drop	odown
	Show the field ONLY	had Multisystem Inflammatory Syndrome in Children (MIS-C)?	1	January
	if:	syndrome in emidren (wils e):	2	February
	[miscpots_miscy n]='1' or [miscpotsfu		3	March
	_miscyn]="1"		4	April
			5	May
			6	June
			7	July
			8	August
			9	September
			10	October
			11	November
			12	December
567	[miscpots_potsyn]	Have you ever been told that [sname]	radio	<u> </u>
	Show the field ONLY	has POTS (Postural Orthostatic Tachycardia Syndrome) or other form of dysautonomia or autonomic dysfunction?POTS is a condition where people feel dizzy or feel like passing out (fainting) when they stand up after lying down. Their heart rate goes up during this time. POTS happens when peoples' autonomic nervous system doesn't work the right way. This is the part of the nervous system that controls important functions like breathing, blood pressure, and heart rate (pulse). Dysautonomia and autonomic dysfunction also mean health problems where the autonomic nervous system doesn't work right or is damaged.	1	Yes
	if: [visit_eventtype]="baseline"		0	No
			-1	I don't know
			-88	I do not want to answer
				rom alignment: LV
568	<pre>[miscpotsfu_potsyn]</pre>	Since your last survey on [visit_priorvisitdt], have you been told	radio	
	Show the field ONLY if:	that [sname] has POTS (Postural		Yes
	[visit_eventtype]="fol	Orthostatic Tachycardia Syndrome) or other form of dysautonomia or	0	No
	lowup"	autonomic dysfunction?POTS is a	-1	I don't know
		condition where people feel dizzy or feel like passing out (fainting) when they stand up after lying down. Their heart rate goes up during this time. POTS happens when peoples' autonomic nervous system doesn't work the right way. This is the part of the nervous system that controls important	Cust	I do not want to answer

		functions like breathing, blood pressure, and heart rate (pulse). Dysautonomia and autonomic dysfunction also mean health problems where the autonomic nervous system doesn't work right or is damaged.	
569	[miscpots_potsdty] Show the field ONLY if: [miscpots_potsy n]='1' or [miscpotsfu _potsyn]="1"	What year were you told that [sname] had POTS (Postural Orthostatic Tachycardia Syndrome) or another form of dysautonomia or autonomic dysfunction?	text (number, Min: 2020)
570	[miscpots_potsdtm] Show the field ONLY if: [miscpots_potsy n]='1' or [miscpotsfu _potsyn]="1"	What month were you told that [sname] had POTS (Postural Orthostatic Tachycardia Syndrome) or another form of dysautonomia or autonomic dysfunction?	dropdown  1 January  2 February  3 March  4 April  5 May  6 June  7 July  8 August  9 September  10 October  11 November  12 December
571	[miscpots_pascyn] Show the field ONLY if: [visit_eventtype]="ba seline"	Have you ever been told by a healthcare provider or doctor that [sname] has Long COVID?Long COVID is when symptoms continue or develop 4 weeks or more after having COVID. These symptoms may affect many parts of the body and they may come and go over time.	radio  1 Yes  0 No  -1 I don't know  -88 I do not want to answer  Custom alignment: LV
572	[miscpotsfu_pascyn] Show the field ONLY if: [visit_eventtype]="fol lowup"	Since your last survey on [visit_priorvisitdt], have you been told by a healthcare provider or doctor that [sname] has Long COVID?Long COVID is when symptoms continue or develop 4 weeks or more after having COVID. These symptoms may affect many parts of the body and they may come and go over time.	radio  1 Yes  0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV

573	[miscpots_pascdty] Show the field ONLY if: [miscpots_pascy n]='1' or [miscpotsfu _pascyn]="1"	What year were you told that [sname] had Long COVID?  year	text (number, Min: 2020)
574	[miscpots_pascdtm] Show the field ONLY if: [miscpots_pascy n]='1' or [miscpotsfu _pascyn]="1"	What month were you told that [sname] had Long COVID?	dropdown  1 January  2 February  3 March  4 April  5 May  6 June  7 July  8 August  9 September  10 October  11 November  12 December
575	<pre>[related_conditions _complete]</pre>	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
Instrum	ent: COVID Family	Infection (covid_family_infection)	<b>₤</b> ☐ Enabled as survey
	Active language	s - Data Entry: None   Survey: None	
576	[cfi_fversion]	COVID Family Infection form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
577	[cfi_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
578	<pre>[cfi_visit_compwarn ing] Show the field ONLY if: [visit_form_complet e]&lt;&gt;"2"</pre>	ERROR! You must complete the visit form before you can start this form.	descriptive

579	[cfi_colldt]	Form collection date:	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
580	[cfi_coord]	Check this box if the coordinator is entering data:	checkbox  1 cfi_coord1 Coordinator data entry  Field Annotation: @HIDDEN-SURVEY
58	[cfi_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
582	[cfi_intro]	Now we will ask you about COVID infections in [snameposs] family.	descriptive
583	S [cfi_infectyn] Show the field ONLY if: [visit_eventtype]="ba seline"	Were any members of [snameposs] household (other than [sname] or their birth mother) ever infected with COVID?	radio  1 Yes  0 No  -1 I don't know  -88 I do not want to answer
584	I [cfifu_infectyn] Show the field ONLY if: [visit_eventtype]="followup"	Since your last survey on [visit_priorvisitdt], were any members of [snameposs] household (other than [sname] or their birth mother) infected with COVID?	radio  1 Yes 0 No -1 I don't know -88 I do not want to answer  Custom alignment: LV
585	Show the field ONLY if:  [cfi_infectwho]  Show the field ONLY if:  [cfi_infectyn]='1' or [cfifu_infectyn]="1"	If yes, who? Choose one or more of these	checkbox  1 cfi_infectwho1 [snameposs] [ 2 cfi_infectwho2 [snameposs] [ 3 cfi_infectwho3 [snameposs] [ 99 cfi_infectwho99 Other, please [ {cfi_infectwho}  Custom alignment: LV
586	[cfi_infectwhospec] Show the field ONLY if: [cfi_infectwho(9 9)]='1'	Please explain what other member of the household you think had a COVID infection:	text

	<pre>[covid_family_infec tion_complete]</pre> <pre>pent: COVID Sympt</pre>	Section Header: Form Status  Complete?  Oms (covid_symptoms)	dropdown  0 Incomplete  1 Unverified  2 Complete  d as survey
	Active language	s - Data Entry: None   Survey: None	
588	[ps_fversion]	Symptoms form version	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: new versions of psfu_severity and psfu_misstime
589	[ps_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
590	<pre>[ps_visit_compwarni ng] Show the field ONLY if: [visit_form_complet e]&lt;&gt;"2"</pre>	ERROR! You must complete the visit form before you can start this form.	descriptive
591	[ps_colldt]	Date PASC Symptoms survey collected:	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
592	[ps_coord]	Check this box if the coordinator is entering data:	checkbox  1 ps_coord1 Coordinator data entry  Field Annotation: @HIDDEN-SURVEY
593	[ps_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
594	<pre>[ps_infected]</pre>	Is the participant known or believed to be infected (date of infection provided or caregiver believes to be infected)	calc Calculation: if([fcih_covidyn]="1" or [mrcih_covidyn]="1" or [cihfu_covidyn]="1" or [previous- event-name][ps_infected]="1", 1, 0) Field Annotation: @HIDDEN @HIDDEN-PDF
595	[ps_intro]	We are now going to ask about symptoms that [sname] might be having.	descriptive
596	<pre>[ps_intro_lt] Show the field ONLY</pre>	Section Header:  Now, we are going to ask about any	descriptive

	if: [visit_eventtype]="ba seline"	problems or symptoms that [sname] had. First, we want to know about the problems or symptoms that kept happening for more than four weeks since [sname] was born.		
597	<pre>[ps_instr_lt] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Did [sname] have any of these problems or symptoms lasting for more than 4 weeks that started or got worse since [sname] was born? These are problems or symptoms that kept happening without stopping or kept happening again and again for longer than 4 weeks.	descriptive	
598	[ps_introgen_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	General symptoms or problems:	descriptive	
599	[ps_fever_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Fever	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or af [snameposs] COVID infection  -1 I don't know	
600	[ps_sleepy_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)	Feeling sleepy during the day time	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or aff [snameposs] COVID infection  -1 I don't know	
601	[ps_insomnia_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Trouble sleeping	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or aff [snameposs] COVID infection  -1 I don't know	
602	<pre>[ps_fussy_ilt] Show the field ONLY if:</pre>	Fussy or cranky (crying a lot)	radio (Matrix) 0 No	

	[visit_eventtype]="ba seline" and [ps_infect ed]="1" and ([visit_ag e]>=0 and [visit_ag e]<6)		4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
603	[ps_lowenergy_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)	Low energy or not feeling strong enough to do things	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
604	[ps_tiredday_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)	Feeling very tired all day long	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
605	[ps_tiredwalk_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)	Feeling very tired after walking	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
606	[ps_sweat_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Sweating more than normal	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
607	[ps_hotcold_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)	Hot and cold spells (feeling hot or cold for no reason)	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection

			-1 I don't know
608	[ps_lowapp_ilt]	Not wanting to eat (poor appetite)	radio (Matrix)
	Show the field ONLY		0 No
	<pre>if: [visit_eventtype]="ba seline" and [ps_infec</pre>		4 Yes and it started before [snameposs] COVID infection
	ted]="1"		5 Yes and it started during or af [snameposs] COVID infection
			-1 I don't know
609	[ps_highapp_ilt]	Wanting to eat more than normal	radio (Matrix)
	Show the field ONLY	(increased appetite)	0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5 Yes and it started during or af [snameposs] COVID infection
			-1 I don't know
610	[ps_thirsty_ilt]	Wanting to drink liquids more than	radio (Matrix)
	Show the field ONLY	ba	0 No
	if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"		4 Yes and it started before [snameposs] COVID infection
			5 Yes and it started during or af [snameposs] COVID infection
			-1 I don't know
611	[ps_weightloss_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	expected  expected  isit_eventtype]="baeline" and [ps_infec	radio (Matrix)
			0 No
			4 Yes and it started before [snameposs] COVID infection
			5 Yes and it started during or af [snameposs] COVID infection
			-1 I don't know
612	[ps_weightgain_ilt]	Gained weight more than expected	radio (Matrix)
	Show the field ONLY	·	0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5 Yes and it started during or af [snameposs] COVID infection
			-1 I don't know
613	[ps_heightloss_ilt]	Lost height or grew less than expected	radio (Matrix)
	Show the field ONLY if:	,	0 No

	[visit_eventtype]="ba seline" and [ps_infect ed]="1"		4 Yes and it started before [snameposs] COVID infection
	euj- i		5 Yes and it started during or after [snameposs] COVID infection
			-1 I don't know
614	[ps_introeye_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Symptoms or problems in the eyes, ears, nose, and throat:	descriptive
615	[ps_redeyes_ilt]	Eyes look red	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5 Yes and it started during or aft [snameposs] COVID infection
			-1 I don't know
616	[ps_wateryeyes_ilt]	Eyes are watery	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"		4 Yes and it started before [snameposs] COVID infection
			5 Yes and it started during or after [snameposs] COVID infection
			-1 I don't know
617	[ps_dryeyes_ilt]	Eyes are dry	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5 Yes and it started during or aft [snameposs] COVID infection
			-1 I don't know
618	[ps_eyebags_ilt]	Dark circles or color under the eyes	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"	5 Yes and it started during or after [snameposs] COVID infection	

619	[ps_vision_ilt]	Trouble seeing or blurry vision	rad	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="ba		4	Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5	Yes and it started during or after [snameposs] COVID infection
			-1	I don't know
620	[ps_lighthurts_ilt]	Light hurts your eyes	rad	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="ba		4	Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5	Yes and it started during or after [snameposs] COVID infection
			-1	I don't know
621	[ps_hearing_ilt]	Change in hearing	rad	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="ba		4	Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5	Yes and it started during or after [snameposs] COVID infection
	861 3)		-1	I don't know
622	[ps_runnynose_ilt]	Stuffy nose or runny nose	rad	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="ba		4	Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5	Yes and it started during or after [snameposs] COVID infection
			-1	I don't know
623	[ps_smellchange_il	Change in smell	rad	io (Matrix)
	t]		0	No
	Show the field ONLY if:		4	Yes and it started before [snameposs] COVID infection
	[visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a		5	Yes and it started during or after [snameposs] COVID infection
	ge]>=3)		-1	I don't know
624	[ps_smellloss_ilt]	Loss of smell	rad	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="ba		4	Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec			

	ted]="1" and ([visit_a ge]>=3)		5 Yes and it started during or at [snameposs] COVID infection
			-1 I don't know
625	[ps_drymouth_ilt]	Very dry mouth	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5 Yes and it started during or a [snameposs] COVID infection
	8-1 -/		-1 I don't know
626	[ps_throat_ilt]	Throat hurts (sore throat)	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5 Yes and it started during or a [snameposs] COVID infection
			-1 I don't know
627	[ps_lostvoice_ilt]	Loss of voice (sounding hoarse)	radio (Matrix)
	Show the field ONLY	0 11 17	0 No
	if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"		4 Yes and it started before [snameposs] COVID infection
			5 Yes and it started during or a [snameposs] COVID infection
			-1 I don't know
628	<pre>[ps_swallowing_ilt]</pre>	Problems swallowing	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"	seline" and [ps_infec red]="1"	5 Yes and it started during or a [snameposs] COVID infection
			-1 I don't know
629	[ps_teeth_ilt]	Problems with teeth or gums	radio (Matrix)
	Show the field ONLY	The second second of Same	0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5 Yes and it started during or a [snameposs] COVID infection
			-1 I don't know

	[ps_chapped_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"  [ps_introheart_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Chapped lips  Symptoms or problems involving the heart and lungs:	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know  descriptive
632	[ps_drycough_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Dry cough	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
633	[ps_wetcough_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Wet cough (brings up mucus)	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
	[ps_barkcough_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Barking cough  Trouble breathing (breathing too fast)	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
635	[ps_breathing_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Trouble breathing (breathing too fast)	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection

			-1	I don't know
636	<pre>[ps_painbreath_ilt] Show the field ONLY if.</pre>	Pain when breathing	0	io (Matrix)
	<pre>if: [visit_eventtype]="ba seline" and [ps_infec</pre>		4	Yes and it started before [snameposs] COVID infection
	ted]="1" and ([visit_a ge]>=3)		5	Yes and it started during or after [snameposs] COVID infection
			-1	I don't know
637	<pre>[ps_walking_ilt]</pre>	Trouble walking	rad	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="ba		4	Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5	Yes and it started during or after [snameposs] COVID infection
			-1	I don't know
638	[ps_stairs_ilt]	Trouble climbing stairs	rad	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="ba		4	Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=2)		5	Yes and it started during or after [snameposs] COVID infection
			-1	I don't know
639	[ps_sports_ilt]	Trouble running	rad	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="ba		4	Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=2)		5	Yes and it started during or after [snameposs] COVID infection
	<b>0</b> -		-1	I don't know
640	[ps_introbelly_ilt]	Symptoms or problems involving the belly:	des	criptive
	Show the field ONLY if: [visit_eventtype]="ba			
	seline" and [ps_infec ted]="1"			
641	[ps_cramp_ilt]	Stomach pains/cramps	rad	io (Matrix)
	Show the field ONLY		0	No
	<pre>if: [visit_eventtype]="ba seline" and [ps_infec</pre>		4	Yes and it started before [snameposs] COVID infection
	ted]="1" and ([visit_a			

	ge]>=3)		5 Yes and it started during or a [snameposs] COVID infection
			-1 I don't know
642	[ps_nausea_ilt]	Nausea (feeling like you are going to	radio (Matrix)
	Show the field ONLY	throw up)	0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5 Yes and it started during or a [snameposs] COVID infection
			-1 I don't know
643	[ps_vomit_ilt]	Throwing up (vomiting)	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5 Yes and it started during or a [snameposs] COVID infection
			-1 I don't know
644	[ps_diarrhea_ilt]	Loose stool (diarrhea)	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5 Yes and it started during or a [snameposs] COVID infection
			-1 I don't know
645	[ps_constipation_il	Trouble pooping/stooling (constipation)	radio (Matrix)
	t]		0 No
	Show the field ONLY if:		4 Yes and it started before [snameposs] COVID infection
	[visit_eventtype]="ba seline" and [ps_infec ted]="1"		5 Yes and it started during or a [snameposs] COVID infection
			-1 I don't know
646	[ps_painurine_ilt]	Pain with peeing (urination)	radio (Matrix)
	Show the field ONLY	0.00	0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a		5 Yes and it started during or a
	ge]>=3)		[snameposs] COVID infection

648	[ps_excesspee_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)  [ps_introskin_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Peeing more than normal (urination more than normal)  Symptoms or problems involving the skin, hair, and nails:	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know  descriptive
649	[ps_skinrash_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Skin rash	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
650	[ps_skinitch_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)	Itchiness of the skin	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
	[ps_nails_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Changes or problems with nails	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
652	[ps_hair_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Changes or problems with hair	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection

			-1 I don't know
	[ps_skincolor_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"  [ps_digitcolor_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec	Color changes in your skin, such as red, white or purple  Color changes on the fingers or toes	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know  radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after
	ted]="1"		[snameposs] COVID infection  -1 I don't know
655	[ps_introbone_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Symptoms or problems involving the bones and muscles:	descriptive
656	[ps_muscle_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Muscle weakness	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
657	[ps_sore_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)	Sore muscles or pain in the muscles	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
658	[ps_painache_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a	Body aches or pains	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection

	ge]>=3)		5 Yes and it started during or after [snameposs] COVID infection
			-1 I don't know
659	<pre>[ps_painjoint_ilt]</pre>	Pains in the joints (like the elbows,	radio (Matrix)
	Show the field ONLY	knees, ankles)	0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5 Yes and it started during or after [snameposs] COVID infection
	0-1 -/		-1 I don't know
660	[ps_painback_ilt]	Pain in the back	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5 Yes and it started during or after [snameposs] COVID infection
	801 01		-1 I don't know
661	<pre>[ps_painneck_ilt]</pre>	Pain in the neck	radio (Matrix)
	Show the field ONLY if: [visit_eventtype]="ba		0 No
			4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5 Yes and it started during or after [snameposs] COVID infection
	861 0)		-1 I don't know
662	[ps_introbrain_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Symptoms or problems involving the brain and nerves:	descriptive
663	[ps_cantmove_ilt]	Unable to move part of the body	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5 Yes and it started during or after [snameposs] COVID infection
			-1 I don't know
664	[ps_memory_ilt]	Problems with remembering things	radio (Matrix)
	Show the field ONLY if:	(memory)	0 No

	[visit_eventtype]="ba seline" and [ps_infect ed]="1" and ([visit_ag	4 Yes and it started before [snameposs] COVID infection	
	e]>=3)		5 Yes and it started during or after [snameposs] COVID infection
			-1 I don't know
665	[ps_concentrate_il	Problems with focusing on things	radio (Matrix)
	t]	(concentration), sometimes called "brain fog"	0 No
	Show the field ONLY if:	log	4 Yes and it started before [snameposs] COVID infection
	[visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a		5 Yes and it started during or after [snameposs] COVID infection
	ge]>=3)		-1 I don't know
666	<pre>[ps_talking_ilt]</pre>	Problems with talking	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5 Yes and it started during or after [snameposs] COVID infection
			-1 I don't know
667	[ps_introfeel_ilt] Show the field ONLY if: [visit_eventtype]="ba	Symptoms or problems involving feelings or behavior:	descriptive
	seline" and [ps_infec ted]="1"		
668	seline" and [ps_infec	Feeling a lot of fear when being away	radio (Matrix)
668	seline" and [ps_infec ted]="1"	Feeling a lot of fear when being away from parent or caregiver	radio (Matrix)  0 No
668	seline" and [ps_infec ted]="1"  [ps_fearsep_ilt]  Show the field ONLY if: [visit_eventtype]="ba		
668	seline" and [ps_infec ted]="1" [ps_fearsep_ilt] Show the field ONLY if:		0 No 4 Yes and it started before
668	seline" and [ps_infec ted]="1"  [ps_fearsep_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a		<ul> <li>No</li> <li>Yes and it started before [snameposs] COVID infection</li> <li>Yes and it started during or after</li> </ul>
	seline" and [ps_infec ted]="1"  [ps_fearsep_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=0 and [visit_ag		<ul> <li>No</li> <li>Yes and it started before [snameposs] COVID infection</li> <li>Yes and it started during or afte [snameposs] COVID infection</li> </ul>
	seline" and [ps_infected]="1"  [ps_fearsep_ilt]  Show the field ONLY if: [visit_eventtype]="baseline" and [ps_infected]="1" and ([visit_age]>=0 and [visit_age]<6)	from parent or caregiver	0 No 4 Yes and it started before [snameposs] COVID infection 5 Yes and it started during or afte [snameposs] COVID infection -1 I don't know
	seline" and [ps_infec ted]="1"  [ps_fearsep_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=0 and [visit_ag e]<6)  [ps_phobia_ilt]  Show the field ONLY if: [visit_eventtype]="ba	from parent or caregiver  Feeling a lot of fear of specific things like	0 No 4 Yes and it started before [snameposs] COVID infection 5 Yes and it started during or afte [snameposs] COVID infection -1 I don't know  radio (Matrix)
	seline" and [ps_infec ted]="1"  [ps_fearsep_ilt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=0 and [visit_ag e]<6)  [ps_phobia_ilt]  Show the field ONLY if:	from parent or caregiver  Feeling a lot of fear of specific things like	0 No 4 Yes and it started before [snameposs] COVID infection 5 Yes and it started during or afte [snameposs] COVID infection -1 I don't know  radio (Matrix) 0 No 4 Yes and it started before

670	[ps_fearpeople_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=2)	Feeling a lot of fear about being with other children or adults	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
671	[ps_tantrums_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=0 and [visit_ag e]<6)	Having a lot of tantrums	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
672	[ps_holdbreath_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=0 and [visit_ag e]<6)	Holding their breath for a long time when they are afraid or angry	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
673	[ps_nightmares_ilt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1"	Having nightmares	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
674	[ps_nightterror_il t] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=0 and [visit_ag e]<6)	Screaming in fear while asleep, sometimes called night terrors	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection  5 Yes and it started during or after [snameposs] COVID infection  -1 I don't know
675	<pre>[ps_agressive_ilt] Show the field ONLY if: [visit_eventtype]="ba</pre>	Aggressive behavior like hitting, biting or kicking	radio (Matrix)  0 No  4 Yes and it started before [snameposs] COVID infection

	seline" and [ps_infect ed]="1" and ([visit_ag e]>=0 and [visit_ag e]<6)		5 Yes and it started during or after [snameposs] COVID infection -1 I don't know
676	[ps_rocking_ilt]	Rocking the body back and forth or	radio (Matrix)
	Show the field ONLY	head banging	0 No
	if: [visit_eventtype]="ba		4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1"		5 Yes and it started during or after [snameposs] COVID infection
			-1 I don't know
677	[ps_hyperactive_il	Being hyperactive or much more active	radio (Matrix)
	t]	than other children	0 No
	Show the field ONLY if:		4 Yes and it started before [snameposs] COVID infection
	[visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5 Yes and it started during or after [snameposs] COVID infection
			-1 I don't know
678	[ps_rulebreak_ilt]	Refusing to follow rules or doing what they are asked to do	radio (Matrix)
	Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		0 No
			4 Yes and it started before [snameposs] COVID infection
			5 Yes and it started during or after [snameposs] COVID infection
			-1 I don't know
679	<pre>[ps_liesteal_ilt]</pre>	stealing, starting fights, or bullying sist_eventtype]="baeline" and [ps_infec d]="1" and ([visit_a	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="ba seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		4 Yes and it started before [snameposs] COVID infection
			5 Yes and it started during or after [snameposs] COVID infection
			-1 I don't know
680	[ps_repeatmem_ilt]	Having repeating memories, dreams,	radio (Matrix)
	Show the field ONLY	thoughts, or worries after a traumatic event	0 No
	if: [visit_eventtype]="ba	event	4 Yes and it started before [snameposs] COVID infection
	seline" and [ps_infec ted]="1" and ([visit_a ge]>=3)		5 Yes and it started during or after [snameposs] COVID infection
	-/- L-∪		-1 I don't know

681	[ps_introgen_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	General symptoms or problems:	descriptive
682	[ps_fever_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Fever	radio (Matrix)  1 Yes  0 No -1 I don't know
683	[ps_sleepy_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Feeling sleepy during the day time	radio (Matrix)  1 Yes  0 No  -1 I don't know
684	[ps_insomnia_nlt]  Show the field ONLY  if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Trouble sleeping	radio (Matrix)  1 Yes  0 No  -1 I don't know
685	[ps_fussy_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=0 and [visit_ag e]<6)	Fussy or cranky (crying a lot)	radio (Matrix)  1 Yes  0 No -1 I don't know
686	[ps_lowenergy_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Low energy or not feeling strong enough to do things	radio (Matrix)  1 Yes  0 No  -1 I don't know
687	[ps_tiredday_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a	Feeling very tired all day long	radio (Matrix)  1 Yes  0 No  -1 I don't know

	ge]>=3)		
688	[ps_tiredwalk_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Feeling very tired after walking	radio (Matrix)  1 Yes  0 No -1 I don't know
689	[ps_sweat_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Sweating more than normal	radio (Matrix)  1 Yes  0 No  -1 I don't know
690	[ps_hotcold_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Hot and cold spells (feeling hot or cold for no reason)	radio (Matrix)  1 Yes  0 No -1 I don't know
691	[ps_lowapp_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Not wanting to eat (poor appetite)	radio (Matrix)  1 Yes  0 No  -1 I don't know
692	[ps_highapp_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Wanting to eat more than normal (increased appetite)	radio (Matrix)  1 Yes  0 No  -1 I don't know
693	[ps_thirsty_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Wanting to drink liquids more than normal (increased thirst)	radio (Matrix)  1 Yes  0 No  -1 I don't know
694	[ps_weightloss_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Lost weight or gained less than expected	radio (Matrix)  1 Yes  0 No -1 I don't know

	Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"  [ps_heightloss_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec	Gained weight more than expected  Lost height or grew less than expected	radio (Matrix)  1 Yes  0 No -1 I don't know  radio (Matrix)  1 Yes  0 No -1 I don't know
69	ted]="0"  [ps_introeye_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Symptoms or problems in the eyes, ears, nose, and throat:	descriptive
69	8 [ps_redeyes_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Eyes look red	radio (Matrix)  1 Yes  0 No  -1 I don't know
69	9 [ps_wateryeyes_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Eyes are watery	radio (Matrix)  1 Yes  0 No -1 I don't know
70	O [ps_dryeyes_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Eyes are dry	radio (Matrix)  1 Yes  0 No  -1 I don't know
70	1 [ps_eyebags_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Dark circles or color under the eyes	radio (Matrix)  1 Yes  0 No  -1 I don't know
70	2 [ps_vision_nlt] Show the field ONLY if:	Trouble seeing or blurry vision	radio (Matrix)  1 Yes

	[visit_eventtype]="ba seline" and [ps_infect ed]="0" and ([visit_ag e]>=3)		0 No -1 I don't know
703	[ps_lighthurts_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Light hurts your eyes	radio (Matrix)  1 Yes  0 No -1 I don't know
704	[ps_hearing_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Change in hearing	radio (Matrix)  1 Yes  0 No -1 I don't know
705	[ps_runnynose_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Stuffy nose or runny nose	radio (Matrix)  1 Yes  0 No  -1 I don't know
706	[ps_smellchange_nlt] t] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Change in smell	radio (Matrix)  1 Yes  0 No -1 I don't know
707	[ps_smellloss_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Loss of smell	radio (Matrix)  1 Yes  0 No -1 I don't know
708	[ps_drymouth_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Very dry mouth	radio (Matrix)  1 Yes  0 No  -1 I don't know

	[ps_throat_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Throat hurts (sore throat)	radio (Matrix)  1 Yes  0 No -1 I don't know
710	Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Loss of voice (sounding hoarse)	radio (Matrix)  1 Yes  0 No  -1 I don't know
711	[ps_swallowing_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Problems swallowing	radio (Matrix)  1 Yes  0 No  -1 I don't know
712	Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Problems with teeth or gums	radio (Matrix)  1 Yes  0 No  -1 I don't know
713	Show the field ONLY if: [visit_eventtype]="baseline" and [ps_infected]="0"	Chapped lips	radio (Matrix)  1 Yes  0 No  -1 I don't know
714	[ps_introheart_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Symptoms or problems involving the heart and lungs:	descriptive
715	[ps_drycough_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Dry cough	radio (Matrix)  1 Yes  0 No  -1 I don't know
716	[ps_wetcough_nlt] Show the field ONLY	Wet cough (brings up mucus)	radio (Matrix)  1 Yes

	if: [visit_eventtype]="ba seline" and [ps_infect ed]="0"		0 No -1 I don't know
717	[ps_barkcough_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Barking cough	radio (Matrix)  1 Yes  0 No -1 I don't know
718	[ps_breathing_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Trouble breathing (breathing too fast)	radio (Matrix)  1 Yes  0 No -1 I don't know
719	[ps_painbreath_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Pain when breathing	radio (Matrix)  1 Yes  0 No -1 I don't know
720	[ps_walking_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Trouble walking	radio (Matrix)  1 Yes  0 No -1 I don't know
721	[ps_stairs_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=2)	Trouble climbing stairs	radio (Matrix)  1 Yes  0 No -1 I don't know
722	[ps_sports_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=2)	Trouble running	radio (Matrix)  1 Yes  0 No -1 I don't know

/23	<pre>[ps_introbelly_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"</pre>	Symptoms or problems involving the belly:	descriptive
724	<pre>[ps_cramp_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]&gt;=3)</pre>	Stomach pains/cramps	radio (Matrix)  1 Yes  0 No -1 I don't know
725	[ps_nausea_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Nausea (feeling like you are going to throw up)	radio (Matrix)  1 Yes  0 No  -1 I don't know
726	<pre>[ps_vomit_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"</pre>	Throwing up (vomiting)	radio (Matrix)  1 Yes  0 No  -1 I don't know
727	[ps_diarrhea_nlt]  Show the field ONLY  if: [visit_eventtype]="ba  seline" and [ps_infec  ted]="0"	Loose stool (diarrhea)	radio (Matrix)  1 Yes  0 No -1 I don't know
728	<pre>[ps_constipation_nl t] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"</pre>	Trouble pooping/stooling (constipation)	radio (Matrix)  1 Yes  0 No -1 I don't know
729	[ps_painurine_nlt]  Show the field ONLY  if: [visit_eventtype]="ba  seline" and [ps_infec  ted]="0" and ([visit_a  ge]>=3)	Pain with peeing (urination)	radio (Matrix)  1 Yes  0 No  -1 I don't know

730	<pre>[ps_excesspee_nlt] Show the field ONLY</pre>	Peeing more than normal (urination more than normal)	radio (Matrix)  1 Yes
	if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)		0 No -1 I don't know
731	[ps_introskin_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Symptoms or problems involving the skin, hair, and nails:	descriptive
732	[ps_skinrash_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Skin rash	radio (Matrix)  1 Yes  0 No  -1 I don't know
733	[ps_skinitch_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Itchiness of the skin	radio (Matrix)  1 Yes  0 No -1 I don't know
734	[ps_nails_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Changes or problems with nails	radio (Matrix)  1 Yes  0 No -1 I don't know
735	[ps_hair_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Changes or problems with hair	radio (Matrix)  1 Yes  0 No -1 I don't know
736	[ps_skincolor_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Color changes in your skin, such as red, white or purple	radio (Matrix)  1 Yes  0 No -1 I don't know

737	[ps_digitcolor_nlt]	Color changes on the fingers or toes	radio (Matrix)
	Show the field ONLY		1 Yes
	<pre>if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"</pre>		0 No -1 I don't know
738	[ps_introbone_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Symptoms or problems involving the bones and muscles:	descriptive
739	[ps_muscle_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Muscle weakness	radio (Matrix)  1 Yes  0 No -1 I don't know
740	[ps_sore_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Sore muscles or pain in the muscles	radio (Matrix)  1 Yes  0 No -1 I don't know
741	[ps_painache_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Body aches or pains	radio (Matrix)  1 Yes  0 No -1 I don't know
742	[ps_painjoint_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Pains in the joints (like the elbows, knees, ankles)	radio (Matrix)  1 Yes  0 No -1 I don't know
743	[ps_painback_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Pain in the back	radio (Matrix)  1 Yes  0 No  -1 I don't know

	Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)  [ps_introbrain_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Pain in the neck  Symptoms or problems involving the brain and nerves:	radio (Matrix)  1 Yes  0 No -1 I don't know  descriptive
	Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"  [ps_memory_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a	Problems with remembering things (memory)	radio (Matrix)  1 Yes  0 No -1 I don't know  radio (Matrix)  1 Yes  0 No -1 I don't know
748	ge]>=3)  [ps_concentrate_nl t]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Problems with focusing on things (concentration), sometimes called "brain fog"	radio (Matrix)  1 Yes  0 No -1 I don't know
749	[ps_talking_nlt]  Show the field ONLY  if:  [visit_eventtype]="ba  seline" and [ps_infec  ted]="0" and ([visit_a  ge]>=3)	Problems with talking	radio (Matrix)  1 Yes  0 No  -1 I don't know
750	[ps_introfeel_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec	Symptoms or problems involving feelings or behavior:	descriptive

	ted]="0"		
751	[ps_fearsep_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=0 and [visit_ag e]<6)	Feeling a lot of fear when being away from parent or caregiver	radio (Matrix)  1 Yes  0 No  -1 I don't know
752	[ps_phobia_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=2)	Feeling a lot of fear of specific things like spiders or being up high	radio (Matrix)  1 Yes  0 No  -1 I don't know
753	[ps_fearpeople_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=2)	Feeling a lot of fear about being with other children or adults	radio (Matrix)  1 Yes  0 No -1 I don't know
754	[ps_tantrums_nlt]  Show the field ONLY  if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=0 and [visit_ag e]<6)	Having a lot of tantrums	radio (Matrix)  1 Yes  0 No  -1 I don't know
755	[ps_holdbreath_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=0 and [visit_ag e]<6)	Holding their breath for a long time when they are afraid or angry	radio (Matrix)  1 Yes  0 No -1 I don't know
756	[ps_nightmares_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Having nightmares	radio (Matrix)  1 Yes  0 No  -1 I don't know

757	[	Coroaming in foar while aclose	radio (Matrix)
737	<pre>[ps_nightterror_nl t] Show the field ONLY if:</pre>	Screaming in fear while asleep, sometimes called night terrors	radio (Matrix)  1 Yes  0 No
	[visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=0 and [visit_ag e]<6)		-1   I don't know
758	[ps_agressive_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=0 and [visit_ag e]<6)	Aggressive behavior like hitting, biting or kicking	radio (Matrix)  1 Yes  0 No  -1 I don't know
759	[ps_rocking_nlt] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0"	Rocking the body back and forth or head banging	radio (Matrix)  1 Yes  0 No -1 I don't know
760	[ps_hyperactive_nl t] Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Being hyperactive or much more active than other children	radio (Matrix)  1 Yes  0 No  -1 I don't know
761	[ps_rulebreak_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Refusing to follow rules or doing what they are asked to do	radio (Matrix)  1 Yes  0 No  -1 I don't know
762	[ps_liesteal_nlt]  Show the field ONLY if: [visit_eventtype]="ba seline" and [ps_infec ted]="0" and ([visit_a ge]>=3)	Serious breaking of rules like lying, stealing, starting fights, or bullying	radio (Matrix)  1 Yes  0 No  -1 I don't know

763	Show the field ONLY if: [visit_eventtype]="baseline" and [ps_infected]="0" and ([visit_age]>=3)	Having repeating memories, dreams, thoughts, or worries after a traumatic event	radio (Matrix)  1 Yes  0 No  -1 I don't know
764	[ps_intro_curr] Show the field ONLY if: [visit_eventtype]="baseline"	Section Header:  Now, we are going to ask about any problems or symptoms [sname] has now.	descriptive
765	[ps_instr_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Does [sname] have any of these problems or symptoms now?	descriptive
766	[ps_introgen_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	General symptoms or problems:	descriptive
767	[ps_fever_curr] Show the field ONLY if: [visit_eventtype]="baseline"	Fever	radio (Matrix)  1 Yes  0 No -1 I don't know
768	Show the field ONLY if: [visit_eventtype]="baseline" and ([visit_age]>=3)	Feeling sleepy during the day time	radio (Matrix)  1 Yes  0 No  -1 I don't know
769	[ps_insomnia_curr]   Show the field ONLY   if:	Trouble sleeping	radio (Matrix)  1 Yes  0 No  -1 I don't know
770	Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=0 and [visit_ag e]<6)	Fussy or cranky (crying a lot)	radio (Matrix)  1 Yes  0 No -1 I don't know

771	[ps_lowenergy_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag	Low energy or not feeling strong enough to do things	radio (Matrix)  1 Yes  0 No -1 I don't know
772	e]>=3)  [ps_tiredday_curr]  Show the field ONLY if: [visit_eventtype]="baseline" and ([visit_ag	Feeling very tired all day long	radio (Matrix)  1 Yes  0 No -1 I don't know
773	e]>=3)  [ps_tiredwalk_curr]  Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Feeling very tired after walking	radio (Matrix)  1 Yes  0 No -1 I don't know
774	<pre>[ps_sweat_curr] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Sweating more than normal	radio (Matrix)  1 Yes  0 No -1 I don't know
775	[ps_hotcold_curr]  Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Hot and cold spells (feeling hot or cold for no reason)	radio (Matrix)  1 Yes  0 No -1 I don't know
776	[ps_lowapp_curr]  Show the field ONLY if: [visit_eventtype]="ba seline"	Not wanting to eat (poor appetite)	radio (Matrix)  1 Yes  0 No -1 I don't know
777	[ps_highapp_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Wanting to eat more than normal (increased appetite)	radio (Matrix)  1 Yes  0 No -1 I don't know
778	[ps_thirsty_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Wanting to drink liquids more than normal (increased thirst)	radio (Matrix)  1 Yes  0 No -1 I don't know

779	<pre>[ps_weightloss_cur r] Show the field ONLY</pre>	Lost weight or gained less than expected	radio (Matrix)  1 Yes
	if: [visit_eventtype]="baseline"		0 No -1 I don't know
780	<pre>[ps_weightgain_cur r] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Gained weight more than expected	radio (Matrix)  1 Yes  0 No -1 I don't know
781	<pre>[ps_heightloss_cur r] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Lost height or grew less than expected	radio (Matrix)  1 Yes  0 No -1 I don't know
782	<pre>[ps_introeye_curr] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Symptoms or problems in the eyes, ears, nose, and throat:	descriptive
783	[ps_redeyes_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Eyes look red	radio (Matrix)  1 Yes  0 No -1 I don't know
784	<pre>[ps_wateryeyes_cur r] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Eyes are watery	radio (Matrix)  1 Yes  0 No -1 I don't know
785	[ps_dryeyes_curr]  Show the field ONLY if: [visit_eventtype]="ba seline"	Eyes are dry	radio (Matrix)  1 Yes  0 No -1 I don't know
786	[ps_eyebags_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Dark circles or color under the eyes	radio (Matrix)  1 Yes  0 No -1 I don't know

	[ps_vision_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)  [ps_lighthurts_cur r] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Trouble seeing or blurry vision  Light hurts your eyes	radio (Matrix)  1 Yes  0 No  -1 I don't know  radio (Matrix)  1 Yes  0 No  -1 I don't know
789	[ps_hearing_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Change in hearing	radio (Matrix)  1 Yes  0 No -1 I don't know
790	[ps_runnynose_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Stuffy nose or runny nose	radio (Matrix)  1 Yes  0 No  -1 I don't know
791	[ps_smellchange_cur r] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Change in smell	radio (Matrix)  1 Yes  0 No -1 I don't know
792	[ps_smellloss_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Loss of smell	radio (Matrix)  1 Yes  0 No  -1 I don't know
793	[ps_drymouth_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Very dry mouth	radio (Matrix)  1 Yes  0 No  -1 I don't know
794	[ps_throat_curr] Show the field ONLY	Throat hurts (sore throat)	radio (Matrix)  1 Yes

	if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)		0 No -1 I don't know
795	[ps_lostvoice_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Loss of voice (sounding hoarse)	radio (Matrix)  1 Yes  0 No -1 I don't know
796	<pre>[ps_swallowing_cur r] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Problems swallowing	radio (Matrix)  1 Yes  0 No  -1 I don't know
797	[ps_teeth_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Problems with teeth or gums	radio (Matrix)  1 Yes  0 No -1 I don't know
798	[ps_chapped_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Chapped lips	radio (Matrix)  1 Yes  0 No  -1 I don't know
799	<pre>[ps_introheart_cur r] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Symptoms or problems involving the heart and lungs:	descriptive
800	[ps_drycough_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Dry cough	radio (Matrix)  1 Yes  0 No -1 I don't know
801	[ps_wetcough_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Wet cough (brings up mucus)	radio (Matrix)  1 Yes  0 No  -1 I don't know
802	[ps_barkcough_curr] Show the field ONLY if: [visit_eventtype]="ba	Barking cough	radio (Matrix)  1 Yes  0 No

	seline"		-1 I don't know
803	[ps_breathing_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Trouble breathing (breathing too fast)	radio (Matrix)  1 Yes  0 No -1 I don't know
804	[ps_painbreath_curr]  Show the field ONLY if: [visit_eventtype]="baseline" and ([visit_age]>=3)	Pain when breathing	radio (Matrix)  1 Yes  0 No -1 I don't know
805	[ps_walking_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Trouble walking	radio (Matrix)  1 Yes  0 No -1 I don't know
806	[ps_stairs_curr]  Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=2)	Trouble climbing stairs	radio (Matrix)  1 Yes  0 No -1 I don't know
807	[ps_sports_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=2)	Trouble running	radio (Matrix)  1 Yes  0 No -1 I don't know
808	<pre>[ps_introbelly_cur r] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Symptoms or problems involving the belly:	descriptive
809	[ps_cramp_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Stomach pains/cramps	radio (Matrix)  1 Yes  0 No -1 I don't know

	<pre>[ps_nausea_curr] Show the field ONLY if: [visit_eventtype]="ba seline"  [ps_vomit_curr]</pre>	Nausea (feeling like you are going to throw up)  Throwing up (vomiting)	radio (Matrix)  1 Yes  0 No  -1 I don't know  radio (Matrix)
	Show the field ONLY if: [visit_eventtype]="ba seline"		1 Yes 0 No -1 I don't know
812	[ps_diarrhea_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Loose stool (diarrhea)	radio (Matrix)  1 Yes  0 No  -1 I don't know
813	<pre>[ps_constipation_cu rr] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Trouble pooping/stooling (constipation)	radio (Matrix)  1 Yes  0 No  -1 I don't know
814	[ps_painurine_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Pain with peeing (urination)	radio (Matrix)  1 Yes  0 No  -1 I don't know
815	[ps_excesspee_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Peeing more than normal (urination more than normal)	radio (Matrix)  1 Yes  0 No  -1 I don't know
816	<pre>[ps_introskin_curr] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Symptoms or problems involving the skin, hair, and nails:	descriptive
817	[ps_skinrash_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Skin rash	radio (Matrix)  1 Yes  0 No  -1 I don't know

818	[ps_skinitch_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Itchiness of the skin	radio (Matrix)  1 Yes  0 No  -1 I don't know
819	<pre>[ps_nails_curr] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Changes or problems with nails	radio (Matrix)  1 Yes  0 No  -1 I don't know
820	[ps_hair_curr]  Show the field ONLY if: [visit_eventtype]="baseline"	Changes or problems with hair	radio (Matrix)  1 Yes  0 No  -1 I don't know
821	[ps_skincolor_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Color changes in your skin, such as red, white or purple	radio (Matrix)  1 Yes  0 No  -1 I don't know
822	<pre>[ps_digitcolor_cur r] Show the field ONLY if: [visit_eventtype]="ba seline"</pre>	Color changes on the fingers or toes	radio (Matrix)  1 Yes  0 No  -1 I don't know
823	[ps_introbone_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Symptoms or problems involving the bones and muscles:	descriptive
824	[ps_muscle_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Muscle weakness	radio (Matrix)  1 Yes  0 No  -1 I don't know
825	[ps_sore_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Sore muscles or pain in the muscles	radio (Matrix)  1 Yes  0 No -1 I don't know

	[ps_painache_curr]  Show the field ONLY  if: [visit_eventtype]="ba  seline" and ([visit_ag  e]>=3)  [ps_painjoint_curr]	Body aches or pains  Pains in the joints (like the elbows,	radio (Matrix)  1 Yes  0 No  -1 I don't know
627	Show the field ONLY if: [visit_eventtype]="baseline" and ([visit_age]>=3)	knees, ankles)	1 Yes 0 No -1 I don't know
828	[ps_painback_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Pain in the back	radio (Matrix)  1 Yes  0 No  -1 I don't know
829	[ps_painneck_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Pain in the neck	radio (Matrix)  1 Yes  0 No  -1 I don't know
830	[ps_introbrain_cur r] Show the field ONLY if: [visit_eventtype]="ba seline"	Symptoms or problems involving the brain and nerves:	descriptive
831	[ps_cantmove_curr]  Show the field ONLY if: [visit_eventtype]="ba seline"	Unable to move part of the body	radio (Matrix)  1 Yes  0 No  -1 I don't know
832	[ps_memory_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Problems with remembering things (memory)	radio (Matrix)  1 Yes  0 No  -1 I don't know
833	<pre>[ps_concentrate_cur r] Show the field ONLY if:</pre>	Problems with focusing on things (concentration), sometimes called "brain fog"	radio (Matrix)  1 Yes  0 No

	[visit_eventtype]="ba seline" and ([visit_ag e]>=3)		-1 I don't know
834	[ps_talking_curr]  Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Problems with talking	radio (Matrix)  1 Yes  0 No -1 I don't know
835	[ps_introfeel_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Symptoms or problems involving feelings or behavior:	descriptive
836	[ps_fearsep_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=0 and [visit_ag e]<6)	Feeling a lot of fear when being away from parent or caregiver	radio (Matrix)  1 Yes  0 No -1 I don't know
837	[ps_phobia_curr]  Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=2)	Feeling a lot of fear of specific things like spiders or being up high	radio (Matrix)  1 Yes  0 No  -1 I don't know
838	[ps_fearpeople_cur r] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=2)	Feeling a lot of fear about being with other children or adults	radio (Matrix)  1 Yes  0 No -1 I don't know
839	[ps_tantrums_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=0 and [visit_ag e]<6)	Having a lot of tantrums	radio (Matrix)  1 Yes  0 No -1 I don't know

840	[ps_holdbreath_cur r]  Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=0 and [visit_ag e]<6)	Holding their breath for a long time when they are afraid or angry	radio (Matrix)  1 Yes  0 No  -1 I don't know
841	[ps_nightmares_cur r] Show the field ONLY if: [visit_eventtype]="ba seline"	Having nightmares	radio (Matrix)  1 Yes  0 No -1 I don't know
842	[ps_nightterror_cur r]  Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=0 and [visit_ag e]<6)	Screaming in fear while asleep, sometimes called night terrors	radio (Matrix)  1 Yes  0 No -1 I don't know
843	Show the field ONLY if: [visit_eventtype]="baseline" and ([visit_age]>=0 and [visit_age]<6)	Aggressive behavior like hitting, biting or kicking	radio (Matrix)  1 Yes  0 No -1 I don't know
844	[ps_rocking_curr] Show the field ONLY if: [visit_eventtype]="ba seline"	Rocking the body back and forth or head banging	radio (Matrix)  1 Yes  0 No  -1 I don't know
845	[ps_hyperactive_cur r] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)	Being hyperactive or much more active than other children	radio (Matrix)  1 Yes  0 No -1 I don't know
846	Show the field ONLY if: [visit_eventtype]="baseline" and ([visit_ag	Refusing to follow rules or doing what they are asked to do	radio (Matrix)  1 Yes  0 No  -1 I don't know

	e]>=3)			
	[ps_liesteal_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag e]>=3)  [ps_repeatmem_curr] Show the field ONLY if: [visit_eventtype]="ba seline" and ([visit_ag	Serious breaking of rules like lying, stealing, starting fights, or bullying  Having repeating memories, dreams, thoughts, or worries after a traumatic event	radio (Matrix)  1	
849	e]>=3)  [psfu_intro_lt]  Show the field ONLY if: [visit_eventtype]="followup"	Section Header:  Now, we are going to ask about any problems or symptoms that [sname] had. First, we want to know about the problems or symptoms that kept happening for more than four weeks since [snameposs] last survey on [visit_priorvisitdt].		
850	<pre>[psfu_instr_lt] Show the field ONLY if: [visit_eventtype]="fol lowup"</pre>	Since your last survey on [visit_priorvisitdt], did [sname] have any of these problems or symptoms that kept happening without stopping or kept happening again and again for longer than 4 weeks?		
851	<pre>[psfu_priorvisitdt_ orig]</pre>	Original visit_priorvisitdt	text Field Annotation: @HIDDEN @HIDDEN-PDF @DEFAULT='[visit_priorvisitdt]'	
852	[psfu_introgen_lt] Show the field ONLY if: [visit_eventtype]="followup"	General symptoms or problems:	descriptive	
853	[psfu_fever_lt] Show the field ONLY if: [visit_eventtype]="fol lowup"	Fever	radio (Matrix)  0 No  6 Yes, but [sname] NO LONGER has it  7 Yes and [sname] STILL HAS IT  -1 I don't know	
854	[psfu_sleepy_lt] Show the field ONLY if:	Feeling sleepy during the day time	radio (Matrix) 0 No	

	[visit_eventtype]="fol lowup" and ([visit_ag e]>=3)		7	Yes, but [sname] NO LONGER has it Yes and [sname] STILL HAS IT I don't know	
855	<pre>[psfu_insomnia_lt] Show the field ONLY if:</pre>	Trouble sleeping	0	No Yes, but [sname] NO LONGER	
	[visit_eventtype]="fol lowup"		7	has it Yes and [sname] STILL HAS IT	
856	[psfu_fussy_lt]	Fussy or cranky (crying a lot)		I don't know  O (Matrix)	
	Show the field ONLY	Tussy of channy (crying a loc)		No	
	if: [visit_eventtype]="fol			Yes, but [sname] NO LONGER has it	
	lowup" and ([visit_ag e]>=0 and [visit_ag		7	Yes and [sname] STILL HAS IT	
	e]<6)		-1	I don't know	
857	[psfu_lowenergy_lt]	Low energy or not feeling strong	radio	o (Matrix)	
	Show the field ONLY	enough to do things	0	No	
	if: [visit_eventtype]="fol			Yes, but [sname] NO LONGER has it	
	lowup" and ([visit_ag e]>=3)		7	Yes and [sname] STILL HAS IT	
	-		-1	l don't know	
858	[psfu_tiredday_lt]	Feeling very tired all day long	radio	radio (Matrix)	
	Show the field ONLY		0	No	
	if: [visit_eventtype]="fol			Yes, but [sname] NO LONGER has it	
	lowup" and ([visit_ag e]>=3)		7	Yes and [sname] STILL HAS IT	
			-1	I don't know	
859	[psfu_tiredwalk_lt]	Feeling very tired after walking	radio	o (Matrix)	
	Show the field ONLY		0	No	
	if: [visit_eventtype]="fol			Yes, but [sname] NO LONGER has it	
	lowup" and ([visit_ag e]>=3)		7	Yes and [sname] STILL HAS IT	
			-1	I don't know	
860	[psfu_sweat_lt]	Sweating more than normal	radio (Matrix)		
	Show the field ONLY		0	No	
	if: [visit_eventtype]="fol			Yes, but [sname] NO LONGER has it	

	lowup"		7	Yes and [sname] STILL HAS IT
			-1	I don't know
861	[psfu_hotcold_lt]	Hot and cold spells (feeling hot or cold	rad	io (Matrix)
	Show the field ONLY	for no reason)	0	No
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=3)		7	Yes and [sname] STILL HAS IT
			-1	I don't know
862	[psfu_lowapp_lt]	Not wanting to eat (poor appetite)	rad	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="fol lowup"		6	Yes, but [sname] NO LONGER has it
	lowup		7	Yes and [sname] STILL HAS IT
			-1	I don't know
863	[psfu_highapp_lt]	Wanting to eat more than normal	rad	io (Matrix)
	Show the field ONLY if: [visit_eventtype]="fol	(increased appetite)	0	No
			6	Yes, but [sname] NO LONGER has it
	lowup"		7	Yes and [sname] STILL HAS IT
			-1	I don't know
864	[psfu_thirsty_lt]	Wanting to drink liquids more than	rad	io (Matrix)
	Show the field ONLY if: [visit_eventtype]="fol	isit_eventtype]="fol	0	No
			6	Yes, but [sname] NO LONGER has it
	lowup"		7	Yes and [sname] STILL HAS IT
			-1	I don't know
865	[psfu_weightloss_l	Lost weight or gained less than	rad	io (Matrix)
	t]	expected	0	No
	Show the field ONLY if:		6	Yes, but [sname] NO LONGER has it
	[visit_eventtype]="fol lowup"		7	Yes and [sname] STILL HAS IT
	·		-1	I don't know
866	[psfu_weightgain_l	Gained weight more than expected	rad	io (Matrix)
	t]		0	No
	Show the field ONLY if:		6	Yes, but [sname] NO LONGER has it
	[visit_eventtype]="fol lowup"		7	Yes and [sname] STILL HAS IT

			-1 I don't know
867	[psfu_heightloss_l	Lost height or grew less than expected	radio (Matrix)
	t]		0 No
	Show the field ONLY if:		6 Yes, but [sname] NO LONGER has it
	[visit_eventtype]="fol lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
868	[psfu_introeye_lt]	Symptoms or problems in the eyes,	descriptive
	Show the field ONLY if:	ears, nose, and throat:	
	[visit_eventtype]="fol lowup"		
869	[psfu_redeyes_lt]	Eyes look red	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
870	[psfu_wateryeyes_l	Eyes are watery	radio (Matrix)
	t]		0 No
	Show the field ONLY if:		6 Yes, but [sname] NO LONGER has it
	[visit_eventtype]="fol lowup"		7 Yes and [sname] STILL HAS IT
	•		-1 I don't know
871	[psfu_dryeyes_lt]	Eyes are dry	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
872	[psfu_eyebags_lt]	Dark circles or color under the eyes	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
1	[psfu_vision_lt]	Trouble seeing or blurry vision	radio (Matrix)
873	[psru_vision_it]		Tadio (Matrix)

	if: [visit_eventtype]="fol lowup" and ([visit_ag e]>=3)		6 Yes, but [sname] NO LONGER has it 7 Yes and [sname] STILL HAS IT -1 I don't know
874	<pre>[psfu_lighthurts_1 t] Show the field ONLY if: [visit_eventtype]="fol</pre>	Light hurts your eyes	radio (Matrix)  0 No  6 Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=3)		7 Yes and [sname] STILL HAS IT  -1 I don't know
875	[psfu_hearing_lt] Show the field ONLY if: [visit_eventtype]="fol lowup" and ([visit_ag	Change in hearing	radio (Matrix)  0 No  6 Yes, but [sname] NO LONGER has it  7 Yes and [sname] STILL HAS IT
	e]>=3)		-1 I don't know
876	[psfu_runnynose_lt] Show the field ONLY if: [visit_eventtype]="fol lowup"	Stuffy nose or runny nose	radio (Matrix)  0 No  6 Yes, but [sname] NO LONGER has it  7 Yes and [sname] STILL HAS IT  -1 I don't know
877	<pre>[psfu_smellchange_l t] Show the field ONLY if: [visit_eventtype]="fol lowup" and ([visit_ag e]&gt;=3)</pre>	Change in smell	radio (Matrix)  0 No  6 Yes, but [sname] NO LONGER has it  7 Yes and [sname] STILL HAS IT  -1 I don't know
878	[psfu_smellloss_lt] Show the field ONLY if: [visit_eventtype]="fol lowup" and ([visit_ag e]>=3)	Loss of smell	radio (Matrix)  0 No  6 Yes, but [sname] NO LONGER has it  7 Yes and [sname] STILL HAS IT  -1 I don't know
879	[psfu_drymouth_lt] Show the field ONLY if: [visit_eventtype]="fol	Very dry mouth	radio (Matrix)  0 No  6 Yes, but [sname] NO LONGER has it

	lowup" and ([visit_ag		7 Yes and [sname] STILL HAS IT
	e]>=3)		-1 I don't know
880	[psfu_throat_lt]	Throat hurts (sore throat)	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=3)		7 Yes and [sname] STILL HAS IT
			-1 I don't know
881	[psfu_lostvoice_lt]	Loss of voice (sounding hoarse)	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
882	[psfu_swallowing_l	Problems swallowing	radio (Matrix)
	t]		0 No
	Show the field ONLY if:		6 Yes, but [sname] NO LONGER has it
	[visit_eventtype]="fol lowup"		7 Yes and [sname] STILL HAS IT
	·		-1 I don't know
883	[psfu_teeth_lt]	Problems with teeth or gums	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
884	[psfu_chapped_lt]	Chapped lips	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
885	<pre>[psfu_introheart_l t]</pre>	Symptoms or problems involving the heart and lungs:	descriptive
	Show the field ONLY if:		
	[visit_eventtype]="fol lowup"		

886	[psfu_drycough_lt]	Dry cough	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
887	[psfu_wetcough_lt]	Wet cough (brings up mucus)	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
888	[psfu_barkcough_lt]	Barking cough	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
889	[psfu_breathing_lt]	Trouble breathing (breathing too fast)	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
890	[psfu_painbreath_l	Pain when breathing	radio (Matrix)
	t]		0 No
	Show the field ONLY if:		6 Yes, but [sname] NO LONGER has it
	[visit_eventtype]="followup" and ([visit_ag		7 Yes and [sname] STILL HAS IT
	e]>=3)		-1 I don't know
891	[psfu_walking_lt]	Trouble walking	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=3)		7 Yes and [sname] STILL HAS IT

892	[psfu_stairs_lt]	Trouble climbing stairs	radi	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=2)		7	Yes and [sname] STILL HAS IT
			-1	I don't know
893	[psfu_sports_lt]	Trouble running	radi	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=2)		7	Yes and [sname] STILL HAS IT
			-1	I don't know
894	<pre>[psfu_introbelly_l t]</pre>	Symptoms or problems involving the belly:	des	criptive
	Show the field ONLY if: [visit_eventtype]="fol lowup"			
895	[psfu_cramp_lt]	Stomach pains/cramps	radi	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=3)		7	Yes and [sname] STILL HAS IT
			-1	I don't know
896	[psfu_nausea_lt]	psfu_nausea_lt ] Nausea (feeling like you are going to	radi	io (Matrix)
	Show the field ONLY	throw up)	0	No
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it
	lowup"		7	Yes and [sname] STILL HAS IT
			-1	I don't know
897	[psfu_vomit_lt]	Throwing up (vomiting)	radi	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it
	lowup"		7	Yes and [sname] STILL HAS IT
			-1	I don't know
898	[psfu_diarrhea_lt]	Loose stool (diarrhea)	radi	io (Matrix)
	Show the field ONLY if:		0	No

	[visit_eventtype]="fol lowup"		6 Yes, but [sname] NO LONGER has it
			7 Yes and [sname] STILL HAS IT
			-1 I don't know
899	[psfu_constipation_	Trouble pooping/stooling (constipation)	radio (Matrix)
	lt]		0 No
	Show the field ONLY if:		6 Yes, but [sname] NO LONGER has it
	[visit_eventtype]="fol lowup"		7 Yes and [sname] STILL HAS IT
	·		-1 I don't know
900	[psfu_painurine_lt]	Pain with peeing (urination)	radio (Matrix)
	Show the field ONLY	-	0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=3)		7 Yes and [sname] STILL HAS IT
			-1 I don't know
901	[psfu_excesspee_lt]	Peeing more than normal (urination	radio (Matrix)
	Show the field ONLY	more than normal)	0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=3)		7 Yes and [sname] STILL HAS IT
	5, 5,		-1 I don't know
902	[psfu_introskin_lt] Show the field ONLY if: [visit_eventtype]="followup"	Symptoms or problems involving the skin, hair, and nails:	descriptive
903	[psfu_skinrash_lt]	Skin rash	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup"		7 Yes and [sname] STILL HAS IT
			-1 I don't know
904	[psfu_skinitch_lt]	Itchiness of the skin	radio (Matrix)
	Show the field ONLY		0 No
	if: [visit_eventtype]="fol		6 Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=3)		7 Yes and [sname] STILL HAS IT

			-1	l don't know		
905	[psfu_nails_lt]	Changes or problems with nails		radio (Matrix)		
	Show the field ONLY		0	No		
	if: [visit_eventtype]="fol			Yes, but [sname] NO LONGER has it		
	lowup"		7	Yes and [sname] STILL HAS IT		
			-1	I don't know		
906	[psfu_hair_lt]	Changes or problems with hair	radio	o (Matrix)		
	Show the field ONLY		0	No		
	if: [visit_eventtype]="fol			Yes, but [sname] NO LONGER has it		
	lowup"		7	Yes and [sname] STILL HAS IT		
			-1	I don't know		
907	[psfu_skincolor_lt]	Color changes in your skin, such as red,	radio	o (Matrix)		
	Show the field ONLY	white or purple	0	No		
	if: [visit_eventtype]="fol			Yes, but [sname] NO LONGER has it		
	lowup"		7	Yes and [sname] STILL HAS IT		
			-1	I don't know		
908	[psfu_digitcolor_l	Color changes on the fingers or toes	radio	o (Matrix)		
	t]		0	No		
	Show the field ONLY if:			Yes, but [sname] NO LONGER has it		
	[visit_eventtype]="fol lowup"		7	Yes and [sname] STILL HAS IT		
	·		-1	I don't know		
909	[psfu_introbone_lt] Show the field ONLY if: [visit_eventtype]="fol lowup"	Symptoms or problems involving the bones and muscles:	desc	riptive		
910	<pre>[psfu_muscle_lt]</pre>	Muscle weakness		o (Matrix)		
	Show the field ONLY		1	No		
	if: [visit_eventtype]="fol lowup"			Yes, but [sname] NO LONGER has it		
	Ισνιαρ		7	Yes and [sname] STILL HAS IT		
			11 . [	I don't know		
			-1	I don't know		
911	[psfu_sore_lt]	Sore muscles or pain in the muscles		o (Matrix)		

	if: [visit_eventtype]="fol lowup" and ([visit_ag e]>=3)		6 Yes, but [sname] NO LONGER has it 7 Yes and [sname] STILL HAS IT -1 I don't know
912	P [psfu_painache_lt] Show the field ONLY if: [visit_eventtype]="fol lowup" and ([visit_ag e]>=3)	Body aches or pains	radio (Matrix)  0 No 6 Yes, but [sname] NO LONGER has it 7 Yes and [sname] STILL HAS IT -1 I don't know
913	S [psfu_painjoint_lt] Show the field ONLY if: [visit_eventtype]="fol lowup" and ([visit_ag e]>=3)	Pains in the joints (like the elbows, knees, ankles)	radio (Matrix)  0 No  6 Yes, but [sname] NO LONGER has it  7 Yes and [sname] STILL HAS IT  -1 I don't know
914	[psfu_painback_lt] Show the field ONLY if: [visit_eventtype]="fol lowup" and ([visit_ag e]>=3)	Pain in the back	radio (Matrix)  0 No  6 Yes, but [sname] NO LONGER has it  7 Yes and [sname] STILL HAS IT  -1 I don't know
915	[psfu_painneck_lt] Show the field ONLY if: [visit_eventtype]="fol lowup" and ([visit_ag e]>=3)	Pain in the neck	radio (Matrix)  0 No 6 Yes, but [sname] NO LONGER has it 7 Yes and [sname] STILL HAS IT -1 I don't know
916	[psfu_introbrain_1 t] Show the field ONLY if: [visit_eventtype]="fol lowup"	Symptoms or problems involving the brain and nerves:	descriptive
917	Show the field ONLY if: [visit_eventtype]="followup"	Unable to move part of the body	radio (Matrix)  0 No  6 Yes, but [sname] NO LONGER has it  7 Yes and [sname] STILL HAS IT

			-1	I don't know	
918	[psfu_memory_lt]	Problems with remembering things	radi	radio (Matrix)	
	Show the field ONLY	(memory)	0	No	
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it	
	lowup" and ([visit_ag e]>=3)		7	Yes and [sname] STILL HAS IT	
	-		-1	I don't know	
919	[psfu_concentrate_l	Problems with focusing on things	radi	o (Matrix)	
	t]	(concentration), sometimes called "brain	0	No	
	Show the field ONLY if:	fog"	6	Yes, but [sname] NO LONGER has it	
	[visit_eventtype]="fol lowup" and ([visit_ag		7	Yes and [sname] STILL HAS IT	
	e]>=3)		-1	I don't know	
920	[psfu_talking_lt]	Problems with talking	radi	o (Matrix)	
	Show the field ONLY	Ü	0	No	
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it	
	lowup" and ([visit_ag e]>=3)		7	Yes and [sname] STILL HAS IT	
	<b>c</b> ] 3)		-1	I don't know	
921	<pre>[psfu_introfeel_lt] Show the field ONLY if: [visit_eventtype]="fol lowup"</pre>	Symptoms or problems involving feelings or behavior:	deso	criptive	
922	[psfu_fearsep_lt]	Feeling a lot of fear when being away	radi	o (Matrix)	
	Show the field ONLY	from parent or caregiver	0	No	
			l		
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it	
	[visit_eventtype]="fol lowup" and ([visit_ag		7		
	[visit_eventtype]="fol			has it	
923	[visit_eventtype]="fol lowup" and ([visit_ag e]>=0 and [visit_ag	Feeling a lot of fear of specific things like	7 -1	has it Yes and [sname] STILL HAS IT	
923	[visit_eventtype]="fol lowup" and ([visit_ag e]>=0 and [visit_ag e]<6) [psfu_phobia_lt]	Feeling a lot of fear of specific things like spiders or being up high	7 -1	has it Yes and [sname] STILL HAS IT I don't know	
923	[visit_eventtype]="fol lowup" and ([visit_ag e]>=0 and [visit_ag e]<6) [psfu_phobia_lt] Show the field ONLY if: [visit_eventtype]="fol		7 -1	has it Yes and [sname] STILL HAS IT I don't know o (Matrix)	
923	[visit_eventtype]="fol lowup" and ([visit_ag e]>=0 and [visit_ag e]<6)  [psfu_phobia_lt]  Show the field ONLY if: [visit_eventtype]="fol lowup" and ([visit_ag		7 -1 radi	has it Yes and [sname] STILL HAS IT I don't know o (Matrix) No Yes, but [sname] NO LONGER	
923	[visit_eventtype]="fol lowup" and ([visit_ag e]>=0 and [visit_ag e]<6) [psfu_phobia_lt] Show the field ONLY if: [visit_eventtype]="fol		7 -1 radi 0 6	has it Yes and [sname] STILL HAS IT I don't know o (Matrix) No Yes, but [sname] NO LONGER has it	
	[visit_eventtype]="fol lowup" and ([visit_ag e]>=0 and [visit_ag e]<6)  [psfu_phobia_lt]  Show the field ONLY if: [visit_eventtype]="fol lowup" and ([visit_ag		7 -1 radi 0 6 7 -1	has it Yes and [sname] STILL HAS IT I don't know o (Matrix) No Yes, but [sname] NO LONGER has it Yes and [sname] STILL HAS IT	

	Show the field ONLY if:		6	Yes, but [sname] NO LONGER has it
	[visit_eventtype]="fol lowup" and ([visit_ag		7	Yes and [sname] STILL HAS IT
	e]>=2)		-1	I don't know
925	[psfu_tantrums_lt]	Having a lot of tantrums	rad	io (Matrix)
	Show the field ONLY		0	No
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=0 and [visit_ag		7	Yes and [sname] STILL HAS IT
	e]<6)		-1	I don't know
926	[psfu_holdbreath_l	Holding their breath for a long time	rad	io (Matrix)
	t]	when they are afraid or angry	0	No
	Show the field ONLY if:		6	Yes, but [sname] NO LONGER has it
	[visit_eventtype]="fol lowup" and ([visit_ag		7	Yes and [sname] STILL HAS IT
	e]>=0 and [visit_ag		-1	I don't know
027	e]<6)	Harten et bronner		· (A4
927	<pre>[psfu_nightmares_1 t]</pre>	Having nightmares	rad 0	io (Matrix) No
	Show the field ONLY if:		6	Yes, but [sname] NO LONGER
	[visit_eventtype]="fol lowup"		7	Yes and [sname] STILL HAS IT
	lowup		-1	I don't know
928	[psfu_nightterror_l	Screaming in fear while asleep,	rad	io (Matrix)
	t]	sometimes called night terrors	0	No
	Show the field ONLY if:		6	Yes, but [sname] NO LONGER has it
	[visit_eventtype]="fol lowup" and ([visit_ag		7	Yes and [sname] STILL HAS IT
	e]>=0 and [visit_ag e]<6)		-1	I don't know
929	[psfu_agressive_lt]	Aggressive behavior like hitting, biting or	rad	io (Matrix)
	Show the field ONLY	kicking	0	No
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=0 and [visit_ag		7	Yes and [sname] STILL HAS IT
	e]<6)		-1	I don't know
930	[psfu_rocking_lt]	Rocking the body back and forth or	rad	io (Matrix)
930		head banging		

	[visit_eventtype]="fol lowup"		6	Yes, but [sname] NO LONGER has it
			7	Yes and [sname] STILL HAS IT
			-1	I don't know
9:	31 [psfu_hyperactive_l	Being hyperactive or much more active	radi	o (Matrix)
	t]	than other children	0	No
	Show the field ONLY if:		6	Yes, but [sname] NO LONGER has it
	[visit_eventtype]="followup" and ([visit_ag		7	Yes and [sname] STILL HAS IT
	e]>=3)		-1	I don't know
9:	32 [psfu_rulebreak_lt]	Refusing to follow rules or doing what	radi	o (Matrix)
	Show the field ONLY	they are asked to do	0	No
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=3)	g	7	Yes and [sname] STILL HAS IT
			-1	I don't know
9:	33 [psfu_liesteal_lt]	Serious breaking of rules like lying,	radi	o (Matrix)
	Show the field ONLY	stealing, starting fights, or bullying	0	No
	if: [visit_eventtype]="fol		6	Yes, but [sname] NO LONGER has it
	lowup" and ([visit_ag e]>=3)		7	Yes and [sname] STILL HAS IT
			-1	I don't know
9:	34 [psfu_repeatmem_lt]	Having repeating memories, dreams,	radi	o (Matrix)
	Show the field ONLY	thoughts, or worries after a traumatic	0	No
	if: [visit_eventtype]="fol	rup" and ([visit_ag	6	Yes, but [sname] NO LONGER has it
	e]>=3)		7	Yes and [sname] STILL HAS IT
			-1	I don't know
9:	35 [psfu_severity]	In the past 4 weeks, how bad, or severe,	radi	0
	Show the field ONLY	were [snameposs] symptoms?	1	Very mild (slightly bad)
	if:		2	Mild (a little bad)
	[visit_eventtype]="fol lowup" and ([ps_fver		3	Moderate (medium bad)
	sion]<>"" and [ps_fve		4	Severe (very bad)
	rsion] < 2)		5	Extreme (extremely bad)
			6	Life-threatening (almost died from COVID or COVID symptoms)
			-1	I don't know

			-88	I do not want to answer
			Cust	om alignment: LV
936	[psfu_severityv2]	In the past 4 weeks, how bad, or severe,	radio	)
	Show the field ONLY	were [snameposs] symptoms?	1	Very mild (slightly bad)
	if:		2	Mild (a little bad)
	[visit_eventtype]="followup" and ([ps_fver		3	Moderate (medium bad)
	sion]<>"" and [ps_fve		4	Severe (very bad)
	rsion]>=2)		5	Extreme (extremely bad)
			6	Life-threatening (almost died)
			-1	I don't know
			-2	[sname] did not have any symptoms
			-88	I do not want to answer
			Cust	om alignment: LV
937	[psfu_misstime]	In the past four weeks, how many	radio	)
	Show the field ONLY	of COVID?	0	None
	if: [visit_eventtype]="fol lowup"		1	1-2 days
			3	3-5 days
			6	6-10 days
			11	11-15 days
			16	More than 15 days
			-3	[sname] does not go to school
			-4	[sname] does not have school because of a scheduled break (like summer vacation)
			-1	I don't know
			-88	l do not want to answer
			Cust	om alignment: LV
938	<pre>[psfu_misstimev2]</pre>	In the past four weeks, how many	radio	
	Show the field ONLY	school days (online or in person) in total did [sname] miss because of symptoms?	0	None
	if: [visit_eventtype]="fol		1	1-2 days
	lowup" and ([ps_fver		3	3-5 days
	sion]<>"" and [ps_fve		6	6-10 days
	rsion]>=2)		11	11-15 days
			16	More than 15 days

			-3 [sname] does not go to school
			-4 [sname] did not have school in the past four weeks because of a scheduled break (like summer vacation)
			-1 I don't know
			-2 [sname] did not have any symptoms
			-88 I do not want to answer
			Custom alignment: LV
939	[covid_symptoms_com	Section Header: Form Status	dropdown
	plete]	Complete?	0 Incomplete
			1 Unverified
			2 Complete
rum	ent: COVID Vaccin	e History (covid_vaccine_history)	<b>₤</b> Enabled as survey
	Active language	s - Data Entry: None   Survey: None	
940	[vacc_fversion]	COVID vaccine form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
941	[vacc_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
	[vacc visit compwar	ERROR! You must complete the visit	descriptive
942	ning]	form before you can start this form.	
942		form before you can start this form.	
	ning] Show the field ONLY if: [visit_form_complet	What is the date that this survey is being done?  MM-DD-YYYY	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
943	ning] Show the field ONLY if: [visit_form_complet e]<>"2"	What is the date that this survey is being done?  MM-DD-YYYY  Check this box if the coordinator is	Field Annotation: @HIDDEN-SURVEY
943	ning] Show the field ONLY if: [visit_form_complet e]<>"2"  [vacc_colldt]	What is the date that this survey is being done?  MM-DD-YYYY	Field Annotation: @HIDDEN-SURVEY @TODAY
943	ning] Show the field ONLY if: [visit_form_complet e]<>"2"  [vacc_colldt]	What is the date that this survey is being done?  MM-DD-YYYY  Check this box if the coordinator is	Field Annotation: @HIDDEN-SURVEY @TODAY  checkbox  1 vacc_coord1 Coordinator data entry
943	ning] Show the field ONLY if: [visit_form_complet e]<>"2"  [vacc_colldt]	What is the date that this survey is being done?  MM-DD-YYYY  Check this box if the coordinator is	Field Annotation: @HIDDEN-SURVEY @TODAY  checkbox 1 vacc_coord1 Coordinator

947	[vacc_yn]	Has [sname] gotten a COVID vaccine?	radio	
	Show the field ONLY		1	Yes
	if:		0	No
	[visit_eventtype]="ba seline"		-1	I don't know
	Semile .		-88	I do not want to answer
0.40		Circum Later and Circum		om alignment: LV
948	[vaccfu_yn]	Since your last survey on [visit_priorvisitdt], has [sname] gotten	radio	Yes
	Show the field ONLY if:	any COVID vaccines?	0	No
	[visit_eventtype]="fol		-1	I don't know
	lowup"		-88	
				T do not want to answer
			Cust	om alignment: LV
949	[vacc_num]	If yes, how many shots has [sname] had	drop	down
	Show the field ONLY	SHOLS	1	1
	if: [vacc_yn]='1' or [vacc fu_yn]="1"		2	2
			3	3
			4	4
			5	5
			6	6
			7	7
			-	8
			9	9
			10	10 or more
950	[vacc_type_01]	For the first shot, which vaccine did	radio	
	Show the field ONLY	[sname] have?	2	Pfizer
	if: [vacc_num]<>"" and		1	Moderna
	[vacc_num]>=1		99	Other {vacc_typespec_01:icons}
			-1	I don't know
			-88	I do not want to answer
			Cust	om alignment: LV
951	[vacc_typespec_01]	Please explain which vaccine [sname]	text	<u>-</u>
	Show the field ONLY	had:		
	if:			
	[vacc_type_01]='99'			

952	[vacc_dt_01]  Show the field ONLY if:  [vacc_num]<>"" and [vacc_num]>=1 and [vacc_dt_est(1)]="0"	Date of first vaccine dose (If you don't remember the exact date, that is okay. Try your best.)	text (date_mdy, Min: 2020-08-01, Max: today)
953	[vacc_dt_est] Show the field ONLY if: [vacc_num]<>"" and [vacc_num]>=1 and [vacc_dt_01]=""	Check this if you truly unable to remember date of first vaccination, and unable to find the CDC issued COVID vaccination card.	checkbox  1 vacc_dt_est1 Unable to remember AND lost the CDC vaccination card  Custom alignment: LV
954	[vacc_dtm_01] Show the field ONLY if: [vacc_dt_est(1)] = "1"	If you can not remember, please estimate the month of the first COVID vaccine:	dropdown  1 January  2 February  3 March  4 April  5 May  6 June  7 July  8 August  9 September  10 October  11 November  12 December
955	[vacc_dty_01] Show the field ONLY if: [vacc_dt_est(1)] = "1"	If you can not remember, please estimate the year of the first COVID vaccine:	text (integer, Min: 2020)
956	[vacc_type_02] Show the field ONLY if: [vacc_num] >=2	For the second shot, which vaccine did [sname] have?	radio  2 Pfizer  1 Moderna  99 Other {vacc_typespec_02:icons}  -1 I don't know  -88 I do not want to answer  Custom alignment: LV
957	[vacc_typespec_02] Show the field ONLY	Please explain which vaccine [sname] had:	text

	if: [vacc_type_02]='99'		
958	<pre>[vacc_dt_02] Show the field ONLY if: [vacc_num] &gt;= 2 and [vacc_dt_est_2(1)] = ' 0'</pre>	Date of second vaccine dose: (If you don't remember the exact date, that is okay. Try your best.)	text (date_mdy, Min: [vacc_dt_01], Max: today)
959	[vacc_dt_est_2] Show the field ONLY if: [vacc_num] >= 2 and [vacc_dt_02] = ""	Check this if you truly unable to remember date of second vaccination, and unable to find the CDC issued COVID vaccination card.	checkbox  1 vacc_dt_est_21 Unable to remember AND lost the CDC vaccination card  Custom alignment: LV
960	[vacc_dtm_02]  Show the field ONLY if: [vacc_dt_est_2(1)] = " 1"	If you can not remember, please estimate the month of the second COVID vaccine:	dropdown  1 January  2 February  3 March  4 April  5 May  6 June  7 July  8 August  9 September  10 October  11 November  12 December
961	[vacc_dty_02]  Show the field ONLY if: [vacc_dt_est_2(1)] = " 1"	If you can not remember, please estimate the year of the second COVID vaccine:	text (integer, Min: 2020)
962	[vacc_type_03]  Show the field ONLY if: [vacc_num] >=3	For the third shot, which vaccine did [sname] have?	radio  2 Pfizer  1 Moderna  99 Other {vacc_typespec_03:icons}  -1 I don't know  -88 I do not want to answer

			Custom alignment: LV
963	[vacc_typespec_03] Show the field ONLY if: [vacc_type_03]='99'	Please explain which vaccine [sname] had:	text
964	[vacc_dt_03]  Show the field ONLY if: [vacc_num] >= 3 and [vacc_dt_est_3(1)] = ' 0'	Date of third vaccine dose: (If you don't remember the exact date, that is okay. Try your best.)	text (date_mdy, Min: [vacc_dt_02], Max: today)
965	[vacc_dt_est_3]  Show the field ONLY if: [vacc_num] >= 3 and [vacc_dt_03] = ""	Check this if you truly unable to remember date of third vaccination, and unable to find the CDC issued COVID vaccination card.	checkbox  1 vacc_dt_est_31 Unable to remember AND lost the CDC vaccination card  Custom alignment: LV
966	[vacc_dtm_03]  Show the field ONLY if: [vacc_dt_est_3(1)] = " 1"	If you can not remember, please estimate the month of the third COVID vaccine:	dropdown  1 January  2 February  3 March  4 April  5 May  6 June  7 July  8 August  9 September  10 October  11 November  12 December
967	[vacc_dty_03]  Show the field ONLY if: [vacc_dt_est_3(1)] = " 1"	If you can not remember, please estimate the year of the third COVID vaccine:	text (integer, Min: 2020)
968	[vacc_type_04]	For the fourth shot, which vaccine did [sname] have?	radio

	if:		1	Moderna	
	[vacc_num] >=4		99	Other {vacc_ty	/pespec_04:icons}
			-1	I don't know	
			-88	I do not want	to answer
			Cust	om alignment:	LV
969	[vacc_typespec_04] Show the field ONLY if: [vacc_type_04]='99'	Please explain which vaccine [sname] had:	text		
970	[vacc_dt_04]  Show the field ONLY if: [vacc_num] >= 4 and [vacc_dt_est_4(1)] = ' 0'	Date of fourth vaccine dose: (If you don't remember the exact date, that is okay. Try your best.)		(date_mdy, Min : today)	: [vacc_dt_03],
971	[vacc_dt_est_4]  Show the field ONLY if: [vacc_num] >= 4 and [vacc_dt_04] = ""	Check this if you truly unable to remember date of fourth vaccination, and unable to find the CDC issued COVID vaccination card.		kbox vacc_dt_est_4	_1 Unable to remember AND lost the CDC vaccination card
			Cust	om alignment:	LV
972	[vacc_dtm_04]  Show the field ONLY if: [vacc_dt_est_4(1)] = " 1"	If you can not remember, please estimate the month of the fourth COVID vaccine:	drop 1 2 3 4 5 6 7 8 9 10 11	January February March April May June July August September October November December	
973	[vacc_dty_04] Show the field ONLY if:	If you can not remember, please estimate the year of the fourth COVID vaccine:	text	(integer, Min: 2	020)

	[vacc_dt_est_4(1)] = " 1"		
974	[vacc_type_05]  Show the field ONLY  if: [vacc_num] >=5	For the fifth shot, which vaccine did [sname] have?	radio  2 Pfizer  1 Moderna  99 Other {vacc_typespec_05:icons}  -1 I don't know  -88 I do not want to answer  Custom alignment: LV
975	[vacc_typespec_05] Show the field ONLY if: [vacc_type_05]='99'	Please explain which vaccine [sname] had:	text
976	[vacc_dt_05]  Show the field ONLY if:  [vacc_num] >= 5 and [vacc_dt_est_5(1)] = '0'	Date of fifth vaccine dose: (If you don't remember the exact date, that is okay. Try your best.)	text (date_mdy, Min: [vacc_dt_04], Max: today)
977	[vacc_dt_est_5]  Show the field ONLY if: [vacc_num] >= 5 and [vacc_dt_05] = ""	Check this if you truly unable to remember date of fifth vaccination, and unable to find the CDC issued COVID vaccination card.	checkbox  1 vacc_dt_est_51 Unable to remember AND lost the CDC vaccination card  Custom alignment: LV
978	[vacc_dtm_05]  Show the field ONLY if: [vacc_dt_est_5(1)] = " 1"	If you can not remember, please estimate the month of the fifth COVID vaccine:	dropdown  1 January  2 February  3 March  4 April  5 May  6 June  7 July  8 August  9 September  10 October  11 November

			12 December
97	<pre>9 [vacc_dty_05] Show the field ONLY if: [vacc_dt_est_5(1)] = " 1"</pre>	If you can not remember, please estimate the year of the fifth COVID vaccine:	text (integer, Min: 2020)
98	0 [vacc_type_06]	For the sixth shot, which vaccine did [sname] have?	radio 2 Pfizer
	Show the field ONLY if:		1 Moderna
	[vacc_num] >=6		
			-1 I don't know
			-88 I do not want to answer
			Custom alignment: LV
98	1 [vacc_typespec_06]	Please explain which vaccine [sname]	text
	Show the field ONLY	had:	
	if: [vacc_type_06]='99'		
98	2 [vacc_dt_06]	Date of sixth vaccine dose: (If you don't	text (date_mdy, Min: [vacc_dt_05],
	Show the field ONLY if:	remember the exact date, that is okay. Try your best.)	Max: today)
	[vacc_num] >= 6 and [vacc_dt_est_6(1)] = ' 0'		
98	3 [vacc_dt_est_6]	Check this if you truly unable to	checkbox
	Show the field ONLY if:  [vacc_num] >= 6 and  [vacc_dt_06] = ""	remember date of sixth vaccination, and unable to find the CDC issued COVID vaccination card.	1 vacc_dt_est_61 Unable to remember AND lost the CDC vaccination card
			Custom alignment: LV
98	4 [vacc_dtm_06]	If you can not remember, please	dropdown
	Show the field ONLY	estimate the month of the sixth COVID vaccine:	1 January
	if:	vaccine.	2 February
	[vacc_dt_est_6(1)] = " 1"		3 March
			4 April
			5 May
			6 June
			7 July

0.05			8 August 9 September 10 October 11 November 12 December
	[vacc_dty_06]  Show the field ONLY if: [vacc_dt_est_6(1)] = " 1"	If you can not remember, please estimate the year of the sixth COVID vaccine:	text (integer, Min: 2020)
986	[vacc_type_07]  Show the field ONLY if: [vacc_num] >=7	For the seventh shot, which vaccine did [sname] have?	radio  2 Pfizer  1 Moderna  99 Other {vacc_typespec_07:icons}  -1 I don't know  -88 I do not want to answer  Custom alignment: LV
	[vacc_typespec_07] Show the field ONLY if: [vacc_type_07]='99'	Please explain which vaccine [sname] had:	text
988	[vacc_dt_07]  Show the field ONLY  if: [vacc_num] >= 7 and [vacc_dt_est_7(1)] = ' 0'	Date of seventh vaccine dose: (If you don't remember the exact date, that is okay. Try your best.)	text (date_mdy, Min: [vacc_dt_06], Max: today)
989	[vacc_dt_est_7] Show the field ONLY if: [vacc_num] >= 7 and [vacc_dt_07] = ""	Check this if you truly unable to remember date of seventh vaccination, and unable to find the CDC issued COVID vaccination card.	checkbox  1 vacc_dt_est_71 Unable to remember AND lost the CDC vaccination card  Custom alignment: LV
990	<pre>[vacc_dtm_07] Show the field ONLY if: [vacc_dt_est_7(1)] = " 1"</pre>	If you can not remember, please estimate the month of the seventh COVID vaccine:	dropdown  1 January  2 February  3 March

	[vacc_dty_07] Show the field ONLY if:	If you can not remember, please estimate the year of the seventh COVID vaccine:	4 April 5 May 6 June 7 July 8 August 9 September 10 October 11 November 12 December  text (integer, Min: 2020)
992	[vacc_dt_est_7(1)] = " 1"  [vacc_type_08]  Show the field ONLY if: [vacc_num] >=8	For the eighth shot, which vaccine did [sname] have?	radio  2 Pfizer  1 Moderna  99 Other {vacc_typespec_08:icons}  -1 I don't know  -88 I do not want to answer  Custom alignment: LV
	[vacc_typespec_08] Show the field ONLY if: [vacc_type_08]='99'	Please explain which vaccine [sname] had:	text
994	[vacc_dt_08]  Show the field ONLY  if:  [vacc_num] >= 8 and  [vacc_dt_est_8(1)] = ' 0'	Date of eighth vaccine dose: (If you don't remember the exact date, that is okay. Try your best.)	text (date_mdy, Min: [vacc_dt_07], Max: today)
	[vacc_dt_est_8]  Show the field ONLY  if: [vacc_num] >= 8 and [vacc_dt_08] = ""	Check this if you truly unable to remember date of eighth vaccination, and unable to find the CDC issued COVID vaccination card.	checkbox  1 vacc_dt_est_81 Unable to remember AND lost the CDC vaccination card  Custom alignment: LV

996	<pre>[vacc_dtm_08] Show the field ONLY if: [vacc_dt_est_8(1)] = " 1"</pre>	If you can not remember, please estimate the month of the eighth COVID vaccine:	1 2 3 4 5 6 7 8	January February March April May June July August September October November December	
997	[vacc_dty_08]  Show the field ONLY if: [vacc_dt_est_8(1)] = " 1"	If you can not remember, please estimate the year of the eighth COVID vaccine:	text	(integer, Min: 2020	0)
998	[vacc_type_09] Show the field ONLY if: [vacc_num] >=9	For the ninth shot, which vaccine did [sname] have?	radio 2 1 99 -1 -88 Cust	Pfizer  Moderna  Other {vacc_type} I don't know	answer
999	[vacc_typespec_09] Show the field ONLY if: [vacc_type_09]='99'	Please explain which vaccine [sname] had:	text	om angriment. Ev	
100	O[vacc_dt_09]  Show the field ONLY if:  [vacc_num] >= 9 and  [vacc_dt_est_9(1)] = ' 0'	Date of ninth vaccine dose: (If you don't remember the exact date, that is okay.  Try your best.)		(date_mdy, Min: [v : today)	/acc_dt_08],
100	1[vacc_dt_est_9] Show the field ONLY if: [vacc_num] >= 9 and	Check this if you truly unable to remember date of ninth vaccination, and unable to find the CDC issued COVID vaccination card.		:kbox vacc_dt_est_91	Unable to remember AND lost the

[vacc_dt_09] = ""		CDC vaccination card
		Custom alignment: LV
1002[vacc_dtm_09]	If you can not remember, please	dropdown
Show the field ONLY	estimate the month of the ninth COVID vaccine:	1 January
if: [vacc_dt_est_9(1)] = "		2 February
1"		3 March
		4 April
		5 May
		6 June
		7 July
		8 August
		9 September 10 October
		11 November
		12 December
10005	16	
1003[vacc_dty_09] Show the field ONLY if: [vacc_dt_est_9(1)] = "	If you can not remember, please estimate the year of the ninth COVID vaccine:	text (integer, Min: 2020)
1004[vacc_type_10]	For the tenth shot, which vaccine did	radio
Show the field ONLY	[sname] have?	2 Pfizer
if:		1 Moderna
[vacc_num] >=10		99 Other {vacc_typespec_10:icons}
		-1 I don't know
		-88 I do not want to answer
		Custom alignment: LV
1005[vacc_typespec_10]	Please explain which vaccine [sname]	text
Show the field ONLY if: [vacc_type_10]='99'	had:	
1006[ vacc_dt_10 ]	Date of tenth vaccine dose: (If you don't	text (date_mdy, Min: [vacc_dt_09],
Show the field ONLY if: [vacc_num] >= 10 an d [vacc_dt_est_10(1)]	remember the exact date, that is okay. Try your best.)	Max: today)

	= '0'		
100	7[ vacc_dt_est_10]  Show the field ONLY if:  [vacc_num] >= 10 an d [vacc_dt_10] = ""	Check this if you truly unable to remember date of tenth vaccination, and unable to find the CDC issued COVID vaccination card.	checkbox  1 vacc_dt_est_101 Unable to remember AND lost the CDC vaccination card
100	8[vacc_dtm_10]  Show the field ONLY if:  [vacc_dt_est_10(1)] = "1"	If you can not remember, please estimate the month of the tenth COVID vaccine:	dropdown  1 January  2 February  3 March  4 April  5 May  6 June  7 July  8 August  9 September  10 October  11 November  12 December
100	9[vacc_dty_10]  Show the field ONLY  if:  [vacc_dt_est_10(1)] =  "1"	If you can not remember, please estimate the year of the tenth COVID vaccine:	text (integer, Min: 2020)
101	O[vacc_progyn] Show the field ONLY if: [vacc_yn]="1" and [p s_infected]="1"	Did the vaccine change the problems or symptoms [sname] had from COVID?	radio  0 No  1 Yes  -1 I don't know  -88 I do not want to answer  6 [sname] did not have problems and symptoms from COVID when they got the vaccine  Custom alignment: LV
101	1[vacc_progchange] Show the field ONLY if:	If yes, how did these symptoms change?	radio  1 Vaccine made the symptoms better

	[vacc_progyn]="1"		2	Vaccine made the worse	symptoms
			3	Some symptoms g some got worse	got better and
				stom alignment: LV	/
1012	2[vacc_pregyn]	Did [snameposs] birth mother get the COVID vaccine while pregnant?	radio		
	Show the field ONLY		1	Yes	
	if: [visit_eventtype]="ba		0	No	
	seline" and [visit_ag		-1	I don't know	
	e]>=0 and [visit_ag e]<=2		-88	I do not want to	answer
				stom alignment: L\	<u>'</u>
101	3[vacc_feedyn]	Did [snameposs] birth mother get the COVID vaccine while breastfeeding?	rad		
	Show the field ONLY	COVID vaccine with breastreeding:	1 Yes		
	if: [visit_eventtype]="ba		0 No		
	seline" and [visit_ag		-1	I don't know	
	e]>=0 and [visit_ag e]<=2		-88 I do not want to answer		
			Custom alignment: LV		
101	4[vacc_plans]	[vacc	radio		
	Show the field ONLY if:		1	I plan on getting vaccine for [sna	-
	[vacc_yn]='0' or [vacc _yn]='-1' or [vacc_y n]='-88'		2	I plan on getting vaccine for [sna future	
			3	l do not plan on COVID vaccine f	•
			-1	I don't know	
			-88	I do not want to	answer
			Custom alignment: LV		′
101	[vacc_nreas]	Why has [sname] not gotten the COVID	che	ckbox	
	Show the field ONLY if: [vacc_yn]='0' or [vacc _yn]='-1' or [vacc_y n]='-88'	vaccine? Choose one or more of these.	1	vacc_nreas1	The COVID vaccin not available bec [sname] was too
			2	vacc_nreas2	A doctor or healt provider did not recommend it
			3	vacc_nreas3	My friends and fa

	4	vacc_nreas4	I have read inforn that suggests it is
	7	vacc_nreas7	I cannot afford th
	8	vacc_nreas8	I do not have time [sname] to get the vaccine
	9	vacc_nreas9	[sname] is at low getting sick and d need it
	10	vacc_nreas10	It is riskier to go a the vaccine than t home
	11	vacc_nreas11	I am worried abou
	12	vacc_nreas12	I am worried that could get heart pr (myocarditis) fron vaccine
	13	vacc_nreas13	The vaccine's tech hasn't been teste enough
	14	vacc_nreas14	The vaccine was a too fast
	15	vacc_nreas15	I do not trust the government to m safe vaccine
	16	vacc_nreas16	l do not trust the to make a safe va
	17	vacc_nreas17	No long-term safe are available
	18	vacc_nreas18	I am concerned a vaccine storage
	19	vacc_nreas19	[sname] already h
	99	vacc_nreas99	Other {vacc_nreasothsp
	Cust	om alignment: LV	
1016[vacc_nreasothspec] Please explain why [sname] has not gotten the COVID vaccine:  Show the field ONLY if:	text		
[vacc_nreas(99)]='1'			

101	7[covid_vaccine_hist	Section Header: Form Status	dropdown
	ory_complete]	Complete?	0 Incomplete
			1 Unverified
			2 Complete
trum	nent: COVID Health	Consequences (covid_health_conse	equences) 🛂 Enabled as surve
ı	Active language	s - Data Entry: None   Survey: None	
101	8[hcq_fversion]	COVID Health consequences form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
101	9[hcq_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURV @READONLY
102	O[hcq_visit_compwarn ing] Show the field ONLY if: [visit_form_complet e]<>"2"	ERROR! You must complete the visit form before you can start this form.	descriptive
102	21[hcq_colldt]	What is the date that this survey is being done?  MM-DD-YYYY	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURV @TODAY
102	2[ hcq_coord ]	Check this box if the coordinator is	checkbox
		entering data:	1 hcq_coord1 Coordinator dentry
			Field Annotation: @HIDDEN-SURV
102	23[ hcq_colllang ]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
102	4[hcq_intro]	Section Header:	descriptive
		The next questions will ask about [snameposs] health overall.	
102	25[hcq_wtintro]	Next, we will ask about [snameposs] body weight.	descriptive
102	26[hcq_wt]	How do you describe [snameposs] weight?	radio

			1	Very underweight
			2	Slightly underweight
			3	About the right weight
			4	Slightly overweight
			5	Very overweight
			-88	I do not want to answer
			Cust	om alignment: LV
102	27[hcq_foodintro]	Section Header:	desc	riptive
	Show the field ONLY if: [visit_agemo]>=6	The next questions ask about food [sname] ate or drank during the past 7 days. Think about all the meals and snacks [sname] had from the time [sname] got up until [sname] went to bed. Be sure to include the food [sname] ate at home, at school, at restaurants, or anywhere else.		
102	28[hcq_juicefreq]	During the past 7 days, how many times	radio	)
	Show the field ONLY if:   did [sname]   as orange juice? (Do no	did [sname] drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)	1	[sname] did not drink 100% fruit juice during the past 7 days
			2	1 to 3 times during the past 7 days
			3	4 to 6 times during the past 7 days
			4	1 time per day
			5	2 times per day
			6	3 times per day
			7	4 or more times per day
			-88	I do not want to answer
			Cust	om alignment: LV
102	29[hcq_fruitfreq]	During the past 7 days, how many times	radio	)
	Show the field ONLY if:	did [sname] eat fruit? (Do not count fruit juice.)	1	[sname] did not eat fruit during the past 7 days
	[visit_agemo]>=6	p]>=6	2	1 to 3 times during the past 7 days
			3	4 to 6 times during the past 7 days
			4	1 time per day
			5	2 times per day
			6	3 times per day

		7	4 or more times per day
		-88	I do not want to answer
		Cust	om alignment: LV
1030[hcq_vegfreq]	During the past 7 days, how many times	radio	)
Show the field ONLY if: [visit_agemo]>=6	did [sname] eat vegetables? (Examples include green salad, potatoes, carrots, broccoli. Do not include French fries,	1	[sname] did not eat other vegetables during the past 7 days
	fried potatoes, potato chips.)	2	1 to 3 times during the past days
		3	4 to 6 times during the past days
		4	1 time per day
		5	2 times per day
		6	3 times per day
		7	4 or more times per day
		-88	I do not want to answer
		Cust	om alignment: LV
1031[hcq_sodafreq]		radio	
Show the field ONLY if:	did [sname] drink a can, bottle, or glass of a sugar-sweetened drink? Examples	1	[sname] did not drink soda of pop during the past 7 days
[visit_agemo]>=6	include soda or pop (such as Coke, Pepsi, or Sprite) or sports drink such as Gatorade or Powerade? (Do not count diet soda or diet pop.)	2	1 to 3 times during the past days
		3	4 to 6 times during the past days
		4	1 time per day
		5	2 times per day
		6	3 times per day
		7	4 or more times per day
		-88	I do not want to answer
		Cust	om alignment: LV
1032[hcq_breakfastfreq]	During the past 7 days, on how many	radio	)
Show the field ONLY	days did [sname] eat breakfast?	0	0 days
if: [visit_agemo]>=6		1	1 day
[2		2	2 days
		3	3 days
		4	4 days
		5	5 days

1033[hcq_actintro] Show the field ONLY if: [visit_age]>=1	Section Header: The next questions ask about physical activity.	6 6 days 7 7 days -88 I do not want to answer  Custom alignment: LV  descriptive
1034[hcq_playwk_disp] Show the field ONLY if: [visit_age]>=1	Now think about a typical weekday in the last month. How much time would you say [sname] spends playing outdoors on a typical weekday? {hcq_playwku:icons} {hcq_playwkh:icons} {hcq_playwkm:icons}	descriptive
1035[hcq_playwku]  Show the field ONLY  if: [visit_age]>=1	Weekday outdoor time units	radio 1 Hours 2 Minutes
1036[ hcq_playwkh ]  Show the field ONLY if: [hcq_playwku]="1"	Weekday outdoor time hours hours	text (number) Field Annotation: @PLACEHOLDER="hours"
1037[hcq_playwkm]  Show the field ONLY if: [hcq_playwku]="2"	Weekday outdoor time minutes minutes	text (number) Field Annotation: @PLACEHOLDER="minutes"
1038[hcq_playwe_disp] Show the field ONLY if: [visit_age]>=1	Now think about a typical weekend day in the last month. How much time would you say [sname] spends playing outdoors on a typical weekend day? {hcq_playweu:icons} {hcq_playweh:icons} {hcq_playwem:icons}	descriptive
1039[hcq_playweu] Show the field ONLY if: [visit_age]>=1	Weekend outdoor time units	radio 1 Hours 2 Minutes
1040[ hcq_playweh ] Show the field ONLY if: [hcq_playweu]="1"	Weekend outdoor time hours hours	text (number) Field Annotation: @PLACEHOLDER="hours"

1041[hcq_playwem]  Show the field ONLY  if: [hcq_playweu]="2"	Weekend outdoor time minutes minutes	text (number) Field Annotation: @PLACEHOLDER="minutes"
1042[hcq_screenintro]	Section Header: The next questions ask about [snameposs] screen time. Screen time means watching anything on a TV, smartphone, tablet or computer, or playing video or computer games. Screen time does NOT include time spent on screens for school or homework.	descriptive
1043[hcq_mftvhr]	On a weekday (Monday to Friday), how many hours does [sname] watch screens (count time watching anything on a TV, smartphone, tablet or computer; do not count school work)?	radio  1 [sname] does not watch screen on an average weekday  2 Less than 1 hour per day  3 1 hour per day  4 2 hours per day  5 3 hours per day  6 4 hours per day  7 5 or more hours per day
1044[hcq_mfgamehr]	On a weekday (Monday to Friday), how many hours does [sname] play video or computer games or use a computer for something that is not school work? (Count time spent playing games, texting, or using social media on your smartphone, computer, Xbox, PlayStation, iPad, or other tablet; do not count school work)	radio  1 [sname] does not play video or computer games or use a computer for something that is not school work  2 Less than 1 hour per day  3 1 hour per day  4 2 hours per day  5 3 hours per day  6 4 hours per day  7 5 or more hours per day  Custom alignment: LV
1045[hcq_sstvhr]	On a weekend (Saturday and Sunday), how many hours does [sname] watch screens (count time watching anything on a TV, smartphone, tablet or computer; do not count school work)?	radio  1 [sname] does not watch TV on average weekend day  2 Less than 1 hour per day

		<ul> <li>4 2 hours per day</li> <li>5 3 hours per day</li> <li>6 4 hours per day</li> <li>7 5 or more hours per day</li> </ul>	
		Custom alignment: LV	
1046[hcq_ssgamehr]	On a weekend (Saturday and Sunday), how many hours does [sname] play video or computer games or use a computer for something that is not school work? (Count time spent playing games, texting, or using social media on your smartphone, computer, Xbox, PlayStation, iPad, or other tablet; do not count school work)	radio  1 [sname] does not play video or computer games or use a computer for something that is not school work  2 Less than 1 hour per day  3 1 hour per day  4 2 hours per day	
		5 3 hours per day	
		6 4 hours per day	
		7 5 or more hours per day	
		Custom alignment: LV	
1047[hcq_sleepintro]	Section Header: The next questions ask about [snameposs] sleep. Please count all sleep time, including nap time.	descriptive	
1048[hcq_mfsleephr]	On a weekday (Monday to Friday), how	radio	
	many hours of sleep does [sname] get?	1 4 or less hours	
		2 5 hours	
		3 6 hours	
		4 7 hours	
		5 8 hours	
		6 9 hours 7 10 or more hours	
		-88   I do not want to answer	
		Custom alignment: LV	
1049[hcq_sssleephr]	On a weekend (Saturday and Sunday), how many hours of sleep does [sname] get?	radio 1 4 or less hours 2 5 hours 3 6 hours 4 7 hours	

			6 9 7 1	hours hours or more hours om alignment: LV	
105	O[hcq_iepei_intro]	Section Header: The next questions ask about any services [sname] gets.	desci	riptive	
105	1[hcq_iep_yn] Show the field ONLY if: [visit_age]>=3	Does [sname] have an Individualized Education Program (IEP) or is [sname] in the process of getting an IEP? An IEP is a plan to give services or special education for children with special needs (like developmental delays, disabilities, reading or math problems, or autism). It can include different services, like speech, occupational or physical therapy.	1 0 2 -1 -88	Yes, [sname] has a No, [sname] does IEP  [sname] is in the p getting an IEP I don't know I do not want to a	not have an
105	2[hcq_ieplist] Show the field ONLY if: [hcq_iep_yn] = '1'	If yes, for what type of services (Choose one or more of these):	checl 1 2 3 4 5	hcq_ieplist1 hcq_ieplist2 hcq_ieplist3 hcq_ieplist4 hcq_ieplist5	Speech therapy Occupational to Physical therapy Behavioral sensupports Special education services (in the or outside of the class) Other {hcq_ieplist_otherapy}
105	3[hcq_ieplist_oth] Show the field ONLY if: [hcq_ieplist(oth)] = "1 "	If other, please explain	text		
105	4[hcq_ei_yn] Show the field ONLY if: [visit_age]<3	Does [sname] get Early Intervention (EI)? Early intervention gives services for young children with special needs (developmental delays or disabilities). It can include different services, like speech, occupational or physical	radio	Yes No I don't know	

		therapy. Services can be given in your home, or in child care centers and early	-88 I do not want to answer		
		childhood programs.	Custom alignment: LV		
<b> </b>	105 <mark>5[hcq_eilist]</mark>	w the field ONLY one or more of these):	checkbox		
	Show the field ONLY		1 hcq_eilist1 Speech therapy		
	if: [hcq_ei_yn] = '1'		2 hcq_eilist2 Occupational therapy		
			3 hcq_eilist3 Physical therapy		
			4 hcq_eilist4 Behavioral servior or supports		
			5 hcq_eilist5 Special instructi		
			oth hcq_eilistoth Other {hcq_eilist_oth:i		
			Custom alignment: LV		
	Show the field ONLY  if: [hcq_eilist(oth)] = '1'	If other, please explain	text		
,	1057[ hcq_hvp_yn ]	Have you and [sname] ever been a part of a home visiting program? Home visiting is when social workers, parent educators, or registered nurses visit families with pregnant mothers and	radio		
	Show the field ONLY		1 Yes		
	if:		0 No		
	[visit_age]<4		-1 I don't know		
		babies in the home. The visitors provide health check-ups and referrals,	-88 I do not want to answer		
		parenting advice and help with getting			
		other government programs.	Custom alignment: LV		
	1058[hcq_pardesc]	Section Header:	descriptive		
	Show the field ONLY if: [visit_age]>=2 and [visit_age]<=10	The next questions ask about discipline. Parents use many options to discipline their children and no parent does it right 100% of the time. Please let us know what you do, not what you think you should do.			
	Show the field ONLY if: [visit_age]>=2 and [visit_age]<=10	In the past month, what have you done when [sname] needed to be disciplined?	descriptive		

1060[hcq_parangry_yn] Show the field ONLY if: [visit_age]>=2 and [vi sit_age]<=10  1061[hcq_parspank_yn] Show the field ONLY if: [visit_age]>=2 and [vi sit_age]<=10	Often, you spoke angrily or raised your voice.  You told [sname] that he/she is going to be spanked.	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer  radio (Matrix)  1 Yes  0 No -1 I don't know
1062[hcq_parsps_yn] Show the field ONLY if: [visit_age]>=2 and [vi sit_age]<=10	You gave [sname] a spanking, pop, or slap.	radio (Matrix)  1 Yes  0 No -1 I don't know -88 I do not want to answer
1063[hcq_parscorn_yn] Show the field ONLY if: [visit_age]>=2 and [vi sit_age]<=10	You told [sname] something like "You are a bad boy" or "You are a naughty girl."	radio (Matrix)  1 Yes  0 No  -1 I don't know  -88 I do not want to answer
1064[hcq_pcrdesc]  Show the field ONLY  if:  [visit_age]>=3 and [vi  sit_age]<=12	Section Header: The next questions ask about your relationship with [sname].	descriptive
1065[hcq_pcrstrugle] Show the field ONLY if: [visit_age]>=3 and [vi sit_age]<=12	[sname] and I always seem to be struggling with each other.	radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
1066[hcq_pcrcomfort]  Show the field ONLY if: [visit_age]>=3 and [vi sit_age]<=12	If upset, [sname] seeks comfort from me.	radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat

			5 Definitely
106	7[ hcq_pcrangry ] Show the field ONLY if: [visit_age]>=3 and [vi sit_age]<=12	[sname] gets angry at me easily.	radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
106	8[ hcq_pcrhappy ] Show the field ONLY if: [visit_age]>=3 and [vi sit_age]<=12	[sname] is usually happy to see me.	radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
106	9[ hcq_pcrtune ] Show the field ONLY if: [visit_age]>=3 and [vi sit_age]<=12	It's easy to be in tune with what [sname] is saying.	radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
107	O[hcq_pcrresis] Show the field ONLY if: [visit_age]>=3 and [vi sit_age]<=12	[sname] stays angry or resists me after I get upset with them.	radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
107	1[hcq_pcrlowenergy] Show the field ONLY if: [visit_age]>=3 and [vi sit_age]<=12	Dealing with [sname] drains my energy.	radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
107	2[hcq_pcrbadmood] Show the field ONLY if: [visit_age]>=3 and [vi sit_age]<=12	When [sname] is in a bad mood, I know we're in for a long, hard day.	radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure

		4 Somewhat 5 Definitely
1073[hcq_pcrfeelchange Show the field ONLY if: [visit_age]>=3 and [v sit_age]<=12	change suddenly or catch me off guard.	radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
1074[hcq_pctalong]  Show the field ONLY if: [visit_age]>=3 and [visit_age]<=12		radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
1075[hcq_pcrupset]  Show the field ONLY if:  [visit_age]>=3 and [visit_age]<=12		radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
1076[hcq_pcrheld]  Show the field ONLY if: [visit_age]>=3 and [v sit_age]<=12		radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
1077[hcq_pcrhandle] Show the field ONLY if: [visit_age]>=3 and [v sit_age]<=12		radio (Matrix)  1 Definitely NOT  2 Not Really  3 Not sure  4 Somewhat  5 Definitely
1078[stimq_placeholder Show the field ONLY if: ([visit_age]>=0 and [		descriptive

	isit_age]<11)		
10	Show the field ONLY if:  ([visit_age]>=0 and [visit_age]<3)	We would like to know what things you and [sname] do together. We know that you and other people who take care of [sname] have a lot to do! You may only do one or two of these things, or you may not have time to do any of them. There may be other important people in [snameposs] life who help you (like [snameposs] other parent, [snameposs] brother or sister, aunts or uncles, grandmothers or grandfathers, or babysitter). For this survey, please answer the questions about the things YOU do with [sname], NOT what those other people are doing with [sname]. Let's begin with some questions about books and reading!	descriptive
10	Show the field ONLY if:  ([visit_age]>=0 and [visit_age]<3)	Do you ever read baby or children's books to [sname] or is [sname] too young for that?	radio  1 Yes, we read books together  2 No, [sname] is too young to read books together  3 No, other reason  Custom alignment: LV
10	O81[stimqi_readnum]  Show the field ONLY if:  ([visit_age]>=0 and [visit_age]<3) and ([stimqi_read]="1")	Think about 1 or 2 books that you have at home right now. About how many children's books in total do you have at home that you read to [sname]? We want to know about all the books in your home that you read to [sname]. This includes books that belong only to [sname] (not brothers or sisters) and books from the library that you read to [sname].	radio  0 None right now  1 A few (1-5)  2 Some (6-9)  3 A medium amount (10-14)  4 Quite a number (15-24)  5 Many (25-49)  6 Very many (50+)  Custom alignment: LV
10	O82[stimqi_readdays] Show the field ONLY if: ([visit_age]>=0 and [v isit_age]<3) and ([sti mqi_read]="1")	How many days each week do you read children's books to [sname]?	radio (Matrix)  0 Not reading right now  1 Sometimes (1-2 days in a week)  2 Most days (3-4 days in a week)  3 Almost every day (5 or more days in a week)

10	Show the field ONLY if:  ([visit_age]>=0 and [visit_age]<3) and ([stimqi_read]="1")	Do you read a book to [sname] at bedtime, before putting him/her to sleep for the night?	radio (Matrix)  0 Not reading right now  1 Sometimes (1-2 days in a week)  2 Most days (3-4 days in a week)  3 Almost every day (5 or more days in a week)
10	Show the field ONLY if:  ([visit_age]>=0 and [visit_age]<3) and ([stimqi_read]="1")	Do you read books together with [sname] during the daytime (NOT at bedtime)?	radio (Matrix)  0 Not reading right now  1 Sometimes (1-2 days in a week)  2 Most days (3-4 days in a week)  3 Almost every day (5 or more days in a week)
10	285[stimqi_readact_int ro]  Show the field ONLY if:  ([visit_age]>=0 and [v isit_age]<3) and ([sti mqi_read]="1")	For each of the following questions, try to remember specific times in which you did these activities with [sname]. Many parents are only able to do a couple of these activities. It is okay to say "Never" if you have not done this reading activity with [sname] yet or "once in a while," if you can only remember doing the activity 1 or 2 times ever.	descriptive
10	Show the field ONLY if:  ([visit_age]>=0 and [visit_age]<3) and ([stimqi_read]="1")	While you read books to [sname], how often do you point to pictures and name them or talk about them to [sname]?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most of the time  4 Almost always  Custom alignment: LV
10	287[stimqi_readpointe x] Show the field ONLY if: [stimqi_readpoin t]="2" or [stimqi_rea dpoint]="3" or [stimq i_readpoint]="4"	Because you had said that you point to pictures in books and talk about them, could you please give an example of a book or time where you did this?	notes Custom alignment: LV

108	8[stimqi_readques] Show the field ONLY if: ([visit_age]>=0 and [v isit_age]<3) and ([sti mqi_read]="1")	How often do you ask [sname] questions about the pictures or stories in books and try to have them talk about the story with you using questions like 'What is that called?' or 'What color is it?' Even if [sname] is not talking yet.	radio  0 Never  1 Once in a while  2 Sometimes  3 Most of the time  4 Almost always  Custom alignment: LV
108	9[stimqi_readfeel] Show the field ONLY if: ([visit_age]>=0 and [v isit_age]<3) and ([sti mqi_read]="1")	How often do you talk to [sname] about how the people or animals in the story are feeling?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most of the time  4 Almost always  Custom alignment: LV
109	O[stimqi_readprint] Show the field ONLY if: ([visit_age]>=0 and [v isit_age]<3) and ([sti mqi_read]="1")	How often do you show [sname] the pictures and the printed words for that picture together, when you read with [sname]?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most of the time  4 Almost always  Custom alignment: LV
109	1[stimqi_teachintro] Show the field ONLY if: ([visit_age]>=0 and [visit_age]<3)	The next questions are about things that you may show [sname] If you think [sname] is TOO YOUNG to do something, please pick the word 'Never.' If [sname] is TOO OLD to still do some of these things, you may answer how often you used to do these things when [sname] was younger. If you pick 'Sometimes,' 'Most days,' or 'Almost everyday,' please make sure to answer the second part of the question.	descriptive
109	2[stimqi_teachlett] Show the field ONLY if: ([visit_age]>=0 and [v isit_age]<3)	How often do you teach [sname] letters by using pictures of letters or toys?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most days  4 Almost everyday

		Custom alignment: LV		
1093[stimqi_teachlettme	How do you do this? (Choose one or	checkbox		
th ] Show the field ONLY if: [stimqi_teachlet	more of these)	1 stimqi_teachlettmeth1 Singing the alphab song		
t]="2" or [stimqi_teac hlett]="3" or [stimqi_ teachlett]="4"		2 stimqi_teachlettmeth2 Using alphab blocks		
		3 stimqi_teachlettmeth3 Using magne letters		
		4 stimqi_teachlettmeth4 Using letters from a foam mat		
		5 stimqi_teachlettmeth5 Using poster or a banne		
		6 stimqi_teachlettmeth6 Other		
		Custom alignment: LV		
1094[stimqi_teachcount]	How often do you teach [sname]	radio		
Show the field ONLY	counting, or how to read numbers?	0 Never		
if:		1 Once in a while		
([visit_age]>=0 and [v isit_age]<3)		2 Sometimes		
_ 0 1 /		3 Most days		
		4 Almost everyday		
		Custom alignment: LV		
1095[stimqi_teachcountm	How do you do this? (Choose one or	checkbox		
eth ]  Show the field ONLY  if:  [stimqi_teachcoun	more of these)	1 stimqi_teachcountmeth1 Cou fing and toes		
t]="2" or [stimqi_teac hcount]="3" or [stim qi_teachcount]="4"		2 stimqi_teachcountmeth2 Usir bloc with nun		
		3 stimqi_teachcountmeth3 Cou		

						of toys clothe items
			4	stimqi_teachcount	tmeth4	Using magne numb
			5	stimqi_teachcount	tmeth5	Using numb from a foam mat
			6	stimqi_teachcount	tmeth6	Using poster a ban
			7	stimqi_teachcount	tmeth7	Anoth way
				stom alignment: LV		
109	6[stimqi_teachcolor]	How often do you teach [sname] colors?	rad			
	Show the field ONLY if:		0	Never		
	([visit_age]>=0 and [v		1	Once in a while		
	isit_age]<3)		2	Sometimes  Most days		
			3	Most days		
				Almost everyday stom alignment: LV		
109	7[stimqi_teachcolore	What are some colors that you have		eckbox		
	x]	taught [sname]? (Choose one or more of	1	stimqi_teachcolo	rex1	Red
	Show the field ONLY	these)	2	stimqi_teachcolo	rex2	Orange
	if: [stimqi_teachcolo		3	stimqi_teachcolo	rex3	Yellow
	r]="2" or [stimqi_teac		4	stimqi_teachcolo	rex4	Green
	hcolor]="3" or [stimq i_teachcolor]="4"		5	stimqi_teachcolo	rex5	Blue
	_		6	stimqi_teachcolo	rex6	Purple
			7	stimqi_teachcolo	rex7	Pink
			8	stimqi_teachcolo	rex8	Black
			9	stimqi_teachcolo	rex9	White
			10	stimqi_teachcolo	rex10	Brown
			Cus	stom alignment: LV	,	
109	8[stimqi_teachshape]	How often do you teach [sname]	rad	io		
	Show the field ONLY	shapes?	0	Never		

	if: ([visit_age]>=0 and [visit_age]<3)		<ul><li>1 Once in a while</li><li>2 Sometimes</li><li>3 Most days</li><li>4 Almost everyday</li><li>Custom alignment: LV</li></ul>
109	9[stimqi_teachshapme th] Show the field ONLY if: [stimqi_teachshap	How do you teach [sname] shapes? By: (Choose one or more of these)	checkbox  1 stimqi_teachshapmeth1 Naming shapes things was see
	e]="2" or [stimqi_tea chshape]="3" or [sti mqi_teachshap e]="4"		2 stimqi_teachshapmeth2 Using books/i workbooks/
			3 stimqi_teachshapmeth3 Using flashcar
			4 stimqi_teachshapmeth4 Drawing shapes paper
			5 stimqi_teachshapmeth5 Using to
			6 stimqi_teachshapmeth6 Another way
			Custom alignment: LV
110	O[stimqi_teachsize] Show the field ONLY if: ([visit_age]>=0 and [v isit_age]<3)	How often do you teach [sname] about sizes?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most days  4 Almost everyday  Custom alignment: LV
110	1[stimqi_teachsizeme th] Show the field ONLY if: [stimqi_teachsiz e]="2" or [stimqi_tea chsize]="3" or [stimq i teachsize]="4"	How do you teach [sname] sizes? By: (Choose one or more of these)	checkbox  1 stimqi_teachsizemeth1 Telling [sname] different sizes  2 stimqi_teachsizemeth2 Using househb
	-		-   -   -   -   -   -   -   -   -

				3	stimqi_teachsizemeth3 Using foods examp	
				4	stimqi_teachsizemeth4 Using	toy
				5	stimqi_teachsizemeth5 Anotho	er
				Cu	stom alignment: LV	
	110	2[stimqi_teachbody]	How often do you teach [sname] body	rac		
		Show the field ONLY	parts using a doll, your body, or [snameposs] body?	0	Never	
		if: ([visit_age]>=0 and [v		1	Once in a while	
		isit_age]<3)		2	Sometimes	
				3	Most days	
				4	Almost everyday	
				Cu	stom alignment: LV	
	110	3[stimqi_teachbodyme	How do you teach [sname] different	che	eckbox	
		th] Show the field ONLY	body parts? (Choose one or more of these)	1	stimqi_teachbodymeth1 Singii song	Г
		if: [stimqi_teachbod y]="2" or [stimqi_tea chbody]="3" or [stim qi_teachbody]="4"		2	stimqi_teachbodymeth2 Using face/	- 1
	chbody]="3" or [stir		3	stimqi_teachbodymeth3	ne fac	
				4	stimqi_teachbodymeth4 Using or stu	uff€
				5	stimqi_teachbodymeth5 Using imag pictu	e/
				6	stimqi_teachbodymeth6 Anotl	nei
				Cu	stom alignment: LV	
	110	4[stimqi_teachsound]	How often do you have [sname] look at	rac	dio	
		Show the field ONLY	letters and teach or explain the sound of those letters when you read or play	0	Never	
		if: ([visit_ago]>=0 and [v.	with toys together?	1	Once in a while	
		([visit_age]>=0 and [v isit_age]<3)		2	Sometimes	
				3	Most days	
				4	Almost everyday	
				Cu	stom alignment: LV	

1105[stimqi_talkintro] Show the field ONLY if: ([visit_age]>=0 and [v isit_age]<3)	The next questions are about things that you may say or talk about with [sname]. If you think [sname] is TOO YOUNG to do something, please pick the word 'Never.' If [sname] is TOO OLD to still do some of these things, you may answer how often you used to do these things when [sname] was younger. If you pick 'Sometimes,' 'Most days,' or 'Almost everyday,' please answer the second part of the question.	descriptive
1106[stimqi_talkaround]  Show the field ONLY  if:  ([visit_age]>=0 and [visit_age]<3)	Some caregivers talk to their children about the things around them and what is happening around them. Have you started to talk to [sname] in this way?	radio 1 Yes 0 No  Custom alignment: LV
1107[stimqi_talkaroundf req]  Show the field ONLY if:   ([visit_age]>=0 and [v isit_age]<3) and ([stimqi_talkaround]="1")  1108[stimqi_talkstories]   Show the field ONLY if:   ([visit_age]>=0 and [v isit_age]<3) and ([stimqi_talkaround]="1")	About how many days each week do you do this?  How often do you tell [sname] stories, such as folktales, stories that you made up, or stories about things that you have done together (without using a book)?	radio  1 Sometimes (1-2 days in a week)  2 Most days (3-4 days in a week)  3 Almost every day (5 or more days in a week)  Custom alignment: LV  radio  0 Never  1 Once in a while  2 Sometimes  3 Most days  4 Almost everyday  Custom alignment: LV
1109[stimqi_talkstories ex]  Show the field ONLY if: [stimqi_talkstorie s]="2" or [stimqi_talk stories]="3" or [stimqi_talk stories]="4"	What kinds of stories do you tell [sname]?	notes Custom alignment: LV
1110[stimqi_talksing]  Show the field ONLY  if:  ([visit_age]>=0 and [v  isit_age]<3) and ([sti	How often do you sing lullabies or other children's songs to [sname]?	radio 0 Never 1 Once in a while 2 Sometimes

mqi_talkaroun d]="1")		3 Most days			
		4 Almost everyday			
		Custom alignment: LV			
111 1[stimqi_talksingwhe	When do you sing to [sname]? (Choose	checkbox			
n] Show the field ONLY if:	one or more of these)	1 stimqi_talksingwhen1 At bedtime (night)			
[stimqi_talksing]="2" or [stimqi_talksin g]="3" or [stimqi_talk		2 stimqi_talksingwhen2 During naptime (day)			
sing]="4"		3 stimqi_talksingwhen3 Daytime			
		Custom alignment: LV			
1112[stimqi_talkplay]	When [sname] is playing with toys, how	radio			
Show the field ONLY	often do you play along with him or her?	0 Never			
if:		1 Once in a while			
([visit_age]>=0 and [visit_age]<3) and ([sti		2 Sometimes			
mqi_talkaroun		3 Most days			
d]="1")		4 Almost everyday			
		Custom alignment: LV			
1113[stimqi_talkpreten	How often do you play make believe or	radio			
d]	pretend with [sname]?	0 Never			
Show the field ONLY if:		1 Once in a while			
([visit_age]>=0 and [v		2 Sometimes			
isit_age]<3) and ([sti mqi_talkaroun		3 Most days			
d]="1")		4 Almost everyday			
		Custom alignment: LV			
1114[stimqi_talkpretend	What do you and [sname] do during	checkbox			
ex] Show the field ONLY if: [stimqi_talkpreten d]="2" or [stimqi_talk pretend]="3" or [sti mqi_talkpreten d]="4"	play pretend? (Choose one or more of these)	1 stimqi_talkpretendex1 Pretend complete daily activities example grocery shoppin household cooking cleaning going to			

					school or a job)
			2	stimqi_talkpretendex2	Pretend ware difference people (for example: Superhere Teacher/ Student, Mommy/ Baby)
			3	stimqi_talkpretendex3	Use action figures or dolls as different character:
			4	stimqi_talkpretendex4	We preter play in so other way
			5	stimqi_talkpretendex5	I mostly watch whi [sname] plays
			Fie	stom alignment: LV ld Annotation: IONEOFTHEABOVE=5	
111	5[stimqp_intro] Show the field ONLY if: ([visit_age]>=3 and [v isit_age]<6)	We would like to know what things you and [sname] do together. We know that you and other people who take care of [sname] have a lot to do! You may only do one or two of these things, or you may not have time to do any of them. There may be other important people in [snameposs] life who help you (like [snameposs] other parent, [snameposs] brother or sister, aunts or uncles, grandmothers or grandfathers, or babysitter). For this survey, please answer the questions about the things YOU do with [sname], NOT what those other people are doing with [sname].	des	scriptive	
111	6[stimqp_read_intro] Show the field ONLY if: ([visit_age]>=3 and [v isit_age]<6)	Let's begin with some questions about books and reading!	des	scriptive	

	17[stimqp_read] Show the field ONLY if: ([visit_age]>=3 and [v isit_age]<6)  18[stimqp_readnum] Show the field ONLY if: ([visit_age]>=3 and [v isit_age]<6) and ([sti	Do you ever read children's books to [sname] or is [sname] too young for that?  About how many books in total for preschool-aged children do you have at home, that you read aloud to [sname]? We would want you to include only books that belong only to [sname] (not brothers or sisters), or books from the	radio  1 Yes, we read books together  0 No, [sname] is too young to read books together  3 No, other reason  Custom alignment: LV  radio  0 None right now  1 A few (1-5)  2 Some (6-9)
	mqp_read]="1")	library or school that you have at home right now that you read to [sname].	3 A medium amount (10-14) 4 Quite a number (15-24) 5 Many (25-49) 6 Very many (50+)  Custom alignment: LV
11	19[stimqp_readdays] Show the field ONLY if: ([visit_age]>=3 and [v isit_age]<6) and ([sti mqp_read]="1")	How many days each week do you read children's books to [sname]?	radio  1 Not reading right now  2 Sometimes (1-2 days in a week)  3 Most days (3-4 days in a week)  4 Almost every day (5 or more days in a week)  Custom alignment: LV
11	20[stimqp_readretell] Show the field ONLY if: ([visit_age]>=3 and [v isit_age]<6) and ([sti mqp_read]="1")	Do you ask [sname] to tell you about what happened in a story that you have read together?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most of the time  4 Almost always  Custom alignment: LV
11	21[stimqp_readretelle x] Show the field ONLY if: [stimqp_readretel l]="2" or [stimqp_readretell]="3" or [stimqp_readretell]="4"	Because you said that you ask [sname] to tell you about what happened in a story you read together, could you please give an example of a book or time where you did this?	notes Custom alignment: LV

1122[stimqp_readmatch]  Show the field ONLY  if:  ([visit_age]>=3 and [v isit_age]<6) and ([sti mqp_read]="1")	Do you match pictures with written words while you read with [sname]?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most of the time  4 Almost always  Custom alignment: LV
1123[stimqp_readfeel]  Show the field ONLY  if:  ([visit_age]>=3 and [v  isit_age]<6) and ([sti  mqp_read]="1")	How often do you talk to [sname] about feelings and emotions of characters in books?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most of the time  4 Almost always  Custom alignment: LV
1124[stimqp_teach_intr o] Show the field ONLY if: ([visit_age]>=3 and [v isit_age]<6)	The next questions are about activities that you help your child do, or that you do together.	descriptive
1125[stimqp_teachtime] Show the field ONLY if: ([visit_age]>=3 and [v isit_age]<6)	Do you teach your child to tell time?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most days  4 Almost everyday  Custom alignment: LV
1126[stimqp_teachtimeme th]  Show the field ONLY if: [stimqp_teachtim e]="2" or [stimqp_te achtime]="3" or [sti mqp_teachtime]="4"	How do you do this? (Choose one or more of these)	checkbox  1 stimqp_teachtimemeth1 We look the clock(\$) our hor togethe  2 stimqp_teachtimemeth2 We use toy cloc

				3	stimqp_teachtimemeth3	I tell [sname what tir it is
				4	stimqp_teachtimemeth4	I tell [sname when it time to someth (for example eat dinner, to school
				Cu	stom alignment: LV	
	112	7[stimqp_teachwrite]	How often do you teach [sname] to write letters of the alphabet?	rac		
		Show the field ONLY if:	write letters of the alphabets	0	Never	
		([visit_age]>=3 and [v		2		
		isit_age]<6)		3		
				4		
					,	
				-	stom alignment: LV	
	112	8[stimqp_teachwritem eth]	How do you do this? (Choose one or more of these)		eckbox	l b ala
		Show the field ONLY if: [stimqp_teachwrit	ow the field ONLY	1	stimqp_teachwritemeth1	I help [sname trace letters
	[stimqp_teachwrit e]="2" or [stimqp_te achwrite]="3" or [sti mqp_teachwrite]="4"		2	stimqp_teachwritemeth2	[sname practic writing letters on thei own	
			3	stimqp_teachwritemeth3	I have [sname connec dots to make letters	
				4	stimqp_teachwritemeth4	We wo on activity books togethe

			5	stimqp_teachwritemeth5	I help [snam make letters with other mater (for exam sand, clay, paint)
1129[ stimqp_tea Show the fie if: ([visit_age]>: isit_age]<6)	eld ONLY	How often do you teach [sname] to write their name or other words?	7 rac 0 1 2 3 4 Cu	Never Once in a while Sometimes Most days	
1130[ stimqp_tea Show the fie if: ([visit_age]>: isit_age]<6)	eld ONLY	How often do you teach [sname] to add, such as "1 + 1" or "1 apple + 1 apple"?	1 2 3 4	Never Once in a while Sometimes	
1131[stimqp_teah] Show the field if: [stimqp_teah] d]="2" or [stachadd]="3" qp_teachadd	reld ONLY chad imqp_te ' or [stim	How do you do this? (Choose one or more of these)		stimqp_teachaddmeth1  stimqp_teachaddmeth2	[sname learns about simple addition on their own (for examp using a game of app)  I talk w [sname about

			more less		
			3 stimqp_teachaddmeth3 We ublock coins other object practical additional control of the color		
			4 stimqp_teachaddmeth4 We practically practically grades.		
			5 stimqp_teachaddmeth5 I help [snar compared writt addit prob		
			Custom alignment: LV		
113	2[stimqp_teachshapes] Show the field ONLY if: ([visit_age]>=3 and [visit_age]<6)	How often do you teach [sname] to recognize shapes?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most days  4 Almost everyday		
	_		Custom alignment: LV		
113	3[stimqp_teachshapes meth]  Show the field ONLY if: [stimqp_teachshape	How do you do this? (Choose one or more of these)	checkbox  1 stimqp_teachshapesmeth1 vs. to o		
	s]="2" or [stimqp_tea chshapes]="3" or [sti mqp_teachshape s]="4"		2 stimqp_teachshapesmeth2 [s le a s s o o o e u g a a		

		3 stimqp_teachshapesmeth3 We loat sh
		4 stimqp_teachshapesmeth4 We pract shap using flash
		5 stimqp_teachshapesmeth5 We utoy shap
		Custom alignment: LV
1134[stimqp_playintro]  Show the field ONLY  if:  ([visit_age]>=3 and [v  isit_age]<6)	Next, let's talk about pretend play!	descriptive
1135[stimqp_playfreq]	How often do you play make believe or	radio
Show the field ONLY	pretend together with [sname]?	0 Never
if: ([visit_age]>=3 and [v		1 Once in a while
isit_age]<6)		2 Sometimes
		3 Most days
		4 Almost everyday
		Custom alignment: LV
1136[stimqp_playex]	What do you and [sname] do during	checkbox
Show the field ONLY if: [stimqp_playfre q]="2" or [stimqp_pl ayfreq]="3" or [stimq p_playfreq]="4"	pretend play? (Choose one or more of these)	1 stimqp_playex1 Pretend to complete daily activities (for example: grocery shopping, household chores like cooking and cleaning, going to school or to a job)
		2 stimqp_playex2 Pretend we are different people (for example: superheroes,

				teacher/ student, mommy/ baby)	
		3	stimqp_playex3	Use action figures or dolls as pretend characters	
		4	stimqp_playex4	I mostly watch as [sname] plays	
		Fie	stom alignment: LV ld Annotation: NONEOFTHEABOVE=4	1	
1137[stimqp_playwrite]	during pretend play (for example letters, words, shopping lists, menus)? Please		radio		
Show the field ONLY		0	Never		
if: ([visit_age]>=3 and [v		1	Once in a while		
isit_age]<6)		2	Sometimes		
		3	Most days		
		4	Almost everyday		
		Custom alignment: LV			
1138[stimqp_playwritee	What kinds of things does [sname] write	checkbox			
x] Show the field ONLY if: [stimqp_playwrit e]="2" or [stimqp_pla ywrite]="3" or [stimq	these)  timqp_playwrit ="2" or [stimqp_pla write]="3" or [stimq	1	stimqp_playwriteex	1 [sname] writes the alphabet letters or some words	
p_playwrite]="4"		2	stimqp_playwriteex	2 [sname] writes pretend shopping lists	
		3	stimqp_playwriteex	3 [sname] writes pretend recipes or menus	
		4	stimqp_playwriteex	4 [sname] writes pretend invitations	

		5 stimqp_playwriteex5 [sname] writes other things using letters or words
1139[stimqp_playfeel] Show the field ONLY if: ([visit_age]>=3 and [v isit_age]<6)	How often do you talk to [sname] about feeling and emotions of characters during pretend play?	radio  O Never  Once in a while  Sometimes  Most of the time  Almost always  Custom alignment: LV
1140[stimqp_playfeelex]  Show the field ONLY  if:     [stimqp_playfee     l]="2" or [stimqp_pla     yfeel]="3" or [stimqp     _playfeel]="4"	Because you said that you talk about feelings of characters during pretend play, could you please give an example of a time where you did this?	notes Custom alignment: LV
1141[stimqp_playgame_in tro]  Show the field ONLY if: ([visit_age]>=3 and [visit_age]<6)	The next questions are about games that you play with [sname]. If you play electronic versions (such as online versions or apps) of these games, the two of you must play it TOGETHER, just like the real physical game is played.	descriptive
1142[stimqp_playgames] Show the field ONLY if: ([visit_age]>=3 and [v isit_age]<6)	How often do you play games that have a set of rules with [sname]?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most days  4 Almost everyday  Custom alignment: LV
1143[stimqp_playgamese x] Show the field ONLY if: [stimqp_playgame	What types of games with rules do you play with [sname]? (Choose one or more of these)	checkbox  1 stimqp_playgamesex1 Simple board games (to example Candyla)

s]="2" or [stimqp_pla ygames]="3" or [stim				Chutes an Ladders)
qp_playgames]="4"		2	stimqp_playgamesex2	Simple card games (fo example: Uno, Go Fish)
		3	stimqp_playgamesex3	Games with rules about moving (for example: Red Light Green Light, Simon Says, Hide and-seek)
		4	stimqp_playgamesex4	Games in which we need to be very careful because the pieces might break, fall or make noise (for example: Jenga, Don't Break the Ice)
		5	stimqp_playgamesex5	[sname] plays games by themselve or with siblings, friends, or other children
		Cu	stom alignment: LV	
1144[stimqp_talk_intro] Show the field ONLY if:	The next questions are about things you may say or talk about with your child.	de	scriptive	

	([visit_age]>=3 and [v isit_age]<6)		
114	Show the field ONLY if:  ([visit_age]>=3 and [visit_age]<6)	How often do you talk to [sname] about [snameposs] own feelings and emotions?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most days  4 Almost everyday  Custom alignment: LV
114	Show the field ONLY if: [stimqp_talkfeel]="2" or [stimqp_talkfee l]="3" or [stimqp_talk feel]="4"	Because you said that you talk about feelings with [sname], could you please give an example of a time where you did this?	notes Custom alignment: LV
114	To stiman talk did show the field ONLY if:  ([visit_age]>=3 and [visit_age]<6)	How often do you ask [sname] to tell you about what [sname] did in [snameposs] day?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most days  4 Almost everyday  Custom alignment: LV
112	**R[stimqp_talkplan]  Show the field ONLY if:  ([visit_age]>=3 and [visit_age]<6)	How often do you and [sname] talk together to make plans for activities that you will be doing together either in your home (for example, cooking, doing a project together) or outside your home (for example going to the store or park)?	radio  0 Never  1 Once in a while  2 Sometimes  3 Most days  4 Almost everyday  Custom alignment: LV
112	P[stimqp_talkplanex] Show the field ONLY if: [stimqp_talkpla n]="2" or [stimqp_tal kplan]="3" or [stimq p_talkplan]="4"	Because you said that you talk about making plans with [sname], could you please give an example of a time where you did this?	notes Custom alignment: LV

115	O[covid_health_conse	Section Header: Form Status	dropdown
	<pre>quences_complete]</pre>	Complete?	0 Incomplete
			1 Unverified
			2 Complete
	ent: Child Social D as survey	eterminants Of Health (child_soci	al_determinants_of_health)
	Active language	s - Data Entry: None   Survey: None	
115	1[sdoh_fversion]	SDOH form version:	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
115	2[sdoh_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVE @READONLY
115	3[sdoh_visit_compwar ning]	ERROR! You must complete the visit form before you can start this form.	descriptive
	Show the field ONLY if: [visit_form_complet e]<>"2"		
1154	4[sdoh_colldt]	Date of SDOH data collection:	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVE @TODAY
115	5[sdoh_coord]	Check this box if the coordinator is	checkbox
		entering data:	1 sdoh_coord1 Coordinator data entry
			Field Annotation: @HIDDEN-SURV
115	6[sdoh_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
115	7[sdoh_houseintro]	Section Header:	descriptive
		The next questions ask about your housing.	
115	8[sdoh_family]	What best describes your family at	radio
		home?	1 Family with 2 generations (for example: child, parents)
			2 Family with 3 generations (for example: child, parents, grandparents)

			3	Family with 4 generations (for example: child, parents, grandparents, great grandparents)
			90	None of these
			-88	I do not want to answer
			Cust	om alignment: LV
115	9[sdoh_housesizeadul t]	How many adults 18 years or older live in your household? (please include yourself)	Field	(integer, Min: 0, Max: 100)   Annotation:  xup_housing_employment_and_ir
116	O[sdoh_housesizechil d]	How many children under 18 years old live in your household?	text (integer, Min: 0, Max: 100) Field Annotation: #radxup_housing_employment_and	
116	1[sdoh_rooms]	How many rooms are in your house? Please include all rooms such as the kitchen and living room, but not bathrooms or hallways.  number of rooms	text (integer)	
116	2[sdoh_childbirthord	Section Header:	desc	riptive
	er_intro]	The next question asks about [snameposs] birth order.		
116	3[sdoh_childbirthord er]	How would you describe [snameposs] birth order (the order in which [sname] and all of [snameposs] brothers and sisters were born)? For this question, please include [snameposs] biological, half, and step-siblings, whether or not they live in the same home.	radio	
			0	[sname] is the only child
			1	1st born: [sname] is the first child born and the oldest
			2	2nd born: [sname] is the second child born
			3	3rd born: [sname] is the third child born
			4	4th born: [sname] is the fourth child born
			5	5th born: [sname] is the fifth child born
			6	6th born: [sname] is the sixth child born
			7	7th born: [sname] is the seventh child born
			8	8th born: [sname] is the eighth child born
			9	9th born: [sname] is the ninth child born
			10	10th born or more: [sname] is the tenth child born or more

			-1 I don't know
			-88 I do not want to answer
			Custom alignment: LV
	1164[sdoh_readintro]	Section Header: The next questions will ask about	descriptive
		written information that you may have been given in the hospital or by your doctor.	
	1165[ sdoh_read ]	How often do you have someone (like a	radio
		family member, friend, or hospital worker) help you read hospital	1 Always
		materials?	2 Often
			3 Sometimes
			4 Occasionally
			5 Never
			Custom alignment: LV
	1166[sdoh_writprobs]	How often do you have problems learning about your medical condition because of difficulty understanding written information?	radio
			1 Always
			2 Often
			3 Sometimes
			4 Occasionally
			5 Never
			Custom alignment: LV
	1167[sdoh_formconf]	How confident are you filling out	radio
		medical forms by yourself?	1 Extremely
			2 Quite a bit
			3 Somewhat
			4 A little bit
			5 Not at all
			Custom alignment: LV
	1168[sdoh_probintro]	Section Header:	descriptive
		The COVID pandemic may cause difficulties or problems for some people, whether they get COVID or not. Since the pandemic began in March 2020 through today, have you and your family experienced any of the following difficulties or problems?	

	9[sdoh_live]  0[sdoh_live6mo]	Having a place to stay or live  Has this been a problem in the last 6 months?	radio  1 No, not a problem  2 Yes, a small problem  3 Yes, a big problem  Custom alignment: LV  radio
	Show the field ONLY if: [sdoh_live]='2' or [sd oh_live]='3'		1 Yes 0 No  Custom alignment: LV
117	1[sdoh_food]	Getting enough food to eat	radio  1 No, not a problem  2 Yes, a small problem  3 Yes, a big problem  Custom alignment: LV
117	2[ sdoh_food6mo ]  Show the field ONLY if: [sdoh_food]='2' or [s doh_food]='3'	Has this been a problem in the last 6 months?	radio 1 Yes 0 No  Custom alignment: LV
117	3[sdoh_water]	Having clean water to drink	radio  1 No, not a problem  2 Yes, a small problem  3 Yes, a big problem  Custom alignment: LV
117	4[sdoh_water6mo]  Show the field ONLY if: [sdoh_water]='2' or [sdoh_water]='3'	Has this been a problem in the last 6 months?	radio 1 Yes 0 No  Custom alignment: LV
117	5[sdoh_transport]	Getting to where I need to go	radio  1 No, not a problem  2 Yes, a small problem  3 Yes, a big problem  Custom alignment: LV

1176[sdoh_transport6mo]  Show the field ONLY if: [sdoh_transport]='2' or [sdoh_transport]='3'	Has this been a problem in the last 6 months?	radio  1 Yes  0 No  Custom alignment: LV
1177[sdoh_needs_intro]	Since the COVID pandemic reached the United States in March 2020, please tell us how true the following sentences are, on a scale of 1-5, where 1 is not at all true, and 5 is completely true.	descriptive
1178[sdoh_needsmet]	All [snameposs] important health care needs have been met.	radio (Matrix)  1  1 - Not at all true 2  2 3  3 4  4 5  5 - Completely true
1179[sdoh_visitsable]	I was able to get all the health care visits I thought I needed for [sname].	radio (Matrix)  1  1 - Not at all true  2  2  3  3  4  4  5  5 - Completely true
1180[sdoh_medsupp]	I was able to get all of the medical equipment or supplies I thought [sname] needed.	radio (Matrix)  1  1 - Not at all true 2  2 3  3 4  4 5  5 - Completely true
1181[sdoh_reachdoc]	I can reach a doctor or nurse when I need one	radio (Matrix)  1  1 - Not at all true  2  2  3  3  4  4  5  5 - Completely true
1182[sdoh_wifi]	I have access to WiFi	radio (Matrix)  1 1 - Not at all true 2 2

		3 3 4 4 5 5 - Completely true
	I have to be careful about how much WiFi I use because I can only have a certain amount of data I can use.	radio (Matrix)  1 1 - Not at all true  2 2  3 3  4 4  5 5 - Completely true
	I am able to use a tablet or computer that is connected to the internet when I need to	radio (Matrix)  1 1 - Not at all true 2 2 3 3 4 4 5 5 - Completely true
	[sname] has had at least one telemedicine visit with a nurse or doctor. (A telemedicine visit is a visit not done in-person, including a visit done by talking over the phone or by using video call.)	radio (Matrix)  1 1 - Not at all true 2 2 3 3 4 4 5 5 - Completely true
<b>n</b> ]	I am able to explain [snameposs] health problems well in a telemedicine appointment.	radio (Matrix)  1 1 - Not at all true 2 2 3 3 4 4 5 5 - Completely true
Show the field ONLY	I think my doctor is able to get a good understanding of [snameposs] health problems during a telemedicine appointment.	radio (Matrix)  1  1 - Not at all true 2  2 3  3 4  4 5  5 - Completely true
	Now, please tell us how often [sname] did the following things in the past 30 days.	descriptive

11	89[sdoh_safessdistp]	I avoided having [sname] be near other people	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never
11	90[ sdoh_safemaskoutp ] Show the field ONLY if: [visit_agemo]>=24	[sname] wore a mask when outside in public	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never
11	91[ sdoh_safemaskinp ] Show the field ONLY if: [visit_agemo]>=24	[sname] wore a mask when inside in public	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never
11	92[ sdoh_safeschoolp ] Show the field ONLY if: [visit_agemo]>=24	[sname] wore a mask when in school	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never
11	93[sdoh_safe10p]	I avoided having [sname] go to gatherings of 10 people or more	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never

119	4[sdoh_saferestp]	I avoided having [sname] eat in restaurants	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never
119	5[sdoh_safeshopp]	I avoided having [sname] shop in stores (including grocery stores and pharmacies)	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never
119	6[sdoh_safeplayp]	I avoided having [sname] play in parks and playgrounds	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never
119	7[sdoh_safebusp]	I avoided having [sname] take public transportation	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never
119	8[sdoh_incomeassist_desc]	Are you currently getting help from any of the following programs?	descriptive
119	9[sdoh_finassunemplo yment]	Unemployment Insurance	radio (Matrix)  1 Received  2 Applied and waiting to receive  3 Tried but was not able to get the help  4 Did not try to get help
120	00[sdoh_finasssnap]	SNAP (Supplemental Nutrition Assistance Program) or Food Stamps	radio (Matrix)  1 Received 2 Applied and waiting to receive 3 Tried but was not able to get the help

			4 Did not try to get help
12	201[sdoh_finasstanf]	TANF (Temporary Assistance for Needy	radio (Matrix)
		Families)	1 Received
			2 Applied and waiting to receive
			3 Tried but was not able to get the help
			4 Did not try to get help
12	202[sdoh_finasswic]	WIC (Women, Infants, And Children	radio (Matrix)
		Assistance)	1 Received
			2 Applied and waiting to receive
			3 Tried but was not able to get the help
			4 Did not try to get help
12	203[sdoh_finassss]	Social Security	radio (Matrix)
			1 Received
			2 Applied and waiting to receive
			3 Tried but was not able to get the help
			4 Did not try to get help
12	204[sdoh_finasssuppss]	Supplemental Social Security	radio (Matrix)
			1 Received
			2 Applied and waiting to receive
			3 Tried but was not able to get the help
			4 Did not try to get help
12	205[sdoh_finassgovhi]	Any kind of government health	radio (Matrix)
		insurance or health coverage plan	1 Received
		including Medicaid, Medical Assistance, or Medicare	2 Applied and waiting to receive
			3 Tried but was not able to get the help
			4 Did not try to get help
12	206[sdoh_finassppp]	Paycheck Protection Program	radio (Matrix)
	[	Tayeneeki Foteetion Frogram	1 Received
			2 Applied and waiting to receive
			3 Tried but was not able to get the help
			4 Did not try to get help

207[sdoh_finassgovoth]	Other aid from the government	radio (Matrix)
		1 Received
		2 Applied and waiting to receive
		3 Tried but was not able to get t help
		4 Did not try to get help
1208[sdoh_finassunion]	Help or assistance from a union or	radio (Matrix)
	other association	1 Received
		2 Applied and waiting to receive
		3 Tried but was not able to get the help
		4 Did not try to get help
1209[sdoh_finasschurch]	Help or assistance from a church or	radio (Matrix)
	religious organization	1 Received
		2 Applied and waiting to receive
		3 Tried but was not able to get the help
		4 Did not try to get help
1210[sdoh_finassorg]	Help or assistance from another	radio (Matrix)
	community organization	1 Received
		2 Applied and waiting to receive
		3 Tried but was not able to get the help
		4 Did not try to get help
1211[sdoh_finasspantry]	A food pantry	radio (Matrix)
		1 Received
		2 Applied and waiting to receive
		3 Tried but was not able to get the help
		4 Did not try to get help
1212[sdoh_finassoth]	Other help or assistance	radio (Matrix)
		1 Received
		2 Applied and waiting to receive
		3 Tried but was not able to get the help

121	3[sdoh_finassothspec] Show the field ONLY if: [sdoh_finassoth]="1" or [sdoh_finassot h]="2" or [sdoh_finassoth]="3"	Please explain what other financial assistance you tried to apply for:	notes Custom alignment: LV
121	4[discrim_intro] Show the field ONLY if: [visit_age]>=3	Section Header: In [snameposs] day-to-day life, how often do you think any of the following things happen to [sname]?	descriptive Field Annotation: % https:// scholar.harvard.edu/davidrwilliams/ node/32397 %
121	5[ discrim_courtesy ] Show the field ONLY if: [visit_age]>=3	[sname] is treated with less courtesy than other children. By less courtesy we mean that people are not polite (do not have good manners) when they are with [sname].	radio (Matrix)  1 Almost every day  2 At least once a week  3 A few times a month  4 A few times a year  5 Less than once a year  6 Never  Field Annotation: % https://scholar.harvard.edu/davidrwilliams/node/32397 %
121	6[ discrim_respect ] Show the field ONLY if: [visit_age]>=3	[sname] is treated with less respect than other children.	radio (Matrix)  1 Almost every day  2 At least once a week  3 A few times a month  4 A few times a year  5 Less than once a year  6 Never  Field Annotation: % https://scholar.harvard.edu/davidrwilliams/node/32397 %
121	7[discrim_service] Show the field ONLY if: [visit_age]>=3	[sname] received poorer service (less help) than other children at restaurants or stores.	radio (Matrix)  1 Almost every day  2 At least once a week  3 A few times a month  4 A few times a year  5 Less than once a year  6 Never

			Field Annotation: % https:// scholar.harvard.edu/davidrwilliams/ node/32397 %
121	8[discrim_smart] Show the field ONLY if: [visit_age]>=3	People act as if they think [sname] is not smart.	radio (Matrix)  1 Almost every day  2 At least once a week  3 A few times a month  4 A few times a year  5 Less than once a year  6 Never  Field Annotation: % https://scholar.harvard.edu/davidrwilliams/node/32397 %
121	9[discrim_afraid]  Show the field ONLY if: [visit_age]>=3	People act as if they are afraid of [sname].	radio (Matrix)  1 Almost every day  2 At least once a week  3 A few times a month  4 A few times a year  5 Less than once a year  6 Never  Field Annotation: % https://scholar.harvard.edu/davidrwilliams/node/32397 %
122	O[discrim_dishonest] Show the field ONLY if: [visit_age]>=3	People act as if they think [sname] is dishonest.	radio (Matrix)  1 Almost every day  2 At least once a week  3 A few times a month  4 A few times a year  5 Less than once a year  6 Never  Field Annotation: % https://scholar.harvard.edu/davidrwilliams/node/32397 %
122	1[discrim_better] Show the field ONLY if: [visit_age]>=3	People act as if they're better than [sname].	radio (Matrix)  1 Almost every day  2 At least once a week  3 A few times a month

		5 6 Fiel sch	A few times a year  Less than once a year  Never  d Annotation: % https:// olar.harvard.edu/davidrwilliams/ de/32397 %
1222[discrim_ir Show the fie if: [visit_age]>=	eld ONLY	1 2 3 4 5 6 Fiel	io (Matrix) Almost every day At least once a week A few times a month A few times a year Less than once a year Never  d Annotation: % https://olar.harvard.edu/davidrwilliams/de/32397 %
1223[discrim_th Show the fice if: [visit_age]>=	eld ONLY	1 2 3 4 5 6	io (Matrix) Almost every day At least once a week A few times a month A few times a year Less than once a year Never  d Annotation: % https://olar.harvard.edu/davidrwilliams/de/32397 %
1224[ discrim_me Show the fie if: [visit_age]>=	hassled, or made to getting medical care	feel inferior while a. By inferior, we t. 2 3 4 5	io (Matrix) Almost every day At least once a week A few times a month A few times a year Less than once a year Never
1225[ discrim_re Show the field if: [discrim_color	for these experience more of these.		discrim_reason1 [sname national discrim_reason2 [sname

y]='1' or [discrim_cou
rtesy]='2' or [discrim
-
_courtesy]='3' or [dis
crim_courtesy]='4' or
[discrim_respect]='1'
or [discrim_respec
t]='2' or [discrim_res
pect]='3' or [discrim_
•
respect]='4' or [discri
m_service]='1' or [dis
crim_service]='2' or
[discrim_service]='3'
or [discrim_servic
e]='4' or [discrim_sm
art]='1' or [discrim_s
mart]='2' or [discrim
_smart]='3' or [discri
m_smart]='4' or [disc
rim_afraid]='1' or [dis
crim_afraid]='2' or [di
scrim_afraid]='3' or
[discrim_afraid]='4' o
r [discrim_dishones
t]='1' or [discrim_dis
honest]='2' or [discri
m_dishonest]='3' or
[discrim_dishones
t]='4' or [discrim_bett
er]='1' or [discrim_be
tter]='2' or [discrim_
better]='3' or [discri
m_better]='4' or [disc
rim_insult]='1' or [dis
crim_insult]='2' or [di
scrim_insult]='3' or
[discrim_insult]='4' o
r [discrim_threat]='1'
or [discrim_threa
<del>-</del>
t]='2' or [discrim_thr
eat]='3' or [discrim_t
hreat]='4' or [discrim
_medical]='1' or [disc
rim_medical]='2' or
[discrim_medical]='3'
or [discrim_medica
i
י ני

	i	
3	discrim_reason3	[snamepos:
4	discrim_reason4	[snamepos:
5	discrim_reason5	[snamepos:
6	discrim_reason6	[snamepos:
7	discrim_reason7	[snamepos:
8	discrim_reason8	Some other [snamepos: appearance
9	discrim_reason9	[snamepos: orientation
10	discrim_reason10	[snamepos:
11	discrim_reason11	A physical dissue that a person mov
12	discrim_reason12	[snamepos:
13	discrim_reason13	[snamepos:
99	discrim_reason99	Other {discrim_rea
-88	discrim_reason88	I do not wai

Custom alignment: LV Field Annotation: % https://

scholar.harvard.edu/davidrwilliams/

node/32397 %

@NONEOFTHEABOVE=-88

1226	discrim_	reasonoths
	pec]	

Show the field ONLY [discrim\_reason(9 9)]='1'

Other (please specify)

text

Field Annotation: % https:// scholar.harvard.edu/davidrwilliams/ node/32397 %

## 1227[discrim\_mainreaso

Show the field ONLY [discrim\_courtes y]='1' or [discrim\_co urtesy]='2' or [discri m\_courtesy]='3' or [d iscrim\_courtesy]='4' or [discrim\_respec t]='1' or [discrim\_res pect]='2' or [discrim\_ respect]='3' or [discri m\_respect]='4' or [di scrim\_service]='1' or [discrim\_service]='2' or [discrim\_servic e]='3' or [discrim\_ser vice]='4' or [discrim\_ smart]='1' or [discri m\_smart]='2' or [disc rim\_smart]='3' or [di scrim\_smart]='4' or [discrim\_afraid]='1' o r [discrim\_afraid]='2' or [discrim\_afrai d]='3' or [discrim\_afr aid]='4' or [discrim\_d ishonest]='1' or [disc rim\_dishonest]='2' or [discrim\_dishones t]='3' or [discrim\_dis honest]='4' or [discri m\_better]='1' or [disc rim\_better]='2' or [di scrim\_better]='3' or [discrim\_better]='4' o r [discrim\_insult]='1' or [discrim\_insul t]='2' or [discrim\_ins ult]='3' or [discrim\_in sult]='4' or [discrim\_t hreat]='1' or [discrim \_threat]='2' or [discri m\_threat]='3' or [disc rim\_threat]='4' or [di scrim\_medical]='1' or [discrim\_medical]='2' or [discrim\_medica l]='3' or [discrim\_me

dical]='4'

What do you think is the main reason for these experiences?

	L
[snameposs] ancestry or national origins	
[snameposs] gender	
[snameposs] race	
[snameposs] age	
[snameposs] religion	
[snameposs] height	
[snameposs] weight	
Some other aspect of [snamepose physical appearance	5]
[snameposs] sexual orientation	
[snameposs] education or income level	٥
A physical disability (a health issuthat affects how a person moves)	e
[snameposs] shade of skin color	
[snameposs] tribe	
Other {discrim_mainreasonothspec:icon	ıs
l do not want to answer	
	[snameposs] ancestry or national origins [snameposs] gender [snameposs] race [snameposs] age [snameposs] religion [snameposs] height [snameposs] weight Some other aspect of [snameposs physical appearance [snameposs] sexual orientation [snameposs] education or income level A physical disability (a health issue that affects how a person moves) [snameposs] shade of skin color [snameposs] tribe Other {discrim_mainreasonothspec:icor

Custom alignment: LV Field Annotation: % https:// scholar.harvard.edu/davidrwilliams/ node/32397 % @NONEOFTHEABOVE=-88

oths Show if:	scrim_mainreason spec ] w the field ONLY crim_mainreaso 99'	Other (please specify)	text Field Annotation: % https:// scholar.harvard.edu/davidrwilliams/ node/32397 %
1229[ sdo	oh_fmcques]	Next, please let us know if the following is true about your household or family.	descriptive
1230[ sdo	oh_fmcwarm]	Household members support each other and have warm relationships.	radio (Matrix)  1 Yes  2 No  3 I do not want to answer
1231[ sdo	oh_fmcbully]	Household members often bully or fight with each other.	radio (Matrix)  1 Yes 2 No 3 I do not want to answer
1232[ sdo	oh_fmcviolence]	There is a lot of violence in our neighborhood.	radio (Matrix)  1 Yes 2 No 3 I do not want to answer
1233[ sdo	bh_fmcjail]	Since [sname] was born, a household member has served time in jail.	radio (Matrix)  1 Yes 2 No 3 I do not want to answer
1234[ sdo	oh_fmcdepress]	Since [sname] was born, a household member was depressed, mentally ill, or attempted suicide.	radio (Matrix)  1 Yes 2 No 3 I do not want to answer
1235[ sdo	bh_fmcdrugs]	Since [sname] was born, a household member has had a problem with using drugs or alcohol.	radio (Matrix)  1 Yes 2 No 3 I do not want to answer
1236[ sdo	oh_fmcdivorce]	Since [sname] was born, there has been a divorce or separation in your household.	radio (Matrix)  1 Yes 2 No 3 I do not want to answer

123	37[sdoh_neighborhoodi ntro]	Section Header: Next we will ask you questions about your neighborhood.	descriptive
123	38[sdoh_neighbordood q]	Please tell us if you agree or disagree with the following statements about your neighborhood. For these questions, please think about your street and the surrounding streets.	descriptive
123	39[sdoh_neighgraf]	There is a lot of graffiti.	radio (Matrix)  5 Strongly agree  4 Agree  3 Neither agree nor disagree  2 Disagree  1 Strongly disagree
124	40[sdoh_neighnoise]	My neighborhood is noisy.	radio (Matrix)  5 Strongly agree  4 Agree  3 Neither agree nor disagree  2 Disagree  1 Strongly disagree
124	41[sdoh_neighvandal]	Vandalism is common.	radio (Matrix)  5 Strongly agree  4 Agree  3 Neither agree nor disagree  2 Disagree  1 Strongly disagree
124	42[sdoh_neighabandon]	There are a lot of abandoned buildings.	radio (Matrix)  5 Strongly agree  4 Agree  3 Neither agree nor disagree  2 Disagree  1 Strongly disagree
124	43[sdoh_neighclean]	My neighborhood is clean.	radio (Matrix)  5 Strongly agree  4 Agree  3 Neither agree nor disagree  2 Disagree

		1 Strongly disagree
1244[sdoh_neighhouses]	People take good care of their houses.	radio (Matrix) 5 Strongly agree
		4 Agree 3 Neither agree nor disagree
		2 Disagree
		1 Strongly disagree
4245	Developed a second developed	
1245[sdoh_neighyard]	People take good care of their yards.	radio (Matrix) 5 Strongly agree
		4 Agree
		3 Neither agree nor disagree
		2 Disagree
		1 Strongly disagree
1246	There is a lat of eviceinal activity.	
1246[sdoh_neighcrime]	There is a lot of criminal activity.	radio (Matrix) 5 Strongly agree
		4 Agree
		3 Neither agree nor disagree
		2 Disagree
		1 Strongly disagree
1247[pss_introp]	Section Header:	descriptive
124/[pss_introp]	The next questions ask you about your feelings and thoughts during the last month. In each case, you will be asked to tell us how often you felt or thought a certain way.	descriptive
1248[pss_01]	In the last month, how often have you	radio (Matrix)
	been upset because of something that happened unexpectedly (in a way you	0 Never
	did not expect)?	1 Almost never
		2 Sometimes
		3 Fairly often
		4 Very often
1249[pss_02]	In the last month, how often have you	radio (Matrix)
	felt that you were unable to control the important things in your life?	0 Never
	important things in your life?	1 Almost never
		2 Sometimes
		3 Fairly often
		4 Very often

			Field Annotation: % Perceived Stress Scale 4 %
12	50[pss_03]	In the last month, how often have you	radio (Matrix)
		felt nervous and "stressed"?	0 Never
			1 Almost never
			2 Sometimes
			3 Fairly often
			4 Very often
12	51[pss_04]	In the last month, how often have you	radio (Matrix)
		felt confident about your ability to	0 Never
		handle your personal problems?	1 Almost never
			2 Sometimes
			3 Fairly often
			4 Very often
			r register
			Field Annotation: % Perceived Stress Scale 4 %
12	52[pss_05]	In the last month, how often have you	radio (Matrix)
		felt that things were going your way?	0 Never
			1 Almost never
			2 Sometimes
			3 Fairly often
			4 Very often
			Field Annotation: % Perceived Stress Scale 4 %
12	53[pss_06]	In the last month, how often have you	radio (Matrix)
		found that you could not cope with (handle) all the things that you had to	0 Never
		do?	1 Almost never
			2 Sometimes
			3 Fairly often
			4 Very often
12	54[pss_07]	In the last month, how often have you	radio (Matrix)
		been able to control irritations (or things that bother you) in your life?	0 Never
			1 Almost never
			2 Sometimes
			3 Fairly often

		4 Very often
1255[pss_08]	In the last month, how often have you felt that you were on top of things?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often
1256[pss_09]	In the last month, how often have you been angered because of things that were outside of your control?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often
1257[pss_10]	In the last month, how often have you felt difficulties were piling up so high that you could not overcome them?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often  Field Annotation: % Perceived Stress Scale 4 %
1258[sdoh_pceintro]	Section Header:  Next, we will ask about your experiences when you were a child (less than 18 years old).	descriptive
1259[sdoh_pceintroq]	How much or how often during your childhood did you:	descriptive
1260[sdoh_pcefeel]	feel able to talk to your family about feelings?	radio (Matrix)  0 Never  1 Rarely  2 Sometimes  3 Often  4 Very often  Field Annotation: # positive childhood experience #

1261[sdoh_pcestood]	feel your family stood by you during difficult times?	radio (Matrix)  0 Never  1 Rarely  2 Sometimes  3 Often  4 Very often  Field Annotation: # positive childhood experience #
1262[sdoh_pcetrad]	enjoyed participating in community traditions?	radio (Matrix)  0 Never  1 Rarely  2 Sometimes  3 Often  4 Very often  Field Annotation: # positive childhood experience #
1263[sdoh_pcebelong]	feel a sense of belonging in high school?	radio (Matrix)  0 Never  1 Rarely  2 Sometimes  3 Often  4 Very often  Field Annotation: # positive childhood experience #
1264[sdoh_pcefriends]	feel supported by friends?	radio (Matrix)  0 Never  1 Rarely  2 Sometimes  3 Often  4 Very often  Field Annotation: # positive childhood experience #
1265[sdoh_pceadults]	have at least 2 non-parent adults who took genuine interest in you?	radio (Matrix)  0 Never  1 Rarely

1266[sdoh_pcesafe]	How much or how often during your childhood did you feel safe and protected by an adult in your home?	2 Sometimes 3 Often 4 Very often  Field Annotation: # positive childhood experience #  radio 0 Never 1 A little 2 Some of the time
		3 Most of the time 4 All of the time  Custom alignment: LV
1267[child_social_deter minants_of_health_c omplete]	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
•	erminants_of_health_followup) 🛂 E	nabled as survey
Active language 1268[sdohfu_fversion]	s - Data Entry: None   Survey: None  SDOH followup form version:	text
	<u> </u>	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
	<u> </u>	Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "",
1268[sdohfu_fversion]	SDOH followup form version:  Placeholder to attach form-level queries	Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)  text Field Annotation: @HIDDEN-SURVEY
1268[sdohfu_fversion]  1269[sdohfu_fqueries]  1270[sdohfu_visit_compwarning]  Show the field ONLY if: [visit_form_complet	SDOH followup form version:  Placeholder to attach form-level queries This field cannot be edited and should be blank  ERROR! You must complete the visit	Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)  text Field Annotation: @HIDDEN-SURVEY @READONLY

				Annotation: @LANGUAGE- RENT-SURVEY @HIDDEN	
127	4[sdohfu_healthintr o]	The next questions ask about [snameposs] health care.	desc	riptive	
127	5[nhis_anyvisit]	During the past 12 months, did [sname]	radio	)	
		see a doctor, nurse, or other health care professional for sick-child care, well-	1	Yes	
		child check-ups, physical exams,	0	No	
		hospitalization, or any other kind of medical care?	-1	I don't know	
		medical care?	-88	I do not want to answer	
			Cust	om alignment: LV	
127	6[nhis_preventvisit]	During the past 12 months, how many	radio	)	
	Show the field ONLY	times did [sname] visit a doctor, nurse, or other health care professional to	0	0 visits	
	if: [nhis_anyvisit]="1"	receive a preventative check-up? A	1	1 visit	
	[IIIII3_arryvisit]= 1	preventative check-up is when [sname] is not sick or injured, such as an annual	2	2 or more visits	
		or sports physical, or well-child visit.	-1	I don't know	
			-88	I do not want to answer	
			Cust	om alignment: LV	
127	7[nhis_place]	Is there a place that [sname] USUALLY goes to if [sname] is sick and needs health care?	radio		
			1	Yes	
			2	There is NO place	
			3	There is MORE THAN ONE place	
			-1	I don't know	
			-88	I do not want to answer	
			Cust	om alignment: LV	
127	8[nhis_placetype]	What kind of place does [sname] go to	radio		
	Show the field ONLY if: [nhis_place] = '1' or [nhis_place] = '3'	1	A doctor's office or health center		
			2	An urgent care center (a place where [sname] can walk in to get care right away without a appointment)	
			4	A hospital emergency room	
			8	[snameposs] school	
			6	Some other place	

		7 Do not go to one place most often -1 I don't know
		-88 I do not want to answer  Custom alignment: LV
1279[nhis_sickvisit]	During the past 12 months, how many	radio
Show the field ONLY	times did [sname] visit a doctor, nurse,	0 0 visits
if:	with a doctor, nurse, or other health	1 1 visit
[nhis_anyvisit]="1"		2 2 or more visits
	professional when [sname] was sick or injured.	-1 I don't know
		-88 I do not want to answer
		Custom alignment: LV
1280[nhis_ucvisits]	During the past 12 months, how many	radio
	times has [sname] gone to an urgent care center about their health?	0 0 visits
		1 1 visit
		2 2 or more visits
		-1 I don't know
		-88 I do not want to answer
		Custom alignment: LV Field Annotation: #national_health_interview_survey_ad % https://www.cdc.gov/nchs/ nhis/2019nhis.htm %
1281[nhis_ervisits]	During the past 12 months, how many	radio
	times has [sname] gone to a hospital emergency room about their health?	0 0 visits
	emergency room about their nearth:	1 1 visit
		2 2 or more visits
		-1 I don't know
		-88 I do not want to answer
		Custom alignment: LV Field Annotation: #national_health_interview_survey_ad % https://www.cdc.gov/nchs/ nhis/2019nhis.htm %
	•	

	1283[nhis_skipcare]	During the past 12 months, was there	Field	om alignment: LV   Annotation:  ional_health_interview_su	rvey_adult
	any time when [sname] needed medical care, but DID NOT GET IT because of the cost?	1 2 -1 -88	Yes No I don't know I do not want to answer		
	1284[sdohfu_insintro]	The next questions ask about [snameposs] health insurance.	Field #nat	om alignment: LV   Annotation: .ional_health_interview_su riptive	rvey_adult
	1285[sdohfu_insurance]	Is [sname] currently covered by any of the following types of health insurance or health coverage plans? Choose one or more of these.	chec	kbox sdohfu_insurance1	Insurance from and (by you comember
			2	sdohfu_insurance2	Insuranc or forme (someon work for protects workers)
			7	sdohfu_insurance7	Medical cor any kit assistance low incorrectance insurance
		8	sdohfu_insurance4 sdohfu_insurance8	Indian Ho TRICARE health ca	
			99	sdohfu_insurance99	Other {sdohfu_
			5	sdohfu_insurance5	[sname] health in
			-1	sdohfu_insurance1	l don't kr health in have

			-88 sdohfu_insurance88 I do not Custom alignment: LV Field Annotation:
			#radxup_housing_employment_and_ins@NONEOFTHEABOVE='5,-1,-88'
ec] Sho if:	ow the field ONLY ohfu_insurance(9	Please specify other health insurance or health coverage:	text
1287[ sd	dohfu_lostinsuran	Since your last survey on	radio
ce]	l	[visit_priorvisitdt], did [sname] lose	1 Yes
		health coverage (health insurance)?	0 No
			-1 I don't know
			-88 I do not want to answer
			Custom alignment: LV Field Annotation: #radxup_housing_employment_and_ins
1288[ sd	dohfu_needs_intr	Since your last survey on [visit_priorvisitdt], please tell us how true the following sentences are, on a scale of 1-5, where 1 is not at all true, and 5 is completely true.	descriptive
1289[ sd	dohfu_needsmet]	Fu_needsmet ] All [snameposs] important health care	radio (Matrix)
		needs have been met.	1 1 - Not at all true
			2 2
			3 3
			4 4
			5 5 - Completely true
1290[ sd	dohfu_visitsable]	nfu_visitsable] I was able to get all the health care visits	radio (Matrix)
		I thought I needed for [sname].	1 1 - Not at all true
			2 2
			3 3
			4 4
			5 5 - Completely true
1291[ sd	dohfu_medsupp]	I was able to get all of the medical equipment or supplies I thought [sname] needed.	radio (Matrix)  1 1 - Not at all true 2 2

1292[sdohfu_reachdoc]	I can reach a doctor or nurse when I need one	3 3 4 4 5 5 - Completely true  radio (Matrix) 1 1 - Not at all true 2 2 3 3 4 4 5 5 - Completely true
1293[sdohfu_wifi]	I have access to WiFi	radio (Matrix)  1  1 - Not at all true  2  2  3  3  4  4  5  5 - Completely true
1294[sdohfu_limitwifi]	I have to be careful about how much WiFi I use because I can only have a certain amount of data I can use.	radio (Matrix)  1  1 - Not at all true  2  2  3  3  4  4  5  5 - Completely true
1295[sdohfu_computer]	I am able to use a tablet or computer that is connected to the internet when I need to	radio (Matrix)  1  1 - Not at all true  2  2  3  3  4  4  5  5 - Completely true
1296[sdohfu_telemed]	[sname] has had at least one telemedicine visit with a nurse or doctor. (A telemedicine visit is a visit not done in-person, including a visit done by talking over the phone or by using video call.)	radio (Matrix)  1  1 - Not at all true 2  2 3  3 4  4 5  5 - Completely true
1297[sdohfu_telemedexplain] Show the field ONLY	I am able to explain [snameposs] health problems well in a telemedicine appointment.	radio (Matrix)  1 1 - Not at all true

<pre>if:     [sdohfu_telemed]&gt;=     2  1298[sdohfu_understand]</pre>	I think my doctor is able to get a good	2 2 3 3 4 4 5 5 - Completely true
Show the field ONLY if: [sdohfu_telemed]>= 2	understanding of [snameposs] health problems during a telemedicine appointment.	1 1 - Not at all true 2 2 3 3 4 4 5 5 - Completely true
1299[sdohfu_safety_intro]	Now, please tell us how often [sname] did the following things in the past 30 days.	descriptive
1300[sdohfu_safessdistp]	I avoided having [sname] be near other people	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never
1301[ sdohfu_safemaskout p ]  Show the field ONLY if: [visit_agemo]>=24	[sname] wore a mask when outside in public	radio (Matrix) 4 Always 3 Often 2 Sometimes 1 Rarely 0 Never
1302[ sdohfu_safemaskin p ]  Show the field ONLY if: [visit_agemo]>=24	[sname] wore a mask when inside in public	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely  0 Never
1303[ sdohfu_safeschool p] Show the field ONLY if: [visit_agemo]>=24	[sname] wore a mask when in school	radio (Matrix)  4 Always  3 Often  2 Sometimes  1 Rarely

		0 Never
1304[sdohfu_safe10p]	I avoided having [sname] go to	radio (Matrix)
	gatherings of 10 people or more	4 Always
		3 Often
		2 Sometimes
		1 Rarely
		0 Never
1305[sdohfu_saferestp]	I avoided having [sname] eat in	radio (Matrix)
	restaurants	4 Always
		3 Often
		2 Sometimes
		1 Rarely
		0 Never
1306[sdohfu_safeshopp]	I avoided having [sname] shop in stores	radio (Matrix)
	(including grocery stores and pharmacies)	4 Always
	priarriaciesy	3 Often
		2 Sometimes
		1 Rarely
		0 Never
1307[sdohfu_safeplayp]	I avoided having [sname] play in parks	radio (Matrix)
	and playgrounds	4 Always
		3 Often
		2 Sometimes
		1 Rarely
		0 Never
1308[sdohfu_safebusp]	I avoided having [sname] take public	radio (Matrix)
	transportation	4 Always
		3 Often
		2 Sometimes
		1 Rarely
		0 Never
1309[pssfu_introp]	Section Header: The next questions ask you about your feelings and thoughts during the last month. In each case, you will be asked to tell us how often you felt or thought a certain way.	descriptive

1310[pssfu_01]	In the last month, how often have you been upset because of something that happened unexpectedly (in a way you did not expect)?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often
1311[pssfu_02]	In the last month, how often have you felt that you were unable to control the important things in your life?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often  Field Annotation: % Perceived Stress Scale 4 %
1312[pssfu_03]	In the last month, how often have you felt nervous and "stressed"?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often
1313[pssfu_04]	In the last month, how often have you felt confident about your ability to handle your personal problems?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often  Field Annotation: % Perceived Stress Scale 4 %
1314[pssfu_05]	In the last month, how often have you felt that things were going your way?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often  Field Annotation: % Perceived Stress

			Scale 4 %
1315[ pss:	fu_06]	In the last month, how often have you found that you could not cope with (handle) all the things that you had to do?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often
1316[ pss:	fu_07]	In the last month, how often have you been able to control irritations (or things that bother you) in your life?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often
1317[ pss	fu_08]	In the last month, how often have you felt that you were on top of things?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often
1318[ pss:	fu_09]	In the last month, how often have you been angered because of things that were outside of your control?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often
1319[ pss	fu_10]	In the last month, how often have you felt difficulties were piling up so high that you could not overcome them?	radio (Matrix)  0 Never  1 Almost never  2 Sometimes  3 Fairly often  4 Very often  Field Annotation: % Perceived Stress Scale 4 %
mina	ld_social_deter nts_of_health_f wup_complete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified

			2 Complete
Instrum	nent: Bisqr (bisqr)	Enabled as survey	
	Active language	es - Data Entry: None   Survey: None	
132	1[bisq_fversion]	BISQ-R form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
132	2[bisq_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
132	3[bisq_visit_compwar ning] Show the field ONLY if: [visit_form_complet e]<>"2"	ERROR! You must complete the visit form before you can start this form.	descriptive
132	4[bisq_colldt]	What is the date that this survey is being done?  MM-DD-YYYY	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
132	5[bisq_coord]	Check this box if the coordinator is entering data:	checkbox  1 bisq_coord1 Coordinator data entry  Field Annotation: @HIDDEN-SURVEY
132	6[bisq_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
132	7[bisq_instr2]	Please think about your child's sleep during the past two weeks in answering the following questions.	descriptive
132	8[bisq_routinestartrow]	1. What time do you usually start your child's bedtime routine (start getting your child ready for bed)?I start getting my child ready for bed at: {bisq_routinestarthh:icons}: {bisq_routinestartmm:icons} {bisq_routinestartampm:icons} hourminutesAM/PM	descriptive Field Annotation: @HIDEBUTTON
132	9[bisq_routinestarth h]	Sleep routine start hours	text (integer, Min: 0, Max: 12)
133	O[bisq_routinestartm m]	Sleep routine start minutes	text (integer, Min: 0, Max: 59)
133	1[bisq_routinestarta mpm]	Sleep routine start ampm	dropdown am AM

		pm PM
1332[bisq_routineoften]	2. In a typical week, how often does	radio
	your child have the exact same bedtime routine?	0 0
	Toutines	1 1
		2 2
		3 3
		4 4
		5 5
		6 6
		7 7 nights
122254	2. Wiles and a second distribution of 1. Coll	Custom alignment: LV
1333[bisq_bedasleep]	3. Where does your child usually fall asleep at bedtime?	radio 1 Crib
	·	2 Own bed (any size)
		3 Parents' bed
		4 Co-sleeper (attached to parents
		bed)
		5 Bassinet/Infant seat
		6 Swing/Stroller
		7 Parent's/Adult's arms
		9 Other
		Custom alignment: LV
1334[bisq_howasleep]	4. How does your child usually fall	radio
	asleep at bedtime?	1 While being held or rocked
		2 With an adult in the room, but not being held or rocked
		3 On own (without an adult in the room)
		Custom alignment: LV
1335[bisq_drink]	5. At bedtime, does your child usually	radio
	fall asleep while breastfeeding, bottle feeding, or drinking from a sippy cup?	1 Yes
		0 No
		Custom alignment: LV
1336[bisq_puttobedrow]	6. What time do you usually put your child to bed at night (lights out)? I put	descriptive Field Annotation: @HIDEBUTTON

	{bisq_puttobedhh:icons}: {bisq_puttobedmm:icons} {bisq_puttobedampm:icons} hourminutesAM/PM	
1337[bisq_puttobedhh]	Sleep routine start hours	text (integer, Min: 0, Max: 12)
1338[bisq_puttobedmm]	Sleep routine start minutes	text (integer, Min: 0, Max: 59)
1339[bisq_puttobedampm]	Sleep routine start ampm	dropdown am AM pm PM
1340[bisq_difficult]	7. Typically, how difficult is bedtime?	radio  1 Very easy 2 Somewhat easy 3 Neither easy nor difficult 4 Somewhat difficult 5 Very difficult  Custom alignment: LV
1341[bisq_timetoasleep]	8. How long does it usually take your child to fall asleep? Example: If you put your child to bed at 6:30 pm and your child falls asleep at 8:00 pm, it takes 1 hour and 30minutes for your child to fall asleep.	descriptive
1342[bisq_timetosleeph]	Hours: hours	text (integer, Min: 0, Max: 10)
1343[bisq_timetosleepm]	Minutes minutes	text (integer, Min: 0, Max: 59)
1344[bisq_roomsleep]	9. In what room does your child sleep for most of the night?	radio  1 In his/her own room  2 In parents' room  3 In sibling's or other bed room  4 In another room of the house  Custom alignment: LV
1345[bisq_bedsleep]	10. Where does your child sleep for most of the night?	radio  1 Crib  2 Own bed (any size)  3 Parents' bed  4 Co-sleeper (attached to parents' bed)  5 Bassinet/Infant seat

		6 Swing/Stroller
		7 Parent's/Adult's arms
		9 Other
		Custom alignment: LV
1346[bisq_wake]	11. How many times does your child usually wake during the night?	text (integer, Min: 0)
1347[bisq_wakedo]	12. When your child wakes up during	checkbox
	the night, what do you usually do? (check all that apply)	1 bisq_wakedo1 Pick up my child and put him/her back down while still awake
		2 bisq_wakedo2 Bottle feed or give a sippy cup to put my child back to sleep
		3 bisq_wakedo3 Breastfeed/ nurse my child back to sleep
		4 bisq_wakedo4 Play with my child, watch TV, or use/ show smartphone/ tablet
		0 bisq_wakedo0 None of these
		Custom alignment: LV
1348[bisq_waketime]	13. How much total time during the NIGHT is your child usually awake (between when your child goes to bed and wakes for the day)? Example: If your child wakes up 2 times and is awake for about 15 minutes each time, your child's total time spent awake is 30 minutes. In that case, write "0 hours, 30 minutes."	descriptive
1349[bisq_waketimeh]	Hours: hours	text (integer, Min: 0, Max: 10)
1350[bisq_waketimem]	Minutes: minutes	text (integer, Min: 0, Max: 59)

135	1[bisq_sleepstretch]	14. What is the longest stretch of time that your child is asleep during the NIGHT without waking up?	descriptive
135	2[bisq_sleepstretch h]	Hours: hours	text (integer, Min: 0, Max: 16)
135	3[bisq_sleepstretch m]	Minutes: minutes	text (integer, Min: 0, Max: 59)
135	4[bisq_wakemorningrow]	15. What time does your child wake up in the morning? My child wakes up at: {bisq_wakemorninghh:icons}: {bisq_wakemorningmm:icons} {bisq_wakemorningampm:icons} hourminutesAM/PM	descriptive Field Annotation: @HIDEBUTTON
135	5[bisq_wakemorningh h]	Sleep routine start hours	text (integer, Min: 0, Max: 12)
135	6[bisq_wakemorningm m]	Sleep routine start minutes	text (integer, Min: 0, Max: 59)
135	7[bisq_wakemorningam pm]	Sleep routine start ampm	dropdown am AM pm PM
135	8[bisq_totalsleep]	16. How much total time does your child spend sleeping during the NIGHT (between when your child goes to bed and wakes for the day)? Example: If your child sleeps for 3 hours, wakes up, then sleeps for 5 hours and 30 minutes more, your child sleeps for 8 hours and 30 minutes total.	descriptive
135	9[bisq_totalsleeph]	Hours:	text (integer, Min: 0, Max: 16)
136	O[bisq_totalsleepm]	Minutes: minutes	text (integer, Min: 0, Max: 59)
136	1[bisq_sleepwell]	17. How well does your child usually sleep at night?	radio 1 Very well 2 Well 3 Fairly well 4 Poorly 5 Very poorly  Custom alignment: LV
136	2[bisq_nap]	18. On a typical DAY, how many naps does your child take (between when your child wakes for the day and goes to bed at night)?	text (integer, Min: 0)

		naps	
136	3[bisq_naptime]	19. How much total time does your child spend sleeping during the DAY (between when your child wakes for the day and goes to bed at night)? Example: If your child took 2 naps and slept 1 hour each time, your child's total time spent sleeping during the day is 2 hours.	descriptive
136	4[bisq_naptimeh]	Hours: hours	text (integer, Min: 0, Max: 16)
136	5[bisq_naptimem]	Minutes: minutes	text (integer, Min: 0, Max: 59)
136	6[bisq_problem]	20. Do you consider your child's sleep a problem?	radio  0 Not a problem at all  1 A very small problem  2 A small problem  3 A moderate problem  4 A serious problem  Custom alignment: LV
136	7[bisqr_complete]	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
trum	nent: ASQ (asq)	<b>₤</b> ⊒ Enabled as survey	
	Active language	es - Data Entry: None   Survey: None	
136	8[asq_fversion]	ASQ form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
136	9[asq_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
137	O[asq8_seccomm_colll ang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN nb this is misnamed it should be asq_colllang
137	1[asq_logo]	Ages & Stages Questionnaires ®, Third Edition (ASQ®-3), Squires and Bricker; © 2009 Paul H. Brookes Publishing Co.,	descriptive

1372[asq_colldt]	What is the date that this survey is being done?  MM-DD-YYYY	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
1373[asq8_intro] Show the field ONLY if: [visit_asqver]="8"	8 Month Questionnaire7 months 0 days through 8 months 30 daysOn the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your baby before marking a response.Make completing this questionnaire a game that is fun for you and your baby.Make sure your baby is rested and fed.	descriptive
1374[ asq8_comm1 ] Show the field ONLY if: [visit_asqver]="8"	Section Header: <i>Communication</i> 1. If you call to your baby when you are out of sight, does she look in the direction of your voice?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1375[asq8_comm2] Show the field ONLY if: [visit_asqver]="8"	2. When a loud noise occurs, does your baby turn to see where the sound came from?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1376[asq8_comm3] Show the field ONLY if: [visit_asqver]="8"	3. If you copy the sounds your baby makes, does your baby repeat the same sounds back to you?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1377[ asq8_comm4 ] Show the field ONLY if: [visit_asqver]="8"	4. Does your baby make sounds like "da," "ga," "ka," and "ba"?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

1378[asq8_comm5] Show the field ONLY if: [visit_asqver]="8"	5. Does your baby respond to the tone of your voice and stop his activity at least briefly when you say "no-no" to him?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1379[asq8_comm6] Show the field ONLY if: [visit_asqver]="8"	6. Does your baby make two similar sounds like "ba-ba," "da-da," or "ga-ga"? (The sounds do not need to mean anything.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1380[asq8_comm_sum] Show the field ONLY if: [visit_asqver]="8"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum([asq8_comm1], [asq8_comm2], [asq8_comm3], [asq8_comm4], [asq8_comm5], [asq8_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1381[asq8_comm_count] Show the field ONLY if: [visit_asqver]="8"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum(if([asq8_comm1]<>"", 1, 0), if([asq8_comm2]<>"", 1, 0), if([asq8_comm3]<>"", 1, 0), if([asq8_comm4]<>"", 1, 0), if([asq8_comm5]<>"", 1, 0), if([asq8_comm6]<>"", 1, 0)), if([asq8_comm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
1382[asq8_comm_score] Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_comm_count]<>"", if([asq8_comm_count]="6", ([asq8_comm_sum]), if([asq8_comm_sum] + ([asq8_comm_sum]/ [asq8_comm_count]])), if([asq8_comm_count]="4", ([asq8_comm_sum] + (2*([asq8_comm_sum]/ [asq8_comm_sum]/ [asq8_comm_sum]/ [asq8_comm_sum]/ [isq8_comm_sum]/ [isq8_comm_count]]))), if([asq8_comm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY

1383[asq8_comm_concern]  Show the field ONLY  if:  [visit_asqver]="8"	Adjusted score in category communication below cutoff (34)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_comm_score]<>"", if([asq8_comm_score]<34, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1384[asq8_comm_concernwarning]  Show the field ONLY if: [asq8_comm_concern]="1"	Warning: Adjusted score in category communication below cutoff (34). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1385[ asq8_gm1 ] Show the field ONLY if: [visit_asqver]="8"	Section Header: Gross motor  1. When you put your baby on the floor, does she lean on her hands while sitting? (If she already sits up straight without leaning on her hands, mark "yes" for this item.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1386[ asq8_gm2 ] Show the field ONLY if: [visit_asqver]="8"	2. Does your baby roll from his back to his tummy, getting both arms out from under him?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1387[asq8_gm3] Show the field ONLY if: [visit_asqver]="8"	3. Does your baby get into a crawling position by getting up on her hands and knees?	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
1388[asq8_gm4] Show the field ONLY if: [visit_asqver]="8"	4. If you hold both hands just to balance your baby, does he support his own weight while standing?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1389[asq8_gm5] Show the field ONLY if: [visit_asqver]="8"	5. When sitting on the floor, does your baby sit up straight for several minutes without using her hands for support?	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
139	O[asq8_gm6] Show the field ONLY if: [visit_asqver]="8"	6. When you stand your baby next to furniture or the crib rail, does he hold on without leaning his chest against the furniture for support?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
139	1[asq8_gm_sum] Show the field ONLY if: [visit_asqver]="8"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum([asq8_gm1], [asq8_gm2], [asq8_gm3], [asq8_gm4], [asq8_gm5], [asq8_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
139	2[asq8_gm_count] Show the field ONLY if: [visit_asqver]="8"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum(if([asq8_gm1]<>"", 1, 0), if([asq8_gm2]<>"", 1, 0), if([asq8_gm3]<>"", 1, 0), if([asq8_gm4]<>"", 1, 0), if([asq8_gm5]<>"", 1, 0), if([asq8_gm6]<>"", 1, 0), if([asq8_gm6]<>"", 1, 0)), if([asq8_gm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
139	3[asq8_gm_score] Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_gm_count]<>"", if([asq8_gm_count]="6", ([asq8_gm_sum]), if([asq8_gm_count]="5", ([asq8_gm_sum] + ([asq8_gm_sum]/ [asq8_gm_count])), if([asq8_gm_count]="4", ([asq8_gm_sum] + (2*([asq8_gm_sum]/ [asq8_gm_count]))), if([asq8_gm_count]))), if([asq8_gm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
139	4[ asq8_gm_concern ] Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category gross motor below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_gm_score]<>"", if([asq8_gm_score]<31, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF

1395[asq8_gm_concernwar ning]  Show the field ONLY if: [asq8_gm_concer n]="1"	Warning: Adjusted score in category gross motor below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1396[asq8_fm1]  Show the field ONLY if:  [visit_asqver]="8"	Section Header: <i>Fine motor</i> 1. Does your baby reach for a crumb or Cheerio and touch it with her finger or hand? (If she already picks up a small object, mark "yes" for this item.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1397[asq8_fm2] Show the field ONLY if: [visit_asqver]="8"	2. Does your baby pick up a small toy, holding it in the center of his hand with his fingers around it?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1398[asq8_fm3]  Show the field ONLY if: [visit_asqver]="8"	3. Does your baby try to pick up a crumb or Cheerio by using her thumb and all of her fingers in a raking motion, even if she isn't able to pick it up? (If she already picks up a crumb or Cheerio, mark "yes" for this item.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1399[ asq8_fm4 ] Show the field ONLY if: [visit_asqver]="8"	4. Does your baby pick up a small toy with only one hand?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1400[asq8_fm5]  Show the field ONLY  if:  [visit_asqver]="8"	5. Does your baby successfully pick up a crumb or Cheerio by using his thumb and all of his fingers in a raking motion? (If he already picks up a crumb or Cheerio, mark "yes" for this item.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1401[asq8_fm6] Show the field ONLY if: [visit_asqver]="8"	6. Does your baby pick up a small toy with the tips of her thumb and fingers? (You should see a space between the toy and her palm.)	radio 10 Yes 5 Sometimes 0 Not yet

		Custom alignment: LV
1402[ asq8_fm_sum ]  Show the field ONLY if: [visit_asqver]="8"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="8", sum([asq8_fm1], [asq8_fm2], [asq8_fm3], [asq8_fm4 [asq8_fm5], [asq8_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1403[asq8_fm_count]  Show the field ONLY  if:  [visit_asqver]="8"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="8", sum(if([asq8_fm1]<>"", 1, 0), if([asq8_fm2]<>"", 1, 0), if([asq8_fm3]<>"", 1, 0), if([asq8_fm4]<>"", 1, 0), if([asq8_fm6]<>"", 1, 0), if([asq8_fm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1404[asq8_fm_score] Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="8" and [asq8_fm_count]<>"", if([asq8_fm_count]="6", ([asq8_fm_sum]), if([asq8_fm_sum] + ([asq8_fm_sum]/ [asq8_fm_count]]", if([asq8_fm_count])), if([asq8_fm_count])), if([asq8_fm_count] + (2*([asq8_fm_sur [asq8_fm_count]))), if([asq8_fm_count]))), if([asq8_fm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVE
1405[asq8_fm_concern] Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category fine motor below cutoff (41)	calc Calculation: if([asq_fversion]<>"" an [visit_asqver]="8" and [asq8_fm_score]<>"", if([asq8_fm_score]<41, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1406[asq8_fm_concernwar ning]  Show the field ONLY if: [asq8_fm_concer n]="1"	Warning: Adjusted score in category fine motor below cutoff (41). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVE
1407[ asq8_ps1 ]	Section Header: <i>Problem solving</i> 1. Does your baby pick up a toy and put	radio 10 Yes

	if: [visit_asqver]="8"	it in his mouth?	5 Sometimes 0 Not yet  Custom alignment: LV
140	8[asq8_ps2] Show the field ONLY if: [visit_asqver]="8"	2. When your baby is on her back, does she try to get a toy she has dropped if she can see it?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
140	9[ asq8_ps3 ] Show the field ONLY if: [visit_asqver]="8"	3. Does your baby play by banging a toy up and down on the floor or table?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
141	O[ asq8_ps4 ] Show the field ONLY if: [visit_asqver]="8"	4. Does your baby pass a toy back and forth from one hand to the other?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
141	1[asq8_ps5] Show the field ONLY if: [visit_asqver]="8"	5. Does your baby pick up two small toys, one in each hand, and hold onto them for about 1 minute?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
141	2[ asq8_ps6 ] Show the field ONLY if: [visit_asqver]="8"	6. When holding a toy in his hand, does your baby bang it against another toy on the table?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
141	3[asq8_ps_sum] Show the field ONLY if: [visit_asqver]="8"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum([asq8_ps1], [asq8_ps2], [asq8_ps3], [asq8_ps4], [asq8_ps5], [asq8_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF

1414[asq8_ps_count] Show the field ONLY if: [visit_asqver]="8"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="8", sum(if([asq8_ps1]<>"", 1, 0), if([asq8_ps2]<>"", 1, 0), if([asq8_ps3]<>"", 1, 0), if([asq8_ps4]<>"", 1, 0), if([asq8_ps5]<>"", 1, 0), if([asq8_ps6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
141 5[ asq8_ps_score ] Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="8" and [asq8_ps_count]<>"", if([asq8_ps_count]="6", ([asq8_ps_sum]), if([asq8_ps_count]="5", ([asq8_ps_sum] + ([asq8_ps_sum]/ [asq8_ps_count])), if([asq8_ps_count]="4", ([asq8_ps_sum] + (2*([asq8_ps_sum], [asq8_ps_count]))), if([asq8_ps_count]))), if([asq8_ps_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVE
1416[asq8_ps_concern]  Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category problem solving below cutoff (37)	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="8" and [asq8_ps_score]<>"", if([asq8_ps_score]<37, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1417[asq8_ps_concernwar ning]  Show the field ONLY if: [asq8_ps_concer n]="1"	Warning: Adjusted score in category problem solving below cutoff (37). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVE
1418[asq8_persoc1] Show the field ONLY if: [visit_asqver]="8"	Section Header: <i>Personal - social</i> 1. When lying on her back, does your baby play by grabbing her foot?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

1419[ asq8_persoc2 ]  Show the field ONLY if:  [visit_asqver]="8"	2. When in front of a large mirror, does your baby reach out to pat the mirror?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1420[asq8_persoc3] Show the field ONLY if: [visit_asqver]="8"	3. Does your baby try to get a toy that is out of reach? (He may roll, pivot on his tummy, or crawl to get it.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1421[asq8_persoc4] Show the field ONLY if: [visit_asqver]="8"	4. While your baby is on her back, does she put her foot in her mouth?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1422[asq8_persoc5] Show the field ONLY if: [visit_asqver]="8"	5. Does your baby drink water, juice, or formula from a cup while you hold it?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1423[asq8_persoc6] Show the field ONLY if: [visit_asqver]="8"	6. Does your baby feed himself a cracker or a cookie?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1424[asq8_persoc_sum]  Show the field ONLY  if:  [visit_asqver]="8"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum([asq8_persoc1], [asq8_persoc2], [asq8_persoc3], [asq8_persoc4], [asq8_persoc5], [asq8_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1425[ asq8_persoc_count ]  Show the field ONLY if: [visit_asqver]="8"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", sum(if([asq8_persoc1]<>"", 1, 0),

			<pre>if([asq8_persoc2]&lt;&gt;"", 1, 0), if([asq8_persoc3]&lt;&gt;"", 1, 0), if([asq8_persoc4]&lt;&gt;"", 1, 0), if([asq8_persoc5]&lt;&gt;"", 1, 0), if([asq8_persoc6]&lt;&gt;"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF</pre>
142	6[asq8_persoc_score] Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category personal/ social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_persoc_count]<>"", if([asq8_persoc_count]="6", ([asq8_persoc_sum]), if([asq8_persoc_sum] + ([asq8_persoc_sum]/ [asq8_persoc_count])), if([asq8_persoc_count]="4", ([asq8_persoc_sum] + (2*([asq8_persoc_sum]/ [asq8_persoc_sum]/ [asq8_persoc_sum]/ [asq8_persoc_count]))), if([asq8_persoc_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
142	7[asq8_persoc_concern] Show the field ONLY if: [visit_asqver]="8"	Adjusted score in category personal/ social below cutoff (36)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8" and [asq8_persoc_score]<>"", if([asq8_persoc_score]<36, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
142	8[asq8_persoc_concer nwarning] Show the field ONLY if: [asq8_persoc_concer n]="1"	Warning: Adjusted score in category personal/social below cutoff (36). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
142	9[asq8_o1] Show the field ONLY if: [visit_asqver]="8"	Section Header: <i>Overall</i> 1. Does your baby use both hands and both legs equally well?	radio 1 Yes 0 No  Custom alignment: LV
143	O[ asq8_o1spec ] Show the field ONLY if: [asq8_o1]="0"	If no, explain:	notes Custom alignment: LV
143	1[asq8_o2] Show the field ONLY	2. When you help your baby stand, are his feet flat on the surface most of the time?	radio 1 Yes

if: [visit_asqver]="8"		0 No Custom alignment: LV
1432[ asq8_o2spec ] Show the field ONLY if: [asq8_o2]="0"	If no, explain:	notes Custom alignment: LV
1433[ asq8_o3 ] Show the field ONLY if: [visit_asqver]="8"	3. Do you have concerns that your baby is too quiet or does not make sounds like other babies?	radio 1 Yes 0 No  Custom alignment: LV
1434[ asq8_o3spec ] Show the field ONLY if: [asq8_o3]="1"	If yes, explain:	notes Custom alignment: LV
1435[ asq8_o4 ] Show the field ONLY if: [visit_asqver]="8"	4. Does either parent have a family history of childhood deafness or hearing impairment?	radio 1 Yes 0 No  Custom alignment: LV
1436[ asq8_o4spec ] Show the field ONLY if: [asq8_o4]="1"	If yes, explain:	notes Custom alignment: LV
1437[ asq8_o5 ] Show the field ONLY if: [visit_asqver]="8"	5. Do you have concerns about your baby's vision?	radio 1 Yes 0 No  Custom alignment: LV
1438[ asq8_o5spec ] Show the field ONLY if: [asq8_o5]="1"	If yes, explain:	notes Custom alignment: LV
1439[ asq8_o6 ]  Show the field ONLY if: [visit_asqver]="8"	6. Has your baby had any medical problems in the last several months?	radio 1 Yes 0 No  Custom alignment: LV
1440[ asq8_o6spec ] Show the field ONLY	If yes, explain:	notes Custom alignment: LV

if: [asq8_o6]="1"		
1441[ asq8_o7 ] Show the field ONLY if: [visit_asqver]="8"	7. Do you have any concerns about your baby's behavior?	radio  1 Yes 0 No  Custom alignment: LV
1442[ asq8_o7spec ] Show the field ONLY if: [asq8_o7]="1"	If yes, explain:	notes Custom alignment: LV
1443[asq8_o8] Show the field ONLY if: [visit_asqver]="8"	8. Does anything about your baby worry you?	radio 1 Yes 0 No Custom alignment: LV
1444[ asq8_o8spec ] Show the field ONLY if: [asq8_o8]="1"	If yes, explain:	notes Custom alignment: LV
1445[asq8_all_concern] Show the field ONLY if: [visit_asqver]="8"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="8", if(([asq8_comm_concern]="1" or [asq8_gm_concern]="1" or [asq8_fm_concern]="1" or [asq8_ps_concern]="1" or [asq8_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
1446[asq9_intro] Show the field ONLY if: [visit_asqver]="9"	9 Month Questionnaire9 months 0 days through 9 months 30 daysOn the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your baby before marking a response.Make completing this questionnaire a game that is fun for you and your baby.Make sure your baby is rested and fed.	descriptive

144	7[asq9_comm1] Show the field ONLY	Section Header: <i>Communication</i> 1. Does your baby make sounds like	radio 10 Yes
	if: [visit_asqver]="9"	"da," "ga," "ka," and "ba"?	5 Sometimes 0 Not yet
14	105	2 16	Custom alignment: LV
142	8[asq9_comm2] Show the field ONLY if: [visit_asqver]="9"	2. If you copy the sounds your baby makes, does your baby repeat the same sounds back to you?	radio  10 Yes  5 Sometimes  0 Not yet
144	19[asq9_comm3] Show the field ONLY if: [visit_asqver]="9"	3. Does your baby make two similar sounds like "ba-ba," "da-da," or "ga-ga"? (The sounds do not need to mean anything.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
145	O[asq9_comm4] Show the field ONLY if: [visit_asqver]="9"	4. If you ask your baby to, does he play at least one nursery game even if you don't show him the activity yourself (such as "bye-bye," "Peeka-boo," "clap your hands," "So Big")?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
145	51[asq9_comm5] Show the field ONLY if: [visit_asqver]="9"	5. Does your baby follow one simple command, such as "Come here," "Give it to me," or "Put it back," without your using gestures?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
145	2[asq9_comm6] Show the field ONLY if: [visit_asqver]="9"	6. Does your baby say three words, such as "Mama," "Dada," and "Baba"? (A "word" is a sound or sounds your baby says consistently to mean someone or something.)	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
145	Show the field ONLY if:  [visit_asqver]="9"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum([asq9_comm1], [asq9_comm2], [asq9_comm3], [asq9_comm4],

		[asq9_comm5], [asq9_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1454[asq9_comm_count]  Show the field ONLY if: [visit_asqver]="9"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="9", sum(if([asq9_comm1]<>"", 1, 0), if([asq9_comm2]<>"", 1, 0), if([asq9_comm3]<>"", 1, 0), if([asq9_comm4]<>"", 1, 0), if([asq9_comm5]<>"", 1, 0), if([asq9_comm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
1455[ asq9_comm_score ]  Show the field ONLY if:  [visit_asqver]="9"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="9" and [asq9_comm_count]<>"", if([asq9_comm_count]="6", ([asq9_comm_sum]), if([asq9_comm_sum] + ([asq9_comm_sum]/ [asq9_comm_count]="4", ([asq9_comm_sum] + (2*([asq9_comm_sum]/ [asq9_comm_sum]/ [asq9_comm_sum]/ [asq9_comm_count]))), if([asq9_comm_sum]/ [asq9_comm_count]))), if([asq9_comm_count]
1456[asq9_comm_concern]  Show the field ONLY  if:  [visit_asqver]="9"	Adjusted score in category communication below cutoff (14)	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="9" and [asq9_comm_score]<>"", if([asq9_comm_score]<14, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1457[asq9_comm_concernw arning]  Show the field ONLY if: [asq9_comm_concer n]="1"	Warning: Adjusted score in category communication below cutoff (14). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVE
1458[asq9_gm1] Show the field ONLY if: [visit_asqver]="9"	Section Header: <i>Gross motor</i> 1. If you hold both hands just to balance your baby, does she support her own weight while standing?	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
145	9[ asq9_gm2 ] Show the field ONLY if: [visit_asqver]="9"	2. When sitting on the floor, does your baby sit up straight for several minutes without using his hands for support?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
146	O[ asq9_gm3 ] Show the field ONLY if: [visit_asqver]="9"	3. When you stand your baby next to furniture or the crib rail, does she hold on without leaning her chest against the furniture for support?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
146	1[asq9_gm4] Show the field ONLY if: [visit_asqver]="9"	4. While holding onto furniture, does your baby bend down and pick up a toy from the floor and then return to a standing position?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
146	2[ asq9_gm5 ] Show the field ONLY if: [visit_asqver]="9"	5. While holding onto furniture, does your baby lower himself with control (without falling or flopping down)?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
146	3[asq9_gm6] Show the field ONLY if: [visit_asqver]="9"	6. Does your baby walk beside furniture while holding on with only one hand?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
146	4[asq9_gm_sum] Show the field ONLY if: [visit_asqver]="9"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum([asq9_gm1], [asq9_gm2], [asq9_gm3], [asq9_gm4], [asq9_gm5], [asq9_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF

1465[ asq9_gm_count ]  Show the field ONLY if:  [visit_asqver]="9"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum(if([asq9_gm1]<>"", 1, 0), if([asq9_gm2]<>"", 1, 0), if([asq9_gm3]<>"", 1, 0), if([asq9_gm4]<>"", 1, 0), if([asq9_gm5]<>"", 1, 0), if([asq9_gm6]<>"", 1, 0)), if([asq9_gm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
1466[asq9_gm_score] Show the field ONLY if: [visit_asqver]="9"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_gm_count]<>"", if([asq9_gm_count]="6", ([asq9_gm_sum]), if([asq9_gm_sum] + ([asq9_gm_sum]/ [asq9_gm_count]]), if([asq9_gm_count])), if([asq9_gm_count]="4", ([asq9_gm_sum] + (2*([asq9_gm_sum]/ [asq9_gm_count]))), if([asq9_gm_count]))), if([asq9_gm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1467[ asq9_gm_concern ]  Show the field ONLY if: [visit_asqver]="9"	Adjusted score in category gross motor below cutoff (18)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_gm_score]<>"", if([asq9_gm_score]<18, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1468[asq9_gm_concernwarning]  Show the field ONLY if: [asq9_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (18). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1469[ asq9_fm1 ] Show the field ONLY if: [visit_asqver]="9"	Section Header: <i>Fine motor</i> 1. Does your baby pick up a small toy with only one hand?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1470[ asq9_fm2 ] Show the field ONLY if:	2. Does your baby successfully pick up a crumb or Cheerio by using her thumb and all of her fingers in a raking motion?	radio 10 Yes

[visit_asqver]="9"	(If she already picks up a crumb or Cheerio, mark "yes" for this item.)	5 Sometimes 0 Not yet
		Custom alignment: LV
1471[asq9_fm3]  Show the field ONLY  if:  [visit_asqver]="9"	3. Does your baby pick up a small toy with the tips of his thumb and fingers? (You should see a space between the toy and his palm.)	radio 10 Yes 5 Sometimes 0 Not yet
1472[ asq9_fm4 ] Show the field ONLY if: [visit_asqver]="9"	4. After one or two tries, does your baby pick up a piece of string with her first finger and thumb? (The string may be attached to a toy.)	radio  10 Yes  5 Sometimes 0 Not yet  Custom alignment: LV
1473[asq9_fm5]  Show the field ONLY if: [visit_asqver]="9"	5. Does your baby pick up a crumb or Cheerio with the tips of his thumb and a finger? He may rest his arm or hand on the table while doing it.	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1474[asq9_fm6] Show the field ONLY if: [visit_asqver]="9"	6. Does your baby put a small toy down, without dropping it, and then take her hand off the toy?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1475[asq9_fm_sum] Show the field ONLY if: [visit_asqver]="9"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum([asq9_fm1], [asq9_fm2], [asq9_fm3], [asq9_fm4], [asq9_fm5], [asq9_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1476[ asq9_fm_count ] Show the field ONLY if: [visit_asqver]="9"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum(if([asq9_fm1]<>"", 1, 0), if([asq9_fm2]<>"", 1, 0), if([asq9_fm3]<>"", 1, 0), if([asq9_fm4]<>"", 1, 0), if([asq9_fm5]<>"", 1, 0),

		if([asq9_fm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1477[ asq9_fm_score ]  Show the field ONLY if: [visit_asqver]="9"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_fm_count]<>"", if([asq9_fm_count]="6", ([asq9_fm_sum]), if([asq9_fm_count]="5", ([asq9_fm_sum] + ([asq9_fm_sum]/ [asq9_fm_count])), if([asq9_fm_count]="4", ([asq9_fm_sum] + (2*([asq9_fm_sum]/ [asq9_fm_count]))), if([asq9_fm_count])), if([asq9_fm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1478[ asq9_fm_concern ]  Show the field ONLY if: [visit_asqver]="9"	Adjusted score in category fine motor below cutoff (32)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_fm_score]<>"", if([asq9_fm_score]<32, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1479[asq9_fm_concernwar ning]  Show the field ONLY if: [asq9_fm_concer n]="1"	Warning: Adjusted score in category fine motor below cutoff (32). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1480[ asq9_ps1] Show the field ONLY if: [visit_asqver]="9"	Section Header: <i>Problem solving</i> 1. Does your baby pass a toy back and forth from one hand to the other?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1481[asq9_ps2] Show the field ONLY if: [visit_asqver]="9"	2. Does your baby pick up two small toys, one in each hand, and hold onto them for about 1 minute?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1482[asq9_ps3]  Show the field ONLY  if: [visit_asqver]="9"	3. When holding a toy in his hand, does your baby bang it against another toy on the table?	radio 10 Yes 5 Sometimes

1483[ asq9_ps4 ] Show the field ONL if: [visit_asqver]="9"	4. While holding a small toy in each hand, does your baby clap the toys together (like "Pat-a-cake")?	Custom alignment: LV  radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1484[ asq9_ps5 ] Show the field ONL if: [visit_asqver]="9"	5. Does your baby poke at or try to get a crumb or Cheerio that is inside a clear bottle (such as a plastic soda-pop bottle or baby bottle)?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1485[ asq9_ps6 ] Show the field ONL if: [visit_asqver]="9"	6. After watching you hide a small toy under a piece of paper or cloth, does your baby find it? (Be sure the toy is completely hidden.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1486[asq9_ps_sum] Show the field ONL if: [visit_asqver]="9"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum([asq9_ps1], [asq9_ps2], [asq9_ps3], [asq9_ps4], [asq9_ps5], [asq9_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1487[ asq9_ps_count ] Show the field ONL if: [visit_asqver]="9"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum(if([asq9_ps1]<>"", 1, 0), if([asq9_ps2]<>"", 1, 0), if([asq9_ps3]<>"", 1, 0), if([asq9_ps4]<>"", 1, 0), if([asq9_ps5]<>"", 1, 0), if([asq9_ps6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1488[ asq9_ps_score ] Show the field ONL if: [visit_asqver]="9"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_ps_count]<>"", if([asq9_ps_count]="6", ([asq9_ps_sum]),

		<pre>if([asq9_ps_count]="5",   ([asq9_ps_sum] + ([asq9_ps_sum]/   [asq9_ps_count])),   if([asq9_ps_count]="4",   ([asq9_ps_sum] + (2*([asq9_ps_sum]/   [asq9_ps_count]))),   if([asq9_ps_count]&lt;4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY</pre>
1489[asq9_ps_concern] Show the field ONLY if: [visit_asqver]="9"	Adjusted score in category problem solving below cutoff (29)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_ps_score]<>"", if([asq9_ps_score]<29, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1490[asq9_ps_concernwar ning]  Show the field ONLY if: [asq9_ps_concer n]="1"	Warning: Adjusted score in category problem solving below cutoff (29). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1491[asq9_persoc1] Show the field ONLY if: [visit_asqver]="9"	Section Header: <i>Personal - social</i> 1. While your baby is on her back, does she put her foot in her mouth?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1492[asq9_persoc2] Show the field ONLY if: [visit_asqver]="9"	2. Does your baby drink water, juice, or formula from a cup while you hold it?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1493[asq9_persoc3] Show the field ONLY if: [visit_asqver]="9"	3. Does your baby feed himself a cracker or a cookie?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1494[ asq9_persoc4 ] Show the field ONLY if: [visit_asqver]="9"	4. When you hold out your hand and ask for her toy, does your baby offer it to you even if she doesn't let go of it? (If she already lets go of the toy into your hand, mark "yes" for this item.)	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
14!	95[ asq9_persoc5 ] Show the field ONLY if: [visit_asqver]="9"	5. When you dress your baby, does he push his arm through a sleeve once his arm is started in the hole of the sleeve?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
149	96[ asq9_persoc6 ] Show the field ONLY if: [visit_asqver]="9"	6. When you hold out your hand and ask for her toy, does your baby let go of it into your hand?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
149	97[asq9_persoc_sum] Show the field ONLY if: [visit_asqver]="9"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum([asq9_persoc1], [asq9_persoc2], [asq9_persoc3], [asq9_persoc4], [asq9_persoc5], [asq9_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
149	98[ asq9_persoc_count ] Show the field ONLY if: [visit_asqver]="9"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", sum(if([asq9_persoc1]<>"", 1, 0), if([asq9_persoc2]<>"", 1, 0), if([asq9_persoc3]<>"", 1, 0), if([asq9_persoc4]<>"", 1, 0), if([asq9_persoc5]<>"", 1, 0), if([asq9_persoc6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
14!	99[asq9_persoc_score] Show the field ONLY if: [visit_asqver]="9"	Adjusted score in category personal/ social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_persoc_count]<>"", if([asq9_persoc_count]="6", ([asq9_persoc_sum]), if([asq9_persoc_sum] + ([asq9_persoc_sum]/ [asq9_persoc_count])), if([asq9_persoc_count]="4", ([asq9_persoc_sum] + (2*([asq9_persoc_sum]/ [asq9_persoc_sum])/ [asq9_persoc_sum]/ [asq9_persoc_sum]/ [asq9_persoc_count]))),

			if([asq9_persoc_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
	1500[ asq9_persoc_concer n ] Show the field ONLY if: [visit_asqver]="9"	Adjusted score in category personal/ social below cutoff (19)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9" and [asq9_persoc_score]<>"", if([asq9_persoc_score]<19, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
	1501[asq9_persoc_concer nwarning]  Show the field ONLY if: [asq9_persoc_concer n]="1"	Warning: Adjusted score in category personal/social below cutoff (19). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
,	1502[ asq9_o1 ]	Section Header: Overall	radio
	Show the field ONLY if: [visit_asqver]="9"	1. Does your baby use both hands and both legs equally well?	1 Yes 0 No
	4500-		Custom alignment: LV
	1503[ asq9_o1spec ] Show the field ONLY if: [asq9_o1]="0"	If no, explain:	notes Custom alignment: LV
	1504[ asq9_o2 ] Show the field ONLY if: [visit_asqver]="9"	2. When you help your baby stand, are his feet flat on the surface most of the time?	radio 1 Yes 0 No Custom alignment: LV
	1505[ asq9_o2spec ] Show the field ONLY if: [asq9_o2]="0"	If no, explain:	notes Custom alignment: LV
	Show the field ONLY if: [visit_asqver]="9"	3. Do you have concerns that your baby is too quiet or does not make sounds like other babies?	radio 1 Yes 0 No  Custom alignment: LV
	1507[ asq9_o3spec ] Show the field ONLY if: [asq9_o3]="1"	If yes, explain:	notes Custom alignment: LV

İ	ı		
150	8[ asq9_o4 ] Show the field ONLY if: [visit_asqver]="9"	4. Does either parent have a family history of childhood deafness or hearing impairment?	radio 1 Yes 0 No  Custom alignment: LV
150	9[asq9_o4spec] Show the field ONLY if: [asq9_o4]="1"	If yes, explain:	notes Custom alignment: LV
151	0[ asq9_o5 ] Show the field ONLY if: [visit_asqver]="9"	5. Do you have concerns about your baby's vision?	radio 1 Yes 0 No  Custom alignment: LV
151	1[asq9_o5spec] Show the field ONLY if: [asq9_o5]="1"	If yes, explain:	notes Custom alignment: LV
151	2[asq9_o6] Show the field ONLY if: [visit_asqver]="9"	6. Has your baby had any medical problems in the last several months?	radio 1 Yes 0 No  Custom alignment: LV
151	3[ asq9_o6spec ] Show the field ONLY if: [asq9_o6]="1"	If yes, explain:	notes Custom alignment: LV
151	4[asq9_o7] Show the field ONLY if: [visit_asqver]="9"	7. Do you have any concerns about your baby's behavior?	radio 1 Yes 0 No  Custom alignment: LV
151	5[ asq9_o7spec ] Show the field ONLY if: [asq9_o7]="1"	If yes, explain:	notes Custom alignment: LV
151	6[ asq9_08 ] Show the field ONLY if: [visit_asqver]="9"	8. Does anything about your baby worry you?	radio 1 Yes 0 No  Custom alignment: LV

1517[asq9_o8spec] Show the field ONLY if: [asq9_o8]="1"	If yes, explain:	notes Custom alignment: LV
1518[asq9_all_concern] Show the field ONLY if: [visit_asqver]="9"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="9", if(([asq9_comm_concern]="1" or [asq9_gm_concern]="1" or [asq9_fm_concern]="1" or [asq9_ps_concern]="1" or [asq9_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
1519[asq10_intro] Show the field ONLY if: [visit_asqver]="10"	10 Month Questionnaire9 months 0 days through 10 months 30 daysOn the following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your baby before marking a response.Make completing this questionnaire a game that is fun for you and your baby.Make sure your baby is rested and fed.	descriptive
1520[asq10_comm1] Show the field ONLY if: [visit_asqver]="10"	Section Header: <i>Communication</i> 1. Does your baby make sounds like "da," "ga," "ka," and "ba"?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1521[asq10_comm2]  Show the field ONLY if: [visit_asqver]="10"	2. If you copy the sounds your baby makes, does your baby repeat the same sounds back to you?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1522[asq10_comm3]  Show the field ONLY if: [visit_asqver]="10"	3. Does your baby make two similar sounds like "ba-ba," "da-da," or "ga-ga"? (The sounds do not need to mean anything.)	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
15	23[asq10_comm4] Show the field ONLY if: [visit_asqver]="10"	4. If you ask your baby to, does he play at least one nursery game even if you don't show him the activity yourself (such as "bye-bye," "Peeka-boo," "clap your hands," "So Big")?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
15	24[asq10_comm5] Show the field ONLY if: [visit_asqver]="10"	5. Does your baby follow one simple command, such as "Come here," "Give it to me," or "Put it back," without your using gestures?	radio  10 Yes  5 Sometimes  0 Not yet
15	25[asq10_comm6]  Show the field ONLY if: [visit_asqver]="10"	6. Does your baby say three words, such as "Mama," "Dada," and "Baba"? (A "word" is a sound or sounds your baby says consistently to mean someone or something.)	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
15	26[asq10_comm_sum] Show the field ONLY if: [visit_asqver]="10"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum([asq10_comm1], [asq10_comm2], [asq10_comm3], [asq10_comm4], [asq10_comm5], [asq10_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
15	27[asq10_comm_count] Show the field ONLY if: [visit_asqver]="10"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum(if([asq10_comm1]<>"", 1, 0), if([asq10_comm2]<>"", 1, 0), if([asq10_comm3]<>"", 1, 0), if([asq10_comm4]<>"", 1, 0), if([asq10_comm5]<>"", 1, 0), if([asq10_comm6]<>"", 1, 0)), if([asq10_comm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
15	28[asq10_comm_score] Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_comm_count]<>"", if([asq10_comm_count]="6", ([asq10_comm_sum]),

		<pre>if([asq10_comm_count]="5",  ([asq10_comm_sum] +  ([asq10_comm_sum]/   [asq10_comm_count]])),   if([asq10_comm_count]="4",   ([asq10_comm_sum] +   (2*([asq10_comm_sum]/   [asq10_comm_count]]))),   if([asq10_comm_count]&lt;4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY</pre>
1529[ asq10_comm_concer n ]  Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category communication below cutoff (23)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_comm_score]<>"", if([asq10_comm_score]<23, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1530[asq10_comm_concern warning]  Show the field ONLY if: [asq10_comm_conce rn]="1"	Warning: Adjusted score in category communication below cutoff (23). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1531[asq10_gm1]  Show the field ONLY if:  [visit_asqver]="10"	Section Header: <i>Gross motor</i> 1. If you hold both hands just to balance your baby, does she support her own weight while standing?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1532[ asq10_gm2 ] Show the field ONLY if: [visit_asqver]="10"	2. When sitting on the floor, does your baby sit up straight for several minutes without using his hands for support?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1533[ asq10_gm3 ]  Show the field ONLY if: [visit_asqver]="10"	3. When you stand your baby next to furniture or the crib rail, does she hold on without leaning her chest against the furniture for support?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1534[ asq10_gm4 ] Show the field ONLY if:	4. While holding onto furniture, does your baby bend down and pick up a toy from the floor and then return to a standing position?	radio 10 Yes 5 Sometimes

[visit_asqver]="10"		0 Not yet  Custom alignment: LV
1535[asq10_gm5] Show the field ONLY if: [visit_asqver]="10"	5. While holding onto furniture, does your baby lower himself with control (without falling or flopping down)?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1536[ asq10_gm6 ] Show the field ONLY if: [visit_asqver]="10"	6. Does your baby walk beside furniture while holding on with only one hand?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1537[asq10_gm_sum] Show the field ONLY if: [visit_asqver]="10"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum([asq10_gm1], [asq10_gm2], [asq10_gm3], [asq10_gm4], [asq10_gm5], [asq10_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1538[asq10_gm_count] Show the field ONLY if: [visit_asqver]="10"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum(if([asq10_gm1]<>"", 1, 0), if([asq10_gm3]<>"", 1, 0), if([asq10_gm4]<>"", 1, 0), if([asq10_gm5]<>"", 1, 0), if([asq10_gm6]<>"", 1, 0)), if([asq10_gm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
1539[asq10_gm_score] Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_gm_count]<>"", if([asq10_gm_count]="6", ([asq10_gm_sum]), if([asq10_gm_count]="5", ([asq10_gm_sum] + ([asq10_gm_sum]/ [asq10_gm_count])), if([asq10_gm_count]="4", ([asq10_gm_sum] + (2*([asq10_gm_sum]/ [asq10_gm_count]))),

		if([asq10_gm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1540[asq10_gm_concern] Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category gross motor below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_gm_score]<>"", if([asq10_gm_score]<31, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1541[asq10_gm_concernwarning]  Show the field ONLY if: [asq10_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1542[asq10_fm1]  Show the field ONLY  if:  [visit_asqver]="10"	Section Header: <i>Fine motor</i> 1. Does your baby pick up a small toy with only one hand?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1543[asq10_fm2] Show the field ONLY if: [visit_asqver]="10"	2. Does your baby successfully pick up a crumb or Cheerio by using her thumb and all of her fingers in a raking motion? (If she already picks up a crumb or Cheerio, mark "yes" for this item.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1544[asq10_fm3] Show the field ONLY if: [visit_asqver]="10"	3. Does your baby pick up a small toy with the tips of his thumb and fingers? (You should see a space between the toy and his palm.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1545[asq10_fm4]  Show the field ONLY if: [visit_asqver]="10"	4. After one or two tries, does your baby pick up a piece of string with her first finger and thumb? (The string may be attached to a toy.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1546[asq10_fm5] Show the field ONLY if:	5. Does your baby pick up a crumb or Cheerio with the tips of his thumb and a finger? He may rest his arm or hand on the table while doing it.	radio 10 Yes 5 Sometimes

[visit_asqver]="10"		0 Not yet  Custom alignment: LV
1547[asq10_fm6] Show the field ONLY if: [visit_asqver]="10"	6. Does your baby put a small toy down, without dropping it, and then take her hand off the toy?	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
1548[asq10_fm_sum]  Show the field ONLY if: [visit_asqver]="10"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum([asq10_fm1], [asq10_fm2], [asq10_fm3], [asq10_fm4], [asq10_fm5], [asq10_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1549[asq10_fm_count]  Show the field ONLY if:  [visit_asqver]="10"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum(if([asq10_fm1]<>"", 1, 0), if([asq10_fm2]<>"", 1, 0), if([asq10_fm3]<>"", 1, 0), if([asq10_fm4]<>"", 1, 0), if([asq10_fm5]<>"", 1, 0), if([asq10_fm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1550[asq10_fm_score] Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_fm_count]<>"", if([asq10_fm_count]="6", ([asq10_fm_sum]), if([asq10_fm_sum] + ([asq10_fm_sum]/ [asq10_fm_count]])), if([asq10_fm_count]="4", ([asq10_fm_sum] + (2*([asq10_fm_sum]/ [asq10_fm_count]))), if([asq10_fm_count]))), if([asq10_fm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1551[asq10_fm_concern]  Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category fine motor below cutoff (38)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_fm_score]<>"", if([asq10_fm_score]<38, 1, 0), "")

		Field Annotation: @HIDDEN @HIDDEN-PDF
1552[asq10_fm_concernwa rning]  Show the field ONLY if: [asq10_fm_concer n]="1"	Warning: Adjusted score in category fine motor below cutoff (38). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1553[asq10_ps1]  Show the field ONLY if: [visit_asqver]="10"	Section Header: <i>Problem solving</i> 1. Does your baby pass a toy back and forth from one hand to the other?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1554[ asq10_ps2 ] Show the field ONLY if: [visit_asqver]="10"	2. Does your baby pick up two small toys, one in each hand, and hold onto them for about 1 minute?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1555[ asq10_ps3 ] Show the field ONLY if: [visit_asqver]="10"	3. When holding a toy in his hand, does your baby bang it against another toy on the table?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1556[ asq10_ps4 ] Show the field ONLY if: [visit_asqver]="10"	4. While holding a small toy in each hand, does your baby clap the toys together (like "Pat-a-cake")?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1557[ asq10_ps5 ] Show the field ONLY if: [visit_asqver]="10"	5. Does your baby poke at or try to get a crumb or Cheerio that is inside a clear bottle (such as a plastic soda-pop bottle or baby bottle)?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

1558[asq10_ps6]  Show the field ONLY if: [visit_asqver]="10"	6. After watching you hide a small toy under a piece of paper or cloth, does your baby find it? (Be sure the toy is completely hidden.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1559[asq10_ps_sum]  Show the field ONLY if: [visit_asqver]="10"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum([asq10_ps1] [asq10_ps2], [asq10_ps3], [asq10_ps4], [asq10_ps5], [asq10_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1560[ asq10_ps_count ] Show the field ONLY if: [visit_asqver]="10"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum(if([asq10_ps1]<>"", 1, 0), if([asq10_ps2]<>"", 1, 0), if([asq10_ps3]<>"", 1, 0), if([asq10_ps4]<>"", 1, 0), if([asq10_ps5]<>"", 1, 0), if([asq10_ps6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
Show the field ONLY if:  [visit_asqver]="10"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_ps_count]<>"", if([asq10_ps_count]="6", ([asq10_ps_sum]), if([asq10_ps_count]="5", ([asq10_ps_sum] + ([asq10_ps_sum]/ [asq10_ps_count])), if([asq10_ps_count]="4", ([asq10_ps_sum] + (2*([asq10_ps_sum]/ [asq10_ps_count]))), if([asq10_ps_count]))), if([asq10_ps_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1562[asq10_ps_concern] Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category problem solving below cutoff (33)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_ps_score]<>"", if([asq10_ps_score]<33, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF

1563[asq10_ps_concernwarning]  Show the field ONLY if: [asq10_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (33). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1564[ asq10_persoc1 ] Show the field ONLY if: [visit_asqver]="10"	Section Header: <i>Personal - social</i> 1. While your baby is on her back, does she put her foot in her mouth?	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
1565[ asq10_persoc2 ]  Show the field ONLY if: [visit_asqver]="10"	2. Does your baby drink water, juice, or formula from a cup while you hold it?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1566[ asq10_persoc3 ]  Show the field ONLY if: [visit_asqver]="10"	3. Does your baby feed himself a cracker or a cookie?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1567[asq10_persoc4]  Show the field ONLY if:  [visit_asqver]="10"	4. When you hold out your hand and ask for her toy, does your baby offer it to you even if she doesn't let go of it? (If she already lets go of the toy into your hand, mark "yes" for this item.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1568[ asq10_persoc5 ]  Show the field ONLY if:  [visit_asqver]="10"	5. When you dress your baby, does he push his arm through a sleeve once his arm is started in the hole of the sleeve?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1569[ asq10_persoc6 ] Show the field ONLY if: [visit_asqver]="10"	6. When you hold out your hand and ask for her toy, does your baby let go of it into your hand?	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
157	O[asq10_persoc_sum] Show the field ONLY if: [visit_asqver]="10"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum([asq10_persoc1], [asq10_persoc2], [asq10_persoc3], [asq10_persoc4], [asq10_persoc5], [asq10_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
157	71[asq10_persoc_count] t] Show the field ONLY if: [visit_asqver]="10"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", sum(if([asq10_persoc1]<>"", 1, 0), if([asq10_persoc2]<>"", 1, 0), if([asq10_persoc3]<>"", 1, 0), if([asq10_persoc4]<>"", 1, 0), if([asq10_persoc5]<>"", 1, 0), if([asq10_persoc6]<>"", 1, 0)), if([asq10_persoc6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
157	<sup>7</sup> 2[asq10_persoc_score] Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category personal/ social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_persoc_count]<>"", if([asq10_persoc_count]="6", ([asq10_persoc_sum]), if([asq10_persoc_sum] + ([asq10_persoc_sum]/ [asq10_persoc_sum]/ [asq10_persoc_count]="4", ([asq10_persoc_sum] + (2*([asq10_persoc_sum]/ [asq10_persoc_sum]/ [asq10_persoc_sum]/ [asq10_persoc_sum]/ [asq10_persoc_sum]/ [asq10_persoc_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
157	'3[ asq10_persoc_conce rn ] Show the field ONLY if: [visit_asqver]="10"	Adjusted score in category personal/ social below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10" and [asq10_persoc_score]<>"", if([asq10_persoc_score]<28, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
157	'4[ asq10_persoc_conce rnwarning ] Show the field ONLY if: [asq10_persoc_conc	Warning: Adjusted score in category personal/social below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY

	ern]="1"		
157	5[ asq10_o1 ]  Show the field ONLY  if:  [visit_asqver]="10"	Section Header: <i>Overall</i> 1. Does your baby use both hands and both legs equally well?	radio 1 Yes 0 No
157	6[ asq10_o1spec ] Show the field ONLY if: [asq10_o1]="0"	If no, explain:	Custom alignment: LV notes Custom alignment: LV
157	7[ asq10_o2 ] Show the field ONLY if: [visit_asqver]="10"	2. When you help your baby stand, are his feet flat on the surface most of the time?	radio  1 Yes  0 No  Custom alignment: LV
157	8[asq10_o2spec] Show the field ONLY if: [asq10_o2]="0"	If no, explain:	notes Custom alignment: LV
157	9[asq10_o3] Show the field ONLY if: [visit_asqver]="10"	3. Do you have concerns that your baby is too quiet or does not make sounds like other babies?	radio 1 Yes 0 No  Custom alignment: LV
158	O[asq10_o3spec] Show the field ONLY if: [asq10_o3]="1"	If yes, explain:	notes Custom alignment: LV
158	1[asq10_o4] Show the field ONLY if: [visit_asqver]="10"	4. Does either parent have a family history of childhood deafness or hearing impairment?	radio 1 Yes 0 No  Custom alignment: LV
158	2[ asq10_o4spec ] Show the field ONLY if: [asq10_o4]="1"	If yes, explain:	notes Custom alignment: LV
158	3[asq10_o5] Show the field ONLY if: [visit_asqver]="10"	5. Do you have concerns about your baby's vision?	radio 1 Yes 0 No

		Custom alignment: LV
1584[ asq10_o5spec ] Show the field ONLY if: [asq10_o5]="1"	If yes, explain:	notes Custom alignment: LV
1585[ asq10_o6 ]  Show the field ONLY if:  [visit_asqver]="10"	6. Has your baby had any medical problems in the last several months?	radio 1 Yes 0 No Custom alignment: LV
1586[ asq10_o6spec ] Show the field ONLY if: [asq10_o6]="1"	If yes, explain:	notes Custom alignment: LV
1587[ asq10_o7 ] Show the field ONLY if: [visit_asqver]="10"	7. Do you have any concerns about your baby's behavior?	radio 1 Yes 0 No  Custom alignment: LV
1588[ asq10_o7spec ]  Show the field ONLY  if:  [asq10_o7]="1"	If yes, explain:	notes Custom alignment: LV
1589[ asq10_08 ]  Show the field ONLY if: [visit_asqver]="10"	8. Does anything about your baby worry you?	radio 1 Yes 0 No  Custom alignment: LV
1590[ asq10_08spec ] Show the field ONLY if: [asq10_08]="1"	If yes, explain:	notes Custom alignment: LV
1591[asq10_all_concern]  Show the field ONLY if: [visit_asqver]="10"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="10", if(([asq10_comm_concern]="1" or [asq10_gm_concern]="1" or [asq10_fm_concern]="1" or [asq10_ps_concern]="1" or [asq10_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
1592[ asq12_intro ] Show the field ONLY	12 Month Questionnaire11 months 0 days through 12 months 30 daysOn the	descriptive

if: [visit_asqver]="12"	following pages are questions about activities babies may do. Your baby may have already done some of the activities described here, and there may be some your baby has not begun doing yet. For each item, please fill in the circle that indicates whether your baby is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your baby before marking a response.Make completing this questionnaire a game that is fun for you and your baby.Make sure your baby is rested and fed.	
1593[asq12_comm1]  Show the field ONLY if:  [visit_asqver]="12"	Section Header: Communication  1. Does your baby make two similar sounds, such as "ba-ba," "da-da," or "ga-ga"? (The sounds do not need to mean anything.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1594[asq12_comm2] Show the field ONLY if: [visit_asqver]="12"	2. If you ask your baby to, does he play at least one nursery game even if you don't show him the activity yourself (such as "bye-bye," "Peeka- boo," "clap your hands," "So Big")?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1595[asq12_comm3]  Show the field ONLY if: [visit_asqver]="12"	3. Does your baby follow one simple command, such as "Come here," "Give it to me," or "Put it back," without your using gestures?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1596[asq12_comm4] Show the field ONLY if: [visit_asqver]="12"	4. Does your baby say three words, such as "Mama," "Dada," and "Baba"? (A "word" is a sound or sounds your baby says consistently to mean someone or something.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1597[ asq12_comm5 ] Show the field ONLY if: [visit_asqver]="12"	5. When you ask, "Where is the ball (hat, shoe, etc.)?" does your baby look at the object? (Make sure the object is present. Mark "yes" if she knows one object.)	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
159	8[asq12_comm6]  Show the field ONLY if: [visit_asqver]="12"	6. When your baby wants something, does he tell you by pointing to it?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
159	9[asq12_comm_sum] Show the field ONLY if: [visit_asqver]="12"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum([asq12_comm1], [asq12_comm2], [asq12_comm3], [asq12_comm4], [asq12_comm5], [asq12_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
160	O[asq12_comm_count] Show the field ONLY if: [visit_asqver]="12"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum(if([asq12_comm1]<>"", 1, 0), if([asq12_comm2]<>"", 1, 0), if([asq12_comm3]<>"", 1, 0), if([asq12_comm4]<>"", 1, 0), if([asq12_comm5]<>"", 1, 0), if([asq12_comm6]<>"", 1, 0)), if([asq12_comm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
160	1[asq12_comm_score] Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_comm_count]<>"", if([asq12_comm_count]="6", ([asq12_comm_sum]), if([asq12_comm_sum] + ([asq12_comm_sum]/ [asq12_comm_count]="4", ([asq12_comm_sum] + (2*([asq12_comm_sum])/ [asq12_comm_sum]]/ [asq12_comm_sum]/ [asq12_comm_sum]/ [asq12_comm_sum]/ [asq12_comm_sum]/ [asq12_comm_count]))), if([asq12_comm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
160	2[asq12_comm_concern] Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category communication below cutoff (16)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_comm_score]<>"", if([asq12_comm_score]<16, 1, 0), "") Field Annotation: @HIDDEN

			@HIDDEN-PDF
S if	asq12_comm_concern varning] Show the field ONLY f: asq12_comm_conce n]="1"	Warning: Adjusted score in category communication below cutoff (16). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1604[	asq12_gm1]	Section Header: <i>Gross motor</i>	radio
if	Show the field ONLY f: visit_asqver]="12"	1. While holding onto furniture, does your baby bend down and pick up a toy from the floor and then return to a standing position?	<ul><li>10 Yes</li><li>5 Sometimes</li><li>0 Not yet</li></ul> Custom alignment: LV
16050	asq12_gm2]	2. While holding onto furniture, does	radio
	Show the field ONLY	your baby lower herself with control	10 Yes
if		(without falling or flopping down)?	5 Sometimes
[	visit_asqver]="12"		0 Not yet
			Custom alignment: LV
1606[	asq12_gm3]	3. Does your baby walk beside furniture while holding on with only one hand?	radio
	Show the field ONLY		10 Yes
if [\	r: visit_asqver]="12"		5 Sometimes 0 Not yet
			Custom alignment: LV
1607[	asq12_gm4]	4. If you hold both hands just to balance	radio
s	Show the field ONLY	your baby, does he take several steps without tripping or falling? (If your baby	10 Yes
if		already walks alone, mark "yes" for this	5 Sometimes
	visit_asqver]="12"	item.)	0 Not yet
			Custom alignment: LV
1608[	asq12_gm5]	5. When you hold one hand just to	radio
1	Show the field ONLY	balance your baby, does she take several steps forward? (If your baby	10 Yes
if	f: visit_asqver]="12"	already walks alone, mark "yes" for this	5 Sometimes
	[visit_asqver]= 12	item.)	0 Not yet
			Custom alignment: LV
1609[	asq12_gm6]	6. Does your baby stand up in the	radio
	Show the field ONLY	middle of the floor by himself and take several steps forward?	10 Yes
if	f: visit_asqver]="12"	22.2.3.3.3.4.	5 Sometimes

			0 Not yet  Custom alignment: LV
161	O[asq12_gm_sum]  Show the field ONLY if: [visit_asqver]="12"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum([asq12_gm1], [asq12_gm2], [asq12_gm3], [asq12_gm4], [asq12_gm5], [asq12_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
161	1[asq12_gm_count] Show the field ONLY if: [visit_asqver]="12"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum(if([asq12_gm1]<>"", 1, 0), if([asq12_gm3]<>"", 1, 0), if([asq12_gm4]<>"", 1, 0), if([asq12_gm5]<>"", 1, 0), if([asq12_gm6]<>"", 1, 0), if([asq12_gm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
161	2[asq12_gm_score] Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_gm_count]<>"", if([asq12_gm_count]="6", ([asq12_gm_sum]), if([asq12_gm_count]="5", ([asq12_gm_sum] + ([asq12_gm_sum]/ [asq12_gm_count])), if([asq12_gm_count]="4", ([asq12_gm_sum] + (2*([asq12_gm_sum]/ [asq12_gm_count]))), if([asq12_gm_count]))), if([asq12_gm_count]))), if([asq12_gm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
161	3[asq12_gm_concern] Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category gross motor below cutoff (22)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_gm_score]<>"", if([asq12_gm_score]<22, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
161	4[asq12_gm_concernwa rning] Show the field ONLY if: [asq12_gm_concer	Warning: Adjusted score in category gross motor below cutoff (22). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY

	n]="1"		
161	5[ asq12_fm1 ]  Show the field ONLY if:  [visit_asqver]="12"	Section Header: <i>Fine motor</i> 1. After one or two tries, does your baby pick up a piece of string with his first finger and thumb? (The string may be attached to a toy.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
161	6[ asq12_fm2 ] Show the field ONLY if: [visit_asqver]="12"	2. Does your baby pick up a crumb or Cheerio with the tips of her thumb and a finger? She may rest her arm or hand on the table while doing it.	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
161	7[asq12_fm3] Show the field ONLY if: [visit_asqver]="12"	3. Does your baby put a small toy down, without dropping it, and then take his hand off the toy?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
161	8[asq12_fm4] Show the field ONLY if: [visit_asqver]="12"	4. Without resting her arm or hand on the table, does your baby pick up a crumb or Cheerio with the tips of her thumb and a finger?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
161	9[asq12_fm5] Show the field ONLY if: [visit_asqver]="12"	5. Does your baby throw a small ball with a forward arm motion? (If he simply drops the ball, mark "not yet" for this item.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
162	O[ asq12_fm6 ] Show the field ONLY if: [visit_asqver]="12"	6. Does your baby help turn the pages of a book? (You may lift a page for him to grasp.)	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
162	1[asq12_fm_sum] Show the field ONLY if:	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum([asq12_fm1], [asq12_fm2], [asq12_fm3],

[visit_asqver]="12"		[asq12_fm4], [asq12_fm5], [asq12_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1622[asq12_fm_count] Show the field ONLY if: [visit_asqver]="12"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum(if([asq12_fm1]<>"", 1, 0), if([asq12_fm2]<>"", 1, 0), if([asq12_fm3]<>"", 1, 0), if([asq12_fm4]<>"", 1, 0), if([asq12_fm5]<>"", 1, 0), if([asq12_fm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1623[asq12_fm_score]  Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_fm_count]<>"", if([asq12_fm_count]="6", ([asq12_fm_sum]), if([asq12_fm_sum] + ([asq12_fm_sum])/ [asq12_fm_sum] + ([asq12_fm_sum])/ if([asq12_fm_count]="4", ([asq12_fm_sum] + (2*([asq12_fm_sum]/ [asq12_fm_sum]/ [asq12_fm_count]))), if([asq12_fm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1624[asq12_fm_concern] Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category fine motor below cutoff (35)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_fm_score]<>"", if([asq12_fm_score]<35, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1625[asq12_fm_concernwa rning]  Show the field ONLY if: [asq12_fm_concer n]="1"	Warning: Adjusted score in category fine motor below cutoff (35). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1626[asq12_ps1] Show the field ONLY if: [visit_asqver]="12"	Section Header: <i>Problem solving</i> 1. When holding a small toy in each hand, does your baby clap the toys together (like "Pat-a-cake")?	radio 10 Yes 5 Sometimes 0 Not yet

		Custom alignment: LV
1627[ asq12_ps2 ]	2. Does your baby poke at or try to get a	radio
Show the field ONLY	crumb or Cheerio that is inside a clear bottle (such as a plastic soda-pop bottle	10 Yes
if: [visit_asqver]="12"	or baby bottle)?	5 Sometimes
[visit_asqver]= 12		0 Not yet
		Custom alignment: LV
1628[ asq12_ps3 ]	3. After watching you hide a small toy under a piece of paper or cloth, does your baby find it? (Be sure the toy is	radio
Show the field ONLY		10 Yes
if: [visit_asqver]="12"	completely hidden.)	5 Sometimes
[visit_dsqvei]= 12		0 Not yet
		Custom alignment: LV
1629[ asq12_ps4 ]	4. If you put a small toy into a bowl or	radio
Show the field ONLY	box, does your baby copy you by putting in a toy, although she may not let go of	10 Yes
if: [visit_asqver]="12"	it? (If she already lets go of the toy into a	5 Sometimes
[visit_asqver]= 12	bowl or box, mark "yes" for this item.)	0 Not yet
		Custom alignment: LV
1630[ asq12_ps5 ]	5. Does your baby drop two small toys, one after the other, into a container like a bowl or box? (You may show him how to do it.)	radio
Show the field ONLY		10 Yes
if: [visit_asqver]="12"		5 Sometimes
[visit_dsqvei]= 12		0 Not yet
		Custom alignment: LV
1631[asq12_ps6]	6. After you scribble back and forth on	radio
Show the field ONLY	paper with a crayon (or a pencil or pen), does your baby copy you by scribbling?	10 Yes
if: [visit_asqver]="12"	(If she already scribbles on her own,	5 Sometimes
[visit_asqvei]= 12	mark "yes" for this item.)	0 Not yet
		Custom alignment: LV
1632[asq12_ps_sum]	Sum of scores of completed items in	calc
Show the field ONLY	category problem solving	Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum([asq12_ps1],
if: [visit_asqver]="12"		[asq12_ps2], [asq12_ps3], [asq12_ps4], [asq12_ps5], [asq12_ps6]), "")
		Field Annotation: @HIDDEN @HIDDEN-PDF
1633[ asq12_ps_count ]	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and
Show the field ONLY if:	hroniem zoming	[visit_asqver]="12",

	[visit_asqver]="12"		sum(if([asq12_ps1]<>"", 1, 0), if([asq12_ps2]<>"", 1, 0), if([asq12_ps3]<>"", 1, 0), if([asq12_ps4]<>"", 1, 0), if([asq12_ps5]<>"", 1, 0), if([asq12_ps6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
163	34[asq12_ps_score] Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_ps_count]<>"", if([asq12_ps_count]="6", ([asq12_ps_sum]), if([asq12_ps_count]="5", ([asq12_ps_sum] + ([asq12_ps_sum]/ [asq12_ps_count]="4", ([asq12_ps_count]="4", ([asq12_ps_sum] + (2*([asq12_ps_sum]/ [asq12_ps_count]))), if([asq12_ps_count]))), if([asq12_ps_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
163	35[ asq12_ps_concern ] Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category problem solving below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_ps_score]<>"", if([asq12_ps_score]<28, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
163	36[asq12_ps_concernwa rning] Show the field ONLY if: [asq12_ps_concer n]="1"	Warning: Adjusted score in category problem solving below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
163	37[ asq12_persoc1 ] Show the field ONLY if: [visit_asqver]="12"	Section Header: <i>Personal - social</i> 1. When you hold out your hand and ask for his toy, does your baby offer it to you even if he doesn't let go of it? (If he already lets go of the toy into your hand, mark "yes" for this item.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
163	38[ asq12_persoc2 ] Show the field ONLY if: [visit_asqver]="12"	2. When you dress your baby, does she push her arm through a sleeve once her arm is started in the hole of the sleeve?	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
163	39[ asq12_persoc3 ] Show the field ONLY if: [visit_asqver]="12"	3. When you hold out your hand and ask for his toy, does your baby let go of it into your hand?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
164	40[ asq12_persoc4 ] Show the field ONLY if: [visit_asqver]="12"	4. When you dress your baby, does she lift her foot for her shoe, sock, or pant leg?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
164	In asq12_persoc5 ] Show the field ONLY if: [visit_asqver]="12"	5. Does your baby roll or throw a ball back to you so that you can return it to him?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
164	12[ asq12_persoc6 ] Show the field ONLY if: [visit_asqver]="12"	6. Does your baby play with a doll or stuffed animal by hugging it?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
164	H3[asq12_persoc_sum] Show the field ONLY if: [visit_asqver]="12"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum([asq12_persoc1], [asq12_persoc2], [asq12_persoc3], [asq12_persoc4], [asq12_persoc5], [asq12_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
164	4[ asq12_persoc_count] t ] Show the field ONLY if: [visit_asqver]="12"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", sum(if([asq12_persoc1]<>"", 1, 0), if([asq12_persoc2]<>"", 1, 0), if([asq12_persoc3]<>"", 1, 0), if([asq12_persoc4]<>"", 1, 0), if([asq12_persoc5]<>"", 1, 0), if([asq12_persoc6]<>"", 1, 0)), Field Annotation: @HIDDEN

			@HIDDEN-PDF
164	5[asq12_persoc_score] Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category personal/ social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_persoc_count]<>"", if([asq12_persoc_count]="6", ([asq12_persoc_sum]), if([asq12_persoc_sum] + ([asq12_persoc_sum]/ [asq12_persoc_sum]/ [asq12_persoc_count]="4", ([asq12_persoc_sum] + (2*([asq12_persoc_sum]/ [asq12_persoc_sum]/ [asq12_persoc_sum]/ [asq12_persoc_sum]/ [asq12_persoc_sum]/ [insq12_persoc_sum]/ [insq12_persoc_count]
164	6[ asq12_persoc_conce rn ]  Show the field ONLY if: [visit_asqver]="12"	Adjusted score in category personal/ social below cutoff (22)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12" and [asq12_persoc_score]<>"", if([asq12_persoc_score]<22, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
164	7[asq12_persoc_conce rnwarning] Show the field ONLY if: [asq12_persoc_conc ern]="1"	Warning: Adjusted score in category personal/social below cutoff (22). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
	8[asq12_o1] Show the field ONLY if: [visit_asqver]="12"	Section Header: Overall  1. Does your baby use both hands and both legs equally well?	radio 1 Yes 0 No  Custom alignment: LV notes
104	9[ asq12_o1spec ] Show the field ONLY if: [asq12_o1]="0"	If no, explain:	Custom alignment: LV
165	O[ asq12_o2 ] Show the field ONLY if: [visit_asqver]="12"	2. Does your baby play with sounds or seem to make words?	radio 1 Yes 0 No Custom alignment: LV
165	1[asq12_o2spec] Show the field ONLY	If no, explain:	notes Custom alignment: LV

if: [asq12_o2]="0"		
1652[asq12_o3] Show the field ONLY if: [visit_asqver]="12"	3. When your baby is standing, are her feet flat on the surface most of the time?	radio 1 Yes 0 No  Custom alignment: LV
1653[ asq12_o3spec ] Show the field ONLY if: [asq12_o3]="0"	If no, explain:	notes Custom alignment: LV
1654[asq12_o4] Show the field ONLY if: [visit_asqver]="12"	4. Do you have concerns that your baby is too quiet or does not make sounds like other babies do?	radio 1 Yes 0 No  Custom alignment: LV
1655[ asq12_o4spec ] Show the field ONLY if: [asq12_o4]="1"	If yes, explain:	notes Custom alignment: LV
1656[asq12_o5] Show the field ONLY if: [visit_asqver]="12"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio  1 Yes  0 No  Custom alignment: LV
1657[ asq12_o5spec ] Show the field ONLY if: [asq12_o5]="1"	If yes, explain:	notes Custom alignment: LV
1658[asq12_o6] Show the field ONLY if: [visit_asqver]="12"	6. Do you have concerns about your baby's vision?	radio 1 Yes 0 No  Custom alignment: LV
1659[ asq12_o6spec ] Show the field ONLY if: [asq12_o6]="1"	If yes, explain:	notes Custom alignment: LV
1660[ asq12_o7 ] Show the field ONLY if: [visit_asqver]="12"	7. Has your baby had any medical problems in the last several months?	radio 1 Yes 0 No

			Custom alignment: LV
166	1[asq12_o7spec] Show the field ONLY if: [asq12_o7]="1"	If yes, explain:	notes Custom alignment: LV
166	2[asq12_o8] Show the field ONLY if: [visit_asqver]="12"	8. Do you have any concerns about your baby's behavior?	radio 1 Yes 0 No Custom alignment: LV
166	3[ asq12_o8spec ] Show the field ONLY if: [asq12_o8]="1"	If yes, explain:	notes Custom alignment: LV
166	4[asq12_o9] Show the field ONLY if: [visit_asqver]="12"	9. Does anything about your baby worry you?	radio 1 Yes 0 No Custom alignment: LV
166	5[asq12_o9spec] Show the field ONLY if: [asq12_o9]="1"	If yes, explain:	notes Custom alignment: LV
166	6[asq12_al1_concern] Show the field ONLY if: [visit_asqver]="12"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="12", if(([asq12_comm_concern]="1" or [asq12_gm_concern]="1" or [asq12_fm_concern]="1" or [asq12_ps_concern]="1" or [asq12_ps_concern]="1" or [asq12_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
166	7[asq20_intro] Show the field ONLY if: [visit_asqver]="20"	20 Month Questionnaire19 months 0 days through 20 months 30 daysOn the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make	descriptive

	completing this questionnaire a game that is fun for you and your child.Make sure your child is rested and fed.At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	
1668[ asq20_comm1 ]  Show the field ONLY if: [visit_asqver]="20"	Section Header: Communication  1. Does your child imitate a two-word sentence? For example, when you say a two-word phrase, such as "Mama eat," "Daddy play," "Go home," or "What's this?" does your child say both words back to you? (Mark "yes" even if her words are difficult to understand.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1669[ asq20_comm2 ]  Show the field ONLY if: [visit_asqver]="20"	2. Does your child say eight or more words in addition to "Mama" and "Dada"?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1670[ asq20_comm3 ]  Show the field ONLY if:  [visit_asqver]="20"	3. Without your showing him, does your child point to the correct picture when you say, "Show me the kitty," or ask, "Where is the dog?" (He needs to identify only one picture correctly.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1671[asq20_comm4] Show the field ONLY if: [visit_asqver]="20"	4. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, "What is this?" does your child correctly name at least one picture?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1672[asq20_comm5]  Show the field ONLY  if:  [visit_asqver]="20"	5. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? {asq20_comm5spec:icons}	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

1673[asq20_comm5spec]	Select the gestures:	checkbox	
Show the field ONLY if: [visit_asqver]="20"		a asq20_comm5speca "Put the table."	
		b asq20_comm5specb "Close the door.'	
		c asq20_comm5specc "Bring me a towel.	
		d asq20_comm5specd "Find your coat."	
		e asq20_comm5spece "Take my hand.	
		f asq20_comm5specf "Get your book."	
		Custom alignment: LV	
1674[asq20_comm6]  Show the field ONLY if: [visit_asqver]="20"	6. Does your child say two or three words that represent different ideas together, such as "See dog," "Mommy come home," or "Kitty gone"? (Don't count word combinations that express one idea, such as "bye-bye," "all gone," "all right," and "What's that?")	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV	
1675[ asq20_comm6spec ] Show the field ONLY if: [visit_asqver]="20"	Please give an example of your child's word combinations:	text Custom alignment: LV	
1676[asq20_comm_sum]  Show the field ONLY if: [visit_asqver]="20"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="20", sum([asq20_comm1], [asq20_comm2], [asq20_comm3], [asq20_comm4], [asq20_comm5], [asq20_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF	
1677[asq20_comm_count] Show the field ONLY	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" ar [visit_asqver]="20",	

		if([asq20_comm3]<>"", 1, 0), if([asq20_comm4]<>"", 1, 0), if([asq20_comm5]<>"", 1, 0), if([asq20_comm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1678[asq20_comm_score] Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_comm_count]<>"", if([asq20_comm_count]="6", ([asq20_comm_sum]), if([asq20_comm_sum] + ([asq20_comm_sum] / [asq20_comm_count]="4", ([asq20_comm_sum] + (2*([asq20_comm_sum] + (2*([asq20_comm_sum] / [asq20_comm_sum] + (2*([asq20_comm_sum] / [asq20_comm_sum] / [asq20_comm_sum] / [asq20_comm_sum] / [asq20_comm_count]<4, "", "")))), "" Field Annotation: @HIDDEN-SURVEY
1679[asq20_comm_concern] Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category communication below cutoff (21)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_comm_score]<>"", if([asq20_comm_score]<21, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1680[asq20_comm_concern warning]  Show the field ONLY if: [asq20_comm_conce rn]="1"	Warning: Adjusted score in category communication below cutoff (21). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1681[asq20_gm1] Show the field ONLY if: [visit_asqver]="20"	Section Header: <i>Gross motor</i> 1. Does your child climb on an object such as a chair to reach something he wants (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1682[asq20_gm2] Show the field ONLY if: [visit_asqver]="20"	2. Does your child walk well and seldom fall?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

	3[asq20_gm3] Show the field ONLY if: [visit_asqver]="20"	3. Does your child walk down stairs if you hold onto one of her hands? She may also hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)  4. When you show your child how to kick	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV  radio
	Show the field ONLY if: [visit_asqver]="20"	a large ball, does he try to kick the ball by moving his leg forward or by walking into it? (If your child already kicks a ball, mark "yes" for this item.)	10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
168	5[ asq20_gm5 ]  Show the field ONLY if:  [visit_asqver]="20"	5. Does your child run fairly well, stopping herself without bumping into things or falling?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
168	6[ asq20_gm6 ]  Show the field ONLY if:  [visit_asqver]="20"	6. Does your child walk either up or down at least two steps by himself? He may also hold onto the railing or wall.	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
168	7[ asq20_gm_sum]  Show the field ONLY  if:  [visit_asqver]="20"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum([asq20_gm1], [asq20_gm2], [asq20_gm3], [asq20_gm4], [asq20_gm5], [asq20_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
168	8[ asq20_gm_count ]  Show the field ONLY if:  [visit_asqver]="20"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum(if([asq20_gm1]<>"", 1, 0), if([asq20_gm3]<>"", 1, 0), if([asq20_gm4]<>"", 1, 0), if([asq20_gm5]<>"", 1, 0), if([asq20_gm6]<>"", 1, 0), if([asq20_gm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF

	Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_gm_count]<>"", if([asq20_gm_count]="6", ([asq20_gm_sum]), if([asq20_gm_count]="5", ([asq20_gm_sum] + ([asq20_gm_sum]/ [asq20_gm_count])), if([asq20_gm_count]="4", ([asq20_gm_sum] + (2*([asq20_gm_sum]/ [asq20_gm_count]))), if([asq20_gm_count])), if([asq20_gm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1	Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category gross motor below cutoff (40)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_gm_score]<>"", if([asq20_gm_score]<40, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1	I 691[asq20_gm_concernwarning]  Show the field ONLY if: [asq20_gm_concern]="1"	Warning: Adjusted score in category gross motor below cutoff (40). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1	Show the field ONLY if: [visit_asqver]="20"	Section Header: <i>Fine motor</i> 1. Does your child make a mark on the paper with the tip of a crayon (or pencil or pen) when trying to draw?	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
1	Show the field ONLY if: [visit_asqver]="20"	2. Does your child stack three small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1	Show the field ONLY if:  [visit_asqver]="20"	3. Does your child turn the pages of a book by himself? (He may turn more than one page at a time.)	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
169	5[ asq20_fm4 ]  Show the field ONLY if: [visit_asqver]="20"	4. Does your child get a spoon into her mouth right side up so that the food usually doesn't spill?	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
169	6[ asq20_fm5 ] Show the field ONLY if: [visit_asqver]="20"	5. Does your child stack six small blocks or toys on top of each other by himself?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
169	7[asq20_fm6] Show the field ONLY if: [visit_asqver]="20"	6. Does your child use a turning motion with her hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
169	8[ asq20_fm_sum]  Show the field ONLY  if:  [visit_asqver]="20"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum([asq20_fm1], [asq20_fm2], [asq20_fm3], [asq20_fm4], [asq20_fm5], [asq20_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
169	9[asq20_fm_count] Show the field ONLY if: [visit_asqver]="20"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum(if([asq20_fm1]<>"", 1, 0), if([asq20_fm2]<>"", 1, 0), if([asq20_fm3]<>"", 1, 0), if([asq20_fm4]<>"", 1, 0), if([asq20_fm5]<>"", 1, 0), if([asq20_fm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
170	O[ asq20_fm_score ] Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_fm_count]<>"", if([asq20_fm_count]="6", ([asq20_fm_sum]), if([asq20_fm_count]="5", ([asq20_fm_sum] + ([asq20_fm_sum]/

		[asq20_fm_count])), if([asq20_fm_count]="4", ([asq20_fm_sum] + (2*([asq20_fm_sum]/ [asq20_fm_count]))), if([asq20_fm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1701[asq20_fm_concern]  Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category fine motor below cutoff (37)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_fm_score]<>"", if([asq20_fm_score]<37, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1702[asq20_fm_concernwa rning]  Show the field ONLY if: [asq20_fm_concer n]="1"	Warning: Adjusted score in category fine motor below cutoff (37). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1703[asq20_ps1]  Show the field ONLY  if:  [visit_asqver]="20"	Section Header: <i>Problem solving</i> 1. Without your showing him how, does your child scribble back and forth when you give him a crayon (or pencil or pen)?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1704[ asq20_ps2 ] Show the field ONLY if: [visit_asqver]="20"	Count as "yes":Count as "not yet":2. After watching you draw a line from the top of the paper to the bottom with a crayon (or pencil or pen), does your child copy you by drawing a single line on the paper in any direction? (Mark "not yet" if your child scribbles back and forth.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1705[asq20_ps3]  Show the field ONLY if: [visit_asqver]="20"	3. If you do any of the following gestures, does your child copy at least one of them?{asq20_ps3spec:icons}	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1706[asq20_ps3spec] Show the field ONLY if: [visit_asqver]="20"	Select the gestures:	checkbox  a asq20_ps3speca Open and close your mouth.

		b asq20_ps3specb Blink your eyes.
		c asq20_ps3specc Pull on your earlobe.
		d asq20_ps3specd Pat your cheek.
		Custom alignment: LV
1707[ asq20_ps4 ] Show the field Ol if: [visit_asqver]="20	right side up so that she can use it	radio 10 Yes 5 Sometimes 0 Not yet
		Custom alignment: LV
1708[asq20_ps5]  Show the field Ol if: [visit_asqver]="20	your child copy or imitate you and line	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1709[asq20_ps6] Show the field Olif: [visit_asqver]="20	box to stand on to reach it (for example,	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1710[asq20_ps_sum] Show the field Olif: [visit_asqver]="20		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum([asq20_ps1], [asq20_ps2], [asq20_ps3], [asq20_ps4], [asq20_ps5], [asq20_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF

1711[asq20_ps_count] Show the field ONLY if: [visit_asqver]="20"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum(if([asq20_ps1]<>"", 1, 0), if([asq20_ps2]<>"", 1, 0), if([asq20_ps3]<>"", 1, 0), if([asq20_ps4]<>"", 1, 0), if([asq20_ps5]<>"", 1, 0), if([asq20_ps6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1712[asq20_ps_score]  Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_ps_count]<>"", if([asq20_ps_count]="6", ([asq20_ps_sum]), if([asq20_ps_count]="5", ([asq20_ps_sum] + ([asq20_ps_sum]/ [asq20_ps_count])), if([asq20_ps_count]="4", ([asq20_ps_sum] + (2*([asq20_ps_sum]/ [asq20_ps_count]))), if([asq20_ps_count])), if([asq20_ps_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1713[asq20_ps_concern] Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category problem solving below cutoff (29)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_ps_score]<>"", if([asq20_ps_score]<29, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
171 4[asq20_ps_concernwa rning]  Show the field ONLY if: [asq20_ps_concer n]="1"	Warning: Adjusted score in category problem solving below cutoff (29). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1715[asq20_persoc1] Show the field ONLY if: [visit_asqver]="20"	Section Header: <i>Personal-social</i> 1. Does your child feed herself with a spoon, even though she may spill some food?	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
1716[asq20_persoc2] Show the field ONLY if:	2. Does your child get your attention or try to show you something by pulling on your hand or clothes?	radio 10 Yes

	[visit_asqver]="20"		5 Sometimes 0 Not yet  Custom alignment: LV
17	717[ asq20_persoc3 ]  Show the field ONLY if: [visit_asqver]="20"	3. Does your child drink from a cup or glass, putting it down again with little spilling?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
17	718[ asq20_persoc4 ]  Show the field ONLY if:  [visit_asqver]="20"	4. Does your child copy the activities you do, such as wipe up a spill, sweep, shave, or comb hair?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
17	719[ asq20_persoc5 ]  Show the field ONLY if:  [visit_asqver]="20"	5. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
17	720[ asq20_persoc6 ]  Show the field ONLY if:  [visit_asqver]="20"	6. Does your child eat with a fork?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
17	721[ asq20_persoc_sum] Show the field ONLY if: [visit_asqver]="20"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum([asq20_persoc1], [asq20_persoc2], [asq20_persoc3], [asq20_persoc4], [asq20_persoc5], [asq20_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
17	722[ asq20_persoc_count] t] Show the field ONLY if: [visit_asqver]="20"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", sum(if([asq20_persoc1]<>"", 1, 0), if([asq20_persoc2]<>"", 1, 0), if([asq20_persoc3]<>"", 1, 0),

		if([asq20_persoc4]<>"", 1, 0), if([asq20_persoc5]<>"", 1, 0), if([asq20_persoc6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1723[asq20_persoc_score]  Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category personal/ social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_persoc_count]<>"", if([asq20_persoc_count]="6", ([asq20_persoc_sum]), if([asq20_persoc_sum] + ([asq20_persoc_sum]/ [asq20_persoc_sum]/ [asq20_persoc_count]="4", ([asq20_persoc_sum] + (2*([asq20_persoc_sum] + (2*([asq20_persoc_sum]/ [asq20_persoc_sum]/ [asq20_persoc_sum]/ [isq20_persoc_sum]/ [isq20_persoc_count]<4, "", "")))), "" Field Annotation: @HIDDEN-SURVEY
1724[asq20_persoc_conce rn] Show the field ONLY if: [visit_asqver]="20"	Adjusted score in category personal/ social below cutoff (34)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20" and [asq20_persoc_score]<>"", if([asq20_persoc_score]<34, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1725[asq20_persoc_conce rnwarning]  Show the field ONLY if: [asq20_persoc_conc ern]="1"	Warning: Adjusted score in category personal/social below cutoff (34). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1726[ asq20_o1 ] Show the field ONLY if: [visit_asqver]="20"	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio 1 Yes 0 No Custom alignment: LV
1727[ asq20_o1spec ] Show the field ONLY if: [asq20_o1]="0"	If no, explain:	notes Custom alignment: LV
1728[asq20_o2] Show the field ONLY if: [visit_asqver]="20"	2. Do you think your child talks like other toddlers her age?	radio 1 Yes 0 No

		Custom alignment: LV
1729[asq20_o2spec] Show the field ONLY if: [asq20_o2]="0"	If no, explain:	notes Custom alignment: LV
1730[asq20_o3]  Show the field ONLY if:  [visit_asqver]="20"	3. Can you understand most of what your child says?	radio  1 Yes  0 No  Custom alignment: LV
1731[asq20_o3spec] Show the field ONLY if: [asq20_o3]="0"	If no, explain:	notes Custom alignment: LV
1732[asq20_o4] Show the field ONLY if: [visit_asqver]="20"	4. Do you think your child walks, runs, and climbs like other toddlers his age?	radio 1 Yes 0 No  Custom alignment: LV
1733[asq20_o4spec] Show the field ONLY if: [asq20_o4]="0"	If no, explain:	notes Custom alignment: LV
1734[ asq20_o5 ] Show the field ONLY if: [visit_asqver]="20"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio 1 Yes 0 No  Custom alignment: LV
1735[asq20_o5spec] Show the field ONLY if: [asq20_o5]="1"	If yes, explain:	notes Custom alignment: LV
1736[ asq20_o6 ]  Show the field ONLY if: [visit_asqver]="20"	6. Do you have any concerns about your child's vision?	radio  1 Yes  0 No  Custom alignment: LV
1737[ asq20_o6spec ] Show the field ONLY if: [asq20_o6]="1"	If yes, explain:	notes Custom alignment: LV

1 1			
if:	w the field ONLY t_asqver]="20"	7. Has your child had any medical problems in the last several months?	radio 1 Yes 0 No  Custom alignment: LV
Show if:	q20_o7spec ] w the field ONLY q20_o7]="1"	If yes, explain:	notes Custom alignment: LV
if:	w the field ONLY t_asqver]="20"	8. Do you have any concerns about your child's behavior?	radio  1 Yes 0 No  Custom alignment: LV
Show if:	q20_o8spec ] w the field ONLY q20_o8]="1"	If yes, explain:	notes Custom alignment: LV
if:	w the field ONLY t_asqver]="20"	9. Does anything about your child worry you?	radio 1 Yes 0 No  Custom alignment: LV
Show if:	q20_o9spec ] w the field ONLY q20_o9]="1"	If yes, explain:	notes Custom alignment: LV
Show if:	w the field ONLY t_asqver]="20"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="20", if(([asq20_comm_concern]="1" or [asq20_gm_concern]="1" or [asq20_fm_concern]="1" or [asq20_ps_concern]="1" or [asq20_ps_concern]="1" or [asq20_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
Show if:	q <mark>22_intro]</mark> w the field ONLY t_asqver]="22"	22 Month Questionnaire21 months 0 days through 22 months 30 daysOn the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is	descriptive

	doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make completing this questionnaire a game that is fun for you and your child.Make sure your child is rested and fed.At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	
1746[asq22_comm1]  Show the field ONLY  if: [visit_asqver]="22"	Section Header: Communication  1. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, "What is this?" does your child correctly name at least one picture?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1747[asq22_comm2]  Show the field ONLY  if:  [visit_asqver]="22"	2. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions?  {asq22_comm2spec:icons}	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1748[ asq22_comm2spec ] Show the field ONLY if: [visit_asqver]="22"	Select the gestures:	checkbox  a asq22_comm2speca "Put the toy on the table."  b asq22_comm2specb "Close the door."
		c asq22_comm2specc "Bring me a towel."  d asq22_comm2specd "Find your coat."
		e asq22_comm2spece "Take my hand."

			f asq22_comm2specf "Get your book."  Custom alignment: LV
174	9[asq22_comm3] Show the field ONLY if: [visit_asqver]="22"	3. When you ask your child to point to her nose, eyes, hair, feet, ears, and so forth, does she correctly point to at least seven body parts? (She can point to parts of herself, you, or a doll. Mark "sometimes" if she correctly points to at least three different body parts.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
175	O[asq22_comm4] Show the field ONLY if: [visit_asqver]="22"	4. Does your child say 15 or more words in addition to "Mama" and "Dada"?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
175	1[asq22_comm5]  Show the field ONLY if: [visit_asqver]="22"	5. Does your child correctly use at least two words like "me," "I," "mine," and "you"?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
175	2[asq22_comm6]  Show the field ONLY  if:  [visit_asqver]="22"	6. Does your child say two or three words that represent different ideas together, such as "See dog," "Mommy come home," or "Kitty gone"? (Don't count word combinations that express one idea, such as "bye-bye," "all gone," "all right," and "What's that?")	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
175	3[asq22_comm6spec] Show the field ONLY if: [visit_asqver]="22"	Please give an example of your child's word combinations:	text Custom alignment: LV
175	4[asq22_comm_sum]  Show the field ONLY if: [visit_asqver]="22"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum([asq22_comm1], [asq22_comm2], [asq22_comm3], [asq22_comm4], [asq22_comm5], [asq22_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF

1/5	5[asq22_comm_count] Show the field ONLY if: [visit_asqver]="22"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum(if([asq22_comm1]<>"", 1, 0), if([asq22_comm2]<>"", 1, 0), if([asq22_comm3]<>"", 1, 0), if([asq22_comm4]<>"", 1, 0), if([asq22_comm5]<>"", 1, 0), if([asq22_comm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
175	6[asq22_comm_score] Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_comm_count]<>"", if([asq22_comm_count]="6", ([asq22_comm_sum]), if([asq22_comm_sum] + ([asq22_comm_sum]/ [asq22_comm_count]="4", ([asq22_comm_count]="4", ([asq22_comm_sum]/ [asq22_comm_sum] + (2*([asq22_comm_sum]/ [asq22_comm_sum]/ [asq22_comm_sum]/ [asq22_comm_count]))), if([asq22_comm_count]))), if([asq22_comm_count]<<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
175	7[asq22_comm_concern] Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category communication below cutoff (14)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_comm_score]<>"", if([asq22_comm_score]<14, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
175	8[asq22_comm_concern warning]  Show the field ONLY if: [asq22_comm_conce rn]="1"	Warning: Adjusted score in category communication below cutoff (14). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
175	9[asq22_gm1] Show the field ONLY if: [visit_asqver]="22"	Section Header: Gross motor  1. When you show your child how to kick a large ball, does he try to kick the ball by moving his leg forward or by walking into it? (If your child already kicks a ball, mark "yes" for this item.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

1760[asq22_gm2] Show the field ONLY if: [visit_asqver]="22"	2. Does your child run fairly well, stopping herself without bumping into things or falling?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1761[asq22_gm3] Show the field ONLY if: [visit_asqver]="22"	3. Does your child walk down stairs if you hold onto one of his hands? He may also hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1762[ asq22_gm4 ] Show the field ONLY if: [visit_asqver]="22"	4. Does your child walk either up or down at least two steps by herself? She may hold onto the railing or wall.	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1763[ asq22_gm5 ] Show the field ONLY if: [visit_asqver]="22"	5. Does your child jump with both feet leaving the floor at the same time?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1764[ asq22_gm6 ] Show the field ONLY if: [visit_asqver]="22"	6. Without holding onto anything for support, does your child kick a ball by swinging his leg forward?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1765[ asq22_gm_sum ]  Show the field ONLY if: [visit_asqver]="22"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum([asq22_gm1], [asq22_gm2], [asq22_gm3], [asq22_gm4], [asq22_gm5], [asq22_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1766[ asq22_gm_count ] Show the field ONLY if: [visit_asqver]="22"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum(if([asq22_gm1]<>"", 1, 0),

		if([asq22_gm2]<>"", 1, 0), if([asq22_gm3]<>"", 1, 0), if([asq22_gm4]<>"", 1, 0), if([asq22_gm5]<>"", 1, 0), if([asq22_gm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1767[asq22_gm_score] Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_gm_count]<>"", if([asq22_gm_count]="6", ([asq22_gm_sum]), if([asq22_gm_count]="5", ([asq22_gm_sum] + ([asq22_gm_sum] [asq22_gm_count])), if([asq22_gm_count]="4", ([asq22_gm_sum] + (2*([asq22_gm_sum]/ [asq22_gm_count]))), if([asq22_gm_count]))), if([asq22_gm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1768[asq22_gm_concern] Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category gross motor below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_gm_score]<>"", if([asq22_gm_score]<28, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1769[asq22_gm_concernwa rning] Show the field ONLY if: [asq22_gm_concer n]="1"	Warning: Adjusted score in category gross motor below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1770[asq22_fm1] Show the field ONLY if: [visit_asqver]="22"	Section Header: <i>Fine motor</i> 1. Does your child get a spoon into her mouth right side up so that the food usually doesn't spill?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1771[asq22_fm2] Show the field ONLY if: [visit_asqver]="22"	2. Does your child stack six small blocks or toys on top of each other by himself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

S if [v	asq22_fm3 ] Show the field ONLY f: visit_asqver]="22"	3. Does your child use a turning motion with her hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars?  4. Does your child turn the pages of a	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV  radio
S	Show the field ONLY	book by himself? (He may turn more than one page at a time.)	10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
S	asq22_fm5] Show the field ONLY f: visit_asqver]="22"	5. Does your child flip switches off and on?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
S	asq22_fm6] Show the field ONLY f: visit_asqver]="22"	6. Can your child string small items such as beads, macaroni, or pasta "wagon wheels" onto a string or shoelace?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
S	asq22_fm_sum] Show the field ONLY f: visit_asqver]="22"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum([asq22_fm1], [asq22_fm2], [asq22_fm3], [asq22_fm4], [asq22_fm5], [asq22_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
S	asq22_fm_count ] Show the field ONLY f: visit_asqver]="22"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum(if([asq22_fm1]<>"", 1, 0), if([asq22_fm2]<>"", 1, 0), if([asq22_fm3]<>"", 1, 0), if([asq22_fm4]<>"", 1, 0), if([asq22_fm5]<>"", 1, 0), if([asq22_fm6]<>"", 1, 0), if([asq22_fm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF

1778[ asq22_fm_score ] Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_fm_count]<>"", if([asq22_fm_count]="6", ([asq22_fm_sum]), if([asq22_fm_sum] + ([asq22_fm_sum] [asq22_fm_count])), if([asq22_fm_count]="4", ([asq22_fm_sum] + (2*([asq22_fm_sum]/ [asq22_fm_count]))), if([asq22_fm_count]))), if([asq22_fm_count] // (2*([asq22_fm_sum]/ [asq22_fm_count]))), if([asq22_fm_count] // (2*([asq22_fm_count]
1779[ asq22_fm_concern ]  Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category fine motor below cutoff (30)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_fm_score]<>"", if([asq22_fm_score]<30, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1780[asq22_fm_concernwa rning]  Show the field ONLY if: [asq22_fm_concer n]="1"	Warning: Adjusted score in category fine motor below cutoff (30). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1781[ asq22_ps1 ] Show the field ONLY if: [visit_asqver]="22"	Section Header: <i>Problem solving</i> 1. Without your showing her how, does your child scribble back and forth when you give her a crayon (or pencil or pen)?	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
1782[ asq22_ps2 ] Show the field ONLY if: [visit_asqver]="22"	2. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up at least two blocks side by side? (You can also use spools of thread, small boxes, or other toys.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1783[ asq22_ps3 ] Show the field ONLY if: [visit_asqver]="22"	3. Does your child pretend objects are something else? For example, does your child hold a cup to his ear, pretending it is a telephone? Does he put a box on his head, pretending it is a hat? Does he use a block or small toy to stir food?	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
178	4[asq22_ps4] Show the field ONLY if: [visit_asqver]="22"	Count as "yes":Count as "not yet":4.  After watching you draw a line from the top of the paper to the bottom with a crayon (or pencil or pen), does your child copy you by drawing a single line on the paper in any direction? (Mark "not yet" if your child scribbles back and forth.)	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
178	5[asq22_ps5] Show the field ONLY if: [visit_asqver]="22"	5. After a crumb or Cheerio is dropped into a small, clear bottle, does your child turn the bottle upside down to dump out the crumb or Cheerio? (Do not show her how.) (You can use a soda-pop bottle or a baby bottle.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
178	Show the field ONLY if: [visit_asqver]="22"	6. If you give your child a bottle, spoon, or pencil upside down, does he turn it right side up so that he can use it properly?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
178	7[asq22_ps_sum] Show the field ONLY if: [visit_asqver]="22"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum([asq22_ps1], [asq22_ps2], [asq22_ps3], [asq22_ps4], [asq22_ps5], [asq22_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
178	8[asq22_ps_count] Show the field ONLY if: [visit_asqver]="22"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum(if([asq22_ps1]<>"", 1, 0), if([asq22_ps2]<>"", 1, 0), if([asq22_ps3]<>"", 1, 0), if([asq22_ps4]<>"", 1, 0), if([asq22_ps5]<>"", 1, 0), if([asq22_ps6]<>"", 1, 0), if([asq22_ps6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
178	9[ asq22_ps_score ] Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_ps_count]<>"", if([asq22_ps_count]="6", ([asq22_ps_sum]), if([asq22_ps_count]="5",

		([asq22_ps_sum] + ([asq22_ps_sum]/ [asq22_ps_count])), if([asq22_ps_count]="4", ([asq22_ps_sum] + (2*([asq22_ps_sum]/ [asq22_ps_count]))), if([asq22_ps_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1790[ asq22_ps_concern ]  Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category problem solving below cutoff (30)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_ps_score]<>"", if([asq22_ps_score]<30, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1791[asq22_ps_concernwa rning]  Show the field ONLY if: [asq22_ps_concer n]="1"	Warning: Adjusted score in category problem solving below cutoff (30). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1792[asq22_persoc1]	Section Header: Personal-social	radio
Show the field ONLY	1. Does your child copy the activities you do, such as wipe up a spill, sweep, shave, or comb hair?	10 Yes
if:		5 Sometimes
[visit_asqver]="22"	Shave, or comb hair.	0 Not yet
		Custom alignment: LV
1793[asq22_persoc2]	2. If you do any of the following	radio
Show the field ONLY	gestures, does your child copy at least	10 Yes
if:	one of them?{asq22_persoc2spec:icons}	5 Sometimes
[visit_asqver]="22"		0 Not yet
		Custom alignment: LV
1794[asq22_persoc2spec]	Select the gestures:	checkbox
Show the field ONLY if: [visit_asqver]="22"		a asq22_persoc2speca Open and close your mouth.
		b asq22_persoc2specb Blink your eyes.
		c asq22_persoc2specc Pull on your earlobe

		d asq22_persoc2specd Pat your cheek.
1795[ asq22_persoc3 ] Show the field ONLY if: [visit_asqver]="22"  1796[ asq22_persoc4 ] Show the field ONLY	<ul><li>3. Does your child eat with a fork?</li><li>4. Does your child drink from a cup or glass, putting it down again with little spilling?</li></ul>	radio  10 Yes  5 Sometimes 0 Not yet  Custom alignment: LV  radio  10 Yes
if: [visit_asqver]="22"		5 Sometimes 0 Not yet  Custom alignment: LV
1797[ asq22_persoc5 ]  Show the field ONLY if:  [visit_asqver]="22"	5. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1798[ asq22_persoc6 ]  Show the field ONLY if:  [visit_asqver]="22"	6. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if she cannot turn?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1799[ asq22_persoc_sum ]  Show the field ONLY  if:  [visit_asqver]="22"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum([asq22_persoc1], [asq22_persoc2], [asq22_persoc3], [asq22_persoc4], [asq22_persoc5], [asq22_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1800[ asq22_persoc_coun t ]  Show the field ONLY if: [visit_asqver]="22"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", sum(if([asq22_persoc1]<>"", 1, 0), if([asq22_persoc2]<>"", 1, 0), if([asq22_persoc3]<>"", 1, 0),

			if([asq22_persoc4]<>"", 1, 0), if([asq22_persoc5]<>"", 1, 0), if([asq22_persoc6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
18	301[asq22_persoc_score] Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_persoc_count]<>"", if([asq22_persoc_count]="6", ([asq22_persoc_sum]), if([asq22_persoc_sum] + ([asq22_persoc_sum]/ [asq22_persoc_sum]/ [asq22_persoc_count]="4", ([asq22_persoc_sum] + (2*([asq22_persoc_sum]/ [asq22_persoc_sum]/ [asq22_persoc_sum]/ [asq22_persoc_sum]/ [asq22_persoc_sum]/ [asq22_persoc_sum]/ [asq22_persoc_count]
18	302[asq22_persoc_conce rn] Show the field ONLY if: [visit_asqver]="22"	Adjusted score in category personal/ social below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22" and [asq22_persoc_score]<>"", if([asq22_persoc_score]<31, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
18	303[asq22_persoc_conce rnwarning]  Show the field ONLY if: [asq22_persoc_conc ern]="1"	Warning: Adjusted score in category personal/social below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
18	Show the field ONLY if:  [visit_asqver]="22"	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio 1 Yes 0 No Custom alignment: LV
18	Show the field ONLY if:  [asq22_o1]="0"	If no, explain:	notes Custom alignment: LV
18	S06[ asq22_o2 ] Show the field ONLY if: [visit_asqver]="22"	2. Do you think your child talks like other toddlers her age?	radio 1 Yes 0 No

			Custom alignment: LV
180	7[ asq22_o2spec ] Show the field ONLY if: [asq22_o2]="0"	If no, explain:	notes Custom alignment: LV
180	8[asq22_o3] Show the field ONLY if: [visit_asqver]="22"	3. Can you understand most of what your child says?	radio 1 Yes 0 No  Custom alignment: LV
180	9[ asq22_o3spec ] Show the field ONLY if: [asq22_o3]="0"	If no, explain:	notes Custom alignment: LV
181	O[asq22_o4] Show the field ONLY if: [visit_asqver]="22"	4. Do you think your child walks, runs, and climbs like other toddlers his age?	radio 1 Yes 0 No  Custom alignment: LV
181	1[asq22_o4spec] Show the field ONLY if: [asq22_o4]="0"	If no, explain:	notes Custom alignment: LV
181	2[asq22_o5] Show the field ONLY if: [visit_asqver]="22"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio 1 Yes 0 No  Custom alignment: LV
181	3[asq22_o5spec] Show the field ONLY if: [asq22_o5]="1"	If yes, explain:	notes Custom alignment: LV
181	4[ asq22_o6 ] Show the field ONLY if: [visit_asqver]="22"	6. Do you have any concerns about your child's vision?	radio 1 Yes 0 No  Custom alignment: LV
181	5[ asq22_o6spec ] Show the field ONLY if: [asq22_o6]="1"	If yes, explain:	notes Custom alignment: LV

181	6[ asq22_o7 ] Show the field ONLY if: [visit_asqver]="22"	7. Has your child had any medical problems in the last several months?	radio  1 Yes  0 No  Custom alignment: LV
181	7[asq22_o7spec] Show the field ONLY if: [asq22_o7]="1"	If yes, explain:	notes Custom alignment: LV
181	8[ asq22_o8 ]  Show the field ONLY if: [visit_asqver]="22"	8. Do you have any concerns about your child's behavior?	radio 1 Yes 0 No  Custom alignment: LV
181	9[asq22_o8spec] Show the field ONLY if: [asq22_o8]="1"	If yes, explain:	notes Custom alignment: LV
182	O[ asq22_o9 ] Show the field ONLY if: [visit_asqver]="22"	9. Does anything about your child worry you?	radio 1 Yes 0 No  Custom alignment: LV
182	1[asq22_o9spec] Show the field ONLY if: [asq22_o9]="1"	If yes, explain:	notes Custom alignment: LV
182	2[asq22_a11_concern] Show the field ONLY if: [visit_asqver]="22"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="22", if(([asq22_comm_concern]="1" or [asq22_gm_concern]="1" or [asq22_fm_concern]="1" or [asq22_ps_concern]="1" or [asq22_ps_concern]="1" or [asq22_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
182	3[asq24_intro] Show the field ONLY if: [visit_asqver]="24"	24 Month Questionnaire23 months 0 days through 25 months 15 daysOn the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is	descriptive

	doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make completing this questionnaire a game that is fun for you and your child.Make sure your child is rested and fed.At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	
1824[asq24_comm1] Show the field ONLY if: [visit_asqver]="24"	Section Header: <i>Communication</i> 1. Without your showing him, does your child point to the correct picture when you say, "Show me the kitty," or ask, "Where is the dog?" (She needs to identify only one picture correctly.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1825[ asq24_comm2 ] Show the field ONLY if: [visit_asqver]="24"	2. Does your child imitate a two-word sentence? For example, when you say a two-word phrase, such as "Mama eat," "Daddy play," "Go home," or "What's this?" does your child say both words back to you? (Mark "yes" even if her words are difficult to understand.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1826[ asq24_comm3 ] Show the field ONLY if: [visit_asqver]="24"	3. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions? {asq24_comm3spec:icons}	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1827[asq24_comm3spec] Show the field ONLY if: [visit_asqver]="24"	Select the gestures:	checkbox  a asq24_comm3speca "Put the toy on the table."  b asq24_comm3specb "Close
		the door."  c asq24_comm3specc "Bring me a towel."

			d	asq24_comm3specd	"Find your coat."
			е	asq24_comm3spece	"Take my hand."
			f	asq24_comm3specf	"Get your book."
			Cus	stom alignment: LV	
1828[ asq24	_comm4]	4. If you point to a picture of a ball (kitty,	rad	lio	
Show t	the field ONLY	cup, hat, etc.) and ask your child, "What is this?" does your child correctly name	10	Yes	
if:		at least one picture?	5	Sometimes	
[VISIT_a	asqver]="24"		0	Not yet	
			Cus	stom alignment: LV	
1829[ asq24	_comm5]	5. Does your child say two or three	rad	lio	
Show t	the field ONLY	words that represent different ideas	10	Yes	
if:	7 110 411	together, such as "See dog," "Mommy come home," or "Kitty gone"? (Don't	5	Sometimes	
[visit_a	sqver]="24"	count word combinations that express one idea, such as "bye-bye," "all gone,"	0	Not yet	
		"all right," and "What's that?")	Cus	stom alignment: LV	
Show to	comm5spec ]	Please give an example of your child's word combinations:	tex Cus	t stom alignment: LV	
	nsqver]="24"				
1831[ asq24		6. Does your child correctly use at least two words like "me," "I," "mine," and	rad	T 1	
Show t   if:	the field ONLY	"you"?	5	Sometimes	
	nsqver]="24"		0	Not yet	
			Cus	stom alignment: LV	
1832[ asq24	comm_sum]	Sum of scores of completed items in	cal		
Show t	the field ONLY	NLY [		culation: if([asq_fversior sit_asqver]="24",	n]<>"" and
if:	ocavor1-  24			n([asq24_comm1],	
[VISIT_a	isqver]="24"			q24_comm2], [asq24_co	
				q24_comm4],	ınm5],
			Fie	ld Annotation: @HIDDEN	١
1			@H	IIDDEN-PDF	

183	3[asq24_comm_count] Show the field ONLY if: [visit_asqver]="24"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum(if([asq24_comm1]<>"", 1, 0), if([asq24_comm2]<>"", 1, 0), if([asq24_comm3]<>"", 1, 0), if([asq24_comm4]<>"", 1, 0), if([asq24_comm5]<>"", 1, 0), if([asq24_comm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
183	4[asq24_comm_score] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_comm_count]<>"", if([asq24_comm_count]="6", ([asq24_comm_sum]), if([asq24_comm_sum] + ([asq24_comm_sum]/ [asq24_comm_count]="4", ([asq24_comm_count]="4", ([asq24_comm_sum] + (2*([asq24_comm_sum])/ [asq24_comm_sum]] [asq24_comm_sum]/ [asq24_comm_sum]/ [asq24_comm_count]))), if([asq24_comm_count]))), if([asq24_comm_count]<<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
183	5[asq24_comm_concern] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category communication below cutoff (26)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_comm_score]<>"", if([asq24_comm_score]<26, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1836	6[asq24_comm_concern warning]  Show the field ONLY if: [asq24_comm_conce rn]="1"	Warning: Adjusted score in category communication below cutoff (26). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
183	7[ asq24_gm1 ] Show the field ONLY if: [visit_asqver]="24"	Section Header: Gross motor  1. Does your child walk down stairs if you hold onto one of her hands? She may also hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

1838[ asq24_gm2 ] Show the field ONL if: [visit_asqver]="24"	2. When you show your child how to kick a large ball, does he try to kick the ball by moving his leg forward or by walking into it? (If your child already kicks a ball, mark "yes" for this item.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1839[ asq24_gm3 ] Show the field ONL if: [visit_asqver]="24"	3. Does your child walk either up or down at least two steps by herself? She may hold onto the railing or wall.	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1840[ asq24_gm4 ] Show the field ONL if: [visit_asqver]="24"	4. Does your child run fairly well, stopping herself without bumping into things or falling?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1841[ asq24_gm5 ] Show the field ONL if: [visit_asqver]="24"	5. Does your child jump with both feet leaving the floor at the same time?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1842[ asq24_gm6 ] Show the field ONL if: [visit_asqver]="24"	6. Without holding onto anything for support, does your child kick a ball by swinging his leg forward?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1843[ asq24_gm_sum ]  Show the field ONL if: [visit_asqver]="24"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum([asq24_gm1], [asq24_gm2], [asq24_gm3], [asq24_gm4], [asq24_gm5], [asq24_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1844[ asq24_gm_count ] Show the field ONL if: [visit_asqver]="24"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum(if([asq24_gm1]<>"", 1, 0),

		if([asq24_gm2]<>"", 1, 0), if([asq24_gm3]<>"", 1, 0), if([asq24_gm4]<>"", 1, 0), if([asq24_gm5]<>"", 1, 0), if([asq24_gm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1845[asq24_gm_score] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>>"" and [visit_asqver]="24" and [asq24_gm_count]<>>"", if([asq24_gm_count]="6", ([asq24_gm_sum]), if([asq24_gm_count]="5", ([asq24_gm_sum] + ([asq24_gm_sum [asq24_gm_count])), if([asq24_gm_count]="4", ([asq24_gm_sum] + (2*([asq24_gm_sum]/ [asq24_gm_count]))), if([asq24_gm_count]))), if([asq24_gm_count]
1846[asq24_gm_concern] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category gross motor below cutoff (39)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_gm_score]<>"", if([asq24_gm_score]<39, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1847[asq24_gm_concernwa rning] Show the field ONLY if: [asq24_gm_concer n]="1"	Warning: Adjusted score in category gross motor below cutoff (39). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1848[asq24_fm1] Show the field ONLY if: [visit_asqver]="24"	Section Header: Fine motor  1. Does your child get a spoon into his mouth right side up so that the food usually doesn't spill?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1849[asq24_fm2] Show the field ONLY if: [visit_asqver]="24"	2. Does your child turn the pages of a book by herself? (She may turn more than one page at a time.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

	O[asq24_fm3] Show the field ONLY if: [visit_asqver]="24"	3. Does your child use a turning motion with his hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
185	1[ asq24_fm4 ] Show the field ONLY if: [visit_asqver]="24"	4. Does your child flip switches off and on?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
185	2[ asq24_fm5 ] Show the field ONLY if: [visit_asqver]="24"	5. Does your child stack seven small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
185	3[ asq24_fm6 ]  Show the field ONLY  if:  [visit_asqver]="24"	6. Can your child string small items such as beads, macaroni, or pasta "wagon wheels" onto a string or shoelace?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
185	4[asq24_fm_sum]  Show the field ONLY  if:  [visit_asqver]="24"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum([asq24_fm1], [asq24_fm2], [asq24_fm3], [asq24_fm4], [asq24_fm5], [asq24_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
185	5[ asq24_fm_count ]  Show the field ONLY if:  [visit_asqver]="24"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum(if([asq24_fm1]<>"", 1, 0), if([asq24_fm2]<>"", 1, 0), if([asq24_fm3]<>"", 1, 0), if([asq24_fm4]<>"", 1, 0), if([asq24_fm5]<>"", 1, 0), if([asq24_fm6]<>"", 1, 0), if([asq24_fm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF

185	6[asq24_fm_score] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_fm_count]<>>"", if([asq24_fm_count]="6", ([asq24_fm_sum]), if([asq24_fm_sum] + ([asq24_fm_sum]/ [asq24_fm_count])), if([asq24_fm_count]="4", ([asq24_fm_sum] + (2*([asq24_fm_sum]/ [asq24_fm_sum]/ [asq24_fm_count]))), if([asq24_fm_count]))), if([asq24_fm_count] 'asq24_fm_count] 'signal Annotation: @HIDDEN-SURVEY
185	7[ asq24_fm_concern ] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category fine motor below cutoff (36)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_fm_score]<>"", if([asq24_fm_score]<36, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
185	8[asq24_fm_concernwa rning] Show the field ONLY if: [asq24_fm_concer n]="1"	Warning: Adjusted score in category fine motor below cutoff (36). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
185	9[ asq24_ps1 ] Show the field ONLY if: [visit_asqver]="24"	Section Header: Problem solving  Count as "yes":Count as "not yet":1.  After watching you draw a line from the top of the paper to the bottom with a crayon (or pencil or pen), does your child copy you by drawing a single line on the paper in any direction? (Mark "not yet" if your child scribbles back and forth.)	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
186	O[asq24_ps2] Show the field ONLY if: [visit_asqver]="24"	2. After a crumb or Cheerio is dropped into a small, clear bottle, does your child turn the bottle upside down to dump out the crumb or Cheerio? (Do not show him how.) (You can use a soda-pop bottle or baby bottle.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
186	1[asq24_ps3] Show the field ONLY if: [visit_asqver]="24"	3. Does your child pretend objects are something else? For example, does your child hold a cup to her ear, pretending it is a telephone? Does she put a box on her head, pretending it is a hat? Does	radio

		she use a block or small toy to stir food?	10 Yes 5 Sometimes 0 Not yet
186	<sup>2</sup> [asq24_ps4]  Show the field ONLY if:  [visit_asqver]="24"	4. Does your child put things away where they belong? For example, does he know his toys belong on the toy shelf, his blanket goes on his bed, and dishes go in the kitchen?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
186	3[ asq24_ps5 ] Show the field ONLY if: [visit_asqver]="24"	5. If your child wants something she cannot reach, does she find a chair or box to stand on to reach it (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
186	4[ asq24_ps6 ] Show the field ONLY if: [visit_asqver]="24"	6. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
186	5[ asq24_ps_sum]  Show the field ONLY  if:  [visit_asqver]="24"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum([asq24_ps1], [asq24_ps2], [asq24_ps3], [asq24_ps4], [asq24_ps5], [asq24_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
186	6[ asq24_ps_count ] Show the field ONLY if: [visit_asqver]="24"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum(if([asq24_ps1]<>"", 1, 0), if([asq24_ps2]<>"", 1, 0), if([asq24_ps3]<>"", 1, 0), if([asq24_ps4]<>"", 1, 0), if([asq24_ps5]<>"", 1, 0), if([asq24_ps5]<>"", 1, 0), if([asq24_ps6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF

1	867[asq24_ps_score] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_ps_count]<>"", if([asq24_ps_count]="6", ([asq24_ps_sum]), if([asq24_ps_count]="5", ([asq24_ps_sum] + ([asq24_ps_sum]/ [asq24_ps_count])), if([asq24_ps_count]="4", ([asq24_ps_sum] + (2*([asq24_ps_sum]/ [asq24_ps_count]))), if([asq24_ps_count] '/ (asq24_ps_count]
1	868[asq24_ps_concern] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category problem solving below cutoff (30)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_ps_score]<>"", if([asq24_ps_score]<30, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1	869[asq24_ps_concernwa rning]  Show the field ONLY if: [asq24_ps_concer n]="1"	Warning: Adjusted score in category problem solving below cutoff (30). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1	870[asq24_persoc1] Show the field ONLY if: [visit_asqver]="24"	Section Header: <i>Personal-social</i> 1. Does your child drink from a cup or glass, putting it down again with little spilling?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1	871[ asq24_persoc2 ] Show the field ONLY if: [visit_asqver]="24"	2. Does your child copy the activities you do, such as wipe up a spill, sweep, shave, or comb hair?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1	872[ asq24_persoc3 ] Show the field ONLY if: [visit_asqver]="24"	3. Does your child eat with a fork?	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
187	3[ asq24_persoc4 ] Show the field ONLY if: [visit_asqver]="24"	4. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
187	4[ asq24_persoc5 ]  Show the field ONLY if: [visit_asqver]="24"	5. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
187	5[ asq24_persoc6 ]  Show the field ONLY if: [visit_asqver]="24"	6. Does your child call herself "l" or "me" more often than her own name? For example, "I do it," more often than "Juanita do it."	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
187	6[asq24_persoc_sum]  Show the field ONLY  if:  [visit_asqver]="24"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum([asq24_persoc1], [asq24_persoc2], [asq24_persoc3], [asq24_persoc4], [asq24_persoc5], [asq24_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
187	7[ asq24_persoc_coun t ] Show the field ONLY if: [visit_asqver]="24"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", sum(if([asq24_persoc1]<>"", 1, 0), if([asq24_persoc2]<>"", 1, 0), if([asq24_persoc3]<>"", 1, 0), if([asq24_persoc4]<>"", 1, 0), if([asq24_persoc5]<>"", 1, 0), if([asq24_persoc6]<>"", 1, 0), if([asq24_persoc6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
187	8[ asq24_persoc_scor e ] Show the field ONLY if: [visit_asqver]="24"	Adjusted score in category personal/ social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_persoc_count]<>"", if([asq24_persoc_count]="6", ([asq24_persoc_sum]), if([asq24_persoc_count]="5",

		([asq24_persoc_sum] + ([asq24_persoc_sum]/ [asq24_persoc_count])), if([asq24_persoc_count]="4", ([asq24_persoc_sum] + (2*([asq24_persoc_sum]/ [asq24_persoc_count]))), if([asq24_persoc_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1879[ asq24_persoc_concern ]  Show the field ONLY if: [visit_asqver]="24"	social below cutoff (32)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24" and [asq24_persoc_score]<>"", if([asq24_persoc_score]<32, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1880[asq24_persoc_concernwarning] Show the field ONLY if: [asq24_persoc_concern]="1"	personal/social below cutoff (32). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1881[asq24_o1]  Show the field ONLY if:  [visit_asqver]="24"	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio 1 Yes 0 No  Custom alignment: LV
188 <sup>2</sup> [asq24_o1spec] Show the field ONLY if: [asq24_o1]="0"	If no, explain:	notes Custom alignment: LV
1883[ asq24_o2 ] Show the field ONLY if: [visit_asqver]="24"	2. Do you think your child talks like other toddlers her age?	radio 1 Yes 0 No Custom alignment: LV
1884[ asq24_o2spec ] Show the field ONLY if: [asq24_o2]="0"	If no, explain:	notes Custom alignment: LV
1885[ asq24_o3 ] Show the field ONLY if: [visit_asqver]="24"	3. Can you understand most of what your child says?	radio 1 Yes 0 No Custom alignment: LV

188	6[ asq24_o3spec ] Show the field ONLY if: [asq24_o3]="0"	If no, explain:	notes Custom alignment: LV
188	7[ asq24_o4 ] Show the field ONLY if: [visit_asqver]="24"	4. Do you think your child walks, runs, and climbs like other toddlers his age?	radio 1 Yes 0 No  Custom alignment: LV
188	8[ asq24_o4spec ] Show the field ONLY if: [asq24_o4]="0"	If no, explain:	notes Custom alignment: LV
188	9[ asq24_o5 ] Show the field ONLY if: [visit_asqver]="24"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio  1 Yes  0 No  Custom alignment: LV
189	O[ asq24_o5spec ] Show the field ONLY if: [asq24_o5]="1"	If yes, explain:	notes Custom alignment: LV
189	1[ asq24_o6 ] Show the field ONLY if: [visit_asqver]="24"	6. Do you have any concerns about your child's vision?	radio 1 Yes 0 No  Custom alignment: LV
189	2[ asq24_o6spec ] Show the field ONLY if: [asq24_o6]="1"	If yes, explain:	notes Custom alignment: LV
189	3[asq24_o7] Show the field ONLY if: [visit_asqver]="24"	7. Has your child had any medical problems in the last several months?	radio 1 Yes 0 No  Custom alignment: LV
189	4[ asq24_o7spec ] Show the field ONLY if: [asq24_o7]="1"	lf yes, explain:	notes Custom alignment: LV

S	asq24_o8] Show the field ONLY f: visit_asqver]="24"	8. Do you have any concerns about your child's behavior?	radio  1 Yes  0 No  Custom alignment: LV
S	asq24_o8spec ] Show the field ONLY f: asq24_o8]="1"	If yes, explain:	notes Custom alignment: LV
S	asq24_o9] Show the field ONLY f: visit_asqver]="24"	9. Does anything about your child worry you?	radio  1 Yes  0 No  Custom alignment: LV
S	asq24_o9spec ] Show the field ONLY f: asq24_o9]="1"	If yes, explain:	notes Custom alignment: LV
S	asq24_all_concern] Show the field ONLY f: visit_asqver]="24"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="24", if(([asq24_comm_concern]="1" or [asq24_gm_concern]="1" or [asq24_fm_concern]="1" or [asq24_ps_concern]="1" or [asq24_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
S	asq27_intro] Show the field ONLY f: visit_asqver]="27"	27 Month Questionnaire25 months 16 days through 28 months 15 daysOn the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make completing this questionnaire a game that is fun for you and your child.Make sure your child is rested and fed.At this age, many toddlers may not be cooperative when asked to do things. You may need to try the following activities with your child more than one	descriptive

	time. If possible, try the activities when your child is cooperative. If your child can do the activity but refuses, mark "yes" for the item.	
1901[asq27_comm1]  Show the field ONLY if: [visit_asqver]="27"	Section Header: Communication  1. Without your giving him clues by pointing or using gestures, can your child carry out at least three of these kinds of directions?  {asq27_comm1spec:icons}	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1902[asq27_comm1spec] Show the field ONLY if: [visit_asqver]="27"	Select the gestures:	checkbox  a asq27_comm1speca "Put the toy on the table."
		b asq27_comm1specb "Close the door."
		c asq27_comm1specc "Bring me a towel."
		d asq27_comm1specd "Find your coat."
		e asq27_comm1spece "Take my hand."
		f asq27_comm1specf "Get your book."
		Custom alignment: LV
1903[asq27_comm2]  Show the field ONLY if: [visit_asqver]="27"	2. If you point to a picture of a ball (kitty, cup, hat, etc.) and ask your child, "What is this?" does your child correctly name at least one picture?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

1904[asq27_comm3] Show the field ONLY if: [visit_asqver]="27"	3. When you ask her to point to her nose, eyes, hair, feet, ears, and so forth, does your child correctly point to at least seven body parts? (She can point to parts of herself, you, or a doll. Mark "sometimes" if she correctly points to at least three different body parts.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1905[asq27_comm4] Show the field ONLY if: [visit_asqver]="27"	4. Does your child correctly use at least two words like "me," "I," "mine," and "you"?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1906[asq27_comm5]  Show the field ONLY if: [visit_asqver]="27"	5. Does your child make sentences that are three or four words long?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1907[asq27_comm5spec] Show the field ONLY if: [visit_asqver]="27"	Please give an example:	text Custom alignment: LV
1908[ asq27_comm6 ]  Show the field ONLY if: [visit_asqver]="27"	6. Without giving your child help by pointing or using gestures, ask him to "put the book on the table" and "put the shoe under the chair." Does your child carry out both of these directions correctly?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1909[asq27_comm_sum] Show the field ONLY if: [visit_asqver]="27"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum([asq27_comm1], [asq27_comm2], [asq27_comm3], [asq27_comm4], [asq27_comm5], [asq27_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1910[asq27_comm_count] Show the field ONLY if: [visit_asqver]="27"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum(if([asq27_comm1]<>"", 1, 0), if([asq27_comm3]<>"", 1, 0),

			if([asq27_comm4]<>"", 1, 0), if([asq27_comm5]<>"", 1, 0), if([asq27_comm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
191	1[asq27_comm_score] Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_comm_count]<>"", if([asq27_comm_count]="6", ([asq27_comm_sum]), if([asq27_comm_sum] + ([asq27_comm_sum]/ [asq27_comm_count])), if([asq27_comm_count]="4", ([asq27_comm_sum] + (2*([asq27_comm_sum])/ [asq27_comm_sum]] [asq27_comm_sum], if([asq27_comm_sum])/ [asq27_comm_count]])), if([asq27_comm_count]))), if([asq27_comm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
191	2[asq27_comm_concern] Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category communication below cutoff (25)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_comm_score]<>"", if([asq27_comm_score]<25, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
191	3[asq27_comm_concern warning] Show the field ONLY if: [asq27_comm_conce rn]="1"	Warning: Adjusted score in category communication below cutoff (25). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
191	4[ asq27_gm1 ] Show the field ONLY if: [visit_asqver]="27"	Section Header: Gross motor  1. Does your child walk either up or down at least two steps by himself? He may hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
191	5[ asq27_gm2 ] Show the field ONLY if: [visit_asqver]="27"	2. Does your child run fairly well, stopping herself without bumping into things or falling?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

1916[asq27_gm3]  Show the field ONLY if:  [visit_asqver]="27"	3. Does your child jump with both feet leaving the floor at the same time?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
	4. Without holding onto anything for support, does your child kick a ball by swinging his leg forward?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1918[asq27_gm5] Show the field ONLY if: [visit_asqver]="27"	5. Does your child jump forward at least 3 inches with both feet leaving the ground at the same time?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1919[ asq27_gm6 ] Show the field ONLY if: [visit_asqver]="27"	6. Does your child walk up stairs, using only one foot on each stair? (The left foot is on one step, and the right foot is on the next.) She may hold onto the railing or wall.	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1920[asq27_gm_sum]  Show the field ONLY if:  [visit_asqver]="27"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" an [visit_asqver]="27", sum([asq27_gm [asq27_gm2], [asq27_gm3], [asq27_gm4], [asq27_gm5], [asq27_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1921[asq27_gm_count] Show the field ONLY if: [visit_asqver]="27"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" an [visit_asqver]="27", sum(if([asq27_gm1]<>"", 1, 0), if([asq27_gm3]<>"", 1, 0), if([asq27_gm4]<>"", 1, 0), if([asq27_gm5]<>"", 1, 0), if([asq27_gm6]<>"", 1, 0), if([asq27_gm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF

[asq27_gm_score] Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_gm_count]<>"", if([asq27_gm_count]="6", ([asq27_gm_sum]), if([asq27_gm_count]="5", ([asq27_gm_sum] + ([asq27_gm_sum], if([asq27_gm_count]))), if([asq27_gm_count]="4", ([asq27_gm_sum] + (2*([asq27_gm_sum]/ [asq27_gm_count]))), if([asq27_gm_count]))), if([asq27_gm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
[asq27_gm_concern] Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category gross motor below cutoff (29)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_gm_score]<>"", if([asq27_gm_score]<29, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
[asq27_gm_concernwa rning] Show the field ONLY if: [asq27_gm_concer n]="1"	Warning: Adjusted score in category gross motor below cutoff (29). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
[ asq27_fm1 ] Show the field ONLY if: [visit_asqver]="27"	Section Header: <i>Fine motor</i> 1. Does your child use a turning motion with her hand while trying to turn doorknobs, wind up toys, twist tops, or screw lids on and off jars?	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
[ asq27_fm2 ] Show the field ONLY if: [visit_asqver]="27"	2. Does your child flip switches off and on?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
[asq27_fm3] Show the field ONLY if: [visit_asqver]="27"	Count as "yes"Count as "not yet"3. After your child watches you draw a line from the top of the paper to the bottom with a pencil, crayon, or pen, ask him to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a	radio  10 Yes  5 Sometimes  0 Not yet

		vertical direction?	Custom alignment: LV
192	8[ asq27_fm4 ] Show the field ONLY if: [visit_asqver]="27"	4. Does your child stack seven small blocks or toys on top of each other by herself? (You could also use spools of thread, small boxes, or toys that are about 1 inch in size.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
192	9[ asq27_fm5 ] Show the field ONLY if: [visit_asqver]="27"	5. Can your child string small items such as beads, macaroni, or pasta "wagon wheels" onto a string or shoelace?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
193	O[asq27_fm6] Show the field ONLY if: [visit_asqver]="27"	Count as "yes":Count as "not yet":6. After your child watches you draw a line from one side of the paper to the other side, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
193	1[asq27_fm_sum] Show the field ONLY if: [visit_asqver]="27"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum([asq27_fm1], [asq27_fm2], [asq27_fm3], [asq27_fm4], [asq27_fm5], [asq27_fm6]), ""') Field Annotation: @HIDDEN @HIDDEN-PDF
193	2[ asq27_fm_count ] Show the field ONLY if: [visit_asqver]="27"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum(if([asq27_fm1]<>"", 1, 0), if([asq27_fm2]<>"", 1, 0), if([asq27_fm3]<>"", 1, 0), if([asq27_fm4]<>"", 1, 0), if([asq27_fm5]<>"", 1, 0), if([asq27_fm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
193	3[asq27_fm_score] Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_fm_count]<>"", if([asq27_fm_count]="6", ([asq27_fm_sum]), if([asq27_fm_count]="5", ([asq27_fm_sum] + ([asq27_fm_sum]/

		[asq27_fm_count])), if([asq27_fm_count]="4", ([asq27_fm_sum] + (2*([asq27_fm_sum]/ [asq27_fm_count]))), if([asq27_fm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1934[ asq27_fm_concern ]  Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category fine motor below cutoff (19)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_fm_score]<>"", if([asq27_fm_score]<19, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1935[ asq27_fm_concernwa rning ]  Show the field ONLY if: [asq27_fm_concer n]="1"	Warning: Adjusted score in category fine motor below cutoff (19). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1936[asq27_ps1]  Show the field ONLY  if:  [visit_asqver]="27"	Section Header: <i>Problem solving</i> 1. Does your child pretend objects are something else? For example, does your child hold a cup to his ear, pretending it is a telephone? Does he put a box on her head, pretending it is a hat? Does he use a block or small toy to stir food?	radio  10 Yes  5 Sometimes  0 Not yet
1937[asq27_ps2] Show the field ONLY if: [visit_asqver]="27"	2. Does your child put things away where they belong? For example, does she know her toys belong on the toy shelf, her blanket goes on her bed, and dishes go in the kitchen?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1938[asq27_ps3] Show the field ONLY if: [visit_asqver]="27"	3. When looking in the mirror, ask "Where is?" (Use your child's name.) Does your child point to his image in the mirror?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1939[asq27_ps4] Show the field ONLY if: [visit_asqver]="27"	4. If your child wants something she cannot reach, does she find a chair or box to stand on to reach it (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio 10 Yes 5 Sometimes 0 Not yet

			Custom alignment: LV
194	0[ asq27_ps5 ] Show the field ONLY if: [visit_asqver]="27"	5. While your child watches, line up four objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.)	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
194	1[asq27_ps6] Show the field ONLY if: [visit_asqver]="27"	6. When you point to the figure and ask your child, "What is this?" does your child say a word that means a person or something similar? (Mark "yes" for responses like "snowman," "boy," "man," "girl," "Daddy," "spaceman," and "monkey.")	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
194	2[ asq27_ps7spec ] Show the field ONLY if: [visit_asqver]="27"	Please write your child's response here:	text
194	3[asq27_ps_sum] Show the field ONLY if: [visit_asqver]="27"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum([asq27_ps1], [asq27_ps2], [asq27_ps3], [asq27_ps4], [asq27_ps5], [asq27_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
194	4[asq27_ps_count] Show the field ONLY if: [visit_asqver]="27"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum(if([asq27_ps1]<>"", 1, 0), if([asq27_ps2]<>"", 1, 0), if([asq27_ps3]<>"", 1, 0), if([asq27_ps4]<>"", 1, 0), if([asq27_ps5]<>"", 1, 0), if([asq27_ps6]<>"", 1, 0), if([asq27_ps6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
194	5[ asq27_ps_score ] Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_ps_count]<>"", if([asq27_ps_count]="6", ([asq27_ps_sum]), if([asq27_ps_count]="5", ([asq27_ps_sum] + ([asq27_ps_sum]/ [asq27_ps_count])), if([asq27_ps_count]="4",

		([asq27_ps_sum] + (2*([asq27_ps_sum]/ [asq27_ps_count]))), if([asq27_ps_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
1946[asq27_ps_concern] Show the field ONLY if: [visit_asqver]="27"	Adjusted score in category problem solving below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_ps_score]<>"", if([asq27_ps_score]<28, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1947[asq27_ps_concernwa rning]  Show the field ONLY if: [asq27_ps_concer n]="1"	Warning: Adjusted score in category problem solving below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1948[asq27_persoc1]  Show the field ONLY if: [visit_asqver]="27"	Section Header: <i>Personal-social</i> 1. If you do any of the following gestures, does your child copy at least one of them?{asq27_persoc1spec:icons}	radio 10 Yes 5 Sometimes 0 Not yet
10.40		Custom alignment: LV
1949[asq27_persoc1spec] Show the field ONLY if: [visit_asqver]="27"	Select the gestures:	checkbox  a asq27_persoc1speca Open and close your mouth.
		b asq27_persoc1specb Blink your eyes.
		c asq27_persoc1specc Pull on your earlobe
		d asq27_persoc1specd Pat your cheek.
		Custom alignment: LV
1950[ asq27_persoc2 ]  Show the field ONLY if: [visit_asqver]="27"	2. Does your child eat with a fork?	radio 10 Yes 5 Sometimes

	1[asq27_persoc3] Show the field ONLY if: [visit_asqver]="27"  2[asq27_persoc4] Show the field ONLY if: [visit_asqver]="27"	3. When playing with either a stuffed animal or a doll, does your child pretend to rock it, feed it, change its diapers, put it to bed, and so forth?  4. Does your child push a little wagon, stroller, or other toy on wheels, steering it around objects and backing out of corners if he cannot turn?	Custom alignment: LV  radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV  radio  10 Yes  5 Sometimes  0 Not yet
195	3[ asq27_persoc5 ]  Show the field ONLY if: [visit_asqver]="27"	5. Does your child call herself "I" or "me" more often than her own name? For example, "I do it" more often than "Juanita do it."	Custom alignment: LV  radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
195	4[ asq27_persoc6 ]  Show the field ONLY if: [visit_asqver]="27"	6. Does your child put on a coat, jacket, or shirt by himself?	radio 10 Yes 5 Sometimes 0 Not yet
195	5[ asq27_persoc_sum] Show the field ONLY if: [visit_asqver]="27"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum([asq27_persoc1], [asq27_persoc2], [asq27_persoc3], [asq27_persoc4], [asq27_persoc5], [asq27_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
195	6[ asq27_persoc_coun t ] Show the field ONLY if: [visit_asqver]="27"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", sum(if([asq27_persoc1]<>"", 1, 0), if([asq27_persoc2]<>"", 1, 0), if([asq27_persoc3]<>"", 1, 0), if([asq27_persoc4]<>"", 1, 0), if([asq27_persoc5]<>"", 1, 0), if([asq27_persoc6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF

e SI if:	how the field ONLY	Adjusted score in category personal/ social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_persoc_count]<>"", if([asq27_persoc_count]="6", ([asq27_persoc_sum]), if([asq27_persoc_sum] + ([asq27_persoc_sum]/ [asq27_persoc_sum]/ [asq27_persoc_count]="4", ([asq27_persoc_sum] + (2*([asq27_persoc_sum]/ [asq27_persoc_sum]/ [asq27_persoc_sum]/ [asq27_persoc_sum]/ [asq27_persoc_count]))), if([asq27_persoc_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
SI if:	asq27_persoc_conce n] how the field ONLY : visit_asqver]="27"	Adjusted score in category personal/ social below cutoff (26)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27" and [asq27_persoc_score]<>"", if([asq27_persoc_score]<26, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
SI if:	asq27_persoc_conce nwarning] how the field ONLY : asq27_persoc_conc ern]="1"	Warning: Adjusted score in category personal/social below cutoff (26). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
SI if:	asq27_o1 ] how the field ONLY : visit_asqver]="27"	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio 1 Yes 0 No  Custom alignment: LV
SI if:	asq27_o1spec ] show the field ONLY size: asq27_o1]="0"	If no, explain:	notes Custom alignment: LV
SI if:	asq27_o2] how the field ONLY : visit_asqver]="27"	2. Do you think your child talks like other toddlers her age?	radio 1 Yes 0 No  Custom alignment: LV
	asq27_o2spec ] how the field ONLY	If no, explain:	notes Custom alignment: LV

	[asq27_o2]="0"		
196	4[ asq27_o3 ]  Show the field ONLY if:  [visit_asqver]="27"	3. Can you understand most of what your child says?	radio  1 Yes  0 No  Custom alignment: LV
196	5[ asq27_o3spec ] Show the field ONLY if: [asq27_o3]="0"	If no, explain:	notes Custom alignment: LV
196	6[ asq27_o4 ] Show the field ONLY if: [visit_asqver]="27"	4. Do you think your child walks, runs, and climbs like other toddlers his age?	radio  1 Yes  0 No  Custom alignment: LV
196	7[ asq27_o4spec ] Show the field ONLY if: [asq27_o4]="0"	If no, explain:	notes Custom alignment: LV
196	8[ asq27_o5 ] Show the field ONLY if: [visit_asqver]="27"	5. Does either parent have a family history of childhood deafness or hearing impairment?	radio 1 Yes 0 No Custom alignment: LV
196	9[asq27_o5spec] Show the field ONLY if: [asq27_o5]="1"	If yes, explain:	notes Custom alignment: LV
197	O[asq27_o6] Show the field ONLY if: [visit_asqver]="27"	6. Do you have any concerns about your child's vision?	radio 1 Yes 0 No  Custom alignment: LV
197	1[asq27_o6spec] Show the field ONLY if: [asq27_o6]="1"	If yes, explain:	notes Custom alignment: LV
197	2[ asq27_o7 ] Show the field ONLY if: [visit_asqver]="27"	7. Has your child had any medical problems in the last several months?	radio 1 Yes 0 No

			Custom alignment: LV
19	73[ asq27_o7spec ] Show the field ONLY if: [asq27_o7]="1"	If yes, explain:	notes Custom alignment: LV
19	74[ asq27_o8 ] Show the field ONLY if: [visit_asqver]="27"	8. Do you have any concerns about your child's behavior?	radio 1 Yes 0 No Custom alignment: LV
19	75[ asq27_o8spec ] Show the field ONLY if: [asq27_o8]="1"	If yes, explain:	notes Custom alignment: LV
19	76[ asq27_o9 ] Show the field ONLY if: [visit_asqver]="27"	9. Does anything about your child worry you?	radio 1 Yes 0 No Custom alignment: LV
19	77[ asq27_o9spec ] Show the field ONLY if: [asq27_o9]="1"	If yes, explain:	notes Custom alignment: LV
19	78[ asq27_all_concern ] Show the field ONLY if: [visit_asqver]="27"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="27", if(([asq27_comm_concern]="1" or [asq27_gm_concern]="1" or [asq27_fm_concern]="1" or [asq27_ps_concern]="1" or [asq27_ps_concern]="1", 1, 0), "") Field Annotation: @HIDDEN-SURVEY
19	79[asq36_intro] Show the field ONLY if: [visit_asqver]="36"	36 Month Questionnaire34 months 16 days through 38 months 30 daysOn the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make completing this questionnaire a game	descriptive

	that is fun for you and your child.Make sure your child is rested and fed.	
1980[asq36_comm1] Show the field ONLY if: [visit_asqver]="36"  1981[asq36_comm2] Show the field ONLY if: [visit_asqver]="36"	1. When you ask your child to point to her nose, eyes, hair, feet, ears, and so forth, does she correctly point to at least seven body parts? (She can point to parts of herself, you, or a doll. Mark "sometimes" if she correctly points to at least three different body parts.)  2. Does your child make sentences that are three or four words long?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV  radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1982[asq36_comm2spec] Show the field ONLY if: [asq36_comm2]="5" or [asq36_comm 2]="10"	Please give an example:	notes Custom alignment: LV
1983[ asq36_comm3 ]  Show the field ONLY if: [visit_asqver]="36"	3. Without giving your child help by pointing or using gestures, ask him to "put the book on the table" and "put the shoe under the chair." Does your child carry out both of these directions correctly?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1984[asq36_comm4] Show the field ONLY if: [visit_asqver]="36"	4. When looking at a picture book, does your child tell you what is happening or what action is taking place in the picture (for example, "barking," "running," "eating," or "crying")? You may ask, "What is the dog (or boy) doing?"	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
1985[ asq36_comm5 ] Show the field ONLY if: [visit_asqver]="36"	5. Show your child how a zipper on a coat moves up and down, and say, "See, this goes up and down." Put the zipper to the middle and ask your child to move the zipper down. Return the zipper to the middle and ask your child to move the zipper up. Do this several times, placing the zipper in the middle before asking your child to move it up or down. Does your child consistently move the zipper up when you say "up"	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV

		and down when you say "down"?	
198	6[asq36_comm6]  Show the field ONLY if: [visit_asqver]="36"	6. When you ask, "What is your name?" does your child say both her first and last names?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
198	7[asq36_comm_sum] Show the field ONLY if: [visit_asqver]="36"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum([asq36_comm1], [asq36_comm2], [asq36_comm3], [asq36_comm4], [asq36_comm5], [asq36_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
198	8[asq36_comm_count] Show the field ONLY if: [visit_asqver]="36"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum(if([asq36_comm1]<>"", 1, 0), if([asq36_comm2]<>"", 1, 0), if([asq36_comm3]<>"", 1, 0), if([asq36_comm4]<>"", 1, 0), if([asq36_comm5]<>"", 1, 0), if([asq36_comm6]<>"", 1, 0)), if([asq36_comm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
198	9[asq36_comm_score] Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_comm_count]<>"", if([asq36_comm_count]="6", ([asq36_comm_sum]), if([asq36_comm_sum] + ([asq36_comm_sum]/ [asq36_comm_count]="4", ([asq36_comm_count]="4", ([asq36_comm_sum] + (2*([asq36_comm_sum]/ [asq36_comm_sum]/ [asq36_comm_sum]/ [asq36_comm_count]))), if([asq36_comm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
199	O[asq36_comm_concern] Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category communication below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_comm_score]<>"", if([asq36_comm_score]<31, 1, 0), "") Field Annotation: @HIDDEN

			@HIDDEN-PDF
S if	asq36_comm_concern arning] how the field ONLY : asq36_comm_conce n]="1"	Warning: Adjusted score in category communication below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
1992[	asq36_gm1]	Section Header: <i>Gross motor</i>	radio
if	how the field ONLY : visit_asqver]="36"	1. Without holding onto anything for support, does your child kick a ball by swinging his leg forward?	<ul><li>10 Yes</li><li>5 Sometimes</li><li>0 Not yet</li></ul> Custom alignment: LV
1993[	asq36_gm2]	2. Does your child jump with both feet	radio
	how the field ONLY	leaving the floor at the same time?	10 Yes
if			5 Sometimes
	visit_asqver]="36"		0 Not yet
			Custom alignment: LV
1994[	asq36_gm3]	3. Does your child walk up stairs, using	radio
	how the field ONLY	only one foot on each stair? (The left foot is on one step, and the right foot is	10 Yes
if [\	: visit_asqver]="36"	on the next.) She may hold onto the railing or wall. (You can look for this at a	5 Sometimes
		store, on a playground, or at home.)	0 Not yet
			Custom alignment: LV
	asq36_gm4]	4. Does your child stand on one foot for about 1 second without holding onto	radio 10 Yes
S if	how the field ONLY	anything?	5 Sometimes
	visit_asqver]="36"		0 Not yet
			o Not yet
			Custom alignment: LV
1996[	asq36_gm5]	5. While standing, does your child throw a ball overhand by raising his arm to	radio
S if	how the field ONLY	shoulder height and throwing the ball	10 Yes
	visit_asqver]="36"	forward? (Dropping the ball or throwing the ball underhand should be scored as "not yet.")	5 Sometimes 0 Not yet
		Hot yet. )	Custom alignment: LV
1997г	asq36_gm6]	6. Does your child jump forward at least	radio
	how the field ONLY	6 inches with both feet leaving the	10 Yes
if		ground at the same time?	5 Sometimes
[\	visit_asqver]="36"		

		0 Not yet  Custom alignment: LV
1998[asq36_gm_sum] Show the field ONLY if: [visit_asqver]="36"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum([asq36_gm1], [asq36_gm2], [asq36_gm3], [asq36_gm4], [asq36_gm5], [asq36_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
1999[asq36_gm_count] Show the field ONLY if: [visit_asqver]="36"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum(if([asq36_gm1]<>"", 1, 0), if([asq36_gm2]<>"", 1, 0), if([asq36_gm3]<>"", 1, 0), if([asq36_gm4]<>"", 1, 0), if([asq36_gm5]<>"", 1, 0), if([asq36_gm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2000[asq36_gm_score] Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_gm_count]<>"", if([asq36_gm_count]="6", ([asq36_gm_sum]), if([asq36_gm_count]="5", ([asq36_gm_sum] + ([asq36_gm_sum]/ [asq36_gm_count])), if([asq36_gm_count]="4", ([asq36_gm_sum] + (2*([asq36_gm_sum]/ [asq36_gm_count]))), if([asq36_gm_count])), if([asq36_gm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
2001[asq36_gm_concern]  Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category gross motor below cutoff (37)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_gm_score]<>"", if([asq36_gm_score]<37, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2002[asq36_gm_concernwarning] Show the field ONLY if: [asq36_gm_concer	Warning: Adjusted score in category gross motor below cutoff (37). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY

	n]="1"		
200	3[ asq36_fm1 ]  Show the field ONLY if:  [visit_asqver]="36"	Section Header: Fine motor  Count as "yes"Count as "not yet"1. After your child watches you draw a line from the top of the paper to the bottom with a pencil, crayon, or pen, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a vertical direction?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
200	4[ asq36_fm2 ]  Show the field ONLY if:  [visit_asqver]="36"	2. Can your child string small items such as beads, macaroni, or pasta "wagon wheels" onto a string or shoelace?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
200	5[ asq36_fm3 ]  Show the field ONLY if:  [visit_asqver]="36"	Count as "yes"Count as "not yet"3. After your child watches you draw a single circle, ask him to make a circle like yours. Do not let him trace your circle. Does your child copy you by drawing a circle?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
200	6[asq36_fm4] Show the field ONLY if: [visit_asqver]="36"	Count as "yes"Count as "not yet"4. After your child watches you draw a line from one side of the paper to the other side, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
200	7[ asq36_fm5 ] Show the field ONLY if: [visit_asqver]="36"	5. Does your child try to cut paper with child-safe scissors? He does not need to cut the paper but must get the blades to open and close while holding the paper with the other hand. (You may show your child how to use scissors. Carefully watch your child's use of scissors for safety reasons.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
200	8[ asq36_fm6 ]  Show the field ONLY if:  [visit_asqver]="36"	6. When drawing, does your child hold a pencil, crayon, or pen between her fingers and thumb like an adult does?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

2009[asq36_fm_sum]  Show the field ONLY  if:  [visit_asqver]="36"	Sum of scores of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum([asq36_fm1] [asq36_fm2], [asq36_fm3], [asq36_fm4], [asq36_fm5], [asq36_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2010[asq36_fm_count] Show the field ONLY if: [visit_asqver]="36"	Number of completed items in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum(if([asq36_fm1]<>"", 1, 0), if([asq36_fm2]<>"", 1, 0), if([asq36_fm3]<>"", 1, 0), if([asq36_fm4]<>"", 1, 0), if([asq36_fm5]<>"", 1, 0), if([asq36_fm6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2011[asq36_fm_score] Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category fine motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_fm_count]<>"", if([asq36_fm_count]="6", ([asq36_fm_sum]), if([asq36_fm_sum] + ([asq36_fm_sum], [asq36_fm_count])), if([asq36_fm_count]="4", ([asq36_fm_sum] + (2*([asq36_fm_sum]/ [asq36_fm_count]))), if([asq36_fm_count]))), if([asq36_fm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
2012[asq36_fm_concern]  Show the field ONLY if:  [visit_asqver]="36"	Adjusted score in category fine motor below cutoff (19)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_fm_score]<>"", if([asq36_fm_score]<19, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2013[asq36_fm_concernwa rning]  Show the field ONLY if: [asq36_fm_concer n]="1"	Warning: Adjusted score in category fine motor below cutoff (19). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
2014[asq36_ps1] Show the field ONLY	Section Header: <i>Problem solving</i> 1. While your child watches, line up four	radio 10 Yes

	if: [visit_asqver]="36"	objects like blocks or cars in a row. Does your child copy or imitate you and line up four objects in a row? (You can also use spools of thread, small boxes, or other toys.)	5 Sometimes 0 Not yet  Custom alignment: LV
201	5[ asq36_ps2 ]  Show the field ONLY if:  [visit_asqver]="36"	2. If your child wants something he cannot reach, does he find a chair or box to stand on to reach it (for example, to get a toy on a counter or to "help" you in the kitchen)?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
201	6[ asq36_ps3 ] Show the field ONLY if: [visit_asqver]="36"	3. When you point to the figure and ask your child, "What is this?" does your child say a word that means a person or something similar? (Mark "yes" for responses like "snowman," "boy," "man," "girl," "Daddy," "spaceman," and "monkey.")	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
201	7[ asq36_ps3spec ] Show the field ONLY if: [visit_asqver]="36"	3a. Please write your child's response here:	notes Custom alignment: LV
201	8[ asq36_ps4 ]  Show the field ONLY if:  [visit_asqver]="36"	4. When you say, "Say 'seven three,"' does your child repeat just the two numbers in the same order? Do not repeat the numbers. If necessary, try another pair of numbers and say, "Say 'eight two."' (Your child must repeat just one series of two numbers for you to answer "yes" to this question.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
201	9[ asq36_ps5 ] Show the field ONLY if: [visit_asqver]="36"	5. Show your child how to make a bridge with blocks, boxes, or cans, like the example. Does your child copy you by making one like it?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
202	0[ asq36_ps6 ] Show the field ONLY if: [visit_asqver]="36"	6. When you say, "Say 'five eight three," does your child repeat just the three numbers in the same order? Do not repeat the numbers. If necessary, try another series of numbers and say, "Say 'six nine two." (Your child must repeat just one series of three numbers for you to answer "yes" to this question.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

2021[asq36_ps_sum] Show the field ONLY if: [visit_asqver]="36"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum([asq36_ps1] [asq36_ps2], [asq36_ps3], [asq36_ps4], [asq36_ps5], [asq36_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2022[asq36_ps_count] Show the field ONLY if: [visit_asqver]="36"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum(if([asq36_ps1]<>"", 1, 0), if([asq36_ps2]<>"", 1, 0), if([asq36_ps3]<>"", 1, 0), if([asq36_ps4]<>"", 1, 0), if([asq36_ps5]<>"", 1, 0), if([asq36_ps6]<>"", 1, 0)), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2023[asq36_ps_score] Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_ps_count]<>"", if([asq36_ps_count]="6", ([asq36_ps_sum]), if([asq36_ps_count]="5", ([asq36_ps_sum] + ([asq36_ps_sum]/ [asq36_ps_count]])), if([asq36_ps_count]="4", ([asq36_ps_sum] + (2*([asq36_ps_sum]/ [asq36_ps_count]]))), if([asq36_ps_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
2024[asq36_ps_concern] Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category problem solving below cutoff (31)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_ps_score]<>"", if([asq36_ps_score]<31, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2025[asq36_ps_concernwarning] Show the field ONLY if: [asq36_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (31). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
2026[asq36_persoc1] Show the field ONLY	Section Header: <i>Personal-social</i> 1. Does your child use a spoon to feed	radio 10 Yes

	if: [visit_asqver]="36"	herself with little spilling?	5 Sometimes 0 Not yet  Custom alignment: LV
202	27[ asq36_persoc2 ] Show the field ONLY if: [visit_asqver]="36"	2. Does your child push a little wagon, stroller, or toy on wheels, steering it around objects and backing out of corners if he cannot turn?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
202	28[ asq36_persoc3 ] Show the field ONLY if: [visit_asqver]="36"	3. When your child is looking in a mirror and you ask, "Who is in the mirror?" does she say either "me" or her own name?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
202	29[ asq36_persoc4 ] Show the field ONLY if: [visit_asqver]="36"	4. Does your child put on a coat, jacket, or shirt by himself?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
203	Social Show the field ONLY if:  [visit_asqver]="36"	5. Using these exact words, ask your child, "Are you a girl or a boy?" Does your child answer correctly?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
203	31[asq36_persoc6]  Show the field ONLY if:  [visit_asqver]="36"	6. Does your child take turns by waiting while another child or adult takes a turn?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
203	32[asq36_persoc_sum] Show the field ONLY if: [visit_asqver]="36"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum([asq36_persoc1], [asq36_persoc2], [asq36_persoc3], [asq36_persoc4], [asq36_persoc5], [asq36_persoc6]), "") Field Annotation: @HIDDEN

			@HIDDEN-PDF
203	3[ asq36_persoc_coun t ]  Show the field ONLY if: [visit_asqver]="36"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", sum(if([asq36_persoc1]<>"", 1, 0), if([asq36_persoc2]<>"", 1, 0), if([asq36_persoc3]<>"", 1, 0), if([asq36_persoc4]<>"", 1, 0), if([asq36_persoc5]<>"", 1, 0), if([asq36_persoc6]<>"", 1, 0), if([asq36_persoc6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
203	4[asq36_persoc_score] Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category personal/ social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_persoc_count]<>"", if([asq36_persoc_count]="6", ([asq36_persoc_sum]), if([asq36_persoc_sum] + ([asq36_persoc_sum]/ [asq36_persoc_sum]/ [asq36_persoc_count]="4", ([asq36_persoc_sum] + (2*([asq36_persoc_sum]/ [asq36_persoc_sum]/ [asq36_persoc_sum]/ [isq36_persoc_sum]/ [isq36_persoc_sum]/ [isq36_persoc_count]))), if([asq36_persoc_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
203	5[ asq36_persoc_conce rn ] Show the field ONLY if: [visit_asqver]="36"	Adjusted score in category personal/ social below cutoff (36)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36" and [asq36_persoc_score]<>"", if([asq36_persoc_score]<36, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
203	6[asq36_persoc_conce rnwarning] Show the field ONLY if: [asq36_persoc_conc ern]="1"	Warning: Adjusted score in category personal/social below cutoff (36). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
203	7[ asq36_o1 ] Show the field ONLY if: [visit_asqver]="36"	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio 1 Yes 0 No  Custom alignment: LV
203	8[ asq36_o1spec ] Show the field ONLY	If no, explain:	notes Custom alignment: LV

if:		
[asq36_o1]="0"		
2039[ asq36_o2 ]	2. Do you think your child talks like	radio
Show the field ON if:	other children her age?	1 Yes
[visit_asqver]="36"		0 No
		Custom alignment: LV
2040[ asq36_o2spec ]	If no, explain:	notes
Show the field ON if:	_Y	Custom alignment: LV
[asq36_o2]="0"		
2041[asq36_o3]	3. Can you understand most of what	radio
Show the field ON	your child says?	1 Yes
if:		0 No
[visit_asqver]="36"		
		Custom alignment: LV
2042[asq36_o3spec]	If no, explain:	notes
Show the field ON	_Y	Custom alignment: LV
if:		
[asq36_o3]="0"		
2043[ asq36_o4 ]	4. Can other people understand most of	radio
Show the field ON	what your child says?	1 Yes
if:		0 No
[visit_asqver]="36"		
		Custom alignment: LV
2044[ asq36_o4spec ]	If no, explain:	notes
Show the field ON	v	Custom alignment: LV
if:	-'	
[asq36_o4]="0"		
2045[ asq36_o5 ]	5. Do you think your child walks, runs,	radio
Show the field ON	and climbs like other children his age?	1 Yes
if:		0 No
[visit_asqver]="36"		
		Custom alignment: LV
2046[ asq36_o5spec ]	If no, explain:	notes
Show the field ON	_Y	Custom alignment: LV
if:		
[asq36_o5]="0"		
2047[asq36_o6]	6. Does either parent have a family	radio
Show the field ON	history of childhood deafness or hearing	1 Yes
if:	impairment?	0 No
[visit_asqver]="36"		

			Custom alignment: LV
S	[ asq36_o6spec ] Show the field ONLY f: [asq36_o6]="1"	If yes, explain:	notes Custom alignment: LV
i i	[ asq36_o7 ] Show the field ONLY f: [visit_asqver]="36"	7. Do you have any concerns about your child's vision?	radio 1 Yes 0 No  Custom alignment: LV
i	[ asq36_o7spec ] Show the field ONLY f: [asq36_o7]="1"	If yes, explain:	notes Custom alignment: LV
i	[ asq36_o8 ] Show the field ONLY f: [visit_asqver]="36"	8. Has your child had any medical problems in the last several months?	radio 1 Yes 0 No  Custom alignment: LV
i i	[ asq36_o8spec ] Show the field ONLY f: [asq36_o8]="1"	If yes, explain:	notes Custom alignment: LV
i i	[ asq36_o9 ] Show the field ONLY f: [visit_asqver]="36"	9. Do you have any concerns about your child's behavior?	radio 1 Yes 0 No  Custom alignment: LV
S i	[ asq36_o9spec ] Show the field ONLY f: [asq36_o9]="1"	If yes, explain:	notes Custom alignment: LV
i	[asq36_o10] Show the field ONLY if: [visit_asqver]="36"	10. Does anything about your child worry you?	radio 1 Yes 0 No Custom alignment: LV
i i	[asq36_o10spec] Show the field ONLY f: [asq36_o10]="1"	If yes, explain:	notes Custom alignment: LV

205	of [asq36_all_concern]  Show the field ONLY if:  [visit_asqver]="36"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="36", if(([asq36_comm_concern]="1" or [asq36_gm_concern]="1" or [asq36_fm_concern]="1" or [asq36_ps_concern]="1" or [asq36_persoc_concern]="1"), 1, 0), "") Field Annotation: @HIDDEN-SURVEY
205	S[asq42_intro] Show the field ONLY if: [visit_asqver]="42"	42 Month Questionnaire39 months 16 days through 44 months 30 daysOn the following pages are questions about activities children may do. Your child may have already done some of the activities described here, and there may be some your child has not begun doing yet. For each item, please fill in the circle that indicates whether your child is doing the activity regularly, sometimes, or not yet.Important Points to Remember:Try each activity with your child before marking a response.Make completing this questionnaire a game that is fun for you and your child.Make sure your child is rested and fed.	descriptive
205	Show the field ONLY if:  [visit_asqver]="42"	Section Header: Communication  1. Without giving your child help by pointing or using gestures, ask him to "put the book on the table" and "put the shoe under the chair." Does your child carry out both of these directions correctly?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
206	O[asq42_comm2] Show the field ONLY if: [visit_asqver]="42"	2. When looking at a picture book, does your child tell you what is happening or what action is taking place in the picture (for example, "barking," "running," "eating," or "crying")? You may ask, "What is the dog (or boy) doing?"	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
206	51[asq42_comm3] Show the field ONLY if: [visit_asqver]="42"	3. Show your child how a zipper on a coat moves up and down, and say, "See, this goes up and down." Put the zipper to the middle, and ask your child to move the zipper down. Return the zipper to the middle, and ask your child to move the zipper up. Do this several times, placing the zipper in the middle before asking your child to move it up or down. Does your child consistently move the zipper up when you say "up"	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV

		and down when you say "down"?	
206	2[asq42_comm4] Show the field ONLY if: [visit_asqver]="42"	4. When you ask, "What is your name?" does your child say both her first and last names?	radio 10 Yes 5 Sometimes 0 Not yet
206	3[asq42_comm5] Show the field ONLY if: [visit_asqver]="42"	5. Without your giving help by pointing or repeating directions, does your child follow three directions that are unrelated to one another? Give all three directions before your child starts. For example, you may ask your child, "Clap your hands, walk to the door, and sit down," or "Give me the pen, open the book, and stand up."	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
206	4[asq42_comm6]  Show the field ONLY  if:  [visit_asqver]="42"	6. Does your child use all of the words in a sentence (for example, "a," "the," "am," "is," and "are") to make complete sentences, such as "I am going to the park," or "Is there a toy to play with?" or "Are you coming, too?"	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
206	5[asq42_comm_sum]  Show the field ONLY  if:  [visit_asqver]="42"	Sum of scores of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum([asq42_comm1], [asq42_comm2], [asq42_comm3], [asq42_comm4], [asq42_comm5], [asq42_comm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
206	6[asq42_comm_count] Show the field ONLY if: [visit_asqver]="42"	Number of completed items in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum(if([asq42_comm1]<>"", 1, 0), if([asq42_comm2]<>"", 1, 0), if([asq42_comm3]<>"", 1, 0), if([asq42_comm4]<>"", 1, 0), if([asq42_comm5]<>"", 1, 0), if([asq42_comm6]<>"", 1, 0)), if([asq42_comm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
206	7[asq42_comm_score] Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category communication	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_comm_count]<>"", if([asq42_comm_count]="6",

		([asq42_comm_sum]), if([asq42_comm_count]="5", ([asq42_comm_sum] + ([asq42_comm_sum]/ [asq42_comm_count])), if([asq42_comm_count]="4", ([asq42_comm_sum] + (2*([asq42_comm_sum]/ [asq42_comm_count]))), if([asq42_comm_count]))), if([asq42_comm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
2068[asq42_comm_concern]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category communication below cutoff (28)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_comm_score]<>"", if([asq42_comm_score]<28, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2069[asq42_comm_concern warning]  Show the field ONLY if: [asq42_comm_conce rn]="1"	Warning: Adjusted score in category communication below cutoff (28). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
2070[ asq42_gm1 ]  Show the field ONLY if: [visit_asqver]="42"	Section Header: <i>Gross motor</i> 1. Does your child walk up stairs, using only one foot on each stair? (The left foot is on one step, and the right foot is on the next.) He may hold onto the railing or wall. (You can look for this at a store, on a playground, or at home.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2071[asq42_gm2]  Show the field ONLY if: [visit_asqver]="42"	2. Does your child stand on one foot for about 1 second without holding onto anything?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2072[asq42_gm3]  Show the field ONLY if: [visit_asqver]="42"	3. While standing, does your child throw a ball overhand by raising his arm to shoulder height and throwing the ball forward? (Dropping the ball or throwing the ball underhand should be scored as "not yet.")	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2073[asq42_gm4] Show the field ONLY	4. Does your child jump forward at least 6 inches with both feet leaving the	radio 10 Yes

20	if: [visit_asqver]="42"  74[asq42_gm5]  Show the field ONLY if: [visit_asqver]="42"	5. Does your child catch a large ball with both hands? (You should stand about 5 feet away and give your child two or three tries before you mark the answer.)	5 Sometimes 0 Not yet  Custom alignment: LV  radio 10 Yes 5 Sometimes 0 Not yet
207	75[ asq42_gm6 ] Show the field ONLY if: [visit_asqver]="42"	6. Does your child climb the rungs of a ladder of a playground slide and slide down without help?	Custom alignment: LV  radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
207	76[asq42_gm_sum] Show the field ONLY if: [visit_asqver]="42"	Sum of scores of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum([asq42_gm1], [asq42_gm2], [asq42_gm3], [asq42_gm4], [asq42_gm5], [asq42_gm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
201	77[ asq42_gm_count ] Show the field ONLY if: [visit_asqver]="42"	Number of completed items in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum(if([asq42_gm1]<>"", 1, 0), if([asq42_gm3]<>"", 1, 0), if([asq42_gm4]<>"", 1, 0), if([asq42_gm5]<>"", 1, 0), if([asq42_gm6]<>"", 1, 0), if([asq42_gm6]<>"", 1, 0)), if([asq42_gm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
201	78[ asq42_gm_score ] Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category gross motor	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_gm_count]<>"", if([asq42_gm_count]="6", ([asq42_gm_sum]), if([asq42_gm_sum] + ([asq42_gm_sum]/ [asq42_gm_count])), if([asq42_gm_count]="4", ([asq42_gm_sum] + (2*([asq42_gm_sum]/

		[asq42_gm_count]))), if([asq42_gm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
2079[ asq42_gm_concern ]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category gross motor below cutoff (37)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_gm_score]<>"", if([asq42_gm_score]<37, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2080[asq42_gm_concernwa rning]  Show the field ONLY if: [asq42_gm_concer n]="1"	Warning: Adjusted score in category gross motor below cutoff (37). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
2081[asq42_fm1] Show the field ONLY if: [visit_asqver]="42"	Section Header: Fine motor  Count as "yes"Count as "not yet" 1. After your child watches you draw a single circle with a pencil, crayon, or pen, ask him to make a circle like yours. Do not let him trace your circle. Does your child copy you by drawing a circle?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2082[asq42_fm2] Show the field ONLY if: [visit_asqver]="42"	Count as "yes"Count as "not yet" 2. After your child watches you draw a line from one side of the paper to the other side, ask her to make a line like yours. Do not let your child trace your line. Does your child copy you by drawing a single line in a horizontal direction?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2083[asq42_fm3] Show the field ONLY if: [visit_asqver]="42"	3. Does your child try to cut paper with child-safe scissors? He does not need to cut the paper but must get the blades to open and close while holding the paper with the other hand. (You may show your child how to use scissors. Carefully watch your child's use of scissors for safety reasons.)	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
2084[ asq42_fm4 ] Show the field ONLY if: [visit_asqver]="42"	4. When drawing, does your child hold a pencil, crayon, or pen between her fingers and thumb like an adult does?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2085[ asq42_fm5 ] Show the field ONLY	5. Does your child put together a five- to seven-piece interlocking puzzle? (If one	radio 10 Yes

if: [visit_asqver]="42	is not available, take a full-page picture from a magazine or catalog and cut it into six pieces. Does your child put it back together correctly?)	5 Sometimes 0 Not yet  Custom alignment: LV
2086[ asq42_fm6 ] Show the field ON if: [visit_asqver]="42	piece of paper using a pencil, crayon, or pen without tracing? (Your child's	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2087[ asq42_fm_sum ] Show the field ON if: [visit_asqver]="42		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum([asq42_fm1], [asq42_fm2], [asq42_fm3], [asq42_fm4], [asq42_fm5], [asq42_fm6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2088[ asq42_fm_count ] Show the field ON if: [visit_asqver]="42		calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum(if([asq42_fm1]<>"", 1, 0), if([asq42_fm3]<>"", 1, 0), if([asq42_fm3]<>"", 1, 0), if([asq42_fm4]<>"", 1, 0), if([asq42_fm6]<>"", 1, 0), if([asq42_fm6]<>"", 1, 0)), if([asq42_fm6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
2089[asq42_fm_score] Show the field ON if: [visit_asqver]="42	LY	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_fm_count]<>"", if([asq42_fm_count]="6", ([asq42_fm_sum]), if([asq42_fm_sum] + ([asq42_fm_sum]/ [asq42_fm_count])), if([asq42_fm_count]="4", ([asq42_fm_sum] + (2*([asq42_fm_sum]/ [asq42_fm_sum]/ [asq42_fm_count]))), if([asq42_fm_count]))), if([asq42_fm_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
2090[ asq42_fm_concer Show the field ON if:	below cutoff (20)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_fm_score]<>"",

[visit_asqver]="42"		if([asq42_fm_score]<20, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2091[asq42_fm_concernwa rning]  Show the field ONLY if: [asq42_fm_concer n]="1"	Warning: Adjusted score in category fine motor below cutoff (20). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
2092[asq42_ps1]  Show the field ONLY if: [visit_asqver]="42"	Section Header: <i>Problem solving</i> 1. When you point to the figure and ask your child, "What is this?" does your child say a word that means a person or something similar? (Mark "yes" for responses like "snowman," "boy," "man," "girl," "Daddy," "spaceman," and "monkey.")	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
2093[asq42_ps1spec] Show the field ONLY if: [visit_asqver]="42"	1a. Please write your child's response here:	notes Custom alignment: LV
2094[asq42_ps2]  Show the field ONLY  if:  [visit_asqver]="42"	2. When you say, "Say 'seven three," does your child repeat just the two numbers in the same order? Do not repeat the numbers. If necessary, try another pair of numbers and say, "Say 'eight two." (Your child must repeat just one series of two numbers for you to answer "yes" to this question.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2095[asq42_ps3]  Show the field ONLY if: [visit_asqver]="42"	3. Show your child how to make a bridge with blocks, boxes, or cans, like the example. Does your child copy you by making one like it?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2096[asq42_ps4] Show the field ONLY if: [visit_asqver]="42"	4. When you say, "Say 'five eight three," does your child repeat just the two numbers in the same order? Do not repeat the numbers. If necessary, try another pair of numbers and say, "Say 'six nine two." (Your child must repeat just one series of three numbers for you to answer "yes" to this question.)	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2097[asq42_ps5] Show the field ONLY if:	5. When asked, "Which circle is the smallest?" does your child point to the smallest circle? (Ask this question without providing help by pointing,	radio 10 Yes 5 Sometimes

	[visit_asqver]="42"	gesturing, or looking at the smallest circle.)	0 Not yet  Custom alignment: LV
209	98[ asq42_ps6 ] Show the field ONLY if: [visit_asqver]="42"	6. Does your child dress up and "playact," pretending to be someone or something else? For example, your child may dress up in different clothes and pretend to be a mommy, daddy, brother or sister, or an imaginary animal or figure.	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
209	99[asq42_ps_sum] Show the field ONLY if: [visit_asqver]="42"	Sum of scores of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum([asq42_ps1], [asq42_ps2], [asq42_ps3], [asq42_ps4], [asq42_ps5], [asq42_ps6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
210	Oo[ asq42_ps_count ] Show the field ONLY if: [visit_asqver]="42"	Number of completed items in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum(if([asq42_ps1]<>"", 1, 0), if([asq42_ps2]<>"", 1, 0), if([asq42_ps3]<>"", 1, 0), if([asq42_ps4]<>"", 1, 0), if([asq42_ps5]<>"", 1, 0), if([asq42_ps6]<>"", 1, 0)), if([asq42_ps6]<>"", 1, 0)), Field Annotation: @HIDDEN @HIDDEN-PDF
210	O1[asq42_ps_score] Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category problem solving	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_ps_count]<>"", if([asq42_ps_count]="6", ([asq42_ps_sum]), if([asq42_ps_count]="5", ([asq42_ps_sum] + ([asq42_ps_sum]/ [asq42_ps_count])), if([asq42_ps_count]="4", ([asq42_ps_sum] + (2*([asq42_ps_sum]/ [asq42_ps_count]))), if([asq42_ps_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
210	D2[ asq42_ps_concern ] Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category problem solving below cutoff (29)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_ps_score]<>"", if([asq42_ps_score]<29, 1, 0), "")

		Field Annotation: @HIDDEN @HIDDEN-PDF
2103[asq42_ps_concernwarning]  Show the field ONLY if: [asq42_ps_concern]="1"	Warning: Adjusted score in category problem solving below cutoff (29). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY
2104[ asq42_persoc1 ] Show the field ONLY if: [visit_asqver]="42"	Section Header: <i>Personal-social</i> 1. When he is looking in a mirror and you ask, "Who is in the mirror?" does your child say either 'me' or his own name?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2105[ asq42_persoc2 ] Show the field ONLY if: [visit_asqver]="42"	2. Does your child put on a coat, jacket, or shirt by herself?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2106[ asq42_persoc3 ] Show the field ONLY if: [visit_asqver]="42"	3. Using these exact words, ask your child, "Are you a girl or a boy?" Does your child answer correctly?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2107[ asq42_persoc4 ] Show the field ONLY if: [visit_asqver]="42"	4. Does your child take turns by waiting while another child or adult takes a turn?	radio 10 Yes 5 Sometimes 0 Not yet  Custom alignment: LV
2108[ asq42_persoc5 ]  Show the field ONLY if: [visit_asqver]="42"	5. Does your child serve himself, taking food from one container to another using utensils? For example, does your child use a large spoon to scoop applesauce from a jar into a bowl?	radio  10 Yes  5 Sometimes  0 Not yet  Custom alignment: LV
2109[ asq42_persoc6 ] Show the field ONLY if:	6. Does your child wash his hands using soap and water and dry off with a towel without help?	radio 10 Yes 5 Sometimes

[visit_asqver]="42"		0 Not yet
		Custom alignment: LV
2110[asq42_persoc_sum]  Show the field ONLY  if:  [visit_asqver]="42"	Sum of scores of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum([asq42_persoc1], [asq42_persoc2], [asq42_persoc3], [asq42_persoc4], [asq42_persoc5], [asq42_persoc6]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
211 1[ asq42_persoc_coun t ]  Show the field ONLY if: [visit_asqver]="42"	Number of completed items in category personal/social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42", sum(if([asq42_persoc1]<>"", 1, 0), if([asq42_persoc2]<>"", 1, 0), if([asq42_persoc3]<>"", 1, 0), if([asq42_persoc4]<>"", 1, 0), if([asq42_persoc5]<>"", 1, 0), if([asq42_persoc6]<>"", 1, 0)), "Field Annotation: @HIDDEN @HIDDEN-PDF
2112[asq42_persoc_score]  Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category personal/ social	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_persoc_count]<>"", if([asq42_persoc_count]="6", ([asq42_persoc_sum]), if([asq42_persoc_sum] + ([asq42_persoc_sum]/ [asq42_persoc_count]])), if([asq42_persoc_count]="4", ([asq42_persoc_sum] + (2*([asq42_persoc_sum]/ [asq42_persoc_sum]/ [asq42_persoc_sum]/ [asq42_persoc_count]))), if([asq42_persoc_count]<4, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
2113[asq42_persoc_conce rn] Show the field ONLY if: [visit_asqver]="42"	Adjusted score in category personal/ social below cutoff (32)	calc Calculation: if([asq_fversion]<>"" and [visit_asqver]="42" and [asq42_persoc_score]<>"", if([asq42_persoc_score]<32, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2114[asq42_persoc_concernwarning] Show the field ONLY	Warning: Adjusted score in category personal/social below cutoff (32). Please discuss this with the caregiver.	descriptive Field Annotation: @HIDDEN-SURVEY

	: asq42_persoc_conc rn]="1"		
SI if:	asq42_o1] how the field ONLY : visit_asqver]="42"	Section Header: <i>Overall</i> 1. Do you think your child hears well?	radio  1 Yes  0 No  Custom alignment: LV
SI if:	asq42_o1spec ] how the field ONLY : asq42_o1]="0"	If no, explain:	notes Custom alignment: LV
SI if:	asq42_o2 ] how the field ONLY : visit_asqver]="42"	2. Do you think your child talks like other children her age?	radio 1 Yes 0 No  Custom alignment: LV
SI if:	asq42_o2spec ] how the field ONLY : asq42_o2]="0"	If no, explain:	notes Custom alignment: LV
SI if:	asq42_o3 ] how the field ONLY : visit_asqver]="42"	3. Can you understand most of what your child says?	radio 1 Yes 0 No  Custom alignment: LV
SI if:	asq42_o3spec ] how the field ONLY : asq42_o3]="0"	If no, explain:	notes Custom alignment: LV
SI if:	asq42_o4 ] how the field ONLY : visit_asqver]="42"	4. Can other people understand most of what your child says?	radio 1 Yes 0 No  Custom alignment: LV
SI if:	asq42_o4spec ] how the field ONLY : asq42_o4]="0"	If no, explain:	notes Custom alignment: LV
	asq42_o5 ] how the field ONLY :	5. Do you think your child walks, runs, and climbs like other children his age?	radio 1 Yes

[visit_asqver]="42"		0 No  Custom alignment: LV
2124[asq42_o5spec] Show the field ONLY if: [asq42_o5]="0"	If no, explain:	notes Custom alignment: LV
2125[ asq42_o6 ] Show the field ONLY if: [visit_asqver]="42"	6. Does either parent have a family history of childhood deafness or hearing impairment?	radio 1 Yes 0 No  Custom alignment: LV
2126[ asq42_o6spec ]  Show the field ONLY if: [asq42_o6]="1"	If yes, explain:	notes Custom alignment: LV
2127[ asq42_o7 ]  Show the field ONLY if: [visit_asqver]="42"	7. Do you have any concerns about your child's vision?	radio 1 Yes 0 No  Custom alignment: LV
2128[ asq42_o7spec ]  Show the field ONLY if: [asq42_o7]="1"	If yes, explain:	notes Custom alignment: LV
2129[ asq42_o8 ] Show the field ONLY if: [visit_asqver]="42"	8. Has your child had any medical problems in the last several months?	radio 1 Yes 0 No  Custom alignment: LV
2130[ asq42_o8spec ] Show the field ONLY if: [asq42_o8]="1"	If yes, explain:	notes Custom alignment: LV
2131[ asq42_o9 ]  Show the field ONLY if:  [visit_asqver]="42"	9. Do you have any concerns about your child's behavior?	radio 1 Yes 0 No Custom alignment: LV
2132[ asq42_o9spec ] Show the field ONLY	If yes, explain:	notes Custom alignment: LV

if: [asq42_o9]="1"		
2133[ asq42_o10 ]  Show the field ONLY if: [visit_asqver]="42"	10. Does anything about your child worry you?	radio 1 Yes 0 No Custom alignment: LV
2134[ asq42_o10spec ] Show the field ONLY if: [asq42_o10]="1"	If yes, explain:	notes Custom alignment: LV
2135[ asq42_all_concern ]  Show the field ONLY if: [visit_asqver]="42"	Is there a concerning section on this form	calc Calculation: if([asq_fversion]<>"" an [visit_asqver]="42", if(([asq42_comm_concern]="1" or [asq42_gm_concern]="1" or [asq42_fm_concern]="1" or [asq42_ps_concern]="1" or [asq42_persoc_concern]="1"), 1, 0), Field Annotation: @HIDDEN-SURVE
2136[asq_concern]	Is there a concerning section on this form (all ages)	calc Calculation: if([asq_fversion]<>"", if([asq8_all_concern]="1" or [asq9_all_concern]="1" or [asq10_all_concern]="1" or [asq20_all_concern]="1" or [asq20_all_concern]="1" or [asq22_all_concern]="1" or [asq24_all_concern]="1" or [asq27_all_concern]="1" or [asq36_all_concern]="1" or [asq42_all_concern]="1" or [asq42_all_concern]="1", 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2137[asq_complete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
nstrument: Asqse (asqse	<u> </u>	
Active languag  2138[asqse_fversion]	ASQ-SE form version	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: upda to ASQ-SE v2 (initially given v1, which was wrong)

	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
	Ages & Stages Questionnaires ®: Social-Emotional, Second Edition (ASQ®:SE-2), Squires, Bricker, & Twombly. © 2015 Paul H. Brookes Publishing Co., Inc. All rights reserved. With permission of the publisher.	descriptive
	What is the date that this survey is being done?  MM-DD-YYYY	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
2142[asqse_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
	Please read each question carefully and Click the option that best describes your child's behavior and Check the box if this is a behavior of concern	descriptive
	1. Does your child look at you when you talk to him?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2145[asqse_1concern] Show the field ONLY if: [asqse_1] <> ""	Check if this is a concern:	checkbox 5 asqse_1concern5 This is a concern  Custom alignment: LV
	2. When you leave, does your child remain upset and cry for more than an hour?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
2147[asqse_2concern]  Show the field ONLY if: [asqse_2] <> ""	Check if this is a concern:	checkbox  5 asqse_2concern5 This is a concern  Custom alignment: LV
	3. Does your child laugh or smile when you play with her?	radio 0 Often or always

		5 Sometimes  10 Rarely or never  Custom alignment: LV
2149[asqse_3concern] Show the field ONLY if: [asqse_3] <> ""	Check if this is a concern:	checkbox  5 asqse_3concern5 This is a concern  Custom alignment: LV
2150[ asqse_4 ]	4. Does your child look for you when a stranger approaches?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2151[asqse_4concern] Show the field ONLY if: [asqse_4] <> ""	Check if this is a concern:	checkbox  5 asqse_4concern5 This is a concern  Custom alignment: LV
2152[ asqse_5 ]	5. Is your child's body relaxed?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2153[ asqse_5concern ] Show the field ONLY if: [asqse_5] <> ""	Check if this is a concern:	checkbox 5 asqse_5concern5 This is a concern  Custom alignment: LV
2154[ asqse_6 ]	6. Does your child like to be hugged or cuddled?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2155[asqse_6concern]  Show the field ONLY  if:  [asqse_6] <> ""	Check if this is a concern:	checkbox  5 asqse_6concern5 This is a concern  Custom alignment: LV

2156[asqse_7]	7. When upset, can your child calm down within 15 minutes?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2157[asqse_7concern] Show the field ONLY if: [asqse_7] <> ""	Check if this is a concern:	checkbox  5 asqse_7concern5 This is a concern  Custom alignment: LV
2158[ asqse_8 ]	8. Does your child stiffen and arch his back when picked up?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
2159[asqse_8concern] Show the field ONLY if: [asqse_8] <> ""	Check if this is a concern:	checkbox 5 asqse_8concern5 This is a concern  Custom alignment: LV
2160[ asqse_9 ]	9. Does your child cry, scream, or have tantrums for long periods of time?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
2161[asqse_9concern] Show the field ONLY if: [asqse_9] <> ""	Check if this is a concern:	checkbox 5 asqse_9concern5 This is a concern  Custom alignment: LV
2162[asqse_10]	10. Is your child interested in things around her, such as people, toys, and foods?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2163[asqse_10concern]	Check if this is a concern:	checkbox  5 asqse_10concern5 This is a

	if: [asqse_10] <> ""		concern
	[a3q3c_10] \$		Custom alignment: LV
216	4[ asqse_11 ]  Show the field ONLY if: [asqse_fversion]<=1	11. Does your child do things over and over and can't seem to stop? Examples are rocking, hand flapping, spinning, or {asqse_11spec:icons} (You may write in something else.)	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
216	5[ asqse_11concern ] Show the field ONLY if: [asqse_11] <> ""	Check if this is a concern:	checkbox 5 asqse_11concern5 This is a concern  Custom alignment: LV
216	6[ asqse_11spec ]	Other repetitive action specify:	text Custom alignment: LV
216	7[asqse_11v2] Show the field ONLY if: [asqse_fversion]>=2	11. Does your child do things over and over and get upset when you try to stop him? For example, does he rock, flap his hands, spin or {asqse_11specv2:icons}?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
216	8[ asqse_11concernv2 ]  Show the field ONLY if: [asqse_11v2] <> ""	Check if this is a concern:	checkbox  5 asqse_11concernv25 This is a concern  Custom alignment: LV
216	9[ asqse_11specv2 ]	Other repetitive action specify:	text Custom alignment: LV
217	O[asqse_11descv2] Show the field ONLY if: [asqse_11v2]<>""	Please describe:	notes Custom alignment: LV
217	1[ asqse_12 ] Show the field ONLY if: [asqse_fversion]<=1	12. Does your child have eating problems, such as stuffing foods, vomiting, eating nonfood items, or {asqse_12spec:icons}? (You may write in another problem.)	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
217	2[asqse_12concern] Show the field ONLY if:	Check if this is a concern:	checkbox 5 asqse_12concern5 This is a concern

	[asqse_12] <> ""		Custom alignment: LV
21	73[ asqse_12spec ]	Other food with problems specify:	text Custom alignment: LV
21	74[ asqse_12v2 ] Show the field ONLY if: [asqse_fversion]>=2	12. Does your child have eating problems? For example, does she stuff food, vomit, eat things that are not food, or {asqse_12specv2:icons}?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
21	75[ asqse_12concernv2 ] Show the field ONLY if: [asqse_12v2] <> ""	Check if this is a concern:	checkbox 5 asqse_12concernv25 This is a concern  Custom alignment: LV
21	76[ asqse_12specv2 ]	Other food with problems specify:	text Custom alignment: LV
21	77[ asqse_12descv2 ] Show the field ONLY if: [asqse_12v2]<>""	Please describe:	notes Custom alignment: LV
21	78[ asqse_13 ]	13. Does your child have trouble falling asleep at naptime or at night?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
21	79[asqse_13concern] Show the field ONLY if: [asqse_13] <> ""	Check if this is a concern:	checkbox  5 asqse_13concern5 This is a concern  Custom alignment: LV
21	80[ asqse_14 ]	14. Do you and your child enjoy mealtimes together?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
21	81[asqse_14concern] Show the field ONLY if: [asqse_14] <> ""	Check if this is a concern:	checkbox 5 asqse_14concern5 This is a concern

		Custom alignment: LV
2182[ asqse_15 ]	15. Does your child sleep at least 10 hours in a 24-hour period?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2183[asqse_15concern]  Show the field ONLY if: [asqse_15] <> ""	Check if this is a concern:	checkbox  5 asqse_15concern5 This is concer  Custom alignment: LV
2184[ asqse_16 ]	16. When you point at something, does your child look in the direction you are pointing?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2185[asqse_16concern]  Show the field ONLY if: [asqse_16] <> ""	Check if this is a concern:	checkbox 5 asqse_16concern5 This is concer Custom alignment: LV
2186[ asqse_17 ]	17. Does your child get constipated or have diarrhea?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
2187[asqse_17concern]  Show the field ONLY if: [asqse_17] <> ""	Check if this is a concern:	checkbox  5 asqse_17concern5 This is concer  Custom alignment: LV
2188[ asqse_18 ]	18. Does your child let you know how he is feeling with gestures or words? For example, does he let you know when she is hungry, hurt, or tired?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV

2189[asqse_18concern]  Show the field ONLY  if:  [asqse_18] <> ""	Check if this is a concern:	checkbox  5 asqse_18concern5 This is a concern  Custom alignment: LV
2190[ asqse_19 ]	19. Does your child follow simple directions? For example, does she sit down when asked?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2191[asqse_19concern] Show the field ONLY if: [asqse_19] <> ""	Check if this is a concern:	checkbox  5 asqse_19concern5 This is a concern  Custom alignment: LV
2192[ asqse_20 ]	20. Does your child like to play near or be with family members and friends?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2193[asqse_20concern] Show the field ONLY if: [asqse_20] <> ""	Check if this is a concern:	checkbox 5 asqse_20concern5 This is a concern  Custom alignment: LV
2194[ asqse_21 ]	21. Does your child check to make sure you are near when exploring new places, such as a park or a friend's home?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2195[asqse_21concern] Show the field ONLY if: [asqse_21] <> ""	Check if this is a concern:	checkbox 5 asqse_21concern5 This is a concern  Custom alignment: LV
2196[ asqse_22 ]	22. Does your child like to hear stories or sing songs?	radio 0 Often or always 5 Sometimes

		10 Rarely or never  Custom alignment: LV
2197[asqse_22concern] Show the field ONLY if: [asqse_22] <> ""	Check if this is a concern:	checkbox  5 asqse_22concern5 This is a concern  Custom alignment: LV
2198[ asqse_23 ]	23. Does your child hurt himself on purpose?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
2199[asqse_23concern] Show the field ONLY if: [asqse_23] <> ""	Check if this is a concern:	checkbox  5 asqse_23concern5 This is a concern  Custom alignment: LV
2200[ asqse_24 ]	24. Does your child like to be around other children? For example, does she move close to or look at other children?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2201[asqse_24concern] Show the field ONLY if: [asqse_24] <> ""	Check if this is a concern:	checkbox  5 asqse_24concern5 This is a concern  Custom alignment: LV
2202[ asqse_25 ]	25. Does your child try to hurt other children, adults, or animals (for example, by kicking or biting)?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
2203[asqse_25concern] Show the field ONLY if: [asqse_25] <> ""	Check if this is a concern:	checkbox  5 asqse_25concern5 This is a concern  Custom alignment: LV

Sł if:	asqse_26] how the field ONLY : asqse_fversion]<=1	26. Has anyone expressed concerns about your child's behaviors?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
Sł if:	asqse_26concern] how the field ONLY : asqse_26] <> ""	Check if this is a concern:	checkbox  5 asqse_26concern5 This is a concern  Custom alignment: LV
Sł if:	asqse_26spec ] how the field ONLY : asqse_26] = "10" or asqse_26] = "5"	Please explain:	notes Custom alignment: LV
Sł if:	asqse_27] how the field ONLY : asqse_fversion]<=1	27. Do you have concerns about your child's eating or sleeping behaviors? If so, please explain:	notes Custom alignment: LV
Sł if:	asqse_28] how the field ONLY : asqse_fversion]<=1	28. Is there anything that worries you about your child? If so, please explain:	notes Custom alignment: LV
Sł if:	asqse_29] how the field ONLY : asqse_fversion]<=1	29. What things do you enjoy most about your child?	notes Custom alignment: LV
Sł if:	asqse_26v2] how the field ONLY : asqse_fversion]>=2	26. Does your child try to show you things by pointing at them and looking back at you?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
Sł if:	asqse_26v2concern] how the field ONLY : asqse_26v2] <> ""	Check if this is a concern:	checkbox  5 asqse_26v2concern5 This is a concern  Custom alignment: LV

2212[asqse_27v2] Show the field ONLY if: [asqse_fversion]>=2	27. Does your child make sounds or use words or gestures to let you know he wants something (for example, by reaching)?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2213[asqse_27v2concern] Show the field ONLY if: [asqse_27v2] <> ""	Check if this is a concern:	checkbox  5 asqse_27v2concern5 This is a concern  Custom alignment: LV
2214[asqse_28v2] Show the field ONLY if: [asqse_fversion]>=2	28. Does your child play with objects by pretending? For example, does your child pretend to talk on the phone, feed a doll, or fly a toy airplane?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2215[asqse_28v2concern] Show the field ONLY if: [asqse_28v2] <> ""	Check if this is a concern:	checkbox  5 asqse_28v2concern5 This is a concern  Custom alignment: LV
2216[asqse_29v2] Show the field ONLY if: [asqse_fversion]>=2	29. Does your child wake three or more times during the night?	radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
2217[asqse_29v2concern] Show the field ONLY if: [asqse_29v2] <> ""	Check if this is a concern:	checkbox  5 asqse_29v2concern5 This is a concern  Custom alignment: LV
2218[asqse_30v2] Show the field ONLY if: [asqse_fversion]>=2	30. Does your child respond to her name when you call her? For example, does she turn her head and look at you?	radio  0 Often or always  5 Sometimes  10 Rarely or never  Custom alignment: LV
2219[asqse_30v2concern]	Check if this is a concern:	checkbox 5 asgse_30v2concern5 This is a

if:		concern
[asqse_30v2] <> ""		Custom alignment: LV
2220[ asqse_31v2 ]  Show the field ONL if: [asqse_fversion]>=		radio  10 Often or always  5 Sometimes  0 Rarely or never  Custom alignment: LV
2221[ asqse_31v2concer Show the field ONL if: [asqse_31v2] <> ""		checkbox  5 asqse_31v2concern5 This is a concern  Custom alignment: LV
2222[ asqse_31specv2 ]  Show the field ONL if:     [asqse_31v2]="5" o [asqse_31v2]="10"		notes Custom alignment: LV
2223[ asqse_32v2 ]  Show the field ONL if: [asqse_fversion]>=		radio 1 Yes 0 No  Custom alignment: LV
2224[ asqse_32specv2 ] Show the field ONL if: [asqse_32v2]="1"	Please explain:	notes Custom alignment: LV
2225[ asqse_33v2 ]  Show the field ONL if: [asqse_fversion]>=		radio 1 Yes 0 No  Custom alignment: LV
2226[ asqse_33specv2 ] Show the field ONL if: [asqse_33v2]="1"	Please explain:	notes Custom alignment: LV
2227[ asqse_34v2 ]  Show the field ONL if: [asqse_fversion]>=		notes Custom alignment: LV

2228[ asc	qse_sum]	Sum of scores of completed items:	calc Calculation: if([asqse_fversion]<>"" and [asqse_fversion]>=2, sum([asqse_1], [asqse_2], [asqse_3], [asqse_4], [asqse_5], [asqse_6], [asqse_7], [asqse_8], [asqse_9], [asqse_10], [asqse_11v2], [asqse_12v2], [asqse_13], [asqse_14], [asqse_15], [asqse_16], [asqse_17], [asqse_18], [asqse_19], [asqse_20], [asqse_21], [asqse_22], [asqse_23], [asqse_24], [asqse_25], [asqse_26v2], [asqse_27v2], [asqse_28v2], [asqse_29v2], [asqse_30v2], [asqse_31v2]), "") Field Annotation: @HIDDEN @HIDDEN-PDF
2229[ asd	qse_count]	Number of completed items:	calc Calculation: if([asqse_fversion]<>"" and [asqse_fversion]>=2, sum(if([asqse_1]<>"", 1, 0), if([asqse_2]<>"", 1, 0), if([asqse_3]<>"", 1, 0), if([asqse_4]<>"", 1, 0), if([asqse_5]<>"", 1, 0), if([asqse_6]<>"", 1, 0), if([asqse_7]<>"", 1, 0), if([asqse_8]<>"", 1, 0), if([asqse_9]<>"", 1, 0), if([asqse_10]<>"", 1, 0), if([asqse_11v2]<>"", 1, 0), if([asqse_12v2]<>"", 1, 0), if([asqse_13]<>"", 1, 0), if([asqse_14]<>"", 1, 0), if([asqse_15]<>"", 1, 0), if([asqse_16]<>>"", 1, 0), if([asqse_17]<>"", 1, 0), if([asqse_19]<>"", 1, 0), if([asqse_20]<>"", 1, 0), if([asqse_21]<>"", 1, 0), if([asqse_22]<>"", 1, 0), if([asqse_23]<>"", 1, 0), if([asqse_24]<>"", 1, 0), if([asqse_25]<>"", 1, 0), if([asqse_25]<>"", 1, 0), if([asqse_27v2]<>"", 1, 0), if([asqse_28v2]<>"", 1, 0), if([asqse_28v2]<>"", 1, 0), if([asqse_30v2]<>"", 1, 0), if([asqse_31v2]<>"", 1, 0), if([asqse_31v

223	0[ asqse_score ]	Adjusted score:	calc Calculation: if([asqse_fversion]<>"" and [asqse_fversion]>=2, if([asqse_count]="31", [asqse_sum], if([asqse_count]="30", ([asqse_sum]+ ([asqse_sum]/[asqse_count])), if([asqse_count]="29", ([asqse_sum]+ 2*([asqse_sum]/[asqse_count])), if([asqse_count]="28", ([asqse_sum]+ 3*([asqse_sum]/[asqse_count])), if([asqse_count]<=27, "", "")))), "") Field Annotation: @HIDDEN-SURVEY
223	1[asqse_concern]	Is the adjusted score above the 18mo ASQ-SE cutoff (64):	calc Calculation: if([asqse_score]<>"", if([asqse_score]>64, 1, 0), "") Field Annotation: @HIDDEN @HIDDEN-PDF
223	2[ asqse_concernwarni ng ] Show the field ONLY if: [asqse_concern]="1"	Warning: the adjusted score ([asqse_score]) is above the cutoff (64). Please discuss this with the caregiver and their care provider.	descriptive Field Annotation: @HIDDEN-SURVEY
223	3[asqse_complete]	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
trum	nent: Mchatrf (mch		
223	Active language	es - Data Entry: None   Survey: None  MCHAT form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
223	5[mchat_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
223	6[mchat_colldt]	What is the date that this survey is being done?  MM-DD-YYYY	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
223	7[mchat_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
223	8[mchat_intro]	Please answer these questions about your child. Keep in mind how your child usually behaves. If you have seen your child do the behavior a few times, but	descriptive

	please answer no. Please answer yes or no for every question. Thank you very much.	
2239[mchat_01]	1. If you point at something across the room, does your child look at it? (FOR EXAMPLE, if you point at a toy or an animal, does your child look at the toy or animal?)	radio (Matrix), Required  1 Yes  0 No
2240[mchat_02]	2. Have you ever wondered if your child might be deaf?	radio (Matrix), Required  1 Yes  0 No
2241[mchat_03]	3. Does your child play pretend or make-believe? (FOR EXAMPLE, pretend to drink from an empty cup, pretend to talk on a phone, or pretend to feed a doll or stuffed animal?)	radio (Matrix), Required  1 Yes  0 No
2242[mchat_04]	4. Does your child like climbing on things? (FOR EXAMPLE, furniture, playground equipment, or stairs?)	radio (Matrix), Required  1 Yes  0 No
2243[mchat_05]	5. Does your child make unusual finger movements near his or her eyes? (FOR EXAMPLE, does your child wiggle his or her fingers close to his or her eyes?)	radio (Matrix), Required  1 Yes  0 No
2244[mchat_06]	6. Does your child point with one finger to ask for something or to get help? (FOR EXAMPLE, pointing to a snack or toy that is out of reach?)	radio (Matrix), Required  1 Yes 0 No
2245[mchat_07]	7. Does your child point with one finger to show you something interesting? (FOR EXAMPLE, pointing to an airplane in the sky or a big truck in the road?)	radio (Matrix), Required  1 Yes  0 No
2246[mchat_08]	8. Is your child interested in other children? (FOR EXAMPLE, does your child watch other children, smile at them, or go to them?)	radio (Matrix), Required  1 Yes 0 No
2247[mchat_09]	9. Does your child show you things by bringing them to you or holding them up for you to see - not to get help, but just to share? (FOR EXAMPLE, showing you a flower, a stuffed animal, or a toy truck?)	radio (Matrix), Required  1 Yes 0 No
2248[mchat_10]	10. Does your child respond when you call his or her name? (FOR EXAMPLE, does he or she look up, talk or babble, or stop what he or she is doing when you call his or her name?)	radio (Matrix), Required  1 Yes  0 No

2249[mchat_11]	11. When you smile at your child, does he or she smile back at you?	radio (Matrix), Required  1 Yes  0 No
2250[mchat_12]	12. Does your child get upset by everyday noises? (FOR EXAMPLE, does your child scream or cry to noise such as a vacuum cleaner or loud music?)	radio (Matrix), Required  1 Yes 0 No
2251[mchat_13]	13. Does your child walk?	radio (Matrix), Required  1 Yes 0 No
2252[mchat_14]	14. Does your child look you in the eye when you are talking to him or her, playing with him or her, or dressing him or her?	radio (Matrix), Required  1 Yes 0 No
2253[mchat_15]	15. Does your child try to copy what you do? (FOR EXAMPLE, wave bye-bye, clap, or make a funny noise when you do?)	radio (Matrix), Required  1 Yes 0 No
2254[mchat_16]	16. If you turn your head to look at something, does your child look around to see what you are looking at?	radio (Matrix), Required  1 Yes 0 No
2255[mchat_17]	17. Does your child try to get you to watch him or her? (FOR EXAMPLE, does your child look at you for praise, or say "look" or "watch me"?)	radio (Matrix), Required  1 Yes  0 No
2256[mchat_18]	18. Does your child understand when you tell him or her to do something? (FOR EXAMPLE, if you don't point, can your child understand "put the book on the chair" or "bring me the blanket"?)	radio (Matrix), Required  1 Yes 0 No
2257[mchat_19]	19. If something new happens, does your child look at your face to see how you feel about it? (FOR EXAMPLE, if he or she hears a strange or funny noise, or sees a new toy, will he or she look at your face?)	radio (Matrix), Required  1 Yes 0 No
2258[mchat_20]	20. Does your child like movement activities? (FOR EXAMPLE, being swung or bounced on your knee?)	radio (Matrix), Required  1 Yes 0 No
2259[mchat_score]	MCHAT score	calc Calculation: if([mchat_01]<>"" or [mchat_02]<>"" or [mchat_03]<>"" or [mchat_04]<>"" or [mchat_05]<>"" or [mchat_06]<>"" or [mchat_07]<>"" or

			[mchat_08]<>"" or [mchat_09]<>"" or [mchat_1]<>"" or [mchat_1]<>"" or [mchat_1]<>"" or [mchat_13]<>"" or [mchat_14]<>"" or [mchat_15]<>"" or [mchat_16]<>"" or [mchat_17]<>"" or [mchat_18]<>"" or [mchat_19]<>"" or [mchat_20]<>"", sum(if([mchat_01]<>"", 1-[mchat_02], ""), if([mchat_02]<>"", 1-[mchat_03], ""), if([mchat_04]<>"", 1-[mchat_04], ""), if([mchat_05]<>"", 1-[mchat_06], ""), if([mchat_07]<>"", 1-[mchat_06], ""), if([mchat_07]<>"", 1-[mchat_07], ""), if([mchat_08]<>"", 1-[mchat_08], ""), if([mchat_10]<>"", 1-[mchat_10], ""), if([mchat_11]<>"", 1-[mchat_11], ""), if([mchat_12]<>"", 1-[mchat_12], ""), if([mchat_13]<>"", 1-[mchat_12], ""), if([mchat_14]<>"", 1-[mchat_14], ""), if([mchat_15]<>"", 1-[mchat_16], ""), if([mchat_16]<>"", 1-[mchat_16], ""), if([mchat_18]<>"", 1-[mchat_18], ""), if([mchat_18]<>"", 1-[mchat_18], ""), if([mchat_19]<>"", 1-[mchat_19], ""), if([mchat_19]<>"", 1-[mchat_19], ""), if([mchat_20]<>"", 1-[mchat_19], ""), if([mchat_20]<>"", 1-[mchat_19], ""), if([mchat_20]<>"", 1-[mchat_20], "")), if([mchat_20]<>""), if([mchat_20]<>"", 1-[mchat_20], "")), if([mchat_20]<>""), if([mchat_20]<
226	O[mchat_concernwarning] Show the field ONLY if: [mchat_score]>=3	Note: actionable results have been detected for this assessment. Please recommend parent or primary caregiver to speak with the child's primary health care provider regarding assessment results.	descriptive Field Annotation: @HIDDEN-SURVEY
226	1[mchatrf_complete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
Instrum	ent: <b>Cbcl</b> (cbcl)	🔁 Enabled as survey	
	Active language	s - Data Entry: None   Survey: None	
226	2[cbcl_fversion]	CBCL form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
226	3[cbc1_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY

2264[cbcl_colldt]	What is the date that this survey is being done?  MM-DD-YYYY	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
2265[cbcl_colllang]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
2266[cbcl_intro]	Below is a list of items that describe children. For each item that describes the child now or within the past 2 months, please indicate if the item is very true or often true, somewhat or sometimes true of the child, or not true of the child. Please answer all items as well as you can, even if some do not seem to apply to the child.	descriptive
2267[cbcl_01]	1. Aches or pains (without medical cause, do not include stomach or headaches)	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2268[cbc1_02]	2. Acts too young for age	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2269[cbcl_03]	3. Afraid to try new things	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2270[cbcl_04]	4. Avoids looking others in the eye	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2271[cbcl_05]	5. Can't concentrate, can't pay attention for long	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2272[cbc1_06]	6. Can't sit still, restless, or hyperactive	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true

2273[cbc1_07]	7. Can't stand having things out of place	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2274[cbc1_08]	8. Can't stand waiting; wants everything now	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2275[cbc1_09]	9. Chews on things that aren't edible	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2276[cbcl_10]	10. Clings to adults or too dependent	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2277[cbcl_11]	11. Constantly seeks help	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2278[ cbcl_12 ]	12. Constipated, doesn't move bowels (when not sick)	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2279[cbcl_13]	13. Cries a lot	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2280[cbcl_14]	14. Cruel to animals	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2281[cbcl_15]	15. Defiant	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true

		2 Very true or often true
2282[cbcl_16]	16. Demands must be met immediately	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true
	17.7	2 Very true or often true
2283[ cbcl_17 ]	17. Destroys his/her own things	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2284[ cbc1_18 ]	18. Destroys things belonging to his/her family or other children	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2285[ cbc1_19 ]	19. Diarrhea or loose bowels (when not sick)	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2286[ cbc1_20 ]	20. Disobedient	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2287[cbcl_21]	21. Disturbed by any change in routine	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2288[ cbc1_22 ]	22. Doesn't want to sleep alone	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2289[ cbc1_23 ]	23. Doesn't answer when people talk to him/her	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2290[cbc1_24]	24. Doesn't eat well	radio (Matrix)  0 Not true (as far as you know)

			1 Somewhat or sometimes true
			2 Very true or often true
229	1[ cbc1_25 ]	25. Doesn't get along with other	radio (Matrix)
		children	0 Not true (as far as you know)
			1 Somewhat or sometimes true
			2 Very true or often true
229	2[ cbc1_26 ]	26. Doesn't know how to have fun; acts	radio (Matrix)
		like a little adult	0 Not true (as far as you know)
			1 Somewhat or sometimes true
			2 Very true or often true
229	3[ cbc1_27 ]	27. Doesn't seem to feel guilty after	radio (Matrix)
		misbehaving	0 Not true (as far as you know)
			1 Somewhat or sometimes true
			2 Very true or often true
229	4[ cbc1_28 ]	28. Doesn't want to go out of home	radio (Matrix)
			0 Not true (as far as you know)
			1 Somewhat or sometimes true
			2 Very true or often true
229	5[ cbc1_29 ]	29. Easily frustrated	radio (Matrix)
			0 Not true (as far as you know)
			1 Somewhat or sometimes true
			2 Very true or often true
229	6[ cbc1_30 ]	30. Easily jealous	radio (Matrix)
			0 Not true (as far as you know)
			1 Somewhat or sometimes true
			2 Very true or often true
229	7[ cbc1_31 ]	31. Eats or drinks things that are not	radio (Matrix)
		food - don't include sweets	0 Not true (as far as you know)
			1 Somewhat or sometimes true
			2 Very true or often true
229	8[ cbc1_32 ]	32. Fears certain animals, situations, or	radio (Matrix)
		places	0 Not true (as far as you know)
			1 Somewhat or sometimes true
	Î.	İ	11 1

2299[cbc1_33]	33. Feelings are easily hurt	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2300[cbc1_34]	34. Gets hurt a lot, accident-prone	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2301[ cbc1_35 ]	35. Gets into many fights	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2302[ cbc1_36 ]	36. Gets into everything	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2303[ cbc1_37 ]	37. Gets too upset when separated from parents	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2304[ cbc1_38 ]	38. Has trouble getting to sleep	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2305[ cbc1_39 ]	39. Headaches (without medical cause)	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2306[cbc1_40]	40. Hits others	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2307[ cbc1_41 ]	41. Holds his/her breath	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true

		2 Very true or often true
2308[ cbc1_42 ]	42. Hurts animals or people without meaning to	radio (Matrix)  0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2309[ cbc1_43 ]	43. Looks unhappy without good reason	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2310[ cbc1_44 ]	44. Angry moods	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2311[cbcl_45]	45. Nausea, feels sick (without medical	radio (Matrix)
	cause)	0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2312[ cbc1_46 ]	46. Nervous movements or twitching	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2313[ cbc1_47 ]	47. Nervous, highstrung, or tense	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2314[ cbc1_48 ]	48. Nightmares	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2315[ cbc1_49 ]	49. Overeating	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2316[cbcl_50]	50. Overtired	radio (Matrix)
		0 Not true (as far as you know)

2   Very true or often true			1 Somewhat or sometimes true
2318 [cbcl_52]   52. Painful bowel movements (without medical cause)   75. Problems with eyes (without medical cause)   76. Problems with eyes (without medical cause)   76. Problems with eyes (without medical cause)   76. Problems with eyes (without medical cause)   76. Problems with eyes (without medical cause)   76. Problems with eyes (without medical cause)   76. Problems with eyes (without medical cause)   76. Problems true carbon content or sometimes true cause carbon cause)   76. Problems with eyes (without medical cause)   76. Problems with eyes (without medica			2 Very true or often true
1   Somewhat or sometimes true   2   Very true or often true   2	2317[ cbcl_51 ]	51. Shows panic for no good reason	radio (Matrix)
2   Very true or often true			0 Not true (as far as you know)
2318[cbcl_52] 52. Painful bowel movements (without medical cause)  52. Painful bowel movements (without medical cause)  53. Physically attacks people  53. Physically attacks people  54. Picks nose, skin, or other parts of body  55. Plays with own sex parts too much  2321[cbcl_55]  55. Plays with own sex parts too much  2322[cbcl_56]  56. Poorly coordinated or clumsy  2322[cbcl_56]  57. Problems with eyes (without medical cause)  58. Punishment doesn't change his/her behavior  59. Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  1 Somewhat or sometimes true  2 Very true or often true			1 Somewhat or sometimes true
medical cause)    D   Not true (as far as you know)     Somewhat or sometimes true     Very true or often true			2 Very true or often true
2319(cbcl_53]  53. Physically attacks people  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  2320(cbcl_54]  54. Picks nose, skin, or other parts of body  Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true	2318[ cbc1_52 ]	52. Painful bowel movements (without	radio (Matrix)
2319[cbcl_53]  53. Physically attacks people  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  radio (Matrix)  Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true		medical cause)	0 Not true (as far as you know)
2319[cbcl_53]  53. Physically attacks people  radio (Matrix)  Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  2320[cbcl_54]  54. Picks nose, skin, or other parts of body  radio (Matrix)  Not true (as far as you know)  Somewhat or sometimes true  2 Very true or often true  2321[cbcl_55]  55. Plays with own sex parts too much  radio (Matrix)  Not true (as far as you know)  Somewhat or sometimes true  2 Very true or often true  2322[cbcl_56]  56. Poorly coordinated or clumsy  radio (Matrix)  Not true (as far as you know)  Somewhat or sometimes true  2 Very true or often true  2323[cbcl_57]  57. Problems with eyes (without medical cause)  73. Problems with eyes (without medical cause)  74. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical cause)  76. Poorly coordinated or clumsy  77			1 Somewhat or sometimes true
2320[cbc1_54]  54. Picks nose, skin, or other parts of body  55. Plays with own sex parts too much  2321[cbc1_55]  55. Plays with own sex parts too much  2322[cbc1_56]  56. Poorly coordinated or clumsy  2323[cbc1_57]  57. Problems with eyes (without medical cause)  58. Punishment doesn't change his/her behavior  58. Punishment doesn't change his/her behavior  60. Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true			2 Very true or often true
2320[cbc1_54]  54. Picks nose, skin, or other parts of body  54. Picks nose, skin, or other parts of body  55. Plays with own sex parts too much  2321[cbc1_55]  55. Plays with own sex parts too much  2322[cbc1_56]  56. Poorly coordinated or clumsy  2322[cbc1_56]  57. Problems with eyes (without medical cause)  58. Punishment doesn't change his/her behavior  59. Porty true or often true  1 Somewhat or sometimes true 2 Very true or often true  2324[cbc1_58]  58. Punishment doesn't change his/her behavior  1 Somewhat or sometimes true 2 Very true or often true  2324[cbc1_58]  58. Punishment doesn't change his/her behavior  2326[cbc1_58]  59. Somewhat or sometimes true 2 Very true or often true  2327[cbc1_58]  59. Punishment doesn't change his/her behavior  2328[cbc1_58]  50. Not true (as far as you know) 2329[cbc1_58]  50. Poorly coordinated or clumsy  2329[cbc1_58]  50. Poorly coordinated or clumsy  2329[cbc1_58]  50. Poorly coordinated or clumsy  2329[cbc1_58]  50. Poorly coordinated or clumsy  2329[cbc1_58]  50. Poorly coordinated or clumsy  2329[cbc1_58]  51. Problems with eyes (without medical cause)  2329[cbc1_58]  520	2319[ cbc1_53 ]	53. Physically attacks people	radio (Matrix)
2320[cbc1_54]  54. Picks nose, skin, or other parts of body  54. Picks nose, skin, or other parts of body  55. Plays with own sex parts too much  2321[cbc1_55]  55. Plays with own sex parts too much  2322[cbc1_56]  56. Poorly coordinated or clumsy  2322[cbc1_56]  57. Problems with eyes (without medical cause)  57. Problems with eyes (without medical cause)  58. Punishment doesn't change his/her behavior  59. Very true or often true  20. Very true or often true  21. Very true or often true  22. Very true or often true  2324[cbc1_58]  58. Punishment doesn't change his/her behavior  29. Very true or often true  20. Not true (as far as you know)  10. Not true (as far as you know)  11. Somewhat or sometimes true  22. Very true or often true  2324[cbc1_58]  58. Punishment doesn't change his/her behavior  78. Poolems with eyes (without medical cause)  79. Not true (as far as you know)  10. Not true (as far as you know)  11. Somewhat or sometimes true  2324[cbc1_58]  58. Punishment doesn't change his/her behavior			0 Not true (as far as you know)
2320[cbcl_54]  54. Picks nose, skin, or other parts of body  55. Plays with own sex parts too much  2321[cbcl_55]  55. Plays with own sex parts too much  2322[cbcl_56]  56. Poorly coordinated or clumsy  2322[cbcl_56]  57. Problems with eyes (without medical cause)  2324[cbcl_57]  57. Problems with eyes (without medical cause)  58. Punishment doesn't change his/her behavior  58. Punishment doesn't change his/her behavior  59. Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true			1 Somewhat or sometimes true
body    0   Not true (as far as you know)   1   Somewhat or sometimes true   2   Very true or often true   2   Very true or of			2 Very true or often true
2322[cbc1_55]  55. Plays with own sex parts too much  2322[cbc1_55]  55. Plays with own sex parts too much  2322[cbc1_56]  56. Poorly coordinated or clumsy  2322[cbc1_56]  57. Problems with eyes (without medical cause)  2323[cbc1_57]  57. Problems with eyes (without medical cause)  58. Punishment doesn't change his/her behavior  59. Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true	2320[ cbc1_54 ]	54. Picks nose, skin, or other parts of	radio (Matrix)
2322[cbc1_55]  55. Plays with own sex parts too much  72   Very true or often true  73   Somewhat or sometimes true  74   Very true or often true  75   Very true or often true  76   Very true or often true  77   Very true or often true  78   Very true or often true  79   Very true or often true  70   Not true (as far as you know)  11   Somewhat or sometimes true  12   Very true or often true  79   Very true or often true  20   Very true or often true  21   Very true or often true  22   Very true or often true  23   Very true or often true  24   Very true or often true  25   Very true or often true  26   Very true or often true  27   Very true or often true  28   Very true or often true  29   Very true or often true  20   Very true or often true  21   Very true or often true  22   Very true or often true  23   Very true or often true  24   Very true or often true  25   Very true or often true  26   Very true or often true  27   Very true or often true  28   Very true or often true  29   Very true or often true  20   Very true or often true  27   Very true or often true  28   Very true or often true  29   Very true or often true  20   Very true or often true  21   Very true or often true  22   Very true or often true  23   Very true or often true  24   Very true or often true  25   Very true or often true		body	0 Not true (as far as you know)
2322[cbc1_56]  55. Plays with own sex parts too much  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  1 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  7adio (Matrix)  1 Somewhat or sometimes true  2 Not true (as far as you know)  1 Somewhat or sometimes true  1 Somewhat or sometimes true			1 Somewhat or sometimes true
0   Not true (as far as you know)   1   Somewhat or sometimes true   2   Very true or often true   2   Very true or often true   2   Very true or often true   2   Very true or often true   2   Very true or often true   2   Very true or often true   2   Very true or often true   2   Very true or often true   2   Very true or often true   2   Very true or often true   Very true or often true   2   Very true or often true   Very true or often true   2   Very true or often true   Very			2 Very true or often true
2322[cbc1_56]  56. Poorly coordinated or clumsy  radio (Matrix)  Not true (as far as you know)  Somewhat or sometimes true  Very true or often true  radio (Matrix)  Not true (as far as you know)  radio (Matrix)  Not true (as far as you know)  radio (Matrix)  Not true (as far as you know)  Somewhat or sometimes true  Very true or often true  radio (Matrix)  Not true (as far as you know)  Somewhat or sometimes true  Very true or often true  radio (Matrix)  Not true (as far as you know)  Not true (as far as you know)  Not true (as far as you know)  Somewhat or sometimes true  Very true or often true	2321[ cbc1_55 ]	55. Plays with own sex parts too much	radio (Matrix)
2322[cbc1_56]  56. Poorly coordinated or clumsy  radio (Matrix)  Not true (as far as you know)  Somewhat or sometimes true  Very true or often true  2323[cbc1_57]  57. Problems with eyes (without medical cause)  78. Problems with eyes (without medical cause)  79. Not true (as far as you know)  10. Not true (as far as you know)  11. Somewhat or sometimes true  12. Very true or often true  2324[cbc1_58]  58. Punishment doesn't change his/her behavior  79. Not true (as far as you know)  10. Not true (as far as you know)  11. Somewhat or sometimes true  2324[cbc1_58]			0 Not true (as far as you know)
2322[cbc1_56]  56. Poorly coordinated or clumsy  radio (Matrix)  Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  2323[cbc1_57]  57. Problems with eyes (without medical cause)  Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true  2324[cbc1_58]  58. Punishment doesn't change his/her behavior  Not true (as far as you know)  1 Somewhat or sometimes true  2 Not true (as far as you know)  1 Somewhat or sometimes true			1 Somewhat or sometimes true
0   Not true (as far as you know)   1   Somewhat or sometimes true   2   Very true or often tr			2 Very true or often true
2323[cbc1_57]  57. Problems with eyes (without medical cause)  57. Problems with eyes (without medical cause)  73. Problems with eyes (without medical cause)  74. Problems with eyes (without medical cause)  75. Problems with eyes (without medical radio (Matrix)  75. Problems with eyes (without medical cause)  75. Problems with eyes (without medical radio (Matrix)  76. Not true (as far as you know)  76. Not true (as far as you know)  77. Problems with eyes (without medical radio (Matrix)  78. Punishment doesn't change his/her behavior  78. Punishment doesn't change his/her behavior  78. Punishment doesn't change his/her behavior  78. Possible of the problems of t	2322[ cbc1_56 ]	56. Poorly coordinated or clumsy	radio (Matrix)
2323[cbc1_57]  57. Problems with eyes (without medical cause)  73. Problems with eyes (without medical cause)  73. Problems with eyes (without medical cause)  73. Problems with eyes (without medical radio (Matrix)  74. Not true (as far as you know)  75. Problems with eyes (without medical radio (Matrix)  75. Problems with eyes (without medical radio (Matrix)  76. Not true (as far as you know)  76. Punishment doesn't change his/her behavior  77. Problems with eyes (without medical radio (Matrix)  88. Punishment doesn't change his/her behavior  78. Punishment doesn't change his/her behavior  89. Not true (as far as you know)  90. Not true (as far as you know)  11. Somewhat or sometimes true			0 Not true (as far as you know)
2323[cbc1_57]  57. Problems with eyes (without medical cause)  57. Problems with eyes (without medical cause)  58. Punishment doesn't change his/her behavior  58. Punishment doesn't change his/her behavior  58. Punishment doesn't change his/her behavior  58. Punishment doesn't change his/her behavior  70 Not true (as far as you know)  1 Somewhat or sometimes true			1 Somewhat or sometimes true
cause)  0 Not true (as far as you know) 1 Somewhat or sometimes true 2 Very true or often true  2324[cbc1_58]  58. Punishment doesn't change his/her behavior  0 Not true (as far as you know) 0 Not true (as far as you know) 1 Somewhat or sometimes true			2 Very true or often true
2324[cbc1_58]  58. Punishment doesn't change his/her behavior  58. Punishment doesn't change his/her behavior  70. Not true (as far as you know)  1 Somewhat or sometimes true	2323[ cbc1_57 ]	57. Problems with eyes (without medical	radio (Matrix)
2 Very true or often true  2324[cbc1_58]  58. Punishment doesn't change his/her behavior  70 Not true (as far as you know)  1 Somewhat or sometimes true		cause)	0 Not true (as far as you know)
2324[cbc1_58]  58. Punishment doesn't change his/her behavior  70 Not true (as far as you know)  1 Somewhat or sometimes true			1 Somewhat or sometimes true
behavior  0 Not true (as far as you know)  1 Somewhat or sometimes true			2 Very true or often true
1 Somewhat or sometimes true	2324[ cbc1_58 ]	_	radio (Matrix)
		behavior	0 Not true (as far as you know)
2 Very true or often true			1 Somewhat or sometimes true
			2 Very true or often true

232 <sup>5</sup> [cbc1_59]	59. Quickly shifts from one activity to another	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2326[cbc1_60]	60. Rashes or other skin problems (without medical cause)	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2327[cbcl_61]	61. Refuses to eat	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2328[ cbc1_62 ]	62. Refuses to play active games	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2329[cbc1_63]	63. Repeatedly rocks head or body	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2330[cbcl_64]	64. Resists going to bed at night	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2331[cbcl_65]	65. Resists toilet training	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
233 <sup>2</sup> [cbc1_66]	66. Screams a lot	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2333[ cbc1_67 ]	67. Seems unresponsive to affection	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true

		2 Very true or often true
2334[ cbc1_68 ]	68. Self-conscious or easily embarrassed	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2335[ cbc1_69 ]	69. Selfish or won't share	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2336[ cbc1_70 ]	70. Shows little affection toward people	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2337[ cbc1_71 ]	71. Shows little interest in things around	radio (Matrix)
	him/her	0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2338[ cbc1_72 ]	72. Shows too little fear of getting hurt	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2339[ cbc1_73 ]	73. Too shy or timid	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2340[ cbc1_74 ]	74. Sleeps less than most kids during	radio (Matrix)
	day and/or night	0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2341[ cbc1_75 ]	75. Smears or plays with bowel	radio (Matrix)
	movements	0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2342[ cbc1_76 ]	76. Speech problem	radio (Matrix)
		0 Not true (as far as you know)

		1 Somewhat or sometimes true
		2 Very true or often true
2343[ cbcl_77 ]	77. Stares into space or seems	radio (Matrix)
	preoccupied	0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2344[ cbc1_78 ]	78. Stomachaches or cramps (without	radio (Matrix)
	medical cause)	0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2345[ cbc1_79 ]	79. Rapid shifts between sadness and	radio (Matrix)
	excitement	0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2346[ cbc1_80 ]	80. Strange behavior	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2347[ cbcl_81 ]	81. Stubborn, sullen, or irritable	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2348[ cbc1_82 ]	82. Sudden changes in mood or feelings	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2349[ cbc1_83 ]	83. Sulks a lot	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
2350[ cbc1_84 ]	84. Talks or cries out in sleep	radio (Matrix)
		0 Not true (as far as you know)
		1 Somewhat or sometimes true
		2 Very true or often true
		<u>                                     </u>

2351[cbcl_85]	85. Temper tantrums or hot temper	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2352[cbc1_86]	86. Too concerned with neatness or cleanliness	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2353[ cbc1_87 ]	87. Too fearful or anxious	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2354[ cbc1_88 ]	88. Uncooperative	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2355[cbc1_89]	89. Underactive, slow moving, or lacks energy	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2356[cbc1_90]	90. Unhappy, sad, or depressed	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2357[cbcl_91]	91. Unusually loud	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2358[cbc1_92]	92. Upset by new people or situations	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2359[ cbc1_93 ]	93. Vomiting, throwing up (without medical cause)	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true

		2 Very true or often true
2360[cbc1_94]	94. Wakes up often at night	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2361[cbc1_95]	95. Wanders away	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2362[ cbc1_96 ]	96. Wants a lot of attention	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2363[ cbc1_97 ]	97. Whining	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2364[ cbc1_98 ]	98. Withdrawn, doesn't get involved with others	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2365[ cbc1_99 ]	99. Worries	radio (Matrix)  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2366[cbcl_100]	100. Please write in any problems the child has that were not listed above: {cbcl_100at:icons}{cbcl_100bt:icons}{cbcl_100bt:icons}{cbcl_100ct:icons}	descriptive
2367[cbcl_100at]	100a. Problem (description)	text
2368[ cbcl_100ac ]	100a. Problem (severity)	radio  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
2369[cbcl_100bt]	100b. Problem (description)	text

237	0[cbcl_100bc]	100b. Problem (severity)	radio  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
237	1[cbcl_100ct]	100c. Problem (description)	text
237	2[ cbc1_100cc ]	100c. Problem (severity)	radio  0 Not true (as far as you know)  1 Somewhat or sometimes true  2 Very true or often true
237	3[ cbc1_24spec ] Show the field ONLY if: [cbcl_24]="1" or [cbcl_24]="2"	You said that [sname] doesn't eat well; please describe what you mean:	text Custom alignment: LV
237	4[ cbc1_31spec ]  Show the field ONLY if: [cbcl_31]="1" or [cbcl_31]="2"	You said that [sname] eats or drinks things that are not food; please describe what kinds of things:	text Custom alignment: LV
237	5[ cbc1_32spec ] Show the field ONLY if: [cbcl_32]="1" or [cbcl_32]="2"	You said that [sname] fears certain animals, situations, or places; please describe what animals, situations, or places [sname] fears:	text Custom alignment: LV
237	6[ cbc1_46spec ] Show the field ONLY if: [cbcl_46]="1" or [cbcl_46]="2"	You said that [sname] has nervous movements or twitches; please describe what you mean:	text Custom alignment: LV
237	7[ cbcl_54spec ] Show the field ONLY if: [cbcl_54]="1" or [cbcl _54]="2"	You said that [sname] picks their nose, skin, or other parts of their body; please describe what you mean:	text Custom alignment: LV
237	8[ cbcl_57spec ] Show the field ONLY if: [cbcl_57]="1" or [cbcl _57]="2"	You said that [sname] has problems with their eyes (without a medical cause); please describe what you mean:	text Custom alignment: LV
237	9[ cbc1_65spec ] Show the field ONLY	You said that [sname] resists toilet training; please describe how:	text Custom alignment: LV

	if: [cbcl_65]="1" or [cbcl _65]="2"		
238	O[ cbc1_74spec ] Show the field ONLY if: [cbcl_74]="1" or [cbcl_74]="2"	You said that [sname] sleeps less than most kids during the day and/or night; please describe what you mean:	text Custom alignment: LV
238	1[ cbc1_76spec ]  Show the field ONLY if: [cbcl_76]="1" or [cbcl_76]="2"	You said that [sname] has (a) speech problem(s); please describe the problem(s):	text Custom alignment: LV
238	2[ cbc1_80spec ] Show the field ONLY if: [cbcl_80]="1" or [cbcl_80]="2"	You said that [sname] displays strange behavior; please describe what you mean:	text Custom alignment: LV
238	3[ cbc1_92spec ] Show the field ONLY if: [cbcl_92]="1" or [cbcl_92]="2"	You said that [sname] gets upset by new people or situations; please describe what you mean:	text Custom alignment: LV
238	4[cbcl_disability]	Does your child have any illness or disability (either physical or mental)?	radio 0 No 1 Yes  Custom alignment: LV
238	5[ cbcl_disablityspe c ] Show the field ONLY if: [cbcl_disability]="1"	Please describe the illness(es) or disability(ies)	notes Custom alignment: LV
238	6[cbcl_concerns]	What concerns you most about [sname]?	notes Custom alignment: LV
238	7[cbcl_best]	Please describe the best things about [sname]:	notes Custom alignment: LV
238	8[ cbc1_anxcount ]	Count of items in the anxiety score that were completed	calc Calculation: if([cbcl_fversion]<>"",sum(if([cbcl_10]<>" 1, 0), if([cbcl_33]<>"", 1, 0), if([cbcl_37]<>"", 1,0), if([cbcl_43]<>"", 1,0), if([cbcl_47]<>"", 1,0), if([cbcl_68]<>"", 1,0), if([cbcl_87]<>"", 1,0), if([cbcl_90]<>"", 1,0)),"")

			Field Annotation: @HIDDEN-SURVEY
2	2389[cbc1_anxsum]	Sum of the items in the anxiety score	calc Calculation: if([cbcl_fversion]<>"",sum([cbcl_10], [cbcl_33], [cbcl_37], [cbcl_43], [cbcl_47], [cbcl_68], [cbcl_87], [cbcl_90]), "")
2	2390[cbc1_anxscore]	Anxiety score	calc Calculation: if([cbcl_anxcount]<>"" and [cbcl_anxcount]>5, (([cbcl_anxsum]/[cbcl_anxcount])*8), "")
2	2391[cbc1_anxwarn]	Is the calculated anxiety score concerning?	calc Calculation: if([cbcl_anxscore]<>"", if([cbcl_anxscore]>=9, 1, 0), "")
2	2392[cbc1_withdcount]	Count of items in the withdrawn score that were completed	calc Calculation: if([cbcl_fversion]<>"",sum(if([cbcl_02]<>" 1, 0), if([cbcl_04]<>"", 1, 0), if([cbcl_23]<>"", 1, 0), if([cbcl_62]<>"", 1, 0), if([cbcl_67]<>"", 1, 0), if([cbcl_70]<>"", 1, 0), if([cbcl_71]<>"", 1, 0), if([cbcl_98]<>"", 1, 0)),"") Field Annotation: @HIDDEN-SURVEY
2	2393[cbcl_withdsum]	Sum of the items in the withdrawn score	calc Calculation: if([cbcl_fversion]<>"",sum([cbcl_02], [cbcl_04], [cbcl_23], [cbcl_62], [cbcl_67], [cbcl_70], [cbcl_71], [cbcl_98]), "") Field Annotation: @HIDDEN-SURVEY
2	2394[cbcl_withdscore]	Withdrawn score	calc Calculation: if([cbcl_withdcount]<>"" and [cbcl_withdcount]>5, (([cbcl_withdsum]/ [cbcl_withdcount])*8), "") Field Annotation: @HIDDEN-SURVEY
2	2395[cbcl_withdwarn]	Is the calculated withdrawn score concerning?	calc Calculation: if([cbcl_withdscore]<>"", if([cbcl_withdscore]>=7, 1, 0), "") Field Annotation: @HIDDEN-SURVEY
2	2396[cbc1_totprobcount]	Count of items in the total problems score that were completed	calc Calculation: if([cbcl_fversion]<>"",sum(if([cbcl_01]<>" 1, 0), if([cbcl_02]<>"", 1, 0), if([cbcl_03]<>"", 1, 0), if([cbcl_04]<>"", 1, 0), if([cbcl_05]<>"", 1, 0), if([cbcl_06]<>"", 1, 0), if([cbcl_07]<>"", 1, 0), if([cbcl_08]<>"", 1, 0),

if([cbcl\_09]<>"", 1, 0), if([cbcl\_10]<>"", 1, 0), if([cbcl\_11]<>"", 1, 0), if([cbcl\_12]<>"", 1, 0), if([cbcl\_13]<>"", 1, 0), if([cbcl\_14]<>"", 1, 0), if([cbcl\_15]<>"", 1, 0), if([cbcl\_16]<>"", 1, 0), if([cbcl\_17]<>"", 1, 0), if([cbcl\_18]<>"", 1, 0), if([cbcl\_19]<>"", 1, 0), if([cbcl\_20]<>"", 1, 0), if([cbcl\_21]<>"", 1, 0), if([cbcl\_22]<>"", 1, 0), if([cbcl\_23]<>"", 1, 0), if([cbcl\_24]<>"", 1, 0), if([cbcl\_25]<>"", 1, 0), if([cbcl\_26]<>"", 1, 0), if([cbcl\_27]<>"", 1, 0), if([cbcl\_28]<>"", 1, 0), if([cbcl\_29]<>"", 1, 0), if([cbcl\_30]<>"", 1, 0), if([cbcl\_31]<>"", 1, 0), if([cbcl\_32]<>"", 1, 0), if([cbcl\_33]<>"", 1, 0), if([cbcl\_34]<>"", 1, 0), if([cbcl\_35]<>"", 1, 0), if([cbcl\_36]<>"", 1, 0), if([cbcl\_37]<>"", 1, 0), if([cbcl\_38]<>"", 1, 0), if([cbcl\_39]<>"", 1, 0), if([cbcl\_40]<>"", 1, 0), if([cbcl\_41]<>"", 1, 0), if([cbcl\_42]<>"", 1, 0), if([cbcl\_43]<>"", 1, 0), if([cbcl\_44]<>"", 1, 0), if([cbcl\_45]<>"", 1, 0), if([cbcl\_46]<>"", 1, 0), if([cbcl\_47]<>"", 1, 0), if([cbcl\_48]<>"", 1, 0), if([cbcl\_49]<>"", 1, 0), if([cbcl\_50]<>"", 1, 0), if([cbcl\_51]<>"", 1, 0), if([cbcl\_52]<>"", 1, 0), if([cbcl\_53]<>"", 1, 0), if([cbcl\_54]<>"", 1, 0), if([cbcl\_55]<>"", 1, 0), if([cbcl\_56]<>"", 1, 0), if([cbcl\_57]<>"", 1, 0), if([cbcl\_58]<>"", 1, 0), if([cbcl\_59]<>"", 1, 0), if([cbcl\_60]<>"", 1, 0), if([cbcl\_61]<>"", 1, 0), if([cbcl\_62]<>"", 1, 0), if([cbcl\_63]<>"", 1, 0), if([cbcl\_64]<>"", 1, 0), if([cbcl\_65]<>"", 1, 0), if([cbcl\_66]<>"", 1, 0), if([cbcl\_67]<>"", 1, 0), if([cbcl\_68]<>"", 1, 0), if([cbcl\_69]<>"", 1, 0), if([cbcl\_70]<>"", 1, 0), if([cbcl\_71]<>"", 1, 0), if([cbcl\_72]<>"", 1, 0), if([cbcl\_73]<>"", 1, 0), if([cbcl\_74]<>"", 1, 0), if([cbcl\_75]<>"", 1, 0), if([cbcl\_76]<>"", 1, 0), if([cbcl\_77]<>"", 1, 0), if([cbcl\_78]<>"", 1, 0), if([cbcl\_79]<>"", 1, 0), if([cbcl 80]<>"", 1, 0), if([cbcl\_81]<>"", 1, 0), if([cbcl\_82]<>"", 1, 0), if([cbcl\_83]<>"", 1, 0), if([cbcl\_84]<>"", 1, 0), if([cbcl\_85]<>"", 1, 0), if([cbcl\_86]<>"", 1, 0), if([cbcl\_87]<>"", 1, 0), if([cbcl\_88]<>"",

			1, 0), if([cbcl_89]<>"", 1, 0), if([cbcl_90]<>"", 1, 0), if([cbcl_91]<>"", 1, 0), if([cbcl_92]<>"", 1, 0), if([cbcl_93]<>"", 1, 0), if([cbcl_94]<>"", 1, 0), if([cbcl_95]<>"", 1, 0), if([cbcl_96]<>"", 1, 0), if([cbcl_97]<>"", 1, 0), if([cbcl_98]<>"", 1, 0), if([cbcl_99]<>"", 1, 0)), if([cbcl_99]<<"", 1, 0)), if([cbcl_99]<<"", 1, 0)), if([cbcl_99]<<"", 1, 0)), if([cbcl_99]<<"", 1, 0)), if([cbcl_98]<<"", 1, 0), if([cbcl_98]<"", 1, 0), if([cbcl_98]<<"", 1, 0), if([cbcl_98]<"", 1, 0), if([c
239	7[cbc1_totprobsum]	Sum of the items in the total problems score	calc Calculation: if([cbcl_fversion]<>"",sum([cbcl_01], [cbcl_02], [cbcl_03], [cbcl_04], [cbcl_05], [cbcl_06], [cbcl_07], [cbcl_08], [cbcl_09], [cbcl_10], [cbcl_11], [cbcl_12], [cbcl_13], [cbcl_14], [cbcl_15], [cbcl_16], [cbcl_20], [cbcl_21], [cbcl_22], [cbcl_23], [cbcl_24], [cbcl_25], [cbcl_26], [cbcl_27], [cbcl_28], [cbcl_29], [cbcl_30], [cbcl_31], [cbcl_32], [cbcl_33], [cbcl_34], [cbcl_35], [cbcl_36], [cbcl_37], [cbcl_41], [cbcl_42], [cbcl_40], [cbcl_41], [cbcl_42], [cbcl_43], [cbcl_44], [cbcl_45], [cbcl_46], [cbcl_50], [cbcl_51], [cbcl_52], [cbcl_56], [cbcl_51], [cbcl_55], [cbcl_56], [cbcl_57], [cbcl_58], [cbcl_56], [cbcl_60], [cbcl_61], [cbcl_62], [cbcl_66], [cbcl_67], [cbcl_68], [cbcl_66], [cbcl_67], [cbcl_71], [cbcl_72], [cbcl_73], [cbcl_71], [cbcl_72], [cbcl_73], [cbcl_80], [cbcl_81], [cbcl_82], [cbcl_80], [cbcl_81], [cbcl_82], [cbcl_88], [cbcl_84], [cbcl_88], [cbcl_89], [cbcl_90], [cbcl_91], [cbcl_92], [cbcl_93], [cbcl_94], [cbcl_98], [cbcl_99], "") Field Annotation: @HIDDEN-SURVEY
239	8[cbc1_totprobscore]	Total problems score	calc Calculation: if([cbcl_totprobcount]<>"" and [cbcl_totprobcount]>96, (([cbcl_totprobsum]/ [cbcl_totprobcount])*100), "") Field Annotation: @HIDDEN-SURVEY

239	99[cbcl_totprobwarn]	Is the calculated total problems score concerning?	calc Calculation: if([cbcl_totprobscore]<>"" if([cbcl_totprobscore]>=48, 1, 0), "") Field Annotation: @HIDDEN-SURVEY
240	OO[ cbcl_concernwarnin g ] Show the field ONLY if: [cbcl_anxwarn]="1" o r [cbcl_withdwar n]="1" or [cbcl_totpr obwarn]="1"	Note: actionable results have been detected for this assessment. Please recommend parent or primary caregiver to speak with the child's primary health care provider regarding assessment results.	descriptive Field Annotation: @HIDDEN-SURVEY
240	O1[cbcl_complete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
strun	ment: End Of Survey	/S (end_of_surveys)	
	Active language	s: None	ı
240	O2[eos_fversion]	End of survey form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
240	03[eos_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
240	04[ eos_colllang ]	_form collection language	text Field Annotation: @LANGUAGE- CURRENT-SURVEY @HIDDEN
240	05[eos_thanks]	Thank you for completing your RECOVER study surveys. Your responses help us learn more about the effects of COVID and Long COVID, and help researchers look for ways to treat Long COVID.If you have questions or concerns about these surveys, the RECOVER project, or COVID, please reach out to your local site.Please click on the "complete surveys" button below, and then you may close your browser tab or window.	descriptive
240	O6[end_of_surveys_com plete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete

	Active language	es: None		
240	7[dp4_fversion]	DP-4 form version	@IF( @HI	d Annotation: @DEFAULT='2' ([user-role-label]="Admin", "", IDDEN @HIDDEN-PDF) v2: adde nish administration checkbox
240	8[dp4_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank		d Annotation: @HIDDEN-SURVE
240	9[ dp4_yn ] Show the field ONLY if: [visit_dp4ver]<>""	Was the DP-4 assessment conducted?	0	o, Required Yes No tom alignment: LV
241	O[dp4_spanish] Show the field ONLY if: [dp4_fversion] >= 2 a nd [dp4_yn] = '1' and ([event-name] = '36 month_arm_1' or [ev ent-name] = '48mont h_arm_1')	Administered in Spanish:	1	ckbox dp4_spanish1 Yes tom alignment: LV
241	1[dp4_nreas]	Why was the assessment not conducted?	radi 1	o, Required Participant Declined
	Show the field ONLY if:		2	Staff Not Available
	[dp4_yn]="0"		3	Resources Not Available
			5	SOP Not Yet Created
			6	Site Can Never Perform This Test
			7	DRC Removed
			8	Participant Could Not Be Reached/Did Not Show
			10	Clinical Contraindication
			13	Infected Within the Last 30 D
			14	Participant Uncooperative
			9	Other

2412[ dp4_nreasspec ] Show the field ONLY if: [dp4_nreas]="9"	Please specify:	text, Required Custom alignment: LV
2413[dp4_dt] Show the field ONLY if: [dp4_yn]="1"	Date DP-4 assessment conducted:	text (date_mdy, Min: [visit_dt], Max: today), Required
2414[dp4_physraw] Show the field ONLY if: [dp4_yn]="1"	Section Header: <i>Physical subtest scores</i> Physical subtest raw score: 0-99	text (integer, Min: 0, Max: 99)
2415[dp4_physstd] Show the field ONLY if: [dp4_yn]="1"	Physical subtest standard score: 0-999	text (integer, Min: 0, Max: 999)
2416[dp4_physpct] Show the field ONLY if: [dp4_yn]="1"	Physical subtest percentile: %	text (integer, Min: 0, Max: 100)
2417[dp4_adapraw] Show the field ONLY if: [dp4_yn]="1"	Section Header: Adaptive behaviour subtest scores  Adaptive behaviour subtest raw score: 0-99	text (integer, Min: 0, Max: 99)
2418[dp4_adapstd] Show the field ONLY if: [dp4_yn]="1"	Adaptive behaviour subtest standard score: 0-999	text (integer, Min: 0, Max: 999)
2419[ dp4_adappct ] Show the field ONLY if: [dp4_yn]="1"	Adaptive behaviour subtest percentile: %	text (integer, Min: 0, Max: 100)
2420[dp4_socraw] Show the field ONLY if: [dp4_yn]="1"	Section Header: Social-emotional subtest scores Social-emotional subtest raw score: 0-99	text (integer, Min: 0, Max: 99)
2421[dp4_socstd] Show the field ONLY if: [dp4_yn]="1"	Social-emotional subtest standard score: 0-999	text (integer, Min: 0, Max: 999)
2422[dp4_socpct] Show the field ONLY	Social-emotional subtest percentile:	text (integer, Min: 0, Max: 100)

	if: [dp4_yn]="1"		
242	3[ dp4_cograw ] Show the field ONLY if: [dp4_yn]="1"	Section Header: Cognitive subtest scores  Cognitive subtest raw score: 0-99	text (integer, Min: 0, Max: 99)
242	4[ dp4_cogstd ] Show the field ONLY if: [dp4_yn]="1"	Cognitive subtest standard score: 0-999	text (integer, Min: 0, Max: 999)
242	5[ dp4_cogpct ] Show the field ONLY if: [dp4_yn]="1"	Cognitive subtest percentile: %	text (integer, Min: 0, Max: 100)
242	6[dp4_commraw] Show the field ONLY if: [dp4_yn]="1"	Section Header: Communication subtest scores  Communication subtest raw score: 0-99	text (integer, Min: 0, Max: 99)
242	7[dp4_commstd] Show the field ONLY if: [dp4_yn]="1"	Communication subtest standard score: 0-999	text (integer, Min: 0, Max: 999)
242	8[dp4_commpct] Show the field ONLY if: [dp4_yn]="1"	Communication subtest percentile:	text (integer, Min: 0, Max: 100)
242	9[ dp4_genstd ] Show the field ONLY if: [dp4_yn]="1"	Section Header: General development subtest scores  General development subtest standard score: 0-999	text (integer, Min: 0, Max: 999)
243	O[ dp4_genpct ] Show the field ONLY if: [dp4_yn]="1"	General development subtest percentile:	text (integer, Min: 0, Max: 100)
243	1[dp4_stdalert]	Are any of the "standard" scores less than 84?	calc Calculation: if([dp4_fversion]="", "", if([dp4_physstd]<84 or [dp4_adapstd]<84 or [dp4_cogstd]<84 or [dp4_commstd]<84 or [dp4_genstd]<84, 1, 0)) Field Annotation: @HIDDEN @HIDDEN-PDF

2432[dp4_stdwarning]  Show the field ONLY if: [dp4_stdalert]="1"	Note: Actionable results have been detected for this assessment. Please recommend parent or primary caregiver to speak with the child's primary health care provider regarding assessment results.	descriptive Field Annotation: @HIDDEN-SURVEY
2433[dp4_complete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
strument: Bayley4 (bay	ley4)	
Active languag	es: None	
2434[bayley_fversion]	Bayley form version	text Field Annotation: @DEFAULT='3' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: added tracking if assessment not collected v3: added Spanish administration checkboxes
2435[bayley_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
2436[ bayley_yn ]  Show the field ONLY if: [bayley_fversion]>=2 and [visit_bayleyve r]<>""	Was the Bayley-4 assessment conducted?	radio, Required  1 Yes 0 No  Custom alignment: LV
2437[bayley_spanish]  Show the field ONLY if: [bayley_yn]="1" and [bayley_fversion] >= 3 and [event-name] = '24month_arm_1'	Administered in Spanish:	checkbox  1 bayley_spanish1 Yes  Custom alignment: LV
2438[bayley_interprete r] Show the field ONLY if: [bayley_spanish(1)] = '1'	Administered in Spanish through an interpreter:	checkbox  1 bayley_interpreter1 Yes  Custom alignment: LV
2439[ bayley_nreas ] Show the field ONLY if:	Why was the assessment not conducted?	radio, Required  1 Participant Declined  2 Staff Not Available

	[bayley_yn]="0"		3	Resources Not Available
			5	SOP Not Yet Created
			6	Site Can Never Perform This Test
			7	DRC Removed
			8	Participant Could Not Be Reached/Did Not Show
			10	Clinical Contraindication
			13	Infected Within the Last 30 Days
			14	Participant Uncooperative
			9	Other
			Cus	tom alignment: LV
244	O[bayley_nreasspec] Show the field ONLY if: [bayley_nreas]="9"	Please specify:		, Required tom alignment: LV
244	1[bayley_dt]	Date Bayley-4 assessment conducted:		(date_mdy, Min: [visit_dt]),
	Show the field ONLY if: [bayley_yn]="1" or [b		Req	uired
	ayley_fversion]<2			
244	Show the field ONLY if:  [bayley_yn]="1" or [bayley_fversion]<2	Section Header: <i>Cognition</i> Cognition	des	criptive
244	Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Cognitive - letter of starting point	A B C D E H I K	A B C D E F G H I J K

		L L M M N N O O P P Q Q
2444[bayley_cglast] Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Cognitive - last item presented to child:	S   S   S   S   S   S   S   S   S   S

34   34   35   35   35   36   36   37   38   38   38   39   39   40   40   41   41   42   42   42   43   44   44   45   45   46   46   47   47   48   48   49   49   49   50   50   50   51   51   52   52   53   53   54   54   55   55   56   56   57   57   58   58   59   59   60   60   60   60   60   60   60   6		
36   36   37   37   38   38   39   39   39   40   40   41   41   42   42   42   43   44   44   44   45   45   45   46   46		34 34
37 37 38 38 39 39 40 40 41 41 42 42 43 43 44 44 45 45 46 46 47 47 48 48 49 49 50 50 51 51 52 52 53 53 54 54 55 55 56 56 57 57 58 58 59 59 60 60 61 61 61 62 62 63 63 64 64 65 65 66 66 67 67		35 35
38 38 39 39 40 40 41 41 42 42 43 43 44 44 45 45 46 47 47 48 48 49 49 50 50 51 51 52 52 53 53 54 54 55 55 56 56 57 57 58 58 59 59 60 60 61 61 61 62 62 63 63 64 64 65 65 66 66 67 67		36 36
39   39   40   40   41   41   42   42   43   43   44   44   45   45   46   46   47   47   48   48   49   49   49   50   50   51   51   52   52   53   53   54   54   55   55   56   56   57   57   58   58   59   59   60   60   61   61   62   62   63   63   64   64   65   65   66   66   66   67   67   67		37 37
40 40 41 41 42 42 43 43 44 44 45 45 46 46 47 47 48 48 49 49 50 50 51 51 52 52 53 53 54 54 55 55 56 56 57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		38 38
41   41   42   42   43   44   44   45   45   45   46   46   47   47   48   48   49   49   50   50   51   51   52   52   53   53   54   55   55   56   56   57   57   58   58   59   59   60   60   61   61   62   62   63   63   64   64   64   65   65   65   66   66		39 39
42 42 43 43 44 44 45 45 46 46 47 47 48 48 49 49 50 50 51 51 52 52 53 53 54 54 55 55 56 56 57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		40 40
43   43   44   44   44   45   45   45		41 41
44   44   45   45   46   46   46   47   47   48   48   49   49   50   50   51   51   52   52   53   53   54   54   55   55   56   56   57   57   58   58   59   59   60   60   61   61   62   62   63   63   64   64   65   65   66   66   66   66		42 42
45 45 46 46 47 47 48 48 49 49 50 50 51 51 52 52 53 53 54 54 55 55 56 56 57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		43 43
46 46 47 47 48 48 49 49 50 50 51 51 52 52 53 53 54 54 55 55 56 56 57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		44 44
47   47   48   48   49   49   50   50   50   51   51   52   52   53   53   54   54   55   55   56   56   57   57   58   58   59   59   60   60   61   61   62   62   63   63   64   64   65   65   66   66   67   67		45 45
48 48 49 49 50 50 51 51 52 52 53 53 54 54 55 55 56 56 57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		46 46
49 49 50 50 51 51 52 52 53 53 54 54 55 55 56 56 57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		47 47
50   50   51   51   52   52   53   53   54   54   55   55   56   56   57   57   58   58   59   59   60   60   61   61   62   62   63   63   64   64   65   65   66   66   67   67   67   67		48 48
51       51         52       52         53       53         54       54         55       55         56       56         57       57         58       58         59       59         60       60         61       61         62       62         63       63         64       64         65       65         66       66         67       67		49 49
52 52 53 53 54 54 55 55 56 56 57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		50 50
53   53   54   54   55   55   56   56   56   57   57   58   58   59   59   60   60   61   61   62   62   63   63   64   64   65   65   66   66   66   67   67		51 51
54 54 55 55 56 56 57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		52 52
55 55 56 56 57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		53 53
56 56 57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		54 54
57 57 58 58 59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		55 55
58       58         59       59         60       60         61       61         62       62         63       63         64       64         65       65         66       66         67       67		56 56
59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		57 57
59 59 60 60 61 61 62 62 63 63 64 64 65 65 66 66 67 67		58 58
61 61 62 62 63 63 64 64 65 65 66 66 67 67		<del>                                   </del>
62 62 63 63 64 64 65 65 66 66 67 67		60 60
62 62 63 63 64 64 65 65 66 66 67 67		61 61
63 63 64 64 65 65 66 66 67 67		
65 65 66 66 67 67		
65 65 66 66 67 67		
66 66 67 67		
67 67		<del>                                   </del>
		68 68
69 69		

		70       70         71       71         72       72         73       73         74       74         75       75         76       76         77       77         78       78         79       79         80       80         81       81
2445[ bayley_cgraw]  Show the field ONLY if: [bayley_yn]="1" or [bayley_fversion]<2	Cognitive - Raw score	text (number)
2446[bayley_cgscale]  Show the field ONLY  if: [bayley_yn]="1" or [bayley_fversion]<2	Cognitive - Scaled score	text (number)
2447[bayley_cgstandard]  Show the field ONLY  if: [bayley_yn]="1" or [b  ayley_fversion]<2		text (number)
2448[bayley_cgpercentile]  Show the field ONLY  if: [bayley_yn]="1" or [bayley_fversion]<2	%	text (number, Min: 0, Max: 100)
2449[bayley_cgalert] Show the field ONLY if: [bayley_cgstandar d]<=85	Note: Actionable results have been detected for this assessment. Please recommend parent or primary caregiver to speak with the child's primary health care provider regarding assessment results.	descriptive
2450[bayley_rcintro] Show the field ONLY	Section Header: <i>Language</i> Receptive communication	descriptive

if: [bayley_yn]="1" or [b ayley_fversion]<2		
245 1[bayley_rcstart] Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Receptive communication - letter of starting point	dropdown (autocomplete)         A       A         B       B         C       C         D       D         E       E         F       F         G       G         H       H         I       I         J       J         K       K         L       L         M       M         N       N         O       O         P       P         Q       Q
Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Receptive communication - last item presented to child:	dropdown (autocomplete)  5

		19       19         20       20         21       21         22       22         23       23         24       24         25       25         26       26         27       27         28       28         29       29         30       30         31       31         32       32         33       33         34       34         35       35         36       36         37       37         38       38         39       39         40       40         41       41         42       42
2453[bayley_rcraw]  Show the field ONLY  if:  [bayley_yn]="1" or [b  ayley_fversion]<2	Receptive communication - Raw score	text (number)
2454[bayley_rcscale]  Show the field ONLY  if:  [bayley_yn]="1" or [b  ayley_fversion]<2	Receptive communication - Scaled score	text (number)
2455[bayley_rcpercentile] e] Show the field ONLY if:	Receptive communication - Percentile rank: %	text (number, Min: 0, Max: 100)

	[bayley_yn]="1" or [b ayley_fversion]<2		
245	Show the field ONLY if:  [bayley_yn]="1" or [b	Expressive communication	descriptive
	ayley_fversion]<2		
245	Show the field ONLY if: [bayley_yn]="1" or [bayley_fversion]<2	Expressive communication - letter of starting point	dropdown (autocomplete)  A A B B C C D D E E F F G G H H I I J J K K L L M M N N O O P P Q Q
245	S[bayley_eclast] Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Expressive communication - last item presented to child:	dropdown (autocomplete)  5

		16       16         17       17         18       18         19       19         20       20         21       21         22       22         23       23         24       24         25       25         26       26         27       27         28       28         29       29         30       30         31       31         32       32
		32       32         33       33         34       34         35       35         36       36         37       37
Show the field ONLY if: [bayley_yn]="1" or [bayley_fversion]<2	Expressive communication - Raw score	text (number)
Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Expressive communication - Scaled score	text (number)
[bayley_ecpercentile] Show the field ONLY if: [bayley_yn]="1" or [bayley_fversion]<2	Expressive communication - Percentile rank:	text (number, Min: 0, Max: 100)

246	2[bayley_langintro]	Language totals	descriptive
	Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2		
246	3[bayley_langscalesum]  Show the field ONLY if: [bayley_yn]="1" or [bayley_fversion]<2	Language - Sum of scaled scores	calc Calculation: if([bayley_fversion]<>' and ([bayley_ecscale]<>"" or [bayley_rcscale]<>""), sum([bayley_ecscale], [bayley_rcscale]), "")
246	4[bayley_langstandar d]  Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Language - Standard score	text (number)
246	5[bayley_langpercentile]  Show the field ONLY if: [bayley_yn]="1" or [bayley_fversion]<2	Language - Percentile rank: %	text (number, Min: 0, Max: 100)
246	6[bayley_langalert] Show the field ONLY if: [bayley_langstandar d]<=85	Note: Actionable results have been detected for this assessment. Please recommend parent or primary caregiver to speak with the child's primary health care provider regarding assessment results.	descriptive
246	7[bayley_fmintro]  Show the field ONLY  if: [bayley_yn]="1" or [b  ayley_fversion]<2	Section Header: <i>Motor</i> Fine motor skills	descriptive
246	8[bayley_fmstart]  Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Fine motor - letter of starting point	dropdown (autocomplete)  A A  B B  C C  D D  E E  F F  G G  H H

2469[bayley_fmlast] Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	I
---	---

		31 31
		32 32
		33 33
		34 34
		35 35
		36 36
		37 37
		38 38
		39 39
		40 40
		41 41
		42 42
		43 43
		44 44
		45 45
		46 46
2470[bayley_fmraw]	Fine motor - Raw score	text (number)
Show the field ONLY if: [bayley_yn]="1" or [b		
ayley_fversion]<2		
2471[bayley_fmscale]	Fine motor - Scaled score	text (number)
Show the field ONLY if:		
[bayley_yn]="1" or [b		
ayley_fversion]<2		
2472[bayley_fmpercentile]	Fine motor - Percentile rank:	text (number, Min: 0, Max: 100)
Show the field ONLY		
if: [bayley_yn]="1" or [b		
ayley_fversion]<2		
2473[bayley_gmintro]	Gross motor skills	descriptive
Show the field ONLY		
if: [bayley_yn]="1" or [b		
ayley_fversion]<2		
2474[bayley_gmstart]	Gross motor - letter of starting point	dropdown (autocomplete)
Show the field ONLY if:		A A B B

[bayley_yn]="1" or [b ayley_fversion]<2		C C D D E E F F G G H H I I J J K K L L M M N N O O P P Q Q
2475[bayley_gmlast] Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Gross motor - last item presented to child:	dropdown (autocomplete)    5

	25 25
	26 26
	27 27
	28 28
	29 29
	30 30
	31 31
	32 32
	33 33
	34 34
	35 35
	36 36
	37 37
	38 38
	39 39
	40 40
	41 41
	42 42
	43 43
	44 44
	45 45
	46 46
	47 47
	48 48
	49 49
	50 50
	51 51
	52 52
	53 53
	54 54
	55 55
	56 56
	57 57
	58 58

247	76[bayley_gmraw] Show the field ONLY if:	Gross motor - Raw score	text (number)
	[bayley_yn]="1" or [b ayley_fversion]<2		
247	77[ bayley_gmscale ] Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Gross motor - Scaled score	text (number)
247	78[ bayley_gmpercentil e] Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Gross motor - Percentile rank:	text (number, Min: 0, Max: 100)
247	79[bayley_motintro] Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Motor skill totals	descriptive
248	SO[bayley_motscalesum]  Show the field ONLY if: [bayley_yn]="1" or [bayley_fversion]<2	Motor - Sum of scaled scores	calc Calculation: if([bayley_fversion]<>"" and ([bayley_gmscale]<>"" or [bayley_fmscale]<>""), sum([bayley_gmscale], [bayley_fmscale]), "")
248	S1[bayley_motstandar d] Show the field ONLY if: [bayley_yn]="1" or [b ayley_fversion]<2	Motor - Standard score	text (number)
248	82[bayley_motpercentile] Show the field ONLY if: [bayley_yn]="1" or [bayley_fversion]<2	Motor - Percentile rank: %	text (number, Min: 0, Max: 100)
248	Show the field ONLY if:  [bayley_motstandar d]<=85	Note: Actionable results have been detected for this assessment. Please recommend parent or primary caregiver to speak with the child's primary health care provider regarding assessment results.	descriptive

2484[bayley4_complete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified
		2 Complete
trument: Dasii (dasii)		
Active language	es: None	
2485[dasii_fversion]	DAS-ii form version	text Field Annotation: @DEFAULT='3' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: remove tscorealert, per jira 2134 v3: added Spanish administration checkbox
2486[dasii_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
2487[dasii_yn]  Show the field ONLY if: [visit_dasiiver]<>""	Was the DAS-ii assessment conducted?	radio, Required  1 Yes 0 No  Custom alignment: LV
2488[dasii_spanish]  Show the field ONLY if:   [dasii_fversion] >= 3   and [dasii_yn] = '1' a   nd [event-name] = '3   6month_arm_1'	Administered in Spanish:	checkbox  1 dasii_spanish1 Yes  Custom alignment: LV
2489[dasii_nreas]	Why was the assessment not	radio, Required
Show the field ONLY	conducted?	1 Participant Declined
if: [dasii_yn]="0"		2 Staff Not Available
[[[]]]		3 Resources Not Available
		5 SOP Not Yet Created
		6 Site Can Never Perform This Test
		7 DRC Removed
		8 Participant Could Not Be Reached/Did Not Show
		10 Clinical Contraindication
		13 Infected Within the Last 30 Day
		14 Participant Uncooperative
		9 Other

			Custom alignment: LV
249	O[ dasii_nreasspec ] Show the field ONLY if: [dasii_nreas]="9"	Please specify:	text, Required Custom alignment: LV
249	1[dasii_dt] Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Section Header: Participant identifying information  Date of administration from Record Form	text (date_mdy, Min: [visit_dt], Max: today)
249	2[ dasii_age ] Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Child's age in years and months from Record Form	text
249	3[ dasii_vclow ] Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Section Header: Subtest: Verbal Comprehension  Lowest item administered: from Record Form	text
249	4[ dasii_vclast ]  Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Last item administered: from Record Form	text
249	5[ dasii_vcability ] Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest ability score: from Record Form	text (number)
249	6[ dasii_vctscore ]  Show the field ONLY  if:  [dasii_yn]="1" and ([v  isit_dasiiver]="36" or  [visit_dasiiver]="48")	Subtest T-score: from table A.1	text (number)
249	7[ dasii_vcpercentil e ] Show the field ONLY	Subtest percentile rank: from table A.1	text (number)

if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")		
2498[ dasii_pslow ]  Show the field ONLY  if:     [dasii_yn]="1" and ([v     isit_dasiiver]="36" or     [visit_dasiiver]="48")	Section Header: Subtest: Picture Similarities  Lowest item administered: from Record Form	text
2499[dasii_pslast]  Show the field ONLY  if:     [dasii_yn]="1" and ([v     isit_dasiiver]="36" or     [visit_dasiiver]="48")	Last item administered: from Record Form	text
2500[ dasii_psability ]  Show the field ONLY  if:     [dasii_yn]="1" and ([v     isit_dasiiver]="36" or     [visit_dasiiver]="48")	Subtest ability score: from Record Form	text (number)
2501[ dasii_pstscore ]  Show the field ONLY  if:     [dasii_yn]="1" and ([v     isit_dasiiver]="36" or     [visit_dasiiver]="48")	Subtest T-score: from table A.1	text (number)
2502[ dasii_pspercentil e ]  Show the field ONLY if:   [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest percentile rank: from table A.1	text (number)
2503[dasii_nvlow]  Show the field ONLY  if:     [dasii_yn]="1" and ([v     isit_dasiiver]="36" or     [visit_dasiiver]="48")	Section Header: Subtest: Naming Vocabulary  Lowest item administered: from Record Form	text
2504[ dasii_nvlast ]  Show the field ONLY  if:     [dasii_yn]="1" and ([v     isit_dasiiver]="36" or	Last item administered: from Record Form	text

	[visit_dasiiver]="48")		
250	5[ dasii_nvability ] Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest ability score: from Record Form	text (number)
250	6[ dasii_nvtscore ]  Show the field ONLY  if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest T-score: from table A.1	text (number)
250	7[ dasii_nvpercentil e] Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest percentile rank: from table A.1	text (number)
250	8[ dasii_roiability ] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Section Header: Subtest: Recall of Objects (Immediate) Subtest ability score: from Record Form	text (number)
250	9[dasii_roitscore] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest T-score: from table A.1	text (number)
251	O[ dasii_roipercentil e] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest percentile rank: from table A.1	text (number)
251	1[ dasii_pclow]  Show the field ONLY  if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Section Header: Subtest: Pattern Construction  Lowest item administered: from Record Form	text
251	2[ dasii_pclast ] Show the field ONLY if:	Last item administered: from Record Form	text

[dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")		
2513[dasii_pcability]  Show the field ONLY  if:     [dasii_yn]="1" and ([v     isit_dasiiver]="36" or     [visit_dasiiver]="48")	Subtest ability score: from Record Form	text (number)
2514[ dasii_pctscore ]  Show the field ONLY  if:     [dasii_yn]="1" and ([v     isit_dasiiver]="36" or     [visit_dasiiver]="48")	Subtest T-score: from table A.1	text (number)
2515[dasii_pcpercentile]  show the field ONLY  if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest percentile rank: from table A.1	text (number)
2516[dasii_mxlow]  Show the field ONLY  if:  [dasii_yn]="1" and [vi  sit_dasiiver]="48"	Section Header: Subtest: Matricies  Lowest item administered: from Record Form	text
2517[dasii_mxlast]  Show the field ONLY  if:  [dasii_yn]="1" and [vi  sit_dasiiver]="48"	Last item administered: from Record Form	text
2518[dasii_mxability] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest ability score: from Record Form	text (number)
2519[dasii_mxtscore]  Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest T-score: from table A.1	text (number)
2520[dasii_mxpercentile] Show the field ONLY	Subtest percentile rank: from table A.1	text (number)

252	if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Soction Hondon: Subtest: Pacall of Objects	tout (number)
252	1[ dasii_rodraw] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Section Header: Subtest: Recall of Objects (Delayed)  Subtest raw score: from Record Form page 13	text (number)
252	2[dasii_rodtscore] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest T-score: from table A.1	text (number)
252	3[ dasii_rodpercentil e ]  Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest percentile rank: from table A.1	text (number)
252	4[ dasii_cplow ]  Show the field ONLY  if:  [dasii_yn]="1" and [vi sit_dasiiver]="48"	Section Header: Subtest: Copying  Lowest item administered: from Record Form	text
252	5[ dasii_cplast ]  Show the field ONLY  if:  [dasii_yn]="1" and [vi sit_dasiiver]="48"	Last item administered: from Record Form	text
252	6[ dasii_cpability ] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest ability score: from Record Form	text (number)
252	7[ dasii_cptscore ] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest T-score: from table A.1	text (number)

2528[dasii_cppercentile]  show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest percentile rank: from table A.1	text (number)
2529[dasii_rdflow]  Show the field ONLY  if:  [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Section Header: Subtest: Recall of Digits (Forward)  Lowest item administered: from Record Form	text
2530[dasii_rdflast]  Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Last item administered: from Record Form	text
2531[dasii_rdfability]  Show the field ONLY  if:  [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest ability score: from Record Form	text (number)
2532[dasii_rdftscore] Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest T-score: from table A.1	text (number)
2533[ dasii_rdfpercentile] e] Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest percentile rank: from table A.1	text (number)
2534[dasii_rplow]  Show the field ONLY  if:  [dasii_yn]="1" and ([v  isit_dasiiver]="36" or  [visit_dasiiver]="48")	Section Header: Subtest: Recognition of Pictures  Lowest item administered: from Record Form	text
2535[dasii_rplast] Show the field ONLY	Last item administered: from Record Form	text

if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")		
2536[dasii_rpability]  Show the field ONLY  if:  [dasii_yn]="1" and ([v  isit_dasiiver]="36" or  [visit_dasiiver]="48")	Subtest ability score: from Record Form	text (number)
2537[dasii_rptscore]  Show the field ONLY  if:  [dasii_yn]="1" and ([v  isit_dasiiver]="36" or  [visit_dasiiver]="48")	Subtest T-score: from table A.1	text (number)
2538[ dasii_rppercentil e]  Show the field ONLY if:   [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest percentile rank: from table A.1	text (number)
2539[ dasii_enclow]  Show the field ONLY  if:     [dasii_yn]="1" and ([v     isit_dasiiver]="36" or     [visit_dasiiver]="48")	Section Header: Subtest: Early Number Concepts Lowest item administered: from Record Form	text
2540[ dasii_enclast ]  Show the field ONLY  if:     [dasii_yn]="1" and ([v     isit_dasiiver]="36" or     [visit_dasiiver]="48")	Last item administered: from Record Form	text
2541[dasii_encability]  Show the field ONLY  if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Subtest ability score: from Record Form	text (number)
2542[dasii_enctscore]  Show the field ONLY  if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or	Subtest T-score: from table A.1	text (number)

	[visit_dasiiver]="48")		
254	3[dasii_encpercentil e]	Subtest percentile rank: from table A.1	text (number)
	Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or		
25.4	[visit_dasiiver]="48")	Costina Handay Cubtosty Matabian Latter like	
254	4[ dasii_llflow]  Show the field ONLY  if:  [dasii_yn]="1" and [vi  sit_dasiiver]="48"	Section Header: Subtest: Matching Letter-like Forms  Lowest item administered: from Record Form	text
254	5[ dasii_llflast ]  Show the field ONLY  if:  [dasii_yn]="1" and [vi  sit_dasiiver]="48"	Last item administered: from Record Form	text
254	6[ dasii_llfability ] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest ability score: from Record Form	text (number)
254	7[ dasii_llftscore ] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest T-score: from table A.1	text (number)
254	8[ dasii_llfpercentil e]  Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Subtest percentile rank: from table A.1	text (number)
254	9[dasii_vacsumtscore] Show the field ONLY if: [dasii_yn]="1" and ([visit_dasiiver]="36" or [visit_dasiiver]="48")	Section Header: Summary score: Verbal Ability Cluster Sum of subtest T-scores: from Record Form	text (number)
255	O[dasii_vactscore] Show the field ONLY if: [dasii_yn]="1" and ([v	Cluster Standard Score: from table A.2	text (number)

	isit_dasiiver]="36" or [visit_dasiiver]="48")		
255	1[ dasii_vacpercentil e ] Show the field ONLY if: [dasii_yn]="1" and ([v	Cluster percentile rank: from table A.2	text (number)
	isit_dasiiver]="36" or [visit_dasiiver]="48")		
255	2[dasii_nvacsumtscor e]	Section Header: Summary scores: Nonverbal Ability Cluster	text (number)
	Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Sum of subtest T-scores: from Record Form	
255	Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="36" or [visit_dasiiver]="48")	Cluster Standard Score: from table A.2	text (number)
255	4[ dasii_nvacpercentile] Show the field ONLY if: [dasii_yn]="1" and ([visit_dasiiver]="36" or [visit_dasiiver]="48")	Cluster percentile rank: from table A.2	text (number)
255	5[dasii_sacsumtscore] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Section Header: Summary scores: Spatial Ability Cluster Sum of subtest T-scores: from Record Form	text (number)
255	6[ dasii_sactscore ] Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Cluster T-score: from table A.2	text (number)

255	Show the field ONLY if: [dasii_yn]="1" and [vi sit_dasiiver]="48"	Cluster percentile rank: from table A.2	text (number)
255	S[dasii_gcasumtscore] Show the field ONLY if: [dasii_yn]="1" and ([visit_dasiiver]="36" or [visit_dasiiver]="48")	Section Header: Summary scores: General Conceptual Ability  Sum of 4 subtest T-scores: from Record Form	text (number)
255	Show the field ONLY if: [dasii_yn]="1" and ([v isit_dasiiver]="48")	Composite Standard Score: from table A.3	text (number)
256	O[dasii_gcapercentile] e] Show the field ONLY if: [dasii_yn]="1" and ([visit_dasiiver]="36" or [visit_dasiiver]="48")	Cluster percentile rank: from table A.3	text (number)
256	I[dasii_sncsumtscore] Show the field ONLY if: [dasii_yn]="1" and [visit_dasiiver]="48"	Section Header: Summary scores: Special Nonverbal Cluster Sum of subtest T-scores: from Record Form	text (number)
256	Show the field ONLY if: [dasii_yn]="1" and [visit_dasiiver]="48"	Cluster T-score: from table A.4	text (number)
256	3[ dasii_sncpercentile] e] Show the field ONLY if: [dasii_yn]="1" and [visit_dasiiver]="48"	Cluster percentile rank: from table A.4	text (number)
256	4[dasii_clusteraler t]	Is one of the cluster scores < =85?	calc Calculation: if([dasii_yn]<>"1", "",

			if([dasii_vactscore]<=85 or [dasii_nvactscore]<=85 or [dasii_sactscore]<=85 or [dasii_gcatscore]<=85 or [dasii_snctscore]<=85, 1, 0)) Field Annotation: @HIDDEN @HIDDEN-PDF
256	5[dasii_clusterwarni ng] Show the field ONLY if: [dasii_clusteraler t]="1"	Note: Actionable results have been detected for one or more Cluster standard scores. Please recommend parent or primary caregiver to speak with the child's primary health care provider regarding assessment results.	descriptive
256	6[dasii_complete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
strum		cry (anthropometry)	
1	Active language		T
256	7[ca_fversion]	Child anthropometry form version:	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: hide head circumference and add _yn tracking question
256	8[ca_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
256	9[ca_visit_compwarni ng] Show the field ONLY if: [visit_form_complet e]<>"2"	ERROR! You must complete the enrollment form and the visit form before you can start this form.	descriptive
257	O[ ca_yn ] Show the field ONLY if: [ca_fversion]>=2 and [visit_anthrover]<>""	Was the Anthropometry assessment conducted?	radio, Required  1 Yes 0 No  Custom alignment: LV
257	1[ ca_nreas ]  Show the field ONLY  if:  [ca_yn]="0"	Why was the assessment not conducted?	radio, Required  1 Participant Declined  2 Staff Not Available  3 Resources Not Available

		5 SOP Not Yet Created
		6 Site Can Never Perform This Test
		7 DRC Removed
	8 Participant Could Not Be Reached/Did Not Show	
		10 Clinical Contraindication
		13 Infected Within the Last 30 Da
		14 Participant Uncooperative
		9 Other
		Custom alignment: LV
2572[ca_nreasspec]	Please specify:	text, Required
Show the field ONL	Υ	Custom alignment: LV
if: [ca_nreas]="9"		
2573[ ca_col1dt ]	Date of child anthropometry collection:	text (date_mdy, Max: today)
Show the field ONL	Υ	
if:	,	
[ca_yn]="1" or [ca_f ersion]<2	V	
2574[ca_wtunits]	Weight units:	radio, Required
Show the field ONL	Y	1 Kilograms
if:	,	2 Pounds
[ca_yn]="1" or [ca_f ersion]<2	V	
2575[ ca_wt1kg ]	Weight:	text (number, Min: 3.6, Max: 216.1)
Show the field ONL	kilograms Y	Required
1 1.6		
if: [ca_wtunits]="1"		
if: [ca_wtunits]="1" 2576[ca_wt1disp]	Weight:Pounds:{ca_wt1lb:icons}	descriptive
[ca_wtunits]="1"	{ca_wt1ozdisn}{ca_wt1oz;icons}	descriptive
[ca_wtunits]="1"  2576[ ca_wt1disp ]  Show the field ONL if:	{ca_wt1ozdisn}{ca_wt1oz;icons}	descriptive
[ca_wtunits]="1"  2576[ ca_wt1disp ]  Show the field ONL if: [ca_wtunits]="2"	{ca_wt1ozdisp}{ca_wt1oz:icons}	
[ca_wtunits]="1"  2576[ ca_wt1disp ]  Show the field ONL if:     [ca_wtunits]="2"  2577[ ca_wt1lb ]	{ca_wt1ozdisp}{ca_wt1oz:icons}  Weight (lb): pounds	descriptive text (number, Min: 0), Required
[ca_wtunits]="1"  2576[ca_wt1disp]  Show the field ONL if:   [ca_wtunits]="2"  2577[ca_wt1lb]  Show the field ONL	{ca_wt1ozdisp}{ca_wt1oz:icons}  Weight (lb): pounds	
[ca_wtunits]="1"  2576[ ca_wt1disp ]  Show the field ONL if:     [ca_wtunits]="2"  2577[ ca_wt1lb ]	{ca_wt1ozdisp}{ca_wt1oz:icons}  Weight (lb): pounds	
[ca_wtunits]="1"  2576[ca_wt1disp]  Show the field ONL if:     [ca_wtunits]="2"  2577[ca_wt1lb]  Show the field ONL if:	{ca_wt1ozdisp}{ca_wt1oz:icons}  Weight (lb): pounds	
[ca_wtunits]="1"  2576[ca_wt1disp]  Show the field ONL if:     [ca_wtunits]="2"  2577[ca_wt1lb]  Show the field ONL if:     [ca_wtunits]="2"	{ca_wt1ozdisp}{ca_wt1oz:icons}  Weight (lb): pounds  ounces:	text (number, Min: 0), Required

	[visit_age]<=2		
257	9[ ca_wt1oz ] Show the field ONLY if: [ca_wtunits]="2" and [visit_age]<=2	Weight (oz): ounces (leave blank if unknown)	text (number, Min: 0)
258	O[ ca_htunits ]  Show the field ONLY if: [ca_yn]="1" or [ca_fv ersion]<2	Height or length units:	radio, Required  1 Centimeters  2 Inches
258	1[ca_ht1cm]  Show the field ONLY  if: [ca_htunits]="1"	Height or length: centimeters; child recumbent length if < 2 years old, standing height if >2 years old	text (number, Min: 82, Max: 204.5), Required Field Annotation: #phenx_standing_height_nyu#
258	2[ca_ht1in] Show the field ONLY if: [ca_htunits]="2"	Height or length: inches	text (number, Min: 0), Required
258	3[ ca_hcunits ]  Show the field ONLY if:  [visit_age]<2 and [ca_fversion]<2	Head circumference units:	radio, Required  1 Centimeters  2 Inches
258	4[ ca_hccm]  Show the field ONLY if: [ca_hcunits]="1" and [ca_fversion]<2	Head circumference: centimeters	text (number, Min: 38.1, Max: 152.4), Required
258	5[ ca_hcin ]  Show the field ONLY if: [ca_hcunits] = '2' and [ca_fversion]<2	Head circumference: inches	text (number, Min: 15, Max: 60), Required
258	6[ ca_wcunits ]  Show the field ONLY if:  [ca_yn]="1" or [ca_fv ersion]<2	Waist circumference units:	radio, Required  1 Centimeters  2 Inches
258	7[ca_wccm]  Show the field ONLY  if:  [ca_wcunits]="1"	Waist circumference: centimeters	text (number, Min: 38.1, Max: 152.4), Required

2588[ ca_wcin ]  Show the field ONLY if:  [ca_wcunits] = '2'	Waist circumference: inches	text (number, Min: 15, Max: 60), Required
2589[ ca_sfunits ]  Show the field ONLY if:     [ca_yn]="1" or [ca_fv ersion]<2	Skin fold thickness units:	radio, Required  1 Centimeters 2 Inches  Field Annotation: @HIDDEN
2590[ ca_sfcm]  Show the field ONLY if: [ca_sfunits]="1"	Skin fold thickness: centimeters	text (number, Min: 38.1, Max: 152.4), Required Field Annotation: @HIDDEN
2591[ca_sfin]  Show the field ONLY  if:  [ca_sfunits] = '2'	Skin fold thickness: inches	text (number, Min: 15, Max: 60), Required Field Annotation: @HIDDEN
2592[ ca_tsf ]  Show the field ONLY if: [ca_yn]="1" or [ca_fv ersion]<2	Triceps skin fold thickness:	text (number), Required
2593[ ca_sssf ]  Show the field ONLY if: [ca_yn]="1" or [ca_fv ersion]<2	Subscapular skin fold thickness: cm	text (number), Required
2594[ca_tempunits]  Show the field ONLY  if:  [ca_yn]="1" or [ca_fv  ersion]<2	Temperature units:	radio, Required  1 Celsius  2 Fahrenheit
2595[ ca_tempc ]  Show the field ONLY if: [ca_tempunits]="1"	Temperature: °C	text (number, Min: 34, Max: 44), Required
2596[ ca_tempf ]  Show the field ONLY if: [ca_tempunits] = '2'	Temperature: °F	text (number, Min: 94, Max: 110), Required
2597[ ca_tempmeth ] Show the field ONLY	Temperature method:	radio, Required  1 Oral

if: [ca_tempunits]<>""	Hoort rate.	2 Axillary 3 Touchless 4 Temporal 5 Rectal 6 Tympanic
2598[ ca_hr ]  Show the field ONLY  if:  [ca_yn]="1" or [ca_fv  ersion]<2	Heart rate: beats per minute	text (number, Min: 34, Max: 136), Required
2599[ ca_hrmeth ]  Show the field ONLY  if:  [ca_yn]="1" or [ca_fv  ersion]<2	Heart rate method:	radio, Required  1 Apical pulse (< 2 years)  2 Radial pulse (≥ 2 years)  9 Other, please specify {ca_hrmethspec:icons}
2600[ ca_hrmethspec ]  Show the field ONLY  if:  [ca_hrmeth]="9"	Please specify method of collecting heart rate:	text, Required
2601[ ca_rr ]  Show the field ONLY if: [ca_yn]="1" or [ca_fv ersion]<2	Respiratory rate:  per minute	text (number, Min: 1, Max: 50), Required
2602[ ca_o2sat ]  Show the field ONLY if: [ca_yn]="1" or [ca_fv ersion]<2	Oxygen saturation: %	text (number, Min: 80, Max: 100), Required
2603[ca_bploc] Show the field ONLY if: [ca_yn]="1" or [ca_fv ersion]<2	Blood pressure location:	radio, Required  1 Right Arm 2 Left Arm 3 Not able to measure  Field Annotation: #nyu_orthostatic_vital_signs#
2604[ca_bpcuff] Show the field ONLY if: [ca_bploc]<>"" and [c a_bploc]!= '3'	Blood pressure cuff size:	radio, Required 6 Newborn (4×8) 1 Infant (6-12) 2 Child (9×18)

		7 Small adult (10×24) 8 Adult (13-30) 4 Large (15-32)
Show the field ONLY if:  [ca_bploc]<>"" and [ca_bploc]!= '3'	Position during blood pressure measurement:	radio, Required  1 Sitting (2 years old or more)  2 Supine (< 2 years old)
2606[ca_sbp]  Show the field ONLY  if:  [ca_bploc]<>"" and [c a_bploc]!= '3'	Systolic blood pressure:  mmHg	text (number, Min: 72, Max: 228), Required
2607[ ca_dbp ]  Show the field ONLY if:  [ca_bploc]<>"" and [c a_bploc] != '3'	Diastolic blood pressure:  mmHg	text (number, Min: 0, Max: 136), Required
2608[anthropometry_complete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
rument: Biospecimen:  Active language		
2609[pc_fversion]	Biospecimens form version:	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
2610[pc_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
2611[pc_floadtime]	Form Load Time	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
2612[normalized_times]	Field for normalizing times	descriptive
2613[pc_visit_compwarning]	ERROR! You must complete the visit form before you can start this form.	descriptive

261	4[ pc_noblooddraw]  Show the field ONLY if:  [visit_specimenso k]="0"	Stop! The caregiver has not agreed to a blood draw for the purposes of collecting biospecimens. You should not collect biospecimens. Please click cancel to leave this form.	descriptive
261	5[pc_colldt]	Date of Biospecimens form collection:	text (date_mdy, Max: today) Field Annotation: @HIDDEN-SURVEY @TODAY
261	6[pc_phi]	Participant's DOB: [enrollment_arm_1] [enrl_dob]	descriptive
261	7[pc_sample_kit_typ e]	Select Kit type:	dropdown
	<u>~1</u>		1 RECOVER Peds Tier 2 - Tasso Kit 23 RECOVER Peds Tier 2 - Post- Acute - Ages 24mo - < 6 yrs
261	8[pc_kit_level_group] Show the field ONLY if: [pc_sample_kit_type]<>"	Kit ID Entry 1{pc_kitidkit:icons} {pc_kitidtasso:icons} {pc_kitformatwarning:icons} {pc_tassoformatwarning:icons}Kit ID Entry 2{pc_kit_id_2:icons} {pc_kitidmismatchwarning:icons}Tier / Time Point[event-label]Collection Date/ Time{pc_kit_date_time:icons}Kit Annotation: {pc_kit_annotation:icons}	descriptive
261	9[pc_kitformatwarning]  Show the field ONLY if: ([pc_sample_kit_type]="23" and [pc_kitidkit]<>"" and ((left([pc_kitidkit],4)<>"KIT-")))	The kit ID should be of the format 'KIT-NNNNNNNN', where 'NNNNNNNN' is a zero-prefixed eight-digit number; e.g. KIT-00112232.	descriptive
262	O[pc_tassoformatwarn ing]  Show the field ONLY if:  ([pc_sample_kit_typ e]="1" and [pc_kitidt asso]<>"" and (!isnu mber([pc_kitidtasso]) or length([pc_kitidtas so])<>11))	The Tasso kit ID should be an elevendigit number; e.g. 20010112232.	descriptive
262	1[pc_kitidmismatchwa rning] Show the field ONLY if: ([pc_sample_kit_typ	The kit IDs should match; please check that they are the same.	descriptive

	e]="1" and [pc_kitidt asso]<>"" and [pc_kit _id_2]<>"" and [pc_ki tidtasso]<>[pc_kit_id _2]) or ([pc_sample_k it_type]="23" and [pc _kitidkit]<>"" and [pc _kit_id_2]<>"" and [p c_kitidkit]<>[pc_kit_id _2])		
20	622[pc_kitidkit]  Show the field ONLY  if:  [pc_sample_kit_typ  e]="23"	Kit id (KIT-):	text (biospec_kitid), Required
20	623[pc_kitidtasso]  Show the field ONLY  if:  [pc_sample_kit_typ  e]="1"	Kit id (tasso):	text (biospec_11d), Required
20	624[pc_kit_id_final]	Final Kit ID	text Field Annotation: @HIDDEN @HIDDEN-PDF @CALCTEXT(if([pc_sample_kit_type]="1", [pc_kitidtasso], if([pc_sample_kit_type]="23", [pc_kitidkit], "")))
20	625[pc_kit_id_2]	Please re-enter Kit ID	text, Required
20	626[pc_kit_annotation]	Kit Annotation	notes Custom alignment: LV
20	627[pc_kit_date_time]	Date and Time of Collection	text (datetime_mdy), Required Field Annotation: @HIDEBUTTON
20	628[pc_kit_date_time_n orm]	Date and Time of Collection Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
20	629[pc_tassoreplace]  Show the field ONLY if:  [pc_sample_kit_typ e]="1" and [current-instance]>1	Is this a replacement Tasso kit?	radio, Required  1 Yes 0 No  Custom alignment: LV
20	630[pc_tassoreplacewh y] Show the field ONLY if: [pc_tassoreplac	Why was the replacement kit sent?	radio, Required  1 Sample was inadequate / underfilled  2 Sample was overfilled

263	e]="1"  31[pc_tassoreplacewhy spec]  Show the field ONLY if: [pc_tassoreplacewh y]="9"	Please specify reason:	3 Sample needed to be redrawn 4 First kit was not received 5 First kit malfunctioned 9 Other  Custom alignment: LV Field Annotation: @HIDDEN @HIDDEN-PDF nb: this approach has been rethought, and these variables have been replaced  text, Required Custom alignment: LV Field Annotation: @HIDDEN @HIDDEN-PDF
263	32[pc_tassostatusyn] Show the field ONLY if: [pc_sample_kit_typ e]="1"	Check here if there is an issue with this Tasso kit:	checkbox  1 pc_tassostatusyn1 An issue with this Tasso kit was reported  Custom alignment: LV
263	Show the field ONLY if:  [pc_tassostatusyn (1)]="1"	What was the status of the Tasso kit?	radio  1 Sample was inadequate / underfilled  2 Sample was overfilled  6 Sample was modified or clotted (likely due to plastic film not being removed)  4 Sample not received at PBC  5 Kit malfunctioned  7 Sample not sufficient for processing by PBC (QNS)  8 PBC data entry error  10 Missing  11 Sample failed at Rutgers  12 Modified sample results are inconclusive at Rutgers  9 Other  Custom alignment: LV

26	634[pc_tassostatusspe c] Show the field ONLY if: [pc_tassostatus]="9"	Please specify reason:	text, Required
26	635[pc_returnsampleaft ertest]	Should this sample be returned to the participant's site after any tests have been performed?	radio  1 Yes 0 No  Custom alignment: LV Field Annotation: @HIDDEN @HIDDEN-PDF
26	636[pc_sstcoll]  Show the field ONLY  if:  [pc_sample_kit_typ  e]="23"	Section Header: <i>Inventory of Samples Collected</i> Serum Separating Tubes (SST)	radio (Matrix)  1 Collected  0 Not collected
26	637[pc_edtacoll]  Show the field ONLY  if:  [pc_sample_kit_typ  e]="23"	EDTA tubes	radio (Matrix)  1 Collected  0 Not collected
26	638[pc_tasso_ship] Show the field ONLY if: [pc_sample_kit_typ e]="1"	Section Header: <i>Inventory of Ordered Kits</i> Tasso	radio (Matrix)  1 Ordered  0 Not Ordered
26	639[pc_tasso_ship_dat e] Show the field ONLY if: [pc_tasso_ship]="1"	Order Date of Tasso Kit	text (date_mdy), Required Field Annotation: @HIDEBUTTON
26	640[pc_tasso_ship_date _norm]	Order Date of Tasso Kit Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
26	641[pc_tracking_in] Show the field ONLY if: [pc_tasso_ship] = "1"	Inbound Tracking Number	text
26	642[pc_tracking_out] Show the field ONLY if: [pc_tasso_ship] = "1"	Outbound Tracking Number	text

2643[pc_stt_and_cpts]  Show the field ONLY  if:  [pc_sstcoll]="1"	Section Header: SST Collection and Processing SST Collection 'Please enter the sample id and centrifuge date time for each parent SST tube' SST Sample ID {pc_sst1_id:icons} SST Centrifuge Date/ Time {pc_sst1_centrifuge:icons}	descriptive
2644[pc_sstproc]	hardcoded "locally"	text Field Annotation: @CALCTEXT(if([pc_sstcoll]="1", "Locally", "")) @HIDDEN @HIDDEN PDF
2645[pc_sst_local_display] Show the field ONLY if: [pc_sstcoll] = "1"	SST 1: Please enter the volume (in microliter) and freeze date time associated with each aliquot processed from the parent tube SST 1 SST1 Aliquot 1 ID {pc_sst1aliquot1id:icons} SST 1 Aliquot 1 Volume (µl) {pc_sst1aliquot1volume:icons} SST 1 Aliquot 1 Freeze Date/Time {pc_sst1aliquot1freeze:icons} SST 1 Aliquot 2 ID {pc_sst1aliquot2id:icons} SST 1 Aliquot 2 Volume (µl) {pc_sst1aliquot2volume:icons} SST 1 Aliquot 2 Freeze Date/Time {pc_sst1aliquot2freeze:icons} SST 1 Aliquot 3 ID {pc_sst1aliquot3id:icons} SST 1 Aliquot 3 Volume (µl) {pc_sst1aliquot3volume:icons} SST 1 Aliquot 3 Freeze Date/Time {pc_sst1aliquot3freeze:icons} SST 1 Aliquot 4 ID {pc_sst1aliquot4id:icons} SST 1 Aliquot 4 Volume (µl) {pc_sst1aliquot4volume:icons} SST 1 Aliquot 4 Freeze Date/Time {pc_sst1aliquot4freeze:icons} SST 1 Aliquot 5 ID {pc_sst1aliquot5id:icons} SST 1 Aliquot 5 Freeze Date/Time {pc_sst1aliquot5volume:icons} SST 1 Aliquot 5 Freeze Date/Time {pc_sst1aliquot5volume:icons} SST 1 Aliquot 5 Freeze Date/Time {pc_sst1aliquot5volume:icons} SST 1 Aliquot 5 Freeze Date/Time {pc_sst1aliquot5freeze:icons} 1. Freeze Date/Time: Date/time stamp that biospecimen was put in freezer.	descriptive
2646[pc_sst1_id]	SST Sample ID SST 1 Sample ID	text (biospec_11d), Required
2647[pc_sst1_centrifug e]	SST Centrifuge Time	text (datetime_mdy) Field Annotation: @HIDEBUTTON
2648[pc_sst1_centrifugenorm]	SST Centrifuge Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF

264	9[pc_sst1aliquot1id]	SST Aliquot 1 ID	text (biospec_10d)
265	O[pc_sst1aliquot1vol ume]	SST Aliquot 1 Volume Aliquot Volume in µl (1 decimal digit required)	text (integer, Min: 1, Max: 1000)
265	<pre>1[pc_sst1aliquot1fre eze]</pre>	SST Aliquot 1 Freeze Time Freeze Time in Hours	text (datetime_mdy) Field Annotation: @HIDEBUTTON
265	2[pc_sst1aliquot1fre eze_norm]	SST Aliquot 1 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
265	3[pc_sst1aliquot2id]	SST Aliquot 2 ID	text (biospec_10d)
265	4[pc_sst1aliquot2vol ume]	SST Aliquot 2 Volume Aliquot Volume in µl (1 decimal digit required)	text (integer, Min: 1, Max: 1000)
265	5[pc_sst1aliquot2fre eze]	SST Aliquot 2 Freeze Time Freeze Time in Hours	text (datetime_mdy) Field Annotation: @HIDEBUTTON
265	6[pc_sst1aliquot2fre eze_norm]	SST Aliquot 2 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
265	7[pc_sst1aliquot3id]	SST Aliquot 3 ID	text (biospec_10d)
265	8[pc_sst1aliquot3vol ume]	SST Aliquot 3 Volume Aliquot Volume in µl (1 decimal digit required)	text (integer, Min: 1, Max: 1000)
265	9[pc_sst1aliquot3fre eze]	SST Aliquot 3 Freeze Time Freeze Time in Hours	text (datetime_mdy) Field Annotation: @HIDEBUTTON
266	O[pc_sst1aliquot3fre eze_norm]	SST Aliquot 3 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
266	1[pc_sst1aliquot4id]	SST Aliquot 4 ID	text (biospec_10d)
266	2[pc_sst1aliquot4vol ume]	SST Aliquot 4 Volume Aliquot Volume in µl (1 decimal digit required)	text (integer, Min: 1, Max: 1000)
266	3[pc_sst1aliquot4fre eze]	SST Aliquot 4 Freeze Time Freeze Time in Hours	text (datetime_mdy) Field Annotation: @HIDEBUTTON
266	4[pc_sst1aliquot4fre eze_norm]	SST Aliquot 4 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
266	5[pc_sst1aliquot5id]	SST Aliquot 5 ID	text (biospec_10d)
266	6[pc_sst1aliquot5vol ume]	SST Aliquot 5 Volume Aliquot Volume in µl (1 decimal digit required)	text (integer, Min: 1, Max: 1000)
266	7[pc_sst1aliquot5fre eze]	SST Aliquot 5 Freeze Time Freeze Time in Hours	text (datetime_mdy) Field Annotation: @HIDEBUTTON
266	8[pc_sst1aliquot5fre eze_norm]	SST Aliquot 5 Freeze Time Normalized	text Field Annotation: @HIDDEN @HIDDEN-PDF
266	9[pc_tassotrackdispl ay]	Section Header: Tasso Tracking  PBC Information:Receive  date[pc_tsrpbcrecdt]Disposal	descriptive

Show the field ONLY if: [pc_tasso_ship]="1"	status[pc_tsrdispstat]Aliquots remaining at PBC[pc_tsrpbcaliquotnum]Child sponge information:Child sponge 1ID[pc_tsrcs1id]Status[pc_tsrcs1stat]Attrito Rutgers[pc_tsrcs1rutgersyn]Antibody result[pc_tsrcs1res]Received at Rutgers[pc_tsrcs1rutgersrecdttm]Child sponge 2ID[pc_tsrcs2id]Status[pc_tsrcs2stat]Attrito Rutgers[pc_tsrcs2rutgersyn]Antibody result[pc_tsrcs2res]Received at Rutgers[pc_tsrcs2rutgersrecdttm]Child sponge 3ID[pc_tsrcs3id]Status[pc_tsrcs3stat]Attrito Rutgers[pc_tsrcs3rutgersrecdttm]Child sponge 3ID[pc_tsrcs3id]Status[pc_tsrcs3stat]Attrito Rutgers[pc_tsrcs3rutgersrecdttm]Child sponge 4ID[pc_tsrcs4id]Status[pc_tsrcs4stat]Attrito Rutgers[pc_tsrcs4rutgersyn]Antibody result[pc_tsrcs4id]Status[pc_tsrcs4stat]Attrito Rutgers[pc_tsrcs4rutgersyn]Antibody result[pc_tsrcs4res]Received at Rutgers[pc_tsrcs4rutgersrecdttm]	bute[pc_tsrcs2attr]Sent bute[pc_tsrcs3attr]Sent
2670[pc_tsrpbcrecdt]	PBC Tasso Kit receive date	text (date_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
2671[pc_tsrdispstat]	Disposal status	text Field Annotation: @HIDDEN @HIDDEN-PDF
2672[pc_tsrpbcaliquotnum]	Aliquots remaining at PBC	text (integer, Min: 0, Max: 3) Field Annotation: @HIDDEN @HIDDEN-PDF
2673[pc_tsrcs1id]	Child sponge 1 sample id	text (biospec_11d) Field Annotation: @HIDDEN @HIDDEN-PDF
2674[pc_tsrcs1stat]	Child sponge 1 status	radio  0 Not rejected  1 Failed at Mayo  2 Failed at Rutgers  3 Tested  4 Tested, results inconclusive  Field Annotation: @HIDDEN @HIDDEN-PDF
2675[pc_tsrcs1attr]	Child sponge 1 attribute	text Field Annotation: @HIDDEN @HIDDEN-PDF

ĺ	I		I
267	6[pc_tsrcs1rutgersy n]	Child sponge 1 sent to Rutgers	radio  1 Yes  0 No  Field Annotation: @HIDDEN @HIDDEN-PDF
267	7[pc_tsrcs1rutgersrecdttm]	Child sponge 1 received at Rutgers date/ time	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
267	8[pc_tsrcs1res]	Child sponge 1 antibody result status	radio  0 Fail  1 Pass  Field Annotation: @HIDDEN  @HIDDEN-PDF
267	9[pc_tsrcs2id]	Child sponge 2 sample id	text (biospec_11d) Field Annotation: @HIDDEN @HIDDEN-PDF
268	O[pc_tsrcs2stat]	Child sponge 2 status	radio  0 Not rejected  1 Failed at Mayo  2 Failed at Rutgers  3 Tested  4 Tested, results inconclusive  Field Annotation: @HIDDEN @HIDDEN-PDF
268	1[pc_tsrcs2attr]	Child sponge 2 attribute	text Field Annotation: @HIDDEN @HIDDEN-PDF
268	2[pc_tsrcs2rutgersy n]	Child sponge 2 sent to Rutgers	radio 1 Yes 0 No Field Annotation: @HIDDEN @HIDDEN-PDF
268	3[pc_tsrcs2rutgersre cdttm]	Child sponge 2 received at Rutgers date/ time	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
268	4[pc_tsrcs2res]	Child sponge 2 antibody result status	radio 0 Fail 1 Pass

			Field Annotation: @HIDDEN @HIDDEN-PDF
2685[	pc_tsrcs3id]	Child sponge 3 sample id	text (biospec_11d) Field Annotation: @HIDDEN @HIDDEN-PDF
	pc_tsrcs3stat]  pc_tsrcs3attr]	Child sponge 3 status  Child sponge 3 attribute	radio  0 Not rejected  1 Failed at Mayo  2 Failed at Rutgers  3 Tested  4 Tested, results inconclusive  Field Annotation: @HIDDEN @HIDDEN-PDF  text
			Field Annotation: @HIDDEN @HIDDEN-PDF
	pc_tsrcs3rutgersy	Child sponge 3 sent to Rutgers	radio  1 Yes  0 No  Field Annotation: @HIDDEN  @HIDDEN-PDF
	pc_tsrcs3rutgersre	Child sponge 3 received at Rutgers date/time	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
2690[	pc_tsrcs3res]	Child sponge 3 antibody result status	radio  0 Fail  1 Pass  Field Annotation: @HIDDEN  @HIDDEN-PDF
2691[	pc_tsrcs4id]	Child sponge 4 sample id	text (biospec_11d) Field Annotation: @HIDDEN @HIDDEN-PDF
2692[	pc_tsrcs4stat]	Child sponge 4 status	radio  0 Not rejected  1 Failed at Mayo  2 Failed at Rutgers  3 Tested  4 Tested, results inconclusive

			Field Annotation: @HIDDEN @HIDDEN-PDF
269	3[pc_tsrcs4attr]	Child sponge 4 attribute	text Field Annotation: @HIDDEN @HIDDEN-PDF
269	4[pc_tsrcs4rutgersyn]	Child sponge 4 sent to Rutgers	radio 1 Yes 0 No
			Field Annotation: @HIDDEN @HIDDEN-PDF
269	5[pc_tsrcs4rutgersre cdttm]	Child sponge 4 received at Rutgers date/ time	text (datetime_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
269	6[pc_tsrcs4res]	Child sponge 4 antibody result status	radio 0 Fail 1 Pass
			Field Annotation: @HIDDEN @HIDDEN-PDF
269	7[pc_tsrmaxyn]	Maximum number of redraws has been met:	radio 1 Yes 0 No
			Field Annotation: @HIDDEN @HIDDEN-PDF
269	8[pc_tstriggerdt]	Redraw Trigger Date	text (date_mdy) Field Annotation: @HIDDEN @HIDDEN-PDF
269	9[biospecimens_complete]	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
um	-	t Results (antibody_test_results)	
	Active language		Γ
270	O[atr_kitid]	Kit ID:	text Field Annotation: @READONLY
270	1[atr_updatedt]	Date last updated:	text (date_mdy) Field Annotation: @READONLY @HIDEBUTTON

2	702[atr_sampleid]	Sample alias ID:	text Field Annotation: @HIDDEN
2	703[atr_spotsent]	Blood spots sent to Rutgers:	text (integer, Min: 1, Max: 4), Required Field Annotation: @HIDDEN
2	704[atr_colldt]	Collection date:	text (date_mdy, Max: today), Required Field Annotation: @HIDDEN @HIDEBUTTON
2	705[atr_extractdt]	Extraction date:	text (date_mdy, Max: today), Required Field Annotation: @HIDDEN @HIDEBUTTON
2	706[atr_elizasdt]	ELIZA date start:	text (date_mdy, Max: today), Required Field Annotation: @HIDDEN @HIDEBUTTON
2	707[atr_elizaedt]	ELIZA date end:	text (date_mdy, Max: today), Required Field Annotation: @HIDDEN @HIDEBUTTON
2	708[atr_qcmetric]	QC metric:	radio, Required  1 Pass 0 Fail
			Field Annotation: @HIDDEN
2	709[atr_rbdval]	Antigen test IgG RBD value: absorbance at OD405	text (number, Min: 0, Max: 4), Required Field Annotation: @HIDDEN
2	.710[atr_rbdres]	Antigen test IgG RBD result ("S-type" antibody):	radio, Required  1 Positive 0 Negative  Field Annotation: @READONLY
2	711[atr_nval]	Antigen test IgG N p9655 value absorbance at OD405	text (number, Min: 0, Max: 4), Required Field Annotation: @HIDDEN
2	712[ atr_nres ]	Antigen test IgG N p9655 result ("N-type" antibody):	radio, Required  1 Positive  0 Negative  Field Annotation: @READONLY
2	713[atr_rbdpos]	Antigen IgG RBD positive: absorbance at OD405	text (number), Required Field Annotation: @HIDDEN
2	714[atr_rbdneg]	Antigen IgG RBD negative: absorbance at OD405	text (number), Required Field Annotation: @HIDDEN
2	715[atr_npos]	Antigen IgG N p9655 positive: absorbance at OD405	text (number), Required Field Annotation: @HIDDEN

2716[atr_nneg]	Antigen IgG N p9655 negative: absorbance at OD405	text (number), Required Field Annotation: @HIDDEN
2717[atr_succeeded]	Sample run succeeded:	radio, Required  1 Yes  0 No
		Field Annotation: @READONLY
2718[ atr_src ]	Source - Blood spot is Tasso, others are non-Tasso	radio  1 Serum  2 Plasma  3 Blood Spot
2719[antibody_test_rest lts_complete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
ument: Alert Respo	nse Log (alert_response_log)	
Active langua	ges: None	
	Alert response log form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
2720[arl_fversion]	·	Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "",
2720[arl_fversion] 2721[arl_fqueries]	Alert response log form version  Placeholder to attach form-level queries	Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)  text Field Annotation: @HIDDEN-SURVEY
2720[arl_fversion] 2721[arl_fqueries]	Alert response log form version  Placeholder to attach form-level queries This field cannot be edited and should be blank  Section Header: ASQ	Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)  text Field Annotation: @HIDDEN-SURVEY @READONLY
2720[arl_fversion]  2721[arl_fqueries]  2722[arl_asqyn]  Show the field ONLY if: [visit_asqver]<>""	Alert response log form version  Placeholder to attach form-level queries This field cannot be edited and should be blank  Section Header: ASQ  Did you receive a REDCap alert that you	Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)  text Field Annotation: @HIDDEN-SURVEY @READONLY  radio 1 Yes 0 No  Custom alignment: LV  text (date_mdy, Min: [visit_dt], Max:
2720[arl_fversion]  2721[arl_fqueries]  2722[arl_asqyn]  Show the field ONLY if:	Alert response log form version  Placeholder to attach form-level queries This field cannot be edited and should be blank  Section Header: ASQ  Did you receive a REDCap alert that you should review the ASQ?  Date REDCap alert received:	Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)  text Field Annotation: @HIDDEN-SURVEY @READONLY  radio  1 Yes 0 No  Custom alignment: LV

2725[arl_asqmode] Show the field ONLY if: [arl_asqyn]="1"	Mode of family communication:  Date letter sent:	checkbox, Required  1 arl_asqmode1 Phone 2 arl_asqmode2 Email 3 arl_asqmode3 Text 9 arl_asqmode9 Other  Custom alignment: LV  text (date_mdy, Min: [arl_asqdtrec],
Show the field ONLY if: [arl_asqyn]="1"		Max: today), Required
2727[arl_asqcplett]  Show the field ONLY  if:  [arl_asqyn]="1"	Copy of letter:	file, Required
2728[arl_asqaccyn]  Show the field ONLY  if:  [arl_asqyn]="1"	Were the assessment results correct?	radio, Required  1 Yes 0 No  Custom alignment: LV
2729[arl_asqaccnspec] Show the field ONLY if: [arl_asqaccyn]="0"	Please explain why the assessment results were not correct:	notes, Required Custom alignment: LV
2730[arl_asqcorryn] Show the field ONLY if: [arl_asqaccyn]="0"	Were the inaccurate answers or scores updated in REDCap?	radio, Required  1 Yes 0 No  Custom alignment: LV
2731[arl_asqnotes] Show the field ONLY if: [arl_asqyn]="1"	Notes:	notes Custom alignment: LV
2732[arl_asqseyn]  Show the field ONLY if: [visit_asqsever]<>""	Section Header: <i>ASQ-SE</i> Did you receive a REDCap alert that you should review the ASQ-SE?	radio 1 Yes 0 No Custom alignment: LV
2733[arl_asqsedtrec] Show the field ONLY if:	Date REDCap alert received:	text (date_mdy, Min: [visit_dt], Max: today), Required

	[arl_asqseyn]="1"		
273	4[arl_asqsedtcomm]  Show the field ONLY if: [arl_asqseyn]="1"	Date communicated with family:	text (date_mdy, Min: [arl_asqsedtre Max: today), Required
273	5[arl_asqsemode] Show the field ONLY if: [arl_asqseyn]="1"	Mode of family communication:	checkbox, Required  1 arl_asqsemode1 Phone 2 arl_asqsemode2 Email 3 arl_asqsemode3 Text 9 arl_asqsemode9 Other  Custom alignment: LV
273	6[arl_asqsedtlett] Show the field ONLY if: [arl_asqseyn]="1"	Date letter sent:	text (date_mdy, Min: [arl_asqsedtre Max: today), Required
273	7[ arl_asqsecplett ] Show the field ONLY if: [arl_asqseyn]="1"	Copy of letter:	file, Required
273	8[ ar1_asqseaccyn ] Show the field ONLY if: [arl_asqseyn]="1"	Were the assessment results correct?	radio, Required  1 Yes 0 No  Custom alignment: LV
273	9[arl_asqseaccnspec] Show the field ONLY if: [arl_asqseaccyn]="0"	Please explain why the assessment results were not correct:	notes, Required Custom alignment: LV
274	O[arl_asqsecorryn] Show the field ONLY if: [arl_asqseaccyn]="0"	Were the inaccurate answers or scores updated in REDCap?	radio, Required  1 Yes 0 No  Custom alignment: LV
274	1[arl_asqsenotes] Show the field ONLY if: [arl_asqseyn]="1"	Notes:	notes Custom alignment: LV
274	2[arl_mchatyn] Show the field ONLY if:	Section Header: MCHAT  Did you receive a REDCap alert that you should review the MCHAT?	radio 1 Yes 0 No

[visit_mchatver]<>""		Custom alignment: LV	
2743[arl_mchatdtrec] Show the field ONLY if: [arl_mchatyn]="1"	Date REDCap alert received:	text (date_mdy, Min: [visit_dt], Max: today), Required	
2744[arl_mchatdtcomm]  Show the field ONLY if: [arl_mchatyn]="1"	Date communicated with family:	text (date_mdy, Min: [arl_mchatdtrec], Max: today), Required	
2745[arl_mchatmode] Show the field ONLY if: [arl_mchatyn]="1"	Mode of family communication:	checkbox, Required  1 arl_mchatmode1 Phone 2 arl_mchatmode2 Email 3 arl_mchatmode3 Text 9 arl_mchatmode9 Other  Custom alignment: LV	
2746[arl_mchatdtlett] Show the field ONLY if: [arl_mchatyn]="1"	Date letter sent:	text (date_mdy, Min: [arl_mchatdtrec], Max: today), Required	
2747[arl_mchatcplett] Show the field ONLY if: [arl_mchatyn]="1"	Copy of letter:	file, Required	
2748[arl_mchataccyn] Show the field ONLY if: [arl_mchatyn]="1"		radio, Required  1 Yes 0 No  Custom alignment: LV	
2749[arl_mchataccnspec Show the field ONLY if: [arl_mchataccyn]="0	results were not correct:	notes, Required Custom alignment: LV	
2750[arl_mchatcorryn] Show the field ONLY if: [arl_mchataccyn]="0		radio, Required  1 Yes 0 No  Custom alignment: LV	
2751[arl_mchatnotes] Show the field ONLY	Notes:	notes Custom alignment: LV	

	if: [arl_mchatyn]="1"		
275	2[arl_bayleyyn] Show the field ONLY if: [visit_bayleyver]<>""	Section Header: <i>Bayley-4</i> Did you receive a REDCap alert that you should review the Bayley-4?	radio  1 Yes  0 No  Custom alignment: LV
275	3[arl_bayleydtrec] Show the field ONLY if: [arl_bayleyyn]="1"	Date REDCap alert received:	text (date_mdy, Min: [visit_dt], Max: today), Required
275	4[arl_bayleydtcomm] Show the field ONLY if: [arl_bayleyyn]="1"	Date communicated with family:	text (date_mdy, Min: [arl_bayleydtrec], Max: today), Required
275	5[arl_bayleymode] Show the field ONLY if: [arl_bayleyyn]="1"	Mode of family communication:	checkbox, Required  1 arl_bayleymode1 Phone 2 arl_bayleymode2 Email 3 arl_bayleymode3 Text 9 arl_bayleymode9 Other  Custom alignment: LV
275	6[arl_bayleydtlett] Show the field ONLY if: [arl_bayleyyn]="1"	Date letter sent:	text (date_mdy, Min: [arl_bayleydtrec], Max: today), Required
275	7[ arl_bayleycplett ] Show the field ONLY if: [arl_bayleyyn]="1"	Copy of letter:	file, Required
275	8[ arl_bayleyaccyn ] Show the field ONLY if: [arl_bayleyyn]="1"	Were the assessment results correct?	radio, Required  1 Yes 0 No  Custom alignment: LV
275	9[arl_bayleyaccnspe c] Show the field ONLY if: [arl_bayleyaccy n]="0"	Please explain why the assessment results were not correct:	notes, Required Custom alignment: LV

2760[arl_bayleycorryn] Show the field ONLY if: [arl_bayleyaccy n]="0"	Were the inaccurate answers or scores updated in REDCap?	radio, Required  1 Yes 0 No  Custom alignment: LV
2761[arl_bayleynotes] Show the field ONLY if: [arl_bayleyyn]="1"	Notes:	notes Custom alignment: LV
2762[arl_dasiiyn]  Show the field ONLY  if:  [visit_dasiiver]<>""	Section Header: <i>DAS-ii</i> Did you receive a REDCap alert that you should review the DAS-ii?	radio 1 Yes 0 No Custom alignment: LV
2763[arl_dasiidtrec] Show the field ONLY if: [arl_dasiiyn]="1"	Date REDCap alert received:	text (date_mdy, Min: [visit_dt], Max: today), Required
2764[arl_dasiidtcomm]  Show the field ONLY  if:  [arl_dasiiyn]="1"	Date communicated with family:	text (date_mdy, Min: [arl_dasiidtrec], Max: today), Required
2765[arl_dasiimode]  Show the field ONLY  if:  [arl_dasiiyn]="1"	Mode of family communication:	checkbox, Required  1 arl_dasiimode1 Phone 2 arl_dasiimode2 Email 3 arl_dasiimode3 Text 9 arl_dasiimode9 Other  Custom alignment: LV
2766[arl_dasiidtlett] Show the field ONLY if: [arl_dasiiyn]="1"	Date letter sent:	text (date_mdy, Min: [arl_dasiidtrec], Max: today), Required
2767[arl_dasiicplett] Show the field ONLY if: [arl_dasiiyn]="1"	Copy of letter:	file, Required
2768[arl_dasiiaccyn] Show the field ONLY if: [arl_dasiiyn]="1"	Were the assessment results correct?	radio, Required  1 Yes  0 No

		Custom alignment: LV	
2769[arl_dasiiaccnspec] Show the field ONLY if: [arl_dasiiaccyn]="0"	Please explain why the assessment results were not correct:	notes, Required Custom alignment: LV	
2770[arl_dasiicorryn]  Show the field ONLY if: [arl_dasiiaccyn]="0"	Were the inaccurate answers or scores updated in REDCap?	radio, Required  1 Yes 0 No  Custom alignment: LV	
2771[arl_dasiinotes] Show the field ONLY if: [arl_dasiiyn]="1"	Notes:	notes Custom alignment: LV	
2772[arl_cbclyn]  Show the field ONLY  if:  [visit_cbclver]<>""	Section Header: CBCL  Did you receive a REDCap alert that you should review the CBCL?	radio  1 Yes 0 No  Custom alignment: LV	
2773[ arl_cbcldtrec ]  Show the field ONLY if: [arl_cbclyn]="1"	Date REDCap alert received:	text (date_mdy, Min: [visit_dt], Max: today), Required	
2774[arl_cbcldtcomm]  Show the field ONLY  if:  [arl_cbclyn]="1"	Date communicated with family:	text (date_mdy, Min: [arl_cbcldtrec], Max: today), Required	
2775[arl_cbclmode] Show the field ONLY if: [arl_cbclyn]="1"	Mode of family communication:	checkbox, Required  1 arl_cbclmode1 Phone 2 arl_cbclmode2 Email 3 arl_cbclmode3 Text 9 arl_cbclmode9 Other  Custom alignment: LV	
2776[ arl_cbcldtlett ]  Show the field ONLY if: [arl_cbclyn]="1"	Date letter sent:	text (date_mdy, Min: [arl_cbcldtrec], Max: today), Required	
2777[arl_cbclcplett] Show the field ONLY if:	Copy of letter:	file, Required	

[arl_cbclyn]="1"				
2778[arl_cbclaccyn]  Show the field ONLY  if:  [arl_cbclyn]="1"	Were the assessment results correct?	radio, Required  1 Yes 0 No  Custom alignment: LV		
2779[arl_cbclaccnspec] Show the field ONLY if: [arl_cbclaccyn]="0"	Please explain why the assessment results were not correct:	notes, Required Custom alignment: LV		
2780[arl_cbclcorryn]  Show the field ONLY if:  [arl_cbclaccyn]="0"	Were the inaccurate answers or scores updated in REDCap?	radio, Required  1 Yes 0 No  Custom alignment: LV		
2781[arl_cbclnotes]  Show the field ONLY if: [arl_cbclyn]="1"	Notes:	notes Custom alignment: LV		
2782[arl_dp4yn]  Show the field ONLY  if:  [visit_dp4ver]<>""	Section Header: <i>DP-4</i> Did you receive a REDCap alert that you should review the DP-4?	radio 1 Yes 0 No Custom alignment: LV		
2783[arl_dp4dtrec] Show the field ONLY if: [arl_dp4yn]="1"	Date REDCap alert received:	text (date_mdy, Min: [visit_dt], Max: today), Required		
2784[arl_dp4dtcomm]  Show the field ONLY  if:  [arl_dp4yn]="1"	Date communicated with family:	text (date_mdy, Min: [arl_dp4dtrec], Max: today), Required		
2785[arl_dp4mode]  Show the field ONLY if:  [arl_dp4yn]="1"	Mode of family communication:	checkbox, Required  1 arl_dp4mode1 Phone  2 arl_dp4mode2 Email  3 arl_dp4mode3 Text  9 arl_dp4mode9 Other  Custom alignment: LV		
2786[arl_dp4dtlett] Show the field ONLY	Date letter sent:	text (date_mdy, Min: [arl_dp4dtrec], Max: today), Required		

if: [arl_dp4yn]="1"		
2787[arl_dp4cplett]	Copy of letter:	file, Required
Show the field ONL if: [arl_dp4yn]="1"	Y	
2788[ ar1_dp4accyn ]  Show the field ONL if: [arl_dp4yn]="1"	Were the assessment results correct?	radio, Required  1 Yes 0 No  Custom alignment: LV
2789[ arl_dp4accnspec ] Show the field ONL if: [arl_dp4accyn]="0"	Please explain why the assessment results were not correct:	notes, Required Custom alignment: LV
2790[ ar1_dp4corryn ] Show the field ONL if: [arl_dp4accyn]="0"	Were the inaccurate answers or scores updated in REDCap?	radio, Required  1 Yes 0 No  Custom alignment: LV
2791[ arl_dp4notes ] Show the field ONL if: [arl_dp4yn]="1"	Notes:	notes Custom alignment: LV
2792[alert_response_l _complete]	Section Header: Form Status  Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
strument: AE/PD Repo	ort (aepd_report)	
Active langu	ages: None	
2793[aepd_fversion]	AE/PD form version	text Field Annotation: @DEFAULT='1' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF)
2794[aepd_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
2795[ aepd_dt ]	Date of event onset:	text (date_mdy, Max: today), Required
2796[ aepd_tm ]	Time of event onset (if known):	text (time)
2797[aepd_awaredt]	Date site became aware of event:	text (date_mdy, Max: today), Required

2798[aepd_awaretm]	Time site became aware of event (if known):	text (time)		
2799[ aepd_type ]	What type of event is being reported?	checkbox, Required		
	(Select all that apply)An Adverse Event (AE) is any symptom, sign, illness, or	1 aepd_type1 Adverse Event (AE)		
	experience that develops or worsens in severity during the course of the study, excluding endpoints determined to be	2 aepd_type2 Serious Adverse Event (SAE)		
	due to SARS-CoV-2 infection. Inter- current injuries should be regarded as	3 aepd_type3 Protocol Deviation (PD)		
	AEs. Abnormal results of research procedures are considered to be AEs if the abnormality results in study withdrawalis associated with a serious	4 aepd_type4 Reportable New Information or Incident (RNI)		
2800Faend desc 1	adverse eventis associated with clinical signs or symptomsleads to additional treatment or to further diagnostic tests and is considered by the investigator to be of clinical significance. A Serious Adverse Event (SAE) is any AE that is fatalis life-threateningrequires or prolongs hospital stayresults in persistent or significant disability or incapacityresults in a congenital anomaly or birth defectis an important medical event Please refer to the MOP for more information. A Protocol Deviation (PD) is any change, divergence, or departure from the approved study design or procedures of a research protocol that is under the Pl's control and has not been approved by the IRB. Reportable new information (RNI) is defined as events that are unanticipated, related to the research, and may cause risk of harm to the participant or others. RNI should be submitted within 5 days of the knowledge of the incident.	Custom alignment: LV		
2800[ aepd_desc ]	Description of event: Please provide a detailed description of the observed incident. As a reminder, please do not include any personally identifiable information (PII).	notes, Required Custom alignment: LV		
2801[aepd_aesumm]	Section Header: Adverse Event	text, Required		
Show the field ONLY if: [aepd_type(1)]="1" o	1-5 words			

280	2[aepd_aesev] Show the field ONLY if: [aepd_type(1)]="1" o r [aepd_type(2)]="1"	Severity of AE:Mild: events that require minimal or no treatment and do not interfere with the participant's daily activities. Moderate: events that result in a low-level of inconvenience or concern with the therapeutic measures. Moderate events may cause some interference with functioning. Severe: events that interrupt a participant's usual daily activity and may require systemic drug therapy or other treatment.	radio, Required  1 Mild  2 Moderate  3 Severe  Custom alignment: LV
280	3[ aepd_aesevspec ] Show the field ONLY if: [aepd_type(1)]="1" o r [aepd_type(2)]="1"	Explain severity determination:	text, Required
280	4[ aepd_aere1 ]  Show the field ONLY if:  [aepd_type(1)]="1" o r [aepd_type(2)]="1"	AE relationship to study:	radio, Required  0 Not related  1 Unlikely  2 Possible  3 Probable  4 Definitely related  -1 Unknown  Custom alignment: LV
280	5[ aepd_aerelspec ]  Show the field ONLY if: [aepd_type(1)]="1" o r [aepd_type(2)]="1"	Explain relatedness determination:	text, Required
280	6[ aepd_aeunexpected ] Show the field ONLY if: [aepd_type(1)]="1" o r [aepd_type(2)]="1"	Was the AE unexpected?	radio, Required  1 Yes, unexpected  0 No  -1 Unsure  Custom alignment: LV
280	7[ aepd_aeunexpecteds pec ] Show the field ONLY if: [aepd_type(1)]="1" o r [aepd_type(2)]="1"	Explain unexpectedness determination:	text, Required

2808[aepd_aeoutcome]	AE outcome:	radio, Required
Show the field ONLY		1 Resolved with no consequences
if:		2 Recovered with sequalae
[aepd_type(1)]="1" o r [aepd_type(2)]="1"		3 Ongoing
		4 Worsening
		5 Death
		-1 Unknown
		Custom alignment: LV
2809[aepd_aerecdt]	Date AE resolved:	text (date_mdy, Max: today), Required
Show the field ONLY		
if:		
([aepd_type(1)]="1" o r [aepd_type(2)]="1")		
and ([aepd_aeoutco		
me]="1" or [aepd_ae		
outcome]="2") 2810[aepd_aedeathdt]	Date of death:	text (date_mdy, Max: today), Require
	Date of death.	text (date_mdy, max. today), Nequired
Show the field ONLY if:		
([aepd_type(1)]="1" o		
r [aepd_type(2)]="1")		
and ([aepd_aeoutco me]="5")		
2811[aepd_aeoutcomespe	If AE is recovered with sequalae,	notes, Required
c]	ongoing, worsening, or death, please	Custom alignment: LV
Show the field ONLY	provide details:	
if:		
([aepd_type(1)]="1" o		
r [aepd_type(2)]="1")		
and ([aepd_aeoutco me]="2" or [aepd_ae		
outcome]="3" or [ae		
pd_aeoutcome]="4"		
or [aepd_aeoutcom		
e]="5")		
2812[aepd_aedeath_remin der]	Reminder: please fill out the study termination form to record information	descriptive
Show the field ONLY	about the participant death.	
if:		
([aepd_type(1)]="1" o		
r [aepd_type(2)]="1")		
and ([aepd_aeoutco me]="5")		

281	3[ aepd_aesaecat ]	Please specify the SAE category:	che	eckbox, Required	
	Show the field ONLY if:		1	aepd_aesaecat1	Results in death
	[aepd_type(2)]="1"		2	aepd_aesaecat2	Life threatening
			3	aepd_aesaecat3	Requires hospitalization or prolongation of existing hospitalization
			4	aepd_aesaecat4	Results in persistent or significant disability/ incapacity
			5	aepd_aesaecat5	ls a congenital anomaly or birth defect
			9	aepd_aesaecat9	Other reportable event
			Cus	stom alignment: LV	
281	4[ aepd_aesaecatspec ]  Show the field ONLY if: [aepd_aesaecat (9)]="1"	Please specify reportable event:	tex	t, Required	
281	5[ aepd_aegenres ]  Show the field ONLY if:  ([aepd_type(1)]="1" o r [aepd_type(2)]="1")	Does the incident relate in any way to the return of genetic results?	0	Yes No stom alignment: LV	
281	6[ aepd_pdcat ] Show the field ONLY if: [aepd_type(3)]="1"	Section Header: <i>Protocol Deviation</i> What category does the protocol deviation fall into?	1 2 3 4 5	Loss of confidentiali Out-of-window visit	n viation ty

2817[ aepd_pdcats; Show the field if: [aepd_type(3)] nd [aepd_pdcats;	ONLY ="1" a at]="9"	
Show the field if: [aepd_type(3)]	ONLY affect data integrity?	1 Yes 0 No  Custom alignment: LV
2819[ aepd_pdcont Show the field if: [aepd_type(3)]	ONLY the study?	o continue in radio, Required  1 Yes  0 No  Custom alignment: LV
2820[ aepd_pdhazar Show the field if: [aepd_type(3)]	ONLY in order to eliminate an a immediate hazard to stud	pparent 1 Yes
2821[ aepd_pdharm Show the field if: [aepd_type(3)]	ONLY suggest an increase in ha	·   <del> </del>
2822[ aepd_pdharms Show the field if:     [aepd_type(3)]     nd [aepd_pdh     m]="1"	ONLY ="1" a	notes, Required Custom alignment: LV
2823[ aepd_pdsafet Show the field if: [aepd_type(3)]	ONLY suggest an impact to the rights, welfare, or safety?	·
2824[ aepd_pdsafet Show the field if: [aepd_type(3)]	ONLY welfare, or safety:	notes, Required Custom alignment: LV

	nd [aepd_pdsafet y]="1"		
282	5[aepd_pdsecurity] Show the field ONLY if: [aepd_type(3)]="1"	A privacy or security incident is the attempted or successful loss of control, compromise, unauthorized disclosure, unauthorized acquisition, unauthorized access, or any similar term referring to situations where persons other than authorized users and for an other-than-authorized purpose have access or potential access to PII, PHI, or SI, whether physical or electronic. Was this incident a participant data privacy or security incident?	radio, Required  1 Yes  0 No  Custom alignment: LV
282	6[aepd_pdsecurityspec] Show the field ONLY if: [aepd_type(3)]="1"	Corrective or preventative action: Please outline what, if any, steps have been taken remedy the situation and to avoid future occurrences of this problem. As a reminder, please do not include any personally identifiable information (PII).	notes, Required Custom alignment: LV
282	7[aepd_rni_reminder] Show the field ONLY if: ([aepd_type(2)]="1" o r [aepd_type(3)]="1" or [aepd_type (4)]="1")	Section Header: IRB Reporting Reminder: sites that are not using the NYULH sIRB should follow their IRB's reporting policies.	descriptive
282	8[aepd_irbyn]  Show the field ONLY if: ([aepd_type(2)]="1" o r [aepd_type(3)]="1" or [aepd_type (4)]="1")	Does this SAE, protocol deviation, or incident (unanticipated event) qualify for immediate reporting (RNI) to your reviewing IRB (e.g. NYU sIRB or different IRB)?	radio, Required  1 Yes, this event qualifies for immediate reporting to my reviewing IRB  0 No  Custom alignment: LV
282	9[aepd_nyuirb]  Show the field ONLY if: ([aepd_type(2)]="1" o r [aepd_type(3)]="1" or [aepd_type (4)]="1")	Does your site use the NYULH sIRB?	radio, Required  1 Yes 0 No  Custom alignment: LV
283	O[aepd_rniid] Show the field ONLY if: [aepd_irbyn] = '1'	RNI ID Number: e.g. RNI00001234 for NYU sIRB or local ID	text, Required

283	1[aepd_rnitype]	Does the incident (AE, SAE, or PD) meet	che	eckbox, Required	
	Show the field ONLY if: ([aepd_type(2)]="1" o	any of the following (select all applicable criteria)?	1	aepd_rnitype1	Related to study procedure
	r [aepd_type(3)]="1"		2	aepd_rnitype2	Unanticipated
	or [aepd_type (4)]="1") and [aepd_n yuirb]="1"		3	aepd_rnitype3	Harmful or potentially harmful
			0	aepd_rnitype0	No, does not meet any of these requirements
			Fie	stom alignment: LV ld Annotation: IONEOFTHEABOVE	
283	2[aepd_rnitypereport]  Show the field ONLY if: [aepd_rnitype(1)] = '1 ' and [aepd_rnitype (2)] = '1' and [aepd_r nitype(3)] = '1'	This event met immediate reportable criteria (related to study procedure, unanticipated, harmful or potentially harmful) and must be reported to the IRB of record following RECOVER protocol reporting timeline.	des	scriptive	
283	3[aepd_pdreport_not e]  Show the field ONLY if: ([aepd_type(2)]="1" o r [aepd_type(3)]="1" or [aepd_type (4)]="1") and [aepd_ir byn]="1" and [aepd_ nyuirb]="0"	Reminder: Please send a copy of any correspondence between your site and your IRB concerning this incident to CRRMT_RECOVER@nyulangone.org. This includes a copy of the submission and any IRB acknowledgement received.	des	scriptive	
283	4[aepd_pdirbsubdt]  Show the field ONLY if: ([aepd_type(2)]="1" o r [aepd_type(3)]="1" or [aepd_type (4)]="1") and [aepd_ir byn]="1"	Date submitted to IRB:	tex	t (date_mdy, Max: t	oday), Required
283	5[ aepd_pdcscsubdt ] Show the field ONLY if: ([aepd_type(2)]="1" o	Date submitted to CSC:	tex	t (date_mdy, Max: t	oday), Required

r [aepd_type(3)]="1" or [aepd_type (4)]="1") and [aepd_ byn]="1" and [aepd_ nyuirb]="0"	r	
2836[aepd_piname]	Section Header: <i>PI Review</i> Name of PI who reviewed this event:	text, Required
2837[aepd_pisig]	Signature of PI:	file (signature), Required
2838[aepd_pidt]	Date of PI review:	text (date_mdy, Max: today), Required
2839[aepd_report_compl te]	Complete?	dropdown  0 Incomplete  1 Unverified  2 Complete
Strument: End Of Part	cipation (end_of_participation) ges: None	
2840[eop_fversion]	End of Participation form version	text Field Annotation: @DEFAULT='2' @IF([user-role-label]="Admin", "", @HIDDEN @HIDDEN-PDF) v2: change meaning of eop_inactive
2841[eop_fqueries]	Placeholder to attach form-level queries This field cannot be edited and should be blank	text Field Annotation: @HIDDEN-SURVEY @READONLY
2842[eop_intro]	This form should be completed when a participant stops participating in the study.	descriptive
2843[eop_dt]	Date of last visit or contact:	text (date_mdy, Min: [enrollment_arm_1][enrl_dt], Max: today)
2844[eop_reason]	Why is the participant no longer a part	radio, Required
	of the RECOVER study?	1 Completed all study visitsNote that a participant may have missed visits.
		2 Lost to follow-up
		3 Moved out of range of study
		4 Participant declines to participate further (with or without data retention)
		5 Investigator withdrew participant
		6 No longer eligible (e.g. incarcerated, cognitively

		7 Deceased  8 Inactive (completed minimal or no study measures after consent)
		<ul><li>10 Declined promotion</li><li>11 Study has been stopped</li><li>99 Other</li><li>Custom alignment: LV</li></ul>
2845[ eop_reasonspec ] Show the field ONLY if: [eop_reason]="99"	Please specify:	text, Required
2846[ eop_contact10x ] Show the field ONLY if: [eop_reason]="2"	Section Header: Lost to follow-up  Has the site attempted to reach the participant at least 5 times over a two month period for each of the three consecutively scheduled follow-up visits (e.g., 6, 12, and 24 months), using at least three different methods of outreach (e.g., phone, letter, email, or text), and trying at different times (e.g., mornings vs. evenings; weekdays vs. weekends)?	radio, Required  1 Yes  0 No  Custom alignment: LV
2847[eop_contact10xwarn ing] Show the field ONLY if: [eop_contact10 x]="0"	Stop! You must try contacting the participant at least 5 times for each of three consecutively scheduled follow-up visits (e.g. 6, 12, and 24 months) using different methods of outreach and trying at different times in order to consider them lost to follow-up. Please continue trying to contact the participant.	descriptive
2848[eop_transfer] Show the field ONLY if: [eop_reason]="3"	Section Header: Moved out of range of study  Has the site offered to transfer the participant to another RECOVER site near to the new location?	radio, Required  1 Yes, declined  2 Yes, no response  3 Yes, but there is no such site  0 No  Custom alignment: LV
2849[eop_movedwarning] Show the field ONLY if: [eop_transfer]="0"	Stop! You must offer the above accommodation to the participant before they can be considered to have stopped their participation in the study.	descriptive

285	O[eop_ptreason]	Section Header: Participant declines to participate further		ckbox, Required	
	Show the field ONLY if: [eop_reason]="4"	If the participant offered a reason they choose to decline further participation, please match it to the closest category here. Please do not read this list to the	1	eop_ptreason1	Not interest in participat in research (general)
		participant. Select all that apply, in case of multiple reasons. Reminder: you should not require the participant to offer a reason for declining further participation	2	eop_ptreason2	Not interest in participat in COVID research (specifically)
			3	eop_ptreason3	Does not wa to give samp or take tests
			4	eop_ptreason4	Does not wa to share personal he information privacy concerns
			5	eop_ptreason5	The study to too much ti study visits too long
			6	eop_ptreason6	Surveys are long / surve ask too mar questions
			7	eop_ptreason7	Does not wa to travel to t site where t need to be done
			8	eop_ptreason8	Reimburser too low
			9	eop_ptreason9	Inconvenier location of v / no transportati
			10	eop_ptreason10	Inconvenier study visit ti
			11	eop_ptreason11	Too ill
			12	eop_ptreason12	Competing demands (caring for others, long work hours travel) / too

					busy / no time
			13	eop_ptreason13	Religious / ethical reasons
			14	eop_ptreason14	Does not trust the study / research
			15	eop_ptreason15	Dissatisfaction discomfort wit Spanish translation / interpretation
			17	eop_ptreason17	Does not feel like their participation makes a difference
			18	eop_ptreason18	Did not like their experience in the study
			88	eop_ptreason88	Other (please specify below)
			99	eop_ptreason99	Refused to answer / no reason provided
			Field	tom alignment: LV d Annotation: DNEOFTHEABOVE="9	9"
28.	51[eop_ptreasonspec] Show the field ONLY if: [eop_ptreason(8 8)]="1"	Please specify other reason(s):	text,	, Required	
28.	52[ eop_withdrawconsen t]  Show the field ONLY if: [eop_reason]="4"	Does the participant want to withdraw consent and have all their data excluded from future analyses? (Except certain administrative data retained for safety and auditing.)	0	o, Required Yes No tom alignment: LV	
28	53[eop_withdrawsample s] Show the field ONLY if:	Does the participant want to withdraw consent and have all biospecimens/ samples destroyed?	radi 1	o, Required Yes No	
	ir: [eop_reason]="4"		Cust	tom alignment: LV	

285	4[eop_withdrawconsen twarning]  Show the field ONLY if: [eop_withdrawconse nt]="1" or [eop_with drawsamples]="1"	Warning: This type of end of participation should only be selected if the participant asks to withdraw their consent for participation in the study and wishes all existing to be excluded from future analyses or biospecimens to be destroyed. This request requires written documentation (either via letter or email) to the site investigator. If the participant only wishes to cease future visits, return to the previous question and choose "no". By marking this form as complete, the DRC will flag the data to forbid its use in all future research (except data retained for safety purposes or data that has already been released to investigators) from the central database. The site will need to retain records of their consent, but should also delete local contact and enrollment data as detailed in the Manual of Operations. Once a participant has terminated their consent from the study, they may not reenroll. This form will not notify the DRC	descriptive
285	5[eop_letter]  Show the field ONLY if: [eop_withdrawconse nt]="1" or [eop_with drawsamples]="1"	about the study withdrawal until it is marked complete.  Has the participant provided a written letter requesting data be deleted?	radio, Required  1 Yes 0 No  Custom alignment: LV
285	6[eop_letterwarning] Show the field ONLY if: [eop_letter]="0"	Stop! The participant must provide a written letter revoking their consent and requesting that their data be deleted.	descriptive
285	7[ eop_letterdt ] Show the field ONLY if: [eop_letter]="1"	Date site received written notice of withdrawal of consent from the participant:	text (date_mdy, Min: [enrollment_arm_1][enrl_dt], Max: today), Required
285	8[eop_removedata] Show the field ONLY if: [eop_letterdt]<>""	Confirm that all data (excluding certain safety and regulatory data) will be deleted for this participant. This cannot be undone; only select "yes" if you are certain that this should proceed.	radio, Required  1 Yes 0 No  Custom alignment: LV

	2859[eop_destroysample s ]  Show the field ONLY if: [eop_letterdt]<>""	Confirm that all local RECOVER samples have been sent to the PBC for destruction. Note that this variable will be locked once the form is marked complete. Please contact the DRC if you need to change this later.	radio, Required  1 Yes  0 No  Custom alignment: LV Field Annotation: @IF([end_of_participation_complete]="2" and ([user-role-label]<>"Admin" and [user-role-label]<> "DRC - CRC - Edit"), @READONLY, "")
2	2860[eop_removedatanot e] Show the field ONLY if: [eop_removedat a]="1"	Note: in order to notify the CSC and DRC to start the data deletion process, you must now mark this form as "Complete" and save it.	descriptive
	2861[eop_investigatord t] Show the field ONLY if: [eop_reason]="5"	Section Header: <i>Investigator withdrew participant</i> Date investigator withdrew participant:	text (date_mdy, Min: [enrollment_arm_1][enrl_dt], Max: today), Required
	2862[eop_investigatorsp ec] Show the field ONLY if: [eop_reason]="5"	Provide the reason the investigator withdrew the participant. Reminder: if the investigator believes the participant should not have been part of the study from the onset, but was enrolled anyway, you must also submit a protocol deviation.	notes, Required Custom alignment: LV
	Show the field ONLY if: [eop_reason]="6"	Section Header: No longer eligible for participation  Reason participant is no longer eligible:	radio, Required  1 Too cognitively impaired to participate  2 Incarcerated  3 Terminally ill, in hospice, or otherwise too ill to participate  4 Removed from the care of the caregiver (e.g. placed in foster care)  9 Other  Custom alignment: LV
	2864[eop_incarceratedd t] Show the field ONLY if: [eop_ineligible]="2"	Date of incarceration:	text (date_mdy, Min: [enrollment_arm_1][enrl_dt], Max: today), Required

2865[eop_ineligiblespect]  Show the field ONLY	Please specify other reason participant is no longer eligible:	text, Required
if: [eop_ineligible]="9"		
2866[eop_deceasednote] Show the field ONLY if: [eop_reason]="7"	Section Header: Participant died  Reminder: you must complete an AE/PD  Report for this participant.	descriptive
2867[ eop_deadaepdyn ]  Show the field ONLY  if:  [eop_reason]="7"	Have you completed an AE/PD Report form for this participant's death?	radio, Required  1 Yes 0 No  Custom alignment: LV
2868[eop_aepdwarning]  Show the field ONLY if: [eop_deadaepdy n]="0"	Stop! You must complete an AE/PD Report form (in the Enrollment arm) for this participant before you mark this form complete.	descriptive
2869[eop_inactive]  Show the field ONLY if: [eop_reason]="8" an d [eop_fversion] = '1'	Section Header: Participant inactive  Has the participant completed any study measures beyond the consent form?	radio 1 Yes 0 No  Custom alignment: LV
2870[eop_inactivewarnin g]  Show the field ONLY if: [eop_inactive]="1"	Stop! In order to consider the participant inactive, no study measures can be completed. Please select a different end of participation reason.	descriptive
2871[eop_inactive2]  Show the field ONLY if: [eop_reason]="8" an d [eop_fversion] >= 2	Has the definition of "inactive" been confirmed with the Pediatrics MOP?	radio 1 Yes 0 No Custom alignment: LV
2872[eop_inactivewarnin g2]  Show the field ONLY if: [eop_inactive2] = '0'	Stop! Please review the Pediatrics MOP for the definition of an "inactive" state. If the participant does not meet these criteria, please select a different end of participation reason.	descriptive
2873[end_of_participation_complete]	Section Header: Form Status Complete?	dropdown  0 Incomplete  1 Unverified

2 Complete