Project #6

CpSc 8270: Language Translation
Computer Science Division, Clemson University
Final Project: Python Functions & Scope
Brian Malloy, PhD
December 5, 2016

Due Date:

In order to receive credit for this assignment, your submission must be submitted, using the web handin command, by 8 AM, Monday, December 5^{th} of 2016. If you are unable to complete the project by the first due date, you may submit the project within three days after the due date with a ten point deduction.

Project Specification:

- 1. Your solution should handle integer and float values and variables, print, assignment, and the same expressions as the previous project, including $\{x + y, x y, x * y, x/y, x//y, x\%y, x**e, (x), -x, +x\}$; and, $\{x + y, x y, x * y, x/y, x/y, x\%y, x**e, (x), -x, +x\}$;
- 2. In addition, your solution should handle Python functions, illustrated in Figure ??. In particular, Figure ?? will earn 90%, Figures ??, ??, and ??, will earn an additional 10% each, for a total of 120%.
- 3. In all cases, the oracle for correctness is a Python 2.7.n interpreter; that is, your expressions should evaluate, sans extended precision, to the same result that a Python 2.7.n interpreter would produce.
- 4. In the directory that contains your working interpreter, place a new directory titled cases that contains test cases that adequately test your interpreter.
- 5. Write a test harness, test.py, and place it in your project folder so that it runs the test cases in cases.
- Your code should be well organized, formatted, readable, free of memory leaks, and exploit proper object orientation.

```
x = 7
                     def f():
x = 7
                                           x = 7
def f():
                                           def foo():
                       x = 99
  x = 99
                        def g():
                                             x = 99
                                                                 x = 9
  x += 1
                          x += 1
                                             x += 1
                                                                 def f():
  print x
                          print x
                                             return x
                                                                   x = 17
                                                                   print x
                        g()
                     f()
print x
                                           print foo()
                                                                   global x
bam> 7
                     bam> 100
                                           bam> 100
                                                                   x += 1
f()
                     print x
                                           print x
                                                                 f()
bam> 100
                     bam> 7
                                           bam> 7
                                                                 print x
    (a) Basic Scope
                       (b) Nested Functions
                                             (c) Return Statement
                                                                   (d) Global Statement
```

Figure 1: Examples of the Levels of Interpreter and Function Implementation.