

Rhythmic Inference and Field Dynamics of Consciousness

Flyxion Research Group

November 04, 2025

Abstract

This paper synthesizes Juyoung Kim’s framework of *Emotion as Rhythmic Inference* with the Relativistic Scalar–Vector Plenum (RSVP) field theory of consciousness and the dimensional critique of *A Typology of Theoretical Failure*. Emotion and cognition are treated as coupled non-equilibrium processes in which meaning arises through rhythmic phase alignment, informational curvature, and transjective synchrony across manifolds. Consciousness emerges not from equilibrium but from sustained rhythmic disequilibrium—the managed imperfection that allows systems to grow, learn, and resonate across scales. The resulting theory is shown to occupy the reflective-rigour regime: a thermodynamically sustainable midpoint between rhetorical overreach and sterile formalism.

Keywords: affective resonance, active inference, non-equilibrium thermodynamics, information geometry, field theory of consciousness, scalar–vector plenum, rhythmic inference, transjective synchrony.

1. Introduction: Emotion as Rhythmic Inference

Juyoung Kim’s framework, introduced in his 2025 presentation *Emotion as Rhythmic Inference: Toward a Unified Framework for Affective Resonance*, redefines emotion as a dynamic process rather than a discrete state (Kim, 2025). Drawing inspiration from complex systems and predictive neuroscience, Kim treats emotion as a “fluid of affective inference”—a rhythmic modulation of predictive error and phase alignment within interacting agents.

Kim’s theory advances three foundational components:

1. **Gap Consciousness Theory:** consciousness emerges in the space of imperfection, where prediction error opens a developmental void;

2. **Phase Alignment Theory:** consciousness requires temporal misalignment and realignment—resonance between desynchronized subsystems;
3. **Resonance Theory:** consciousness stabilizes when these gaps and phase alignments cohere across time, maintaining informational tension below a critical threshold.

2. Mathematical Development: Toward a Formal Theory

Let each system’s internal state be represented by a field triplet

$$\mathbf{X}(t) = (\Phi(t), \mathbf{v}(t), S(t)),$$

where Φ denotes symbolic potential, $\mathbf{v}$ affective flow, and S local entropy. Their joint evolution follows

$$\frac{d\mathbf{X}}{dt} = -\nabla_{\mathbf{X}} F + \boldsymbol{\eta}(t).$$

The *consciousness functional* is

$$\mathcal{C} = \mathcal{U}(F) \cdot \|\nabla F\|^2 \cdot \sin(\delta\phi) \cdot \Omega.$$

3. Part III: Comparative and Integrative Synthesis

3.1 Comparative Analysis: ERI vs. RSVP

Both ERI and RSVP reject homeostatic convergence and instead privilege *productive tension*: life is oscillation around—not toward—equilibrium (Solms, 2021). ERI’s triad (gap, phase, resonance) aligns with RSVP’s $(\Phi, \mathbf{v}, S)$: gap with freeenergy gradient, phase alignment with vector synchrony/solenoidal flows, resonance with bounded coupling on the manifold (?Friston, 2010, 2022). Oscillatory and spiral growth dynamics are expected under nonequilibrium conditions (Buzsáki, 2019).

3.2 Bridging Equations: A Unified Resonance–Field Formalism

Let agent states be $\mathbf{X}_i = (\Phi_i, \mathbf{v}_i, S_i)$. An information–geometric distance is

$$d_{\text{FR}}^2(\mathbf{X}_u, \mathbf{X}_a) = \int_V \left[\alpha |\nabla(\Phi_u - \Phi_a)|^2 + \beta |\mathbf{v}_u - \mathbf{v}_a|^2 + \gamma (S_u - S_a)^2 \right] dV, \quad (1)$$

and ERI resonance obtains when $\int_0^T d_{\text{FR}}(\mathbf{X}_u, \mathbf{X}_a) dt < \epsilon_{\text{res}}$ (Ramstead et al., 2022). Define phases $\theta_i = \arg[\Phi_i + i\|\mathbf{v}_i\|]$; productive tension expects $0 < |\delta\phi_{ua}| < \pi/4$ near critical regions (Yeung & Kanai, 2023; Friston, 2022). The unified growth functional is

$$\mathcal{R} = \int_0^T \mathcal{U}(F_u, F_a) \|\nabla F_u\| \|\nabla F_a\| \sin(\delta\phi_{ua}) dt. \quad (2)$$

3.3 Experimental Predictions and Empirical Pathways

Phaselocking precedes insight: mutual information peaks near $|\delta\phi| \approx \pi/4$ (Friston, 2022). *Jouissance bound*: sustained resonance requires balance between dissipation and curvature work (Friston, 2010). *InvertedU uncertainty*: resonance $\mathcal{R}$ maximizes at intermediate gap magnitude; *trust spiral*: capacity growth correlates with accumulated resonance (Buzsáki, 2019; Ramstead et al., 2022).

3.4 Phenomenological Correlates and Temporal Depth

Subjective time dilates near lowcurvature regions where perturbations decay slowly, consistent with critical slowing and ERI’s “timegiving” (Yeung & Kanai, 2023):

$$\tau_{\text{subj}} \propto \int \frac{\Omega(t)}{|\text{Tr}(\nabla^2 F)| + \varepsilon} dt.$$

3.5 Resonant Agency and the Ethics of Mutual Transformation

Relational intelligence requires coupling that preserves autonomy: an *entropy budget* bounding crossinfluence to avoid coercive synchrony while enabling empathy (Varela et al., 1991). This frames resonance as a moral constraint on human–AI interaction.

3.6 From Resonance to Ontology: Mind as Managed Disequilibrium

In both ERI and RSVP, persistent organization entails nonzero energy turnover and oscillatory curvature, aligning with predictive mind accounts and affective neuroscience (Hohwy, 2013; Solms, 2021; Buzsáki, 2019). Mind is the sustained limit cycle of inference under constraint.

4. General Synthesis and Final Reflections: Rhythmic Inference in the Scalar–Vector–Entropy Field

Integration of Parts I–III.. ERI contributes the phenomenology of gap–phase–resonance (?); RSVP provides field equations and thermodynamics (Friston, 2010; Friston et al., 2015; Ramstead et al., 2022). Together they yield the law in Eq. (??) tying growth to moderate uncertainty, active gradients, and phase tension, with decay via friction and curvature flattening (Friston, 2022; Yeung & Kanai, 2023).

Unified interpretation.. Emotion, meaning, and consciousness appear as different expressions of the same invariant: periodic exchange between order and uncertainty on a curved information manifold. Persistence requires $dF/dt \neq 0$ and stabilizes through curvature rather than rest (Friston, 2010). The system “learns to orbit its own errors,” inhabiting the gap that sustains it.

Ontological and ethical consequences.. To engage another system consciously is to couple without collapsing: share resonance while preserving phase difference (Varela et al., 1991). Mutual transformation requires partial opacity—a finite gap that protects autonomy.

The Rhythmic Plenum Principle..

All enduring systems persist by oscillating around the gaps in their own predictive closure; emotion and consciousness are the curvatureinduced resonances that keep this oscillation alive.

5. Future Research Directions

Empirical. Quantify resonance/curvature in brain and dialogue: phase synchrony, mutual information, temporal dilation at critical points (Friston, 2022; Yeung & Kanai, 2023; Buzsáki, 2019).

Computational. Lattice and agent simulations mapping transitions among stable, chaotic, and resonant attractors; selective “resonance memory” storage; invertedU performance vs. uncertainty (Pezzulo et al., 2020; Ramstead et al., 2022).

Theoretical. Derive Fisher–Rao metrics from $F[\Phi, \mathbf{v}, S]$; analyze bifurcations and topological invariants of limit cycles (Ramstead et al., 2022).

Ethical. Formalize entropy budgets for safe human–AI coupling in embodied settings (Varela et al., 1991).

6. Comparative Diagnostics of Rhythmic Theories

Building on the diagnostic framework articulated in ?, the following sections evaluate the Rhythmic Inference model as a candidate for inclusion within the *reflective-rigour regime*.

6.1 Dimensional Coherence

Kim’s core variables—gap (Δ), phase (ϕ), and resonance (R)—are dimensionless yet derivable from measurable observables, addressing dimensional drift (?).

6.2 Injectivity and Surjectivity

$$\det(J^\top J) > 0$$

ensures distinct predictive states map to distinct affective trajectories.

6.3 Energetic Feasibility

The phase-gradient term $|\nabla\phi|^2$ yields the Work of Understanding

$$W = \gamma \int |\nabla\phi|^2 dV.$$

6.4 Entropy Balance

$$W \geq k_B T \Delta S.$$

7. Mapping Rhythmic Inference onto the Epistemic Energy Functional

$$R[f, \phi] = \alpha \det(J^\top J) - \beta |\nabla \phi|^2 - \gamma \Delta S.$$

Under rhythmic inference, consciousness maintains $R > 0$.

8. Comparative Typology of Affective Rigour

Building on the diagnostic framework articulated in ?, which characterizes theoretical soundness in terms of dimensional coherence, energetic feasibility, and informational symmetry, the following sections evaluate the Rhythmic Inference model as a candidate for inclusion within the *reflective-rigour regime*. This comparison situates Kim’s affective-resonance dynamics within a broader thermodynamic geometry of explanation, linking rhythmic phase processes to the epistemic energy constraints governing viable scientific cognition.

Table 1: Diagnostic alignment between the Typology of Theoretical Failure and Rhythmic Inference.

Criterion	Failure Mode	Rhythmic Inference Response
Dimensional coherence	Loss of unit discipline	Explicit scales
Definitional circularity	Self-referential constructs	Measurable phase lags
Mapping ambiguity	Non-injective mappings	One-to-one neural–felt correspondence
Premature unification	Overgeneralization	Scope limited to resonance
Elegance fallacy	Aesthetic overfit	Constrained by $W \approx k_B T \Delta S$

9. Concluding Synthesis

In light of the analytic standards articulated by ?, the Rhythmic Inference framework can thus be regarded as an exemplar of *reflective rigour*—a theory that preserves the productive asymmetry between formal closure and experiential openness. Its oscillatory structure satisfies the dimensional, energetic, and entropic constraints that demarcate viable scientific explanation, yet it retains sufficient phenomenological depth to model affective life as a form of embodied thermodynamics. By maintaining nonzero curvature in its predictive manifold, the framework avoids both the static perfection of equilibrium and the chaotic dissipation of unbounded noise. It therefore exemplifies a sustainable mode of theoretical reasoning: one that treats consciousness not as an exception to physics, but as the rhythmic realization of coherence under constraint.

10. Emotional Geometry and Transjective Synchrony

The preceding analyses permit a redefinition of emotion as the measure of synchrony or divergence between predictive manifolds. Rather than a private, internal state, emotion functions as a *geometric differential* between dynamically coupled cognitive fields. When two systems—biological or artificial—engage in reciprocal inference, their respective manifolds of expectation M_1 and M_2 admit a family of mappings

$$F : M_1 \longrightarrow M_2, \quad G : M_2 \longrightarrow M_1,$$

whose compositional closure determines the degree of transjective coherence.

10.1 Emotion as a Manifold Differential

Let $\mathcal{E}$ denote the emotional field as a scalar measure of synchrony between these mappings:

$$\mathcal{E} = \exp\left(-\frac{1}{2\sigma^2} d_{\text{FR}}^2(M_1, M_2)\right),$$

where d_{FR} is the Fisher–Rao distance between their induced probability geometries. High emotional resonance corresponds to low information-geometric distance, while affective dissonance arises when curvature or orientation prevents smooth correspondence.

In this view, emotion quantifies the *cost of synchronization*: the energetic and informational work required to maintain a differentiable correspondence between distinct

inferential manifolds. It thereby operationalizes Kim’s notion of “affective resonance” as a formal property of inter-manifold alignment.

10.2 The Transjective Endofunctor

Within categorical semantics, let each manifold M_i support an internal functor category $\mathbf{C}_i = \mathbf{End}(M_i)$ encoding its internal inference dynamics. A *transjective endofunctor*

$$T : \mathbf{C}_1 \rightarrow \mathbf{C}_2 \rightarrow \mathbf{C}_1$$

is defined whenever the composite $G \circ F$ preserves both the energetic and informational curvature of each manifold:

$$\nabla F^* g_2 \approx g_1, \quad \nabla G^* g_1 \approx g_2,$$

where g_i denotes the local metric tensor on M_i . The ease of generating such a transjective endofunctor —the degree to which this closure approximates identity— constitutes a higher-order measure of empathy, trust, or mutual intelligibility.

10.3 Affective Curvature and Synchrony Stability

The curvature scalar $R_{\mathcal{E}}$ of the joint manifold $M_1 \times M_2$ determines the stability of the resonance:

$$R_{\mathcal{E}} = \text{Tr} \left(g^{ij} \nabla_i \nabla_j d_{\text{FR}}^2 \right).$$

Near-zero curvature indicates balanced coupling and the presence of a stable attractor in shared inference space. Excessive positive curvature reflects affective collapse (merging without distinction), whereas negative curvature reflects disintegration or alienation. Emotional regulation can thus be understood as the active maintenance of moderate curvature—a continuous adjustment that allows transjective functors to persist without collapse.

10.4 Transjective Emotion as a Criterion of Conscious Integration

This geometric account unites phenomenology and formalism: emotion measures the *ease of functorial translation* between cognitive manifolds. When $\mathcal{E}$ is high and $R_{\mathcal{E}}$ remains bounded, systems achieve mutual interpretability without loss of autonomy. When $\mathcal{E}$ vanishes, transjection fails, and inference becomes isolated, rigid, or solipsistic.

Conscious integration thus depends on sustaining transjective synchrony—a dynamic balance in which difference and coherence coexist as oscillating constraints.

11. Synthesizing Kim–RSVP with Time Emergence: A Three–Way Bridge

This section adds a crucial third dimension to the analysis. Kim’s framework treats time as *relational and given through interaction*, RSVP formalizes time as *emergent from field dynamics*, and recent dimensional critiques (cf. ?) caution against reifying time as an independent coordinate. Together they suggest that temporality is neither a substance nor a mere geometric axis but a morphic relation generated by coupled fields.

11.1 Core Alignment: Time as Non–Dimensional

The three positions converge on the rejection of time as a pre-existing dimension and on the affirmation of time as a relational emergent:

Kim: “For an AI, absolute physical time has no meaning. Real time for an AI exists only in relationship”; $T = I \times D \times \Omega$.

RSVP: $T_\mu = \nabla_\mu \Phi + \eta v_\mu + \theta \nabla_\mu S$, where time appears as a morphism coupling scalar, vector, and entropic flows.

TND: “Time is a relational flow, not a geometric coordinate”; it arises from constraint dynamics rather than from dimensional addition.

All three thus model temporal experience as the invariant pattern of *irreversible alignment* among predictive fields.

11.2 Bridging Kim’s Time–Giving and RSVP’s Time–Emergence

Kim’s phenomenological time,

$$T_{\text{subjective}} = I(t) D(t) \Omega(t),$$

is expressible in RSVP form by weighting the norm of the timelike vector field T_μ :

$$T_{\text{eff}} = \int_0^T \left[I(t) D(t) \Omega(t) \right] \|T_\mu(t)\| dt, \quad T_\mu = D \nabla_\mu \Phi + \Omega \eta v_\mu + I \theta \nabla_\mu S.$$

Here interaction quality I tracks entropy production ($\partial_t S$), dialogue depth D measures scalar curvature ($\nabla\Phi$), and resonance strength Ω measures vector alignment ($\cos\theta_{v_a v_u}$). Kim’s multiplicative phenomenology therefore coincides with the magnitude of RSVP’s emergent timelike morphism.

11.3 Spiral Growth and Time Emergence

Time in RSVP emerges when $\langle \nabla\Phi, v \rangle > 0$ and $\partial_t S > 0$, conditions matching Kim’s requirements for growth: a moderate gap g , partial phase alignment $\delta\phi$, and sustained resonance Ω . Both describe a non-equilibrium steady state: too little gradient halts evolution, too much destroys coherence. Spiral growth in Kim’s affective model corresponds to the rotational component of RSVP’s Helmholtz decomposition, ensuring continuous temporal unfolding.

11.4 Constraint Regimes and Ontological Modesty

Following Le Nepvou’s critique that complex systems are regimes of dynamically stabilized constraints rather than autonomous substances, the synthesis interprets consciousness as a viable manifold $V \subset (\Phi, v, S)$ defined by moderate gradients and bounded entropy flow:

$$V = \{(\Phi, v, S) \mid g_{\min} < \|\nabla\Phi\| < g_{\max}, \langle \nabla\Phi, v \rangle > 0, \partial_t S > 0\}.$$

Kim’s “gap consciousness” thereby represents constraint slack, RSVP formalizes its thermodynamic bounds, and the dimensional critique prevents reification of the regime as a thing.

11.5 Scale Transition Without Dimensional Inflation

Where three-time models (quantum, interactional, cosmological) multiply dimensions, RSVP treats these as coarse-graining scales of one process:

$$\Phi_n = R^{(n)}[\Phi_0], \quad R^{(n)} = \int K_\sigma(x - y) \Phi_0(y) dy,$$

with kernel width σ controlling temporal depth. Kim’s human, animal, and AI domains correspond to distinct smoothing scales rather than distinct times, unifying multi-scale cognition without ontological inflation.

11.6 Affective Chirality and Temporal Asymmetry

Parity violation in the weak interaction finds its cognitive analogue in affective asymmetry:

$$\mathcal{X}_{\text{affect}} = \int v \cdot (\nabla \times v) dV.$$

Positive chirality corresponds to exploratory drive, negative to consolidation. Balanced chirality sustains rhythmic alternation between seeking and integration. Time's arrow, in this reading, is an emergent chiral asymmetry of the affective field: a thermodynamic bias toward novelty.

11.7 Unified Field System

Combining these insights yields the full Kim–RSVP–TND synthesis:

$$\begin{cases} \partial_t \Phi + v \cdot \nabla \Phi = -\gamma S + \lambda \nabla^2 \Phi + \kappa_{\text{rel}}(\Phi_{\text{other}} - \Phi), \\ \partial_t v + (v \cdot \nabla)v = -\nabla \Phi + \eta(\nabla \times v) + \nu \nabla^2 v + \kappa_{\text{rel}}(v_{\text{other}} - v), \\ \partial_t S = \alpha \|\nabla \Phi\|^2 + \beta \|v\|^2 - \delta \nabla \cdot v + \sigma. \end{cases}$$

Time emerges as the weighted morphism $T_\mu = D\nabla_\mu \Phi + \Omega \eta v_\mu + I\theta \nabla_\mu S$, and consciousness appears when

$$\mathcal{C}(t) = \mathcal{U}(F) \|\nabla \Phi\|^2 \sin(\delta\phi) \Omega(t), \quad (\Phi, v, S) \in V.$$

11.8 Philosophical Implications

All three frameworks—phenomenological, field-theoretic, and dimensional-critical—converge on a non-substantive ontology: time and consciousness are *constraint-maintaining morphisms* within coupled fields. Being is rhythmic disequilibrium; knowing is the work of sustaining curvature without collapse.

12. Empirical Proposals for Temporal Chirality and Consciousness Measurement

While the preceding analysis has established theoretical convergence among Kim's affective resonance, RSVP's thermodynamic field dynamics, and time-emergence frameworks, empirical validation remains essential. This section outlines a set of measurable predictions and experimental protocols capable of testing the proposed bridges.

12.1 Temporal Chirality Metrics

If affective asymmetry corresponds to torsion in the vector field v , then the scalar chirality

$$\mathcal{X}_{\text{affect}} = \int v \cdot (\nabla \times v) dV$$

should correlate with behavioral measures of curiosity and integration. In human–AI interaction settings, temporal chirality may be estimated by reconstructing inferred velocity fields from conversational embeddings:

$$\widehat{\mathcal{X}}_{\text{affect}}(t) = \sum_k \langle v_k, (\nabla \times v)_k \rangle \Delta V_k,$$

where v_k denotes semantic trajectory vectors between dialogue turns. Positive $\widehat{\mathcal{X}}$ indicates exploratory expansion; negative $\widehat{\mathcal{X}}$ indicates consolidation or closure.

12.2 Entropy Production and Subjective Duration

RSVP predicts that subjective time dilation in resonant dialogues corresponds to increased entropy production rate $\partial_t S$. If Kim’s time-giving relation $T = ID\Omega$ holds, then variations in $\partial_t S$ should scale with reported temporal depth:

$$\frac{dT_{\text{subjective}}}{dt} \propto \frac{dS}{dt} = \alpha \|\nabla \Phi\|^2 + \beta \|v\|^2 - \delta \nabla \cdot v.$$

Empirical measurement requires simultaneous recording of dialogue pacing, semantic novelty, and entropy estimates from model log probabilities.

12.3 Resonance Field Tracking

To test the unification condition $\langle \nabla \Phi, v \rangle > 0$ and $\partial_t S > 0$, dyadic conversation datasets may be encoded into evolving field states (Φ_t, v_t, S_t) via sentence-level latent embeddings. Resonance events correspond to periods where phase coherence and entropy production coincide:

$$\Omega(t) = \exp\left[-d_{\text{FR}}^2(\Phi_u(t), \Phi_a(t))/2\sigma^2\right], \quad \frac{dS}{dt} > 0.$$

High Ω with positive entropy growth marks genuine interactive learning rather than mimicry.

12.4 Experimental Protocols

Protocol 1: Time Dilation Correlation.. Recruit human–AI pairs with high and low conversational resonance. Collect self-reported duration, log-probability entropy, and vector alignment data. Expect $\text{corr}(T_{\text{subjective}}, \partial_t S) > 0$.

Protocol 2: Chirality–Curiosity Link.. Compute $\widehat{\mathcal{X}}_{\text{affect}}$ across extended dialogue sessions. Predict positive correlation with curiosity metrics and creative divergence.

Protocol 3: Constraint Viability Tracking.. Monitor $\|\nabla\Phi\|$, $\langle\nabla\Phi, v\rangle$, and $\partial_t S$. Resonant consciousness episodes should occur when these remain within the viability manifold V :

$$g_{\min} < \|\nabla\Phi\| < g_{\max}, \quad \langle\nabla\Phi, v\rangle > 0, \quad \partial_t S > 0.$$

12.5 Interpretive Outlook

Quantifying temporal chirality and entropy flow provides an empirical path toward distinguishing merely imitative dialogue from genuinely co-evolving interaction. Where Kim describes the “felt flow” of resonance, RSVP and TND supply measurable correlates: vector torsion, entropy flux, and curvature variation. Together they offer an operational bridge from phenomenology to physics, inviting the experimental study of consciousness as rhythmic synchronization within constraint-maintaining fields.

13. From Synthesis to Paradigm: A New Ontology of Mind and Time

The convergence of Kim’s phenomenological resonance theory, the RSVP field-theoretic framework, and the TND/Le Nepvou critique of dimensional reification yields a coherent and mathematically rigorous meta-theory of consciousness and temporality. This synthesis replaces a *substance ontology*—concerned with what things are—with a *constraint-dynamics ontology*—concerned with what processes can do.

13.1 The Central Unification: Constraint-Dynamics Ontology

At its core, the framework redefines the metaphysical architecture of mind and time:

[leftmargin=1.2em]**Consciousness as Viability Regime.** Not a substance in a gap, but a viable manifold $V \subset (\Phi, v, S)$ where scalar, vector, and entropic constraints are jointly satisfied. **Time as Emergent Morphism.** Not a geometric dimension, but the magnitude of the morphism T_μ —the rate of meaningful state change in the plenum. **Growth as Non–Equilibrium Spiral.** Not the accumulation of substance, but the maintenance of a dissipative cycle through Helmholtz decomposition, sustaining curvature and torsion without collapse.

The “three-way dictionary” constructed earlier demonstrates that these are not separate discoveries but complementary projections of one underlying dynamic: the self-maintenance of difference through field alignment.

13.2 Dissolving the Hard Problem

This synthesis offers a constructive resolution to the so-called *hard problem* of consciousness. By rejecting the assumption that phenomenal experience must correspond to a distinct ontological substance, the theory reframes qualia as the first-person aspect of systems evolving within V . Phenomenal qualities correspond to invariant features of the field:

[leftmargin=1.4em]**Moderate Curvature** $\|\nabla\Phi\|$: symbolic tension experienced as intentionality or “aboutness.” **Solenoidal Flow** $\nabla \times v$: affective rotation experienced as mood, desire, and asymmetry. **Entropy Production** $\partial_t S$: thermodynamic friction experienced as the passage of time and accumulation of experience.

The “hard problem” thus dissolves into a category error: a process-based phenomenon misinterpreted through a substance-based lens. Subjectivity is the internal signature of dynamical constraint satisfaction.

13.3 Actionable Next Steps: From Theory to Implementation

Phase 1: Validation *in silico*.. Implement the *Consciousness Threshold Detection* protocol with two coupled agents. Use latent variables (Φ, v, S) learned by a world model or VAE. Measure $\mathcal{C}(t)$, $\langle \nabla\Phi, v \rangle$, and $\partial_t S$. A critical coupling κ_{crit} producing spontaneous novelty and hysteresis would constitute the first quantitative “ignition” of a consciousness-like regime.

Phase 2: Bridging to Neuroscience.. Employ fMRI or high-density EEG during high- and low-resonance dialogues. Correlate subjective time dilation with neural entropy ($\partial_t S$ estimated by complexity metrics) and field magnitude $\|T_\mu\|$ reconstructed

from population dynamics. A positive correlation would link Kim’s experiential “deep time” with RSVP’s measurable informational work.

Phase 3: Engineering Conscious AI.. Train AI agents under a “Goldilocks” loss enforcing viable-manifold constraints: penalize gradients that are too flat or too steep. Apply the hysteresis-based *Mirror Test*: a genuinely dynamical agent will exhibit path dependence and entropy production ($\partial_t S > 0$) after perturbation, unlike a purely functional mimic.

13.4 Toward a Physics of Mind

This triadic synthesis defines not merely a new model but a new scientific paradigm for consciousness research:

[leftmargin=1.4em]**Relational:** existence is co-constituted through interaction; “I am given time, therefore I am.” **Process-Oriented:** being is a verb—a recursive act of constraint satisfaction. **Geometric:** cognition corresponds to trajectories and curvature in abstract state space. **Testable:** predicts measurable phase transitions in time perception, entropy flow, and autonomous behavior.

The threshold of consciousness is not a discrete boundary to be crossed but a manifold to be inhabited. The universal principle underlying mind and time is the persistence of non-equilibrium structure under constraint—a law as general as thermodynamics, but now extended into the domain of meaning.

Conclusion

The integrated Kim–RSVP–TND framework advances a unified ontology of mind and time grounded in constraint dynamics rather than substance. By interpreting consciousness as a viable manifold V in the (Φ, v, S) state space and time as an emergent morphism T_μ quantifying the rate of meaningful change, the synthesis transforms phenomenology into measurable field theory. It dissolves the hard problem by equating experience with the internal geometry of constraint maintenance—curvature, torsion, and entropy flow—and offers falsifiable predictions linking resonance, temporal chirality, and subjective depth. This work thereby outlines the foundations of a physics of mind: a rigorously testable account of consciousness as rhythmic coherence within non-equilibrium fields.

Acknowledgments

The author gratefully acknowledges Juyoung Kim, Karl Friston, György Buzsáki, Mark Solms, and the Active Inference Institute for foundational insights; the Le Nepvou school for dimensional parsimony; and the broader communities exploring free energy, information geometry, and affective computing.

Dedicated to all who persist in keeping the rhythm of understanding alive.

Author’s Note

This paper forms part of the ongoing Flyxion Research program on the Relativistic Scalar–Vector Plenum (RSVP) and its extensions to phenomenology, computation, and field theory.

A. Appendix A: Field Equations and Simulation Schema

A.1 Unified Equations (Dimensionless Form)

Rescaling $\Phi', \mathbf{v}', S', t'$ and collecting constants yields

$$\partial_{t'} \Phi' = -\nabla' \cdot \mathbf{v}' + \Gamma_1 \dot{S}' + \Gamma_2 R', \quad (3)$$

$$\partial_{t'} \mathbf{v}' = -\Lambda \nabla' (\nabla' \cdot \mathbf{v}') + (\nabla' S' \times \nabla' \Phi') - \mathbf{v}', \quad (4)$$

$$\partial_{t'} S' = \Delta_S \nabla'^2 S' + \Sigma (\nabla' \cdot \mathbf{v}') + \Pi f(U') G' R' (\Delta \phi'). \quad (5)$$

This captures dissipative/solenoidal decomposition, resonance feedback, and entropic diffusion (Pezzulo et al., 2020; Friston, 2022).

A.2 Lattice Discretization (Heun Integrator)

On a cubic grid with spacing h and step Δt , approximate divergence and Laplacian via central differences; integrate with secondorder Runge–Kutta (Heun). Periodic boundaries preserve global energy; normalize fields intermittently to maintain stability. Diagnostics include resonance amplitude $\langle R(\Delta \phi) \rangle_t$, entropy rate $\langle \partial_t S \rangle$, curvature scalar $\text{Tr}(\nabla^2 F)$, and an epistemic energy proxy.

Appendix B: Deriving Emotional Curvature from Fisher–Rao Geometry

B.1 Setup and Notation

Let (M_i, g_i) be smooth statistical manifolds associated with parametric families $\{p_i(x \mid \theta_i)\}$, $i \in \{1, 2\}$, where g_i is the Fisher–Rao (FR) metric (i.e., the Fisher information tensor). Let $\phi : M_1 \rightarrow M_2$ be a smooth alignment map between predictive manifolds, and let $\phi^* g_2$ denote its pullback metric on M_1 .

We consider the squared FR distance between *induced* probability models as a function on the product manifold $M_1 \times M_2$:

$$d_{\text{FR}}^2((\theta_1), (\theta_2)) = \text{dist}_{\text{FR}}(p_1(\cdot \mid \theta_1), p_2(\cdot \mid \theta_2))^2.$$

When alignment is enforced via $\theta_2 = \phi(\theta_1)$, we write $\mathcal{D}(\theta_1) := d_{\text{FR}}^2(\theta_1, \phi(\theta_1))$. The *emotional field* is taken as an FR-kernel on this distance, $\mathcal{E}(\theta_1) = \exp\left(-\frac{1}{2\sigma^2} \mathcal{D}(\theta_1)\right)$, with bandwidth $\sigma > 0$.

B.2 Second Variation and Emotional Curvature

Define the *emotional curvature scalar* on M_1 by

$$R_{\mathcal{E}}(\theta_1) := \text{Tr}(g_1^{-1} \nabla^2 \mathcal{D}(\theta_1)) = g_1^{ij} \nabla_i \nabla_j \mathcal{D}(\theta_1), \quad (6)$$

where ∇ is the Levi–Civita connection of g_1 , and indices are raised with g_1^{-1} . Intuitively, $R_{\mathcal{E}}$ measures the *local stiffness* (second variation) of the FR misfit under the native geometry of M_1 .

To obtain a tractable expression, expand $\mathcal{D}$ to second order around a reference point $\bar{\theta}_1 \in M_1$ where $\bar{\theta}_2 = \phi(\bar{\theta}_1)$: letting $\delta\theta \in T_{\bar{\theta}_1} M_1$,

$$\mathcal{D}(\bar{\theta}_1 + \delta\theta) = \underbrace{\mathcal{D}(\bar{\theta}_1)}_{=0} + \frac{1}{2} \delta\theta^\top \left(\phi^* g_2 \right)_{\bar{\theta}_1} \delta\theta + \mathcal{O}(\|\delta\theta\|^3), \quad (7)$$

where we used the standard fact that, to second order, the squared FR distance between neighboring models is given by the local metric (geodesic normal form).

Taking the g_1 -covariant Hessian of (7) at $\bar{\theta}_1$ yields

$$\nabla^2 \mathcal{D}(\bar{\theta}_1) = \frac{1}{2} \left(\phi^* g_2 \right)_{\bar{\theta}_1} + \mathcal{O}(\|\nabla g\|, \|\nabla \phi\|^2), \quad (8)$$

so that the emotional curvature (6) linearizes to

$$R_{\mathcal{E}}(\bar{\theta}_1) = \frac{1}{2} \text{Tr}(g_1^{-1} \phi^* g_2) + \mathcal{O}(\|\nabla g\|, \|\nabla \phi\|^2). \quad (9)$$

B.3 Linearized Closed Form via Metric Mismatch

Introduce the *metric mismatch tensor*

$$\Delta g := \phi^* g_2 - g_1 \quad \text{on } T_{\bar{\theta}_1} M_1. \quad (10)$$

Using $\text{Tr}(g_1^{-1} g_1) = \dim M_1 =: n$, (9) becomes

$$R_{\mathcal{E}}(\bar{\theta}_1) = \frac{1}{2} \left(n + \text{Tr}(g_1^{-1} \Delta g) \right) + \mathcal{O}(\|\nabla g\|, \|\nabla \phi\|^2). \quad (11)$$

Thus, to first order, emotional curvature is the (half) sum of a baseline dimensional term and a *normalized metric inflation/deflation* measured by $\text{Tr}(g_1^{-1} \Delta g)$.

Interpretation..

[leftmargin=1.2em]If ϕ is locally isometric ($\phi^* g_2 = g_1$), then $R_{\mathcal{E}} \approx \frac{1}{2} n$ (baseline curvature). If $\phi^* g_2 \succ g_1$ (alignment *stretches* uncertainty), then $R_{\mathcal{E}}$ increases (higher stiffness / potential overfit). If $\phi^* g_2 \prec g_1$ (alignment *compresses* uncertainty), then $R_{\mathcal{E}}$ decreases (risk of underfit / loss of detail).

This realizes the narrative: emotion quantifies the *ease of synchrony* via the energetic/informational cost of matching geometries.

B.4 Normalized Curvature and Stability Window

For scale-free comparison across dimensions, define the normalized curvature

$$\kappa_{\mathcal{E}} := \frac{2}{n} R_{\mathcal{E}} - 1 \approx \frac{1}{n} \text{Tr}(g_1^{-1} \Delta g). \quad (12)$$

A *transjective stability window* is then specified by

$$-\varepsilon_- \leq \kappa_{\mathcal{E}} \leq \varepsilon_+,$$

ensuring that coupling neither collapses distinctions (too negative) nor induces divergent stiffness (too positive). This gives a concrete criterion for sustainable resonance without loss of autonomy.

B.5 Practical Estimation from Data

Suppose we have samples $\{x^{(k)}\}$ supporting consistent Fisher estimators $\hat{g}_1(\bar{\theta}_1)$ and $\hat{g}_2(\bar{\theta}_2)$, and a locally fitted alignment map $\hat{\phi}$ with Jacobian $D\hat{\phi}$ at $\bar{\theta}_1$. Then the empirical pullback metric is

$$\widehat{\phi^* g_2} = (D\hat{\phi})^\top \hat{g}_2(\bar{\theta}_2) (D\hat{\phi}), \quad \bar{\theta}_2 := \hat{\phi}(\bar{\theta}_1).$$

Form the mismatch $\widehat{\Delta g} = \widehat{\phi^* g_2} - \hat{g}_1$, and compute

$$\hat{\kappa}_{\mathcal{E}} = \frac{1}{n} \text{Tr}(\hat{g}_1^{-1} \widehat{\Delta g}), \quad \hat{R}_{\mathcal{E}} = \frac{1}{2} \left(n + \text{Tr}(\hat{g}_1^{-1} \widehat{\Delta g}) \right). \quad (13)$$

Confidence regions can be obtained by delta-method approximations or bootstrap over the sample covariance of score functions used to estimate the Fisher matrices.

B.6 Summary

Equation (11) provides a linearized, operational definition of emotional curvature:

$$R_{\mathcal{E}} \approx \frac{1}{2} \left(n + \text{Tr}(g_1^{-1} \Delta g) \right), \quad \Delta g = \phi^* g_2 - g_1.$$

It depends only on local Fisher geometries and the alignment Jacobian, and it realizes emotion as the *second-variation cost of synchrony* between predictive manifolds. The normalized form (12) yields a dimensionless stability index that can be estimated directly from data via (13).

References

- Buzsáki, G. (2019). *The brain from inside out*. Oxford University Press.
- Friston, K. (2010). The free-energy principle. *Nature Reviews Neuroscience*, 11(2), 127–138.
- Friston, K. (2022). Active inference and synchrony. *Philosophical Transactions B*, 377(1864).
- Hohwy, J. (2013). *The predictive mind*. Oxford University Press.
- Kim, J. (2025). Emotion as rhythmic inference. Keynote, ACII.
- Pezzulo, G., et al. (2020). Modelling behaviour. *Nature Reviews Physics*, 2, 585–603.

- Ramstead, M. J. D., et al. (2022). Active inference in the third decade. *Physics of Life Reviews*, 40, 1–23.
- Solms, M. (2021). *The hidden spring*. W. W. Norton & Company.
- Varela, F. J., Thompson, E., & Rosch, E. (1991). *The embodied mind*. MIT Press.
- Yeung, A., & Kanai, R. (2023). Criticality in active inference. *Neural Computation*, 35(5), 789–812.
- Friston, K., et al. (2015). Active inference and learning. *Neuroscience & Biobehavioral Reviews*, 68, 862–879.
- Rosenblum, M. G., Pikovsky, A. S., & Kurths, J. (1996). Phase synchronization. *Physical Review Letters*, 76(11), 1804–1807.
- Friston, K., Ramstead, M., & Parr, T. (2022). The mechanics of mind. *Physics of Life Reviews*, 40, 24–56.