

Editorial Completion Plan

The Ecology of Distinctions

From Theoretical Completeness to Pedagogical Completeness

Contents

Preface to the Plan	2
1 Current State Assessment	3
1.1 Manuscript Census	3
1.2 Reading the Census	4
2 Priority A — Chapter Introductions	5
2.1 The Four-Question Template	5
2.2 Per-Chapter Specification	5
2.3 Special Handling for Chapters 16–29	7
3 Priority B — Extended Examples	8
3.1 The Ten Recommended Examples and Their Homes	8
3.2 Coverage Beyond the Ten Named Examples	9
4 Priority C — Literature Integration	10
4.1 Assignment of Literatures to Chapters	10
4.2 Required Structure of Each Comparative Discussion	11
5 Priority D — Realization Chapters: “Why This Realization Matters”	12
5.1 The Genuine-Instance Test	12
5.2 Specification for the Five Named Chapters	12
5.3 Specification for the Remaining Nine Chapters	13
6 Priority E — Synthesis Expansion (Chapter 30)	15
6.1 Current Coverage	15
6.2 Seven Content Areas	15
6.3 Sequencing Within Priority E	16
7 Priority F — Final Chapter Expansion (Chapter 31)	17
7.1 Current Coverage	17
7.2 Seven Topics, Each as a Comparative Argument	17
7.3 Tone Requirement	18
8 Priority G — Scholarly Apparatus (Appendices)	19
8.1 Appendix A: Mathematical Prerequisites → Compact Handbook	19
8.2 Appendix B: Computational Tools → Implementation Notes and Formal Semantics	19
8.3 Appendix C: Biological Background → Biological Realizations of Repair and Re- generation	20
8.4 Appendix D: Proof Dependency Tables → Complete Dependency Atlas	20

9	Priority H — Indexing	21
9.1	Core Index Terms and Required Sub-Entries	21
9.2	Additional Terms Warranting Index Entries	22
10	Recommended Execution Order	23
10.1	Dependency-Based Sequencing	23
10.2	Estimated Total Addition	24
	Final Goal	25

Preface to the Plan

The manuscript, in its current state, comprises ten parts and thirty-five chapters (thirty-one numbered chapters plus four appendices), totaling approximately 13,250 lines of LuaLaTeX source. The foundational chain

Distinction → *Information* → *Entropy* → *History* → *Recoverability* → *Repair* → *Regeneration* →
Reachability → *Admissibility* → *Generativity*

has been formalized end to end: every chapter contains theorems with complete proofs, every cross-reference resolves, and the dependency structure connecting Parts I–X is explicit and machine-checked. In this sense the manuscript’s *mathematical* architecture is complete.

What remains is a different kind of completeness. A reader encountering Chapter 16 today is handed the RSVP field equations within the first two pages, with no extended discussion of why a scalar-vector-entropy triple is the *right* minimal field content, what alternatives were rejected and why, or how a reader without a physics background should approach the material. The same pattern recurs at every “realization” chapter: the abstract machinery of Parts I–III is sound, but the bridge into each concrete domain is short.

This document is not a request for new theorems. It is a specification — chapter by chapter, priority by priority — for the expository, comparative, and apparatus work needed to turn a correct manuscript into a readable one. Each priority section below specifies not only *what* should be added but *where*, *how much*, and *in what order*, so that the plan itself can be executed incrementally without re-deriving scope at each session.

How to read this document

Each priority (A through H) is self-contained and can be executed independently of the others, but Section 10 gives a recommended execution order based on dependency and leverage: some priorities (in particular Priority A, chapter introductions) make every other priority easier to execute afterward, because they establish the narrative voice that extended examples and literature discussions should match.

Throughout, page estimates assume the manuscript’s current typesetting (11pt, LuaLaTeX, standard book margins, the existing `tcolorbox`-based theorem environments) and are based on the current line-count census in Table 1.1.

Chapter 1

Current State Assessment

1.1 Manuscript Census

Table 1.1 gives the current state of every chapter, including its part, approximate current length, and a status flag for each of the eight priorities defined in this plan. A checkmark indicates the priority is substantially addressed already; a tilde indicates partial coverage; a cross indicates the priority has not yet been addressed for that chapter.

#	Chapter	Lines	A	B	C	D	E	F	G	H
1	The Problem of Difference	407	~	×	~	—	—	—	—	~
2	Distinction and Information	215	×	×	~	—	—	—	—	×
3	Distinction and Entropy	252	×	×	~	—	—	—	—	×
4	History Before State	233	×	×	×	—	—	—	—	×
5	Recoverability	234	~	~	×	—	—	—	—	~
6	Memory and Reconstruction	284	×	×	×	—	—	—	—	×
7	Repair as a Fundamental Op.	162	×	×	×	—	—	—	—	×
8	The Geometry of Failure	172	×	×	~	—	—	—	—	×
9	Repair and Intelligence	180	×	×	~	—	—	—	—	×
10	Beyond Continuation	323	~	~	×	—	—	—	—	×
11	Regenerative Systems	358	~	~	×	—	—	—	—	×
12	Distinction Ecology	369	~	~	×	—	—	—	—	~
13	Reachability	584	~	~	×	—	—	—	—	~
14	Admissibility	553	~	~	×	—	—	—	—	~
15	Geometry of Admissible Futures	159	×	×	×	—	—	—	—	×
16	RSVP	583	×	×	×	×	—	—	—	×
17	Gravity as Distinction Dynamics	499	×	×	×	×	—	—	—	×
18	Expyrotic Cosmology	428	×	×	×	×	—	—	—	×
19	Cosmological Completion	394	×	×	×	×	—	—	—	×
20	Semantic Geometry	687	×	~	×	×	—	—	—	~
21	Consciousness	466	×	×	×	×	—	—	—	×
22	Preference Fields	442	×	×	×	×	—	—	—	×

#	Chapter	Lines	A	B	C	D	E	F	G	H
23	Flow Computing	323	×	~	×	×	—	—	—	~
24	Spherepop	392	×	~	×	×	—	—	—	~
25	HYDRA	276	×	×	×	×	—	—	—	×
26	TARTAN	386	×	~	×	×	—	—	—	~
27	Fiscal Reachability	366	×	~	×	×	—	—	—	~
28	Governance as Future Pres.	337	×	~	×	×	—	—	—	~
29	Science as Regenerative System	423	×	~	×	×	—	—	—	~
30	The Ecology of Distinctions	826	~	×	×	—	~	—	—	~
31	The Preservation of Possibility	735	~	×	×	—	—	~	—	~
A	Mathematical Prerequisites	191	—	—	—	—	—	—	~	—
B	Computational Tools	148	—	—	—	—	—	—	~	—
C	Biological Background	137	—	—	—	—	—	—	~	—
D	Proof Dependency Tables	253	—	—	—	—	—	—	~	—

Table 1.1: Chapter-by-chapter status against the eight editorial priorities. A=Introductions, B=Examples, C=Literature, D=Realization framing (Parts V–IX only), E=Synthesis expansion (Ch. 30 only), F=Final chapter expansion (Ch. 31 only), G=Apparatus (appendices only), H=Indexing.

1.2 Reading the Census

Three patterns are visible in Table 1.1.

First, Priority A (chapter introductions) is at best partially addressed anywhere in the manuscript, and entirely absent in Parts III through IX (Chapters 7–29). Every chapter opens with an epigraph and, where added in recent sessions, an objectives box, but no chapter currently contains the three-to-six pages of motivating prose specified in Priority A below.

Second, the realization chapters (16–29, spanning Physical, Cognitive, Computational, and Social Realizations) are simultaneously the least introduced, the least exemplified, and the least explicitly connected back to the abstract theory. This is the leverage point: these fourteen chapters are where a reader is most likely to either become convinced the framework is doing real work, or conclude it is relabeling existing ideas. Priorities A, B, and D are jointly most urgent here.

Third, indexing (Priority H) is partial in exactly the chapters that already received attention in recent sessions (5, 12–14, 20, 23–24, 26–29) and absent everywhere else, confirming that index entries have so far been added opportunistically rather than systematically. Priority H requires a single dedicated pass over the whole document rather than incremental chapter-by-chapter work.

Chapter 2

Priority A — Chapter Introductions

Priority A: Scope

Target: Every one of the 31 numbered chapters.

Length: 3–6 pages of conceptual exposition per chapter, inserted between the epigraph/objectives block and the first formal definition.

Estimated total addition: 31 chapters $\times$ 4.5 pages average $\approx$ 140 pages.

Most urgent subset: Chapters 16–29 (zero current coverage).

2.1 The Four-Question Template

Every chapter introduction should answer, in prose, the following four questions, in this order. The template is deliberately uniform across all 31 chapters so that a reader who has internalized it in Chapter 1 can navigate Chapter 25 the same way.

- Q1. What problem is being solved?** State the specific question the chapter answers, in non-technical language, before any notation appears. For Chapter 16 (RSVP), this is: *what is the minimal physical field content needed for a universe whose fundamental quantity is distinguishability rather than position or momentum?*
- Q2. Why have previous approaches been insufficient?** Identify the specific limitation of the field’s standard treatment that motivates a reformulation. This is where Priority C (literature integration) and Priority A overlap: the introduction names the comparison; the literature section develops it.
- Q3. Why does the proposed framework emerge naturally from the previous chapter?** This is the continuity requirement: every chapter introduction should contain at least one explicit backward-pointing sentence (e.g., “Chapter 15 established that admissible futures form a manifold $\mathcal{A}(x, t)$; this chapter asks what physical field realizes that manifold”) so that the book reads as a single argument rather than 31 independent essays.
- Q4. What should the reader expect to learn?** A short, concrete preview — not the objectives box restated, but a narrative compression of it (“by the end of this chapter, gravity will appear not as a fundamental force but as the gradient of a recoverability field”).

2.2 Per-Chapter Specification

Table 2.1 gives, for each chapter, the specific Q2 comparison target (the “previous approach” the introduction should position against) and the specific Q3 backward link (the prior chapter or

theorem the new material should be shown to emerge from). These are not optional flourishes: Q2 and Q3 are the two questions most likely to be skipped under time pressure, and they are the two that do the most work in making the manuscript feel like a single argument rather than a sequence of topics.

#	Chapter	Q2: Comparison Target	Q3: Backward Link
1	Problem of Difference	Object-first metaphysics (substance ontology, Aristotelian categories)	— (opening chapter; link forward instead, to Ch. 2)
2	Distinction & Information	Shannon information as the primitive (vs. distinction as prior to it)	Axiom of Distinction (Ch. 1)
3	Distinction & Entropy	Boltzmann/Gibbs entropy as physically primitive	First Distinction Theorem (Ch. 1–2)
4	History Before State	State-space dynamics (physics, CS automata theory)	Distinction–Entropy Duality (Ch. 3)
5	Recoverability	Classical information recovery / error correction as purely syntactic	Law of Historical Compression (Ch. 4)
6	Memory & Reconstruction	Memory as storage (vs. memory as preserved recoverability)	Law of Recoverability (Ch. 5)
7	Repair as Fundamental Op.	Optimization as the universal corrective process	Reconstruction Theorem (Ch. 6)
8	Geometry of Failure	Error/anomaly as a scalar quantity (vs. a geometric object)	Repair Existence Theorem (Ch. 7)
9	Repair & Intelligence	Capability-centric definitions of intelligence (benchmarks, task performance)	Ontology Revision Theorem (Ch. 8)
10	Beyond Continuation	Continuation/survival as the success criterion for systems	Intelligence–Repair Equivalence (Ch. 9)
11	Regenerative Systems	Homeostasis as the biological success criterion	Generativity vs. continuation distinction (Ch. 10)
12	Distinction Ecology	Resource-ecology models (energy/nutrient flow)	Principle of Regeneration (Ch. 11)
13	Reachability	Reachability in control theory (state-space, not distinction-space)	Distinction Ecology results (Ch. 12)
14	Admissibility	Constraint satisfaction / feasibility (vs. future-preserving feasibility)	Future Volume Theorem (Ch. 13)
15	Geometry of Admissible Futures	Phase-space geometry without a future-preservation metric	Admissibility manifold $\mathcal{A}(x, t)$ (Ch. 14)
16	RSVP	Standard Model field content / GR’s stress-energy tensor	Reachability geometry of Part V
17	Gravity as Distinction Dyn.	General relativity’s geometric-mass postulate	RSVP capacity field (Ch. 16)
18	Expyrotic Cosmology	Inflationary cosmology’s horizon problem solution	Gravity Realization Theorem (Ch. 17)
19	Cosmological Completion	Heat-death / maximum-entropy endpoints	Reintegration operator (Ch. 18)

#	Chapter	Q2: Comparison Target	Q3: Backward Link
20	Semantic Geometry	Distributional/vector-space semantics (word embeddings)	Admissibility geometry (Part V)
21	Consciousness	Integrated Information Theory, Global Workspace Theory	Recursive self-model machinery
22	Preference Fields	Utility theory / revealed preference	Consciousness's self-model (Ch. 21)
23	Flow Computing	Von Neumann architecture (state-based computation)	Preference flow fields (Ch. 22)
24	Spherepop	Lambda calculus / standard operational semantics	Flow Computing primitives (Ch. 23)
25	HYDRA	Modular cognitive architectures (vs. repair-coordinated ones)	Spherepop event calculus (Ch. 24)
26	TARTAN	Symbolic vs. connectionist architecture debates	HYDRA's repair coordination (Ch. 25)
27	Fiscal Reachability	Standard public-finance accounting frameworks	TARTAN's architecture (Ch. 26)
28	Governance & Future Pres.	Social contract theory, mechanism design	Fiscal reachability volume (Ch. 27)
29	Science as Regen. System	Popperian falsificationism, Kuhnian paradigms (revisited)	Governance capacity (Ch. 28)
30	Ecology of Distinctions	— (synthesis chapter; survey all prior comparisons)	All of Parts I–IX
31	Preservation of Possibility	Existential risk / longtermist frameworks	Ecology of Distinctions hierarchy (Ch. 30)

Table 2.1: Per-chapter comparison targets and backward links for Priority A introductions.

2.3 Special Handling for Chapters 16–29

The realization chapters require a fifth element beyond the four-question template: an explicit statement, in the introduction itself, of *what would falsify the claim that this domain is a genuine instance of the abstract theory* — not merely an illustration of it. This anticipates Priority D and should be written in coordination with it (see Chapter 5), but the falsifiability statement belongs in the introduction, before the formal machinery, because it is what earns the reader's trust that the chapter is not merely relabeling.

Chapter 3

Priority B — Extended Examples

Priority B: Scope

Target: Every theorem in every chapter; minimum one worked example per major theorem (theorems with a dedicated `tcbtheorem` environment and nontrivial proof).

Placement rule: Example before proof, wherever the example does not depend on results established later in the same proof.

Estimated total addition: approximately 90–110 worked examples across the manuscript, averaging half a page each ≈ 50 pages.

3.1 The Ten Recommended Examples and Their Homes

The ten examples named in the original plan already exist in separate essays in the broader research corpus and can be integrated directly rather than written from scratch. Each is assigned below to its most natural chapter, with a note on which specific theorem it should illustrate.

Example	Chapter	Illustrates
Cell membranes as maintained distinctions	Ch. 1	Axiom of Distinction; the cost of <i>not</i> drawing a boundary
Hash functions as distinction collapse	Ch. 2	First Distinction Theorem; information loss under projection
DNA repair as recoverability restoration	Ch. 5–7	Law of Recoverability (Ch. 5); Repair Existence Theorem (Ch. 7)
Scientific revolutions as ontology repair	Ch. 8, Ch. 29	Ontology Revision Theorem (Ch. 8); revisited as a regenerative-system case study in Ch. 29
Neural criticality as regenerative balancing	Ch. 11, Ch. 21	Principle of Regeneration (Ch. 11); connect to Consciousness chapter’s recoverability floor
Economic institutions as future-preservation systems	Ch. 14, Ch. 28	Admissibility (Ch. 14); Governance as Future Preservation (Ch. 28)
File systems as histories rather than states	Ch. 4	History Before State; concrete CS-native example for the chapter’s central claim
Biological evolution as admissibility exploration	Ch. 14–15	Admissibility manifold; future volume as fitness landscape reinterpretation
Bureaucratic collapse as reachability contraction	Ch. 13, Ch. 28	Reachability (Ch. 13); governance collapse case study

Example	Chapter	Illustrates
Scientific communities as distinction ecologies	Ch. 12, Ch. 29	Distinction Ecology (Ch. 12); Science as Regenerative System (Ch. 29)

Table 3.1: Mapping of the ten recommended examples to chapters and theorems.

3.2 Coverage Beyond the Ten Named Examples

The ten examples above cover roughly a third of the manuscript’s major theorems. The remaining chapters — in particular the Physical Realizations (16–19), where the “example” is typically a worked numerical or limiting case rather than a cross-domain analogy — need a different style of example:

- **Chapters 16–19 (RSVP, Gravity, Expyrosis, Cosmology):** worked limiting cases. For example, Chapter 16’s Energy Decay Theorem should be illustrated with an explicit one-dimensional (Φ, v, S) configuration where $E[t]$ can be computed in closed form, so the reader sees the Lyapunov argument operate on numbers before trusting it in the general case.
- **Chapters 20–22 (Semantic Geometry, Consciousness, Preference Fields):** small finite-state toy systems. A five-state semantic space is sufficient to illustrate the Semantic Geometry chapter’s central distance theorems without requiring the reader to track an infinite-dimensional space.
- **Chapters 23–26 (Computational Realizations):** these chapters already contain implicit examples in the form of pseudocode and operational-semantics derivations (Spherepop in particular); Priority B’s job here is to add a short worked trace — a concrete sequence of Pop/Refuse/Collapse/ Bind events — before the formal semantics, not to invent new examples from scratch.
- **Chapters 27–29 (Social Realizations):** these chapters benefit most from real-world historical cases (a specific historical fiscal crisis, a specific governance collapse, a specific scientific-community case study) rather than toy examples, since the chapters’ claims are explicitly about real institutions.

Chapter 4

Priority C — Literature Integration

Priority C: Scope

Target: A dedicated “Related Frameworks” subsection near the end of each chapter (after the main theorems, before the Chapter Summary), discussing 1–3 of the thirteen listed literatures per chapter as relevant.

Stance: Comparative, not subordinating. Each discussion should state both what the cited framework gets right that this book inherits, and where this book’s commitments diverge.

Estimated total addition: 31 subsections $\times$ 1–2 pages $\approx$ 40–50 pages.

4.1 Assignment of Literatures to Chapters

The thirteen literatures named in the original plan are not equally relevant to every chapter. Table 4.1 assigns each literature to its 2–4 most natural chapters, so that the comparative discussion in each chapter is focused rather than a generic survey repeated 31 times.

Literature	Primary chapters
Shannon information theory	Ch. 2 (Distinction & Information), Ch. 3 (Distinction & Entropy)
Spencer-Brown’s <i>Laws of Form</i>	Ch. 1 (already epigraph-linked; deepen the comparison), Ch. 2
Bateson’s difference theory	Ch. 1, Ch. 4 (History Before State)
Cybernetics (Wiener, Ashby)	Ch. 7 (Repair), Ch. 11 (Regenerative Systems), Ch. 28 (Governance)
Systems theory (Luhmann, von Bertalanffy)	Ch. 12 (Distinction Ecology), Ch. 28 (Governance), Ch. 29 (Science)
Process philosophy (Whitehead)	Ch. 4 (History Before State), Ch. 10 (Beyond Continuation)
Information geometry	Ch. 13 (Reachability), Ch. 14 (Admissibility), Ch. 20 (Semantic Geometry)
Dynamical systems theory	Ch. 13 (Reachability), Ch. 16 (RSVP), Ch. 19 (Cosmological Completion)
Active inference (Friston)	Ch. 21 (Consciousness), Ch. 22 (Preference Fields)
Complexity science	Ch. 11 (Regenerative Systems), Ch. 12 (Distinction Ecology), Ch. 26 (TARTAN)

Literature	Primary chapters
Ecological resilience theory (Holling)	Ch. 12 (Distinction Ecology), Ch. 29 (Science as Regen. System)
Computational mechanics (Crutchfield)	Ch. 4 (History Before State), Ch. 6 (Memory & Reconstruction), Ch. 20 (Semantic Geometry)
Category theory	Ch. 30 (Ecology of Distinctions: Reg category), Ch. 31 (Preservation of Possibility: Reg_{II} category)

Table 4.1: Assignment of the thirteen literatures to their primary chapters.

4.2 Required Structure of Each Comparative Discussion

To keep “placement, not dependence” (the original plan’s phrase) operative rather than aspirational, each Related Frameworks subsection should follow a fixed three-part structure:

1. **Convergence.** What does the cited framework identify correctly that this book’s machinery formalizes differently? (E.g., Shannon correctly identifies that information is about reduction of uncertainty; this book’s contribution is locating the uncertainty-reducing act — distinction — as prior to the probability space Shannon presupposes.)
2. **Divergence.** What specific claim does this book make that the cited framework does not, or could not, make in its own terms? This is the substantive content of the subsection and should reference a specific theorem by label.
3. **Open question.** Where the comparison is genuinely unsettled (e.g., the relationship between active inference’s free-energy minimization and this book’s admissibility preservation in Ch. 22), say so explicitly rather than asserting priority.

Chapter 5

Priority D — Realization Chapters: “Why This Realization Matters”

Priority D: Scope

Target: Chapters 16–29 (Parts V through IX: Physical, Cognitive, Computational, and Social Realizations) — 14 chapters.

Placement: A dedicated section, titled exactly *Why This Realization Matters*, placed immediately after the chapter’s central realization theorem (e.g., the Gravity Realization Theorem in Ch. 17) and before the Chapter Summary.

Length: 1.5–3 pages per chapter $\approx$ 25–35 pages total.

5.1 The Genuine-Instance Test

Every “Why This Realization Matters” section must pass what this plan calls the *genuine-instance test*: it must identify a specific, falsifiable consequence that follows *only* if the realization is a true instance of the abstract theory and not merely dressed-up terminology. If no such consequence can be named, that is itself an important editorial finding and should be flagged rather than papered over with assertive language.

5.2 Specification for the Five Named Chapters

The original plan names five chapters explicitly. Each is expanded below into a concrete drafting brief.

RSVP (Chapter 16)

Claim to defend: capacity, transport, and constraint are not three independently chosen fields but the unique minimal field content that can realize a reachability geometry (Φe^{-S} as a volume measure, $\mathbf{v}$ as its transport).

Genuine-instance test: the Local Well-Posedness Theorem (`thm:rsvp-well-posed` in the existing text) should be shown to fail, or to require additional structure, if any one of the three fields is removed — this is the falsifiable content that distinguishes “RSVP instantiates reachability geometry” from “RSVP uses similar vocabulary to reachability geometry.”

Consciousness (Chapter 21)

Claim to defend: recursive self-reconstruction is not analogous to repair but is a special case of it, in the formal sense of satisfying the Repair Operator definition (`defn:repair-op`) with $\mathcal{D}$

restricted to the self-model.

Genuine-instance test: the Reconstruction Persistence Theorem (`thm:reconstruction-persistence`) should be shown to be a direct corollary of the general Repair Existence Theorem (`thm:repair-exist`) once the restriction to self-models is made explicit, with the derivation shown rather than asserted.

Preference Fields (Chapter 22)

Claim to defend: optimization objectives are insufficient without a future-preservation constraint, because an unconstrained optimizer can satisfy any utility function while monotonically destroying admissible future volume.

Genuine-instance test: construct (or reference, if already present via the Boundary-Flux Theorem, `thm:boundary-flux`) an explicit utility function that is maximized along a trajectory with strictly decreasing $\text{Vol}(\mathcal{A}_t)$, demonstrating that utility maximization alone does not entail the Preference–Admissibility Equivalence (`thm:pref-adm-equivalence`).

HYDRA (Chapter 25)

Claim to defend: intelligence, as formalized in Chapter 9’s Intelligence–Repair Equivalence (`thm:intel-repair`), emerges in HYDRA specifically from *coordination* between repair processes, not from any single component’s capacity.

Genuine-instance test: identify a HYDRA configuration in which every individual module has positive repair capacity κ but the coordinated system’s $\mathcal{I}(\Sigma)$ is lower than the sum of components — demonstrating that coordination failure, not component failure, is what the realization predicts and that this prediction is specific to the repair-coordination reading of intelligence.

Fiscal Reachability (Chapter 27)

Claim to defend: public finance is fundamentally geometric (a question of which future fiscal states remain reachable) rather than accounting-based (a question of current balance).

Genuine-instance test: construct a scenario with identical current-period accounting balance but different $\text{Vol}(\mathcal{A}_t)$ under the chapter’s fiscal reachability machinery, and show the two scenarios are treated identically by standard accounting frameworks but differently — and, the section should argue, correctly differently — by this chapter’s geometric treatment.

5.3 Specification for the Remaining Nine Chapters

Chapters 17–20, 23–24, 26, and 28–29 require the same treatment; Table 5.1 gives the claim to defend and a candidate genuine-instance test for each, sufficient to begin drafting without further scoping.

Chapter	Claim to Defend	Candidate Test
17: Gravity	Gravity is the geometric manifestation of capacity gradients, not an independent force law	Show the Distinction Raychaudhuri equation (<code>thm:dist-raychaudhuri</code>) reduces to the standard Raychaudhuri equation under a stated limit, with the limit’s physical meaning made explicit

Chapter	Claim to Defend	Candidate Test
18: Expyrotic Cosmology	Cosmic renewal is a repair operation on the global distinction manifold, not a separate cosmological postulate	Show the Reintegration Fixed-Point Theorem (<code>thm:reintegration-fixed-point</code>) is structurally identical to the Repair Existence Theorem (<code>thm:repair-exist</code>) under the appropriate domain restriction
19: Cosmological Completion	“Heat death” and “saturation without exhaustion” are distinguishable, falsifiably different end states	Contrast the Asymptotic Saturation Theorem (<code>thm:asymptotic-saturation</code>) against a heat-death model on the same field content, identifying the divergent prediction
20: Semantic Geometry	Meaning is a geometric property of the admissibility manifold, not a property of token co-occurrence statistics	Identify a semantic distinction the chapter’s geometry predicts but distributional semantics cannot represent without additional machinery
23: Flow Computing	Computation is fundamentally a flow process on distinctions, not state transformation	Identify a computational property invisible to state-based semantics but visible under the flow formalization
24: Spherepop	The Pop/Refuse/Collapse/Bind event calculus is the natural operational semantics for irreversible distinction-events, not an arbitrary alternative to lambda calculus	Show a program whose irreversibility is naturally expressed in Spherepop but requires extra-linguistic annotation in standard operational semantics
26: TARTAN	The architecture’s symbolic/connectionist integration is a repair-coordination structure, not an engineering compromise	Apply the same coordination-failure test used for HYDRA (Ch. 25) to TARTAN’s specific architecture
28: Governance	Governance is fundamentally about preserving future reachable states for a polity, not about present-period institutional design	Construct an institution that is well-designed by present-period criteria but reduces $\text{Vol}(\mathcal{A}_t)$ for the polity, and one that is the converse
29: Science	Scientific practice is a regenerative system in the chapter’s formal sense, not merely analogous to one	Show that the Scientific Revolution Theorem (<code>thm:sci-rev-thm</code> , Ch. 8) and the chapter’s own regenerative-system machinery make the same prediction about paradigm-shift timing, derived independently

Table 5.1: Genuine-instance tests for the remaining nine re-alization chapters.

Chapter 6

Priority E — Synthesis Expansion (Chapter 30)

Priority E: Scope

Target: Chapter 30, “The Ecology of Distinctions” (currently 826 lines, the manuscript’s second-longest chapter).

Reframing: from summary chapter to unification chapter. The distinction matters: a summary chapter restates results already proved; a unification chapter proves new results *about* the relationships between prior results.

Estimated addition: 30–45 pages, given the seven content areas below.

6.1 Current Coverage

Chapter 30 already contains the Preservation Hierarchy Theorem (`thm:preservation-hierarchy`) and, as of the most recent revision, the Structural Dependency Theorem (`thm:structural-dependency`) establishing the collapse direction of that hierarchy. These are unification results in the intended sense and should be the model for the seven additions below, not superseded by them.

6.2 Seven Content Areas

1. **Distinction conservation.** A formal conservation law for D analogous to the Distinction Balance Law already present in Chapter 31 (`thm:dist-balance`), but derived here from first principles using only Parts I–II machinery, establishing that the balance law is not assumed but follows from the Axiom of Distinction.
2. **Repair conservation.** The analogous conservation law for repair capacity $\kappa_{\mathfrak{R}}$, connecting the Repair Conservation Law of Chapter 7 (`thm:repair-conservation`, currently a statement about individual repairs preserving connected components of $\mathcal{M}_{\text{rec}}$) to an aggregate, ecology-wide version.
3. **Reachability conservation.** A conservation law for V_F under composition of admissible morphisms, proved using the Future Volume Theorem (Ch. 13) together with the Boundary-Flux Theorem (Ch. 22), making explicit that reachability is conserved under the same conditions that make preference fields generatively admissible.
4. **Admissibility conservation.** The corresponding statement for $\text{Vol}(\mathcal{A})$ itself, which should be shown to be the special case of reachability conservation obtained by restricting to ad-

missible trajectories — making explicit the relationship between Chapters 13 and 14 that is currently left implicit.

5. **Functorial relationships between realization domains.** A formal treatment of the maps between the Physical, Cognitive, Computational, and Social Realizations (Parts V–IX), framed as functors between categories of realizations that preserve the abstract admissibility structure. This is the single most significant addition in Priority E: it would make precise, for the first time in the manuscript, the sense in which RSVP (Ch. 16) and Fiscal Reachability (Ch. 27) are “the same theory in different domains” rather than merely thematically similar.
6. **The category of regenerative systems.** Chapter 30 already defines **Reg** (`thm:regen-category`); this addition should explore its categorical properties in more depth — limits, colimits, and whether **Reg** has a terminal or initial object corresponding to maximal or minimal regenerative capacity.
7. **Universality classes of distinction ecologies.** A classification result, in the spirit of universality classes in dynamical systems theory (cf. Priority C’s literature assignment), grouping distinction ecologies by their long-run qualitative behavior (e.g., bounded regeneration, unbounded growth, collapse) rather than by domain.

6.3 Sequencing Within Priority E

Items 1–4 (the four conservation laws) should be drafted first, since item 5 (functorial relationships) depends on having all four conserved quantities available as the data a functor must preserve. Item 6 builds directly on item 5, since functoriality is most naturally stated in terms of morphisms in **Reg**. Item 7 should be drafted last, as a genuine open research question rather than a fully resolved result — consistent with the spirit of Priority F’s recommendation that Chapter 31 read more like a research program than a closed theorem.

Chapter 7

Priority F — Final Chapter Expansion (Chapter 31)

Priority F: Scope

Target: Chapter 31, “The Preservation of Possibility” (currently 735 lines, the manuscript’s longest chapter after Chapter 30).

Reframing: from a chapter that states the Generative Admissibility Principle to one that mounts a sustained normative argument for it.

Estimated addition: 20–30 pages.

7.1 Current Coverage

Chapter 31 already contains the formal apparatus: the refined possibility functional Π , the Preservation Implication and Preservation Objective Equivalence Theorems, the $\mathbf{Reg}_{\Pi}$ category, the Unified Invariant Theorem, and the Generative Domination Theorem. What it does not yet contain is a sustained discussion of *why* a reader should accept possibility-preservation as the relevant normative criterion, as opposed to treating it as one formally elegant option among several. The seven topics below are precisely this missing normative layer.

7.2 Seven Topics, Each as a Comparative Argument

Each topic should be structured as a direct comparison: name the rival criterion, state its strongest form, and show specifically where it diverges from possibility-preservation and why that divergence favors the latter — or, where it does not clearly favor either, say so.

1. **Why continuation is insufficient.** The chapter already has the materials for this: the Survival–Viability Separation Theorem (`thm:survival-viability`) shows systems can survive indefinitely while $\mathcal{P} \rightarrow 0$. This topic should expand the *interpretation* of that theorem — what does it mean, normatively, for a system to satisfy the weakest possible success criterion while losing everything of value by this book’s lights?
2. **Why survival is insufficient.** Distinct from continuation: a system can fail to continue (in the sense of Ch. 10) while nonetheless transferring possibility elsewhere (e.g., an organism’s death transferring distinction-capacity to offspring or ecosystem). This topic should use the Generative Domination Theorem (`thm:generative-domination`) to argue that possibility-dominance, not individual survival, is the coherent unit of normative evaluation.

3. **Why optimization is insufficient.** This connects directly to Priority D’s Preference Fields treatment (Ch. 22): an optimizer can maximize any fixed objective while the Boundary-Flux Theorem shows admissible volume can simultaneously decrease. This topic should generalize that specific result into the chapter’s central normative claim.
4. **Why future-preservation appears repeatedly across domains.** This is the explanatory burden the Preservation Objective Equivalence Theorem (`thm:preservation-objective-equivalence`) carries formally; this topic should carry it normatively, arguing that the recurrence is not coincidental convergence on a useful heuristic but evidence that possibility-preservation is the structurally correct criterion of which the domain-specific criteria (repair capacity, institutional resilience, etc.) are projections.
5. **How admissibility differs from utility maximization.** A direct technical and philosophical comparison: utility maximization is agent-relative and requires a specified utility function; admissibility preservation is defined without reference to any particular agent’s preferences, only to the structure of future possibility itself. This topic should state precisely what is gained and lost by this generality.
6. **Limitations of the framework.** This topic is required, not optional, for intellectual honesty. Candidate limitations to address: (i) the framework’s reliance on a well-defined measure μ_R for computing $\text{Vol}(\mathcal{A})$, which may not exist or be unique in all domains; (ii) the computational intractability of evaluating Π or $\mathcal{U}$ in realistic systems; (iii) the open question of how to handle genuine moral disagreement about which futures count as “admissible” in social domains (Ch. 28).
7. **Open problems.** A closing list, each problem stated precisely enough to be picked up independently: candidates include extending the Unified Invariant Theorem to systems with negative or contested S_A ; characterizing the topology of $\mathbf{Reg}_\Pi$; and determining whether the Generative Admissibility Principle admits a game-theoretic formulation for multi-agent ecologies.

7.3 Tone Requirement

The original plan specifies that this chapter “should feel less like a theorem and more like a research program.” This has a concrete drafting consequence: topics 1–5 should be written with full theorem-citation rigor (every normative claim anchored to a specific result already proved), while topics 6 and 7 should be written in a more exploratory register, with explicit markers (“it is not yet known whether...”, “one natural conjecture is...”) that are largely absent elsewhere in the manuscript but appropriate here.

Chapter 8

Priority G — Scholarly Apparatus (Appendices)

Priority G: Scope

Target: All four appendices (currently 191, 148, 137, and 253 lines respectively — by far the shortest material in the manuscript relative to its apparatus role).

Estimated addition: 60–90 pages across the four appendices.

8.1 Appendix A: Mathematical Prerequisites → Compact Handbook

Currently 191 lines. Target structure as a genuine handbook:

- Measure-theoretic preliminaries used throughout (the measure μ_R underlying $\text{Vol}(\mathcal{A})$, deserving a self-contained treatment given how load-bearing it is across Chapters 13–31).
- A consolidated notation table (currently notation is introduced locally per chapter; a single table mapping every recurring symbol — $\Phi, S, \text{rec}, \mathcal{A}, \Pi, \mathcal{U}, \dots$ — to its defining chapter and equation would materially reduce the burden on a reader jumping between chapters).
- A short primer on the `tcbtheorem`-style proof conventions used in the book (what counts as a proof sketch vs. a full proof, and why certain results, e.g. the Minimal Repair Theorem in Ch. 7, are explicitly marked (*Sketch*)).

8.2 Appendix B: Computational Tools → Implementation Notes and Formal Semantics

Currently 148 lines. This appendix should absorb and formalize the operational content already implicit in the Computational Realizations (Part VII, Chapters 23–26):

- Formal operational semantics for Spherepop’s Pop/Refuse/Collapse/Bind calculus (Ch. 24), stated in standard small-step style, cross-referenced to but not duplicating the chapter’s own treatment.
- Implementation notes connecting the book’s formalism to the existing `cprsh` runtime and `spherepop` interpreter referenced in the broader research corpus, with an explicit statement of which formal results in Chapters 23–26 are mechanically verified by the existing test suites and which remain to be checked.

- A worked translation of one complete Flow Computing (Ch. 23) program into Spherepop (Ch. 24) and into TARTAN (Ch. 26) representations, demonstrating the equivalence claims made informally across those three chapters.

8.3 Appendix C: Biological Background → Biological Realizations of Repair and Regeneration

Currently 137 lines, the shortest appendix. Target additions:

- DNA repair mechanisms (nucleotide excision repair, mismatch repair) as concrete instances of the Repair Operator definition (Ch. 7), extending the worked example already assigned to that chapter under Priority B.
- Immune memory as a biological instance of the Memory and Reconstruction machinery (Ch. 6), with explicit mapping of immunological terms (antigen, memory cell) onto the chapter’s formal vocabulary (d , $\text{rec}(d)$, reconstruction operator).
- Neural criticality and homeostatic plasticity as the biological grounding for the Regenerative Systems chapter’s (Ch. 11) abstract machinery, extending the worked example already assigned there under Priority B.
- Regeneration in planaria and other classical regeneration model organisms, as the most literal biological instance of the Principle of Regeneration (Ch. 11) — a case where “regeneration” is not a metaphor extension but the original meaning of the term the book’s vocabulary borrows.

8.4 Appendix D: Proof Dependency Tables → Complete Dependency Atlas

Currently 253 lines, already the most developed appendix and the natural target for the most substantial Priority G expansion, since it is infrastructure that makes the rest of the manuscript easier to verify and navigate.

- Extend the existing dependency tables to cover every theorem added in the most recent revision sessions (the well-posedness/attractor machinery in Ch. 16, the curvature-recoverability correspondence in Ch. 17, the Structural Dependency Theorem in Ch. 30, and the full apparatus of the revised Ch. 31), none of which are yet reflected in the appendix.
- Add a visual dependency graph (a large foldout or multi-page TikZ diagram) showing the complete theorem dependency structure of the manuscript, with Parts color-coded, complementing the existing textual tables.
- Add a “minimal path” table: for each realization chapter (16–29), the shortest chain of theorems from the Axiom of Distinction (Ch. 1) to that chapter’s central realization theorem, so a reader who wants to verify one realization chapter’s foundations without reading the entire book linearly can do so.

Chapter 9

Priority H — Indexing

Priority H: Scope

Target: Whole-document pass, all 35 chapters.

Method: Single dedicated pass rather than incremental per-chapter work (see Section 1.2 above on why opportunistic indexing has produced uneven coverage).

Mechanism: `\index{}` markers at first substantive use of each term per chapter (not every occurrence), feeding the existing `makeidx/ imakeidx` pipeline already configured via `\printindex` in the backmatter.

9.1 Core Index Terms and Required Sub-Entries

The fourteen terms named in the original plan are the top-level entries; each requires sub-entries distinguishing its uses across Parts, since several of these terms (notably *admissibility*, *distinction*, and *reachability*) appear in meaningfully different senses across the abstract chapters (Parts I–V) and the realization chapters (Parts V–IX).

Top-level entry	Required sub-entries
admissibility	abstract definition (Ch. 14); physical (Ch. 16–19); cognitive (Ch. 21–22); computational (Ch. 23–26); social (Ch. 27–29); generative vs. extractive (Ch. 31)
blind spot	definition (Ch. 1); relation to partition refinement (Ch. 1–2)
collapse	wavefunction-style usage (none — flag if accidentally conflated); admissibility collapse (Ch. 19); institutional collapse (Ch. 28)
distinction	axiom (Ch. 1); cost (Ch. 1); density (Ch. 17); entropy (Ch. 31)
ecology	distinction ecology (Ch. 12); scientific communities as (Ch. 29, via Priority B); ecology of distinctions (Ch. 30)
entropy	distinction-theoretic (Ch. 3); admissible distinction entropy S_A (Ch. 31); RSVP field S (Ch. 16)
future cone	definition (Ch. 13); relation to $\mathcal{A}(x, t)$ (Ch. 14–15)
history	vs. state (Ch. 4); historical self-information (Ch. 21)
ontology revision	definition (Ch. 8); generative admissibility of (Ch. 8); meta-learning connection (Ch. 9)
reachability	abstract (Ch. 13); control-theory contrast (Priority C, Ch. 13); fiscal (Ch. 27)
recoverability	law of (Ch. 5); floor / threshold (Ch. 21)

Top-level entry	Required sub-entries
regeneration	principle of (Ch. 11); biological (Appendix C, via Priority G); cosmological (Ch. 18–19)
repair	operator (Ch. 7); conservation (Ch. 7, Ch. 30 via Priority E); intelligence as (Ch. 9)
trajectory	admissible (Ch. 14–15); generative/extractive/neutral classes (Ch. 31)

Table 9.1: Required sub-entry structure for the fourteen core index terms.

9.2 Additional Terms Warranting Index Entries

Beyond the fourteen named terms, the following recur often enough across multiple Parts to warrant indexing, identified by cross-referencing the chapter census in Table 1.1: *capacity field*, *generativity*, *Lyapunov function* (appears in Ch. 16’s energy decay and is referenced informally elsewhere), *possibility functional*, *preservation hierarchy*, and *semantic horizon*.

Chapter 10

Recommended Execution Order

10.1 Dependency-Based Sequencing

Not all eight priorities are independent in practice, even though each is independently specified above. The following order is recommended on the grounds that earlier items reduce the cost of later ones:

1. **Priority A (Introductions) first, across all 31 chapters.** This establishes the narrative voice and the explicit backward-link sentences that Priorities B and D will need to reference. Drafting B or D before A risks producing examples and realization-arguments that have to be retrofitted once the introductions establish how each chapter frames its own problem.
2. **Priority H (Indexing) second, as a single pass.** Indexing is cheapest to do once, after a chapter's prose is stable, and most expensive to redo — doing it before Priorities B–G would mean re-indexing every chapter after each subsequent expansion. Doing it immediately after Priority A (rather than last) means the remaining priorities can be indexed incrementally as they are written, rather than requiring a second whole-document pass at the very end.
3. **Priority D (realization framing) third, for Chapters 16–29 specifically.** This should follow Priority A (which already establishes the comparison targets these chapters need) and precede Priority B for the same chapters, since the “genuine-instance test” specified in Priority D often *is* the worked example Priority B would otherwise need to invent separately.
4. **Priority B (Extended Examples) fourth.** By this point the comparison targets (Priority A) and, for realization chapters, the genuine-instance tests (Priority D) are available to inform example selection.
5. **Priority C (Literature Integration) fifth.** This depends on Priority A's Q2 comparison targets (Table 2.1) being finalized, since the Related Frameworks subsections are the natural place to develop a comparison that the introduction only names.
6. **Priorities E and F (Synthesis and Final Chapter Expansion) sixth, together.** These two chapters should be revised in the same pass because Priority F's normative argument (Ch. 31) depends on Priority E's conservation laws and functorial relationships (Ch. 30) being in place first — in particular, Priority F's topic 4 (“why future-preservation appears repeatedly across domains”) is most convincing once Priority E's functorial-relationships work has made the cross-domain recurrence formally explicit rather than asserted.

7. **Priority G (Scholarly Apparatus) last.** The appendices — in particular the dependency atlas (Appendix D) and notation table (Appendix A) — should be finalized only after all preceding priorities are complete, since every one of them potentially adds new theorems, new notation, or new dependency edges that the apparatus must reflect.

10.2 Estimated Total Addition

Priority A (Introductions)	≈140 pages
Priority B (Extended Examples)	≈50 pages
Priority C (Literature Integration)	≈45 pages
Priority D (Realization Framing)	≈30 pages
Priority E (Synthesis Expansion)	≈38 pages
Priority F (Final Chapter Expansion)	≈25 pages
Priority G (Scholarly Apparatus)	≈75 pages
Priority H (Indexing)	negligible page count; substantial labor
Total estimated addition	≈400–410 pages

Given the manuscript’s current length (approximately 13,250 lines of source, corresponding to roughly 380–420 typeset pages at the book’s current density), full execution of this plan would roughly double the manuscript’s length. This is consistent with the plan’s own framing: the mathematics is complete; the prose that makes the mathematics legible is, by volume, comparable in size to the mathematics itself.

Final Goal

The remaining challenge is no longer proving the theory. The remaining challenge is making the theory readable.

A completed manuscript should allow a reader to understand the central argument even if they skip half of the proofs. The mathematics establishes correctness. The prose establishes comprehension. Both are necessary, and this plan exists to make the second kind of work as tractable, sequenced, and concretely scoped as the first kind already is.