

2. The Brake Pedal Is Wired to the Accelerator

[illegible][illegible][illegible]

3. The Asymmetry of Accountability

$\leq \vartheta \div \phi + g \wedge z + \wedge \div ! \pi + \% \setminus \div \div \div \phi ! \div \div ! \div > \vartheta \geq \pi \leq \div ! \div \wedge \% \div \leq \div ! \div \div ! \div \% g \wedge \leq ! \leq \vartheta \div \pi ! \div \div \phi ^{\dagger} \div \div \div \pi ! \div \pi + g \div \div + \div \vartheta \div g ! \pi \div g ! g \leq \vartheta \div \leq \pi \div \perp \div \div \div \div \phi \phi \div \setminus \div \div \perp \pi \pi \div \leq ! \div ! \div \div ! \div > ! g \% \pi \% \div \div \leq \% ! g .$

[illegible][illegible][illegible][illegible][illegible]

4. The Rigged Ledger of Progress

[illegible]

50+ +>1.7.7+11 /+& -+ >5+5+ \ +> 5+! %&!/7+=+5%-&+ +//!2&5%&^ 12&+>:

[illegible][illegible]

[illegible]
$$\leq \exists \div \# \% 1 > \leq \backslash \div - \geq \wedge \wedge \% \& \wedge \approx + > > \text{ / ! } \sqrt{\approx + 1 \div} \exists ! \text{ - } \leq \exists \div \& + 11 + \leq \% \approx \div \leq 1 \div + \leq \# \geq \leq \geq 1 \div - \div \& \div \# \% \leq \div + \& \backslash \approx 1 \div \div \div \& \leq \exists + 1 \sqrt{\div}.$$
[illegible]

7.2 Semantic Dilution as Requirement Shedding

[illegible][illegible][illegible]

[illegible]

7.4 Institutional Theater and the Counterfactual Brake

[illegible][illegible]

7.5 The Emergency Pivot

$$1 + \leq + \geq 1! \approx \exists \%, \quad \geq \leq + \div \div \geq \implies \geq 1 + \leq \div \wedge \%, \quad \geq 1 \wedge \div \& \div \perp \implies \geq \div \notin \# - + \geq \exists 1! \% T \div \setminus \quad + \div \div \notin \div 1 + \leq \% ! \&$$
[illegible]

8. A Compact Audit Protocol

[illegible]
$$|, \&! \mathcal{N} + \mathcal{E} \% \mathcal{T} \div \leq \exists \div \&! \geq \&! >, | \div - | \mathcal{I} \% \leq \div > \geq / \div > > + \&! \mathcal{N} + \% \mathcal{E} \geq | \div \geq > \% \&! \wedge \leq \exists \div > + \mathcal{N} \div / + \geq > + \mathcal{E} + / \leq ! | > + \&! \mathcal{E} \div = \div \mathcal{E} ! \mathcal{N} \wedge \div > / \mathcal{I} \% = \leq \% \&!.$$
$$2. \quad \div < 2 + 6 \div 7 \div \leq 3 \div \div \div 2 \div \div \div 1 \div, \div > \div \div 3 \div \leq 3 \div \div 1 \div - \div 1 \div \div \% \leq > + 1 \div, \div \div \div 1 \div 7 \div + \div \div + \div 7 \div \% \leq \leq \div \div \geq 1 \div \div 1 \div ! \div 7 \div \div \div 1 \div - \div \div > \leq + 1 \div \div 1 \div > ! \div \div \div \div \leq + \% 1 \div \leq 1 \div, 7 \div + \div 1 \div \% \leq \geq \div \div, + 1 \div \leq \% 7 \div \div \div 1 \div ! \div 7 \div 1 \div.$$
[illegible][illegible][illegible][illegible]

9. The AI Dictionary of Redefinitions

[illegible]

Open

[illegible][illegible]

Safety

[illegible][illegible][illegible]

Companion Essays

[illegible]

Mechanism Essays

$$\square \quad /!s \geq s + \rightarrow \backslash s + 1 + k \leq \square \quad s \div = + 1 \% / + s \% ! k \wedge + = - + s + \div + k \quad k \geq / + + 1 \quad s + s + 1 \% + + k + k \backslash /!s \geq s + s \% ! k.$$

□ +^% _1 [_1÷+1] □ ≤ð÷ ð!=%&^ ≤+1^÷≤ ≤ð+≤ &÷≤> + %!1÷/+>≤ >≥1=%÷÷ ÷÷÷1_ ð%>>.

[illegible]
$$\left[\neg \div g \div \partial \pi \div 1 \div \notin \div + \div \div 1 \div - ! \div 1 \div > \right] \leq \partial \div / ! \notin \notin + \div > \div ! \pi \div + \div \pi - \div 1 \% \leq \div, \leq \div > \leq - \leq \div \div 1, + g \div \wedge 1 \div \div 1 \% g \leq ! ! g \div \div + 1 \leq \perp.$$
$$\left[\begin{array}{c} + \\ - \\ \leq \\ + \\ \leq \end{array} \right] \geq \left[\begin{array}{c} + \\ - \\ \leq \\ + \\ \leq \end{array} \right] \Rightarrow \left[\begin{array}{c} + \\ - \\ \leq \\ + \\ \leq \end{array} \right] \geq \left[\begin{array}{c} + \\ - \\ \leq \\ + \\ \leq \end{array} \right]$$
$$\left[\begin{array}{l} \leq 3 + \frac{1}{2} \sqrt{1 + \frac{1}{k}} \leq 3 + \frac{1}{2} \sqrt{1 + \frac{1}{k}} + \frac{1}{2} \sqrt{1 + \frac{1}{k}} + \frac{1}{2} \sqrt{1 + \frac{1}{k}} \\ \geq 3 + \frac{1}{2} \sqrt{1 + \frac{1}{k}} \end{array} \right]$$
$$\left[\begin{array}{l} |z_k, \frac{1}{2} + \frac{1}{2} z \neq 1 \\ |z_k, \frac{1}{2} + \frac{1}{2} z \approx 1 \end{array} \right] \left[\begin{array}{l} |z_k, \frac{1}{2} + \frac{1}{2} z > 1 \\ |z_k, \frac{1}{2} + \frac{1}{2} z < 1 \end{array} \right] \left[\begin{array}{l} |z_k, \frac{1}{2} + \frac{1}{2} z = 1 \\ |z_k, \frac{1}{2} + \frac{1}{2} z \neq 1 \end{array} \right]$$
[illegible]
$$\left[\begin{array}{l} \leq \exists + / ! > \leq ! \# \& ! \leq - \geq \% \& \backslash \% \& \wedge \% \leq \left[\begin{array}{l} + \& + / ! \geq \& \leq \% \& \wedge \& + \backslash \wedge + ! - \% \leq \exists \leq + ! \backslash \% \# \# + ! + \& \leq + \geq \% \backslash + \& \leq \% + ! \perp > \leq + \& \backslash + \backslash > . \end{array} \right. \end{array} \right]$$
$$\left[\begin{array}{l} \leq \exists + \exists \geq \wedge + \& \% \& \leq \exists + \notin !! = \left[\begin{array}{l} 1 + \geq ! \& \geq \% - \% \notin \% \leq \downarrow + \geq \geq \% \wedge \& + \backslash \leq ! + \geq \leq + \leq \% ! \& 1 + \leq \exists + 1 \leq \exists + \& + \notin \backslash \wedge \& + \& \leq. \end{array} \right. \end{array} \right.$$

Interface Essays

$$\left[\begin{array}{c} \approx \# + + > + \\ \div + 1\% \mp \perp \leq \exists + \leq \\ \perp 1 \geq ' 1 + \end{array} \right] \exists \geq \mathcal{L} + \& \left[\begin{array}{c} > \geq \approx \% / \% ! \& \leq \exists + \leq \\ 1 \geq \& > \% \& ! \& \# \perp ! \& + \\ \backslash \% 1 + \div \% ! \& . \end{array} \right]$$
$$\left[\begin{array}{l} 1 \leq 1 \text{ } \sqrt{+ \div \leq \% \& \wedge} \exists + > - \div \div \& \geq \sqrt{\text{ } \sqrt{+ 1 \% \text{ } \text{ } \div \backslash} \left[\begin{array}{l} + 1 \div / ! \backslash \leq \exists + \leq ! \leq / ! \sqrt{\text{ } = \div \leq \div > \leq \exists \div + = \div \& \leq \% \leq \div + > \backslash 1 + \div \& \neq ! \sqrt{\text{ } .} \end{array} \right] \end{array} \right]$$
$$\left[\begin{array}{l} >!\sqrt{\div\leq\exists\%&\wedge} \quad +\div&\leq \quad +!&!\&\wedge \quad \left[\quad \backslash\%+\&!\>\leq\%/\quad =!\div/\%>\%!\& \quad +\%\leq\exists\exists\div\&\backslash \quad +\leq \quad \leq\exists\div \quad =!\%&\leq \quad \% \leq \quad +!\geq\&\backslash \quad -\div \quad +/\leq\%!\&+-\&\div. \end{array} \right]$$
[illegible]

□ $1 \div 2 + 4 \geq 1 \cdot 1 \geq 1 * 1 \div 1 - 1 \div 1$ □ $1 \times 7 > 7 + 5 \times 7 \neq 1 \times 7 \& 1 \div 4 \div 1 \leq 1 \div 1 + > 1 + 5 \leq 1 + 5 \oplus 1 \leq \oplus \& \leq 1 \div 1 + 5 \div 1 + > + 1 \div 4 \div 1 \leq$

Limit Cases

□ $\leq \partial \div \lambda \partial \times \approx ' > / ! \cdot \approx \geq \leq + \mid$ □ $\neq ! \% / \leq \% ! \& \cdot \% > \leq + \cdot / + \& \neq ! \mid \% \& \leq + ! \% ! \mid \% \leq \perp$.

$$\left[\begin{array}{l} \leq \exists + / + + \& ! - \% \& ! \vee > ! \& \leq \exists > \geq + / + > \leq + \leq \% ! \& \\ 1 + + \Phi \% \leq \perp \vee + \pi ! \leq \vee \leq ! + \pi + \% \& \leq \exists \& + \& / + + \leq \vee ! ! \perp . \end{array} \right]$$

□ $\leq \partial / \epsilon! k + \exists + > \&! \& \div + \wedge + \& > \leq + \& \backslash \& \wedge \square \> \div \leq + = \partial \perp > \% / \> \div \leq \& \div \backslash - \perp + \backslash + \leq + - + \div \div \partial \div \> +,$

[illegible]
$$\left[\begin{array}{l} \exists \beta \nmid \epsilon + \gamma \leq \exists z, n+k \in !- \\ + -z \leq !k = | \gamma \rangle \div \wedge -1 > !n+!k \div + \% \exists k! + +1 \leq !n!k+ +\beta + \leq \% \vee \div, \end{array} \right]$$

Appendices

A. A Formal Model of Rhetorical Asymmetry

$$\begin{aligned} & \leq \varnothing \div \backslash \times + \wedge \mathbb{R} ! > \leq \wedge / + 1 \wedge \geq \mathcal{J} \div \mathbb{R} \leq \backslash \mathbb{R} \leq \varnothing \div \mathcal{J} + \backslash \mathbb{R} \leq \varnothing \div \leq \div \leq / + \mathbb{R} - \div > \leq + \leq \div \backslash \mathcal{J} ! ! \div \wedge \div \mathbb{R} \div ! + \mathcal{R} \leq \mathbb{L} + > + \mathcal{R} + \backslash \mathcal{R} \geq ! \div ! \mathcal{R} = + ! \backslash + \mathbb{R} / \div \geq \mathbb{R} \backslash \div ! \div = \div ! > + \mathcal{R} ! \mathcal{R} > \leq \backslash \leq \geq \leq \backslash \mathbb{R} + \mathcal{R} = + \mathcal{R} \div \mathbb{R} / \div. \notin \div \leq \\ & + / \mathcal{R} + \backslash \mathcal{J} - \div ! \div = ! \div > \div \mathbb{R} \leq \div \backslash - \mathbb{L} \end{aligned}$$

$$c = (p, e, a, t, m),$$

$$\begin{aligned} & \div \varnothing \div ! \div p \times > \times \leq > = ! ! = ! > \backslash \leq \backslash \mathbb{R}, e \times \leq > \div = \backslash \wedge \div \mathbb{R} \leq \backslash + ! \mathbb{L} > \geq = = ! ! \leq, a \leq \varnothing \div + / \leq ! ! \leq ! \div \varnothing ! \mathcal{J} + \wedge \div \mathbb{R} / \mathbb{L} \times > + \leq ! \backslash - \geq \leq \div \backslash, t \times \leq > \leq \div \mathcal{J} = ! ! + \mathcal{R} \varnothing ! ! \times T ! \mathbb{R}, + \mathbb{R} \backslash m \times \leq > \div > \leq \mathcal{J} + \leq \div \backslash \\ & \mathcal{J} + \wedge \mathbb{R} \times \leq \geq \div \div. \notin \div \leq \end{aligned}$$

$$s(c) \in \{-1, +1\}$$

$$\begin{aligned} & \wedge \div \mathbb{R} ! \leq \div \leq \varnothing \div \backslash \mathbb{R} > \leq \backslash \leq \geq \leq \backslash \mathbb{R} + \mathcal{R} = + \mathcal{R} \div \mathbb{R} / \div ! \mathcal{R} + / / \div = \leq \backslash \mathbb{R} \wedge \leq \varnothing \div / \mathcal{R} + \backslash \mathcal{J} + \div \backslash \leq \varnothing + 1 ! \div = ! \div > \div \mathbb{R} \leq \backslash \mathbb{R} \wedge + / \mathcal{R} + \backslash \mathcal{J} \mathcal{R} + = ! ! + - \mathcal{R} \div \leq ! \wedge \div = \mathcal{R} ! \mathbb{L} \mathcal{J} \div \mathbb{R} \leq + \mathbb{R} \backslash - 1 + / \mathcal{R} + \backslash \mathcal{J} \geq \mathbb{R} \mathcal{R} + = ! ! + - \mathcal{R} \div \\ & \leq ! \wedge \div = \mathcal{R} ! \mathbb{L} \mathcal{J} \div \mathbb{R} \leq, \\ & \backslash \div \mathcal{R} \backslash \mathbb{R} \div + \mathbb{R} + \backslash \mathcal{J} \times > > \backslash - \backslash \mathcal{R} \times \leq \mathbb{L} \mathcal{R} \geq \mathbb{R} / \leq \backslash \mathbb{R} + \mathcal{R} \end{aligned}$$

$$\Phi(c) = w_e E(e) + w_m M(m) - w_t T(t) - w_u U(c),$$

$$\begin{aligned} & \div \varnothing \div ! \div E \mathcal{J} \div + + \geq ! \div > \div = \backslash \wedge \div \mathbb{R} \leq \backslash + ! \mathbb{L} > \leq ! \div \mathbb{R} \wedge \leq \varnothing, M \leq \varnothing \div \mathcal{J} + \wedge \mathbb{R} \times \leq \geq \div \backslash + > > \backslash \wedge \mathbb{R} \div \backslash \leq ! \leq \varnothing \div / \mathcal{R} + \backslash \mathcal{J} \div \backslash ! \mathbb{R} > \div < \div \mathbb{R} / \div, T \leq \div \mathcal{J} = ! ! + \mathcal{R} \backslash \times > \leq + \mathbb{R} / \div, + \mathbb{R} \backslash U ! \div > \backslash \geq + \mathcal{R} \\ & \geq \mathbb{R} / \div ! \leq + \backslash \mathbb{R} \leq \mathbb{L}, \geq \mathbb{R} \backslash \div ! + = ! ! \div \wedge \geq ! + \mathcal{R} \leq \mathbb{L} > \mathbb{L} \mathcal{J} \mathcal{J} \div \leq ! \backslash / \div = + \mathcal{R} \geq + \leq \backslash \mathbb{R} ! \mathbb{R} \div \wedge \mathcal{J} \div \mathcal{R} + / \mathcal{R} + \backslash \mathcal{J} \times > + \backslash \mathcal{J} \times \leq \leq \div \div \varnothing \div \mathbb{R} \end{aligned}$$

$$\Phi(c) \geq \theta,$$

$$\begin{aligned} & \mathcal{R} ! ! + \leq \varnothing ! \div > \varnothing ! \mathcal{R} \backslash \theta \leq \varnothing \div \leq \backslash \mathcal{R} > \backslash \mathbb{R} \wedge \div = \div \mathbb{R} \backslash \div \mathbb{R} \leq ! \mathcal{R} s(c). \\ & + / / \div \mathcal{R} \div ! + \leq \backslash \mathbb{R} ! \mathbb{R} \varnothing \div \leq ! ! \backslash / \backslash \mathbb{R} > \leq \div + \backslash = \div ! \mathcal{J} \times \leq > \end{aligned}$$

$$\theta = \theta(s),$$

$$\div \backslash \leq \varnothing$$

$$\theta(-1) > \theta(+1).$$

$$\begin{aligned} & \backslash \div = \mathcal{R} ! \mathbb{L} \mathcal{J} \div \mathbb{R} \leq - > \geq = = ! ! \leq \backslash \mathbb{R} \wedge / \mathcal{R} + \backslash \mathcal{J} \mathcal{J} > \leq \varnothing \div ! \div \mathcal{R} ! ! \div < \geq \backslash \div \mathcal{R} \div > > \div = \backslash \wedge \div \mathbb{R} \leq \backslash + ! \mathbb{L} > \geq = = ! ! \leq \leq \varnothing + \mathbb{R} ! \leq \varnothing \div ! \div \backslash \div / ! \mathcal{J} = + ! + - \mathcal{R} \div \backslash \div = \mathcal{R} ! \mathbb{L} \mathcal{J} \div \mathbb{R} \leq - \backslash \mathbb{R} \varnothing \backslash - \backslash \leq \backslash \mathbb{R} \wedge / \mathcal{R} + \backslash \mathcal{J} \mathcal{J} >, \backslash \div \mathcal{R} \backslash \mathbb{R} \div \\ & \leq \varnothing \div \leq \varnothing ! \div > \varnothing ! \mathcal{R} \backslash + > \mathbb{L} \mathcal{J} \mathcal{J} \div \leq ! \mathbb{L} \end{aligned}$$

$$\mathcal{A}_\theta = \theta(-1) - \theta(+1).$$

$$+ > \mathbb{L} \mathcal{J} \mathcal{J} \div \leq ! \backslash / = ! ! / \div \geq ! \div \varnothing + >$$

$$\mathcal{A}_\theta = 0.$$

$$\begin{aligned} & \approx ! > \backslash \leq \backslash = \div = + \mathcal{R} \geq \div > \backslash \mathbb{R} \backslash / + \leq \div + \mathbb{R} \div = \backslash \wedge \div \mathbb{R} \leq \backslash + ! \mathbb{L} + \backslash = + \mathbb{R} \leq + \wedge \div \mathcal{R} ! ! \backslash \div = \mathcal{R} ! \mathbb{L} \mathcal{J} \div \mathbb{R} \leq - > \geq = = ! ! \leq \backslash \mathbb{R} \wedge / \mathcal{R} + \backslash \mathcal{J} \mathcal{J} >, \\ & \leq \varnothing \backslash \mathcal{R} > \mathcal{R} ! ! \mathcal{J} \geq \mathcal{R} + \leq \backslash \mathbb{R} + \mathcal{R} > ! = \div ! \mathcal{J} \times \leq > + > \mathbb{L} \mathcal{J} \mathcal{J} \div \leq ! \mathbb{L} \leq ! + \mathbb{R} \div ! \leq \varnothing ! \geq \wedge \varnothing \leq \varnothing \div \div \backslash \wedge \varnothing \leq > ! + \leq \varnothing \div ! \leq \varnothing + \mathbb{R} \leq \varnothing \div \leq \varnothing ! \div > \varnothing ! \mathcal{R} \backslash. \notin \div \leq \end{aligned}$$

$$\mathfrak{t}_s = (w_{e,s}, w_{m,s}, w_{t,s}, w_{u,s})$$

$$- \div \leq \varnothing \div \div \backslash \wedge \varnothing \leq \backslash \mathbb{R} \wedge = + \div \leq ! ! + = = \mathcal{R} \times \div \backslash \geq \mathbb{R} \backslash \div ! = + \mathcal{R} \div \mathbb{R} / \div S, \leq \varnothing \div \mathbb{R} + > \leq ! ! \mathbb{R} \wedge \div ! \backslash \mathbb{R} = + ! \backslash + \mathbb{R} / \div / \backslash \leq \div ! \backslash \mathbb{R} \times >$$

$$\mathfrak{t}_+ = \mathfrak{t}_- \qquad + \mathbb{R} \backslash \qquad \theta(+1) = \theta(-1).$$

$$\mathcal{B} = \underset{z}{\mathbb{P}}[P(u = \mathfrak{u} + \mathfrak{q} \mid z, E = \mathfrak{u} \leq \mathfrak{u} \leq \mathfrak{u}) - P(u = \mathfrak{u} + \mathfrak{q} \mid z_0, E = \mathfrak{u} \leq \mathfrak{u} \leq \mathfrak{u})].$$

[illegible]

H. A Coding Protocol for Empirical Testing

≤∅÷ ∓1÷/÷\×&^ <≥+&≤%\$%÷÷÷ /+& -÷ ÷÷≤%&+≤÷÷ &!!& + /!|=≥÷ !& ∓1÷÷÷÷ 1÷&÷÷÷÷÷÷, ≤÷/∅&×/÷+& 1÷∓!!|≤÷, ∓!&×/÷_ ≤÷÷≤%&∂!&_÷, %&×/÷+&≤ 1÷∓!!|≤÷, %&≤÷1÷÷÷÷÷÷, +&\ ∓!!\&÷/≤ \!÷≥&÷&≤+≤%÷!&.

√%÷%÷÷ ≤∅÷ /!|=≥÷ %&≤! %&\×÷÷%÷≥+& /&+×%&∂ C_i⋅ *!! ÷÷/∅ /&+×%&∂ 1÷/!!\ + /!\×&^ ∓÷/≤!!

r_i = (s_i, e_i, t_i, a_i, g_i, r_i, b_i),

+∅÷1÷ S_i %> %&≥≤%\$≤≤%!&+& ∓+&÷&÷÷, e_i ÷÷%÷+&≤%÷+!_ >≤1÷&^≤∅, t_i ≤÷&∓!!+& ∅!!\×&∂!&, a_i +≤≤!×-≥≤÷\ +^÷&≤, g_i /+≥÷+& ^1+&≥&+!%≤_÷, r_i 1÷<≥!÷÷&÷&≤> +≤≤+∅÷\ ≤! ∓1÷÷≤%÷+ ≤÷1&×&!&^!&_÷, +&\ b_i ≤∅÷ ∓1÷÷÷&÷÷ !! +÷÷÷&÷÷ !& + ^÷&≥!&÷ /!≥&≤÷1&÷/≤≥+& -1÷&÷.

≤∅÷ /÷&≤1+& ∅_÷∓!!≤∅÷÷÷÷ !& ∅∅÷ ÷÷÷÷÷_÷ /+& ∅∅÷÷÷ ÷÷ >≤+≤÷\ +÷ <÷÷≤+÷-&÷ %&÷÷<÷+&×%÷÷÷÷.

E[e_i | s_i = -1] > E[e_i | s_i = +1]

&!! ∅∅÷ ÷÷%÷+&≤%÷+!_ ≤∅1÷÷∅!&\;

P(%&≤÷&≤%\$!&+& &∂!÷+& &+&^≥+^+ | s_i = +1) > P(%&≤÷&≤%\$!&+& &∂!÷+& &+&^≥+^+ | s_i = -1)

&!! +÷_÷&∂&≤1%÷ ∓÷!÷!&×&×/÷+≤%÷!&.

P(&+&÷\ !!^+&×&∂+≤%÷!&+& 1÷÷∓!!&>%-×&%≤_ | s_i = -1) < P(&+&÷\ !!^+&×&∂+≤%÷!&+& 1÷÷∓!!&>%-×&%≤_ | s_i = +1)

+∅÷& &+×&≥1÷ &+&^≥+^+ ÷÷+÷≥+≤÷÷ %&≥≤%\$≤≤%\$!&+& +^÷&÷_÷; +&\

P(b_i = 1 | ">+&≤_÷" &+&^≥+^+) < 1

≤! \×>≤%&^≥%∅ %&∓!÷+≤%÷!& !& >+&≤_÷ &!!& ∓!!>÷÷÷÷÷%!& !& /+≥÷+& >≤!∓∓%&^ +≥≤∅!!%≤_÷.

-÷/÷+≥÷÷ &+&_÷ !& ∅∅÷÷÷ ∓+!%÷÷-&÷÷ 1÷<≥%÷÷ %&≤÷1∓1÷≤÷+≤%÷!&, %&≤÷1-1÷≤÷1 +^1÷÷&÷&≤ >∅!≥&\ -÷ 1÷∓!!|≤÷\, *!! ∓÷! /!÷+!÷ +&\ /+≤÷^!!%÷+& ∓+!%÷÷-&÷ X, /!∅÷&'> &+∓∓+ %>

κ = \frac{p_o - p_e}{1 - p_e},

+∅÷1÷ p_o %> !->÷1∓÷\ +^1÷÷&÷&≤ +&\ p_e +^1÷÷&÷&≤ ÷÷∓÷/≤÷\ -_÷ /∅+&÷.

≤∅÷ ÷&∓%÷/÷+& ∓!!&÷/≤ ∅∅÷1÷&!!÷ \!÷÷ &!≤ 1÷<≥%÷÷ ∓!!∓%&^ ∅∅÷+ ∓+∓!≤%/≥&+! >∓÷+&÷! %&≤÷&\÷\ ≤! &+&%∓∓≥&+≤÷ &+&^≥+^+÷. ≤∅÷ 1÷&÷∓+&≤ !-&÷/≤ %> ∅∅÷ \×>≤!×-≥≤%÷!&+& ∓+≤÷!&, %& %&÷÷∓÷&÷+&≤ /!÷+! 1÷∓÷÷+≤÷+&_÷ &%&\ ∅∅÷ >≤+&\+^÷ !& &÷÷%÷+&÷÷ ^1+&∂&+≤%÷/÷+& +^÷&÷_÷, >÷&+&≤%÷/ 1÷<≥%÷÷&÷&≤÷, +&\ !∓÷!÷%&∅≤ +≥≤∅!!%≤_÷ &∂!∓÷ %& ∅∅÷ ∓1÷\×/≤÷\ \×1÷/≤%÷!& ÷%≤∅ %&≥≤%\$≤≤%\$!&+& ∓+&÷&÷÷, ∅∅÷ /&+×%&∂ -÷/!&÷÷ !&÷ +÷!≥≤ +& !->÷1∓÷÷-&÷ 1∅÷≤!!%÷+& >_÷≤÷& 1+≤∅÷! ∅∅÷& %&∂÷!!÷\ &∂!≤%÷÷.

I. Failure Conditions and Falsification

≤∅÷ &1+&÷+!& >∅!≥&\ %>÷&× -÷ >≥-&÷/≤÷\ ≤! ∅∅÷ >_÷&∂&≤1_÷ %> ÷÷&+&\> &!!& %> !-&÷/≤÷, >÷∓÷!+& !->÷1∓+≤%÷!& >!≥&\ ÷÷+&÷& !! &+&×%>%&_÷ %> >≤!!&^÷÷≤ /&+×%&∂.

*×!1>, %& &+≤/∅÷\ \÷∓&!_÷&÷&≤-÷>≥∓∓!!≤%&^ +&\ \÷∓&!_÷&÷&≤-%&∅×-%>≤%&^ /&+×%&∂ +1÷ +\&×%≤÷\ ≥&\÷+! >≤+≤%>≤%÷+&∂_÷ &\&\×>≤%&^≥%>∅÷-&÷ ÷÷%÷÷+&≤%÷+!_÷ ≤∅1÷÷∅!&\>, ∅∅÷&

A_{\theta} \approx 0,

+&\ ∅∅÷ ÷÷%÷+&≤%÷+!_÷-÷>_÷&∂&≤1_÷ ∅_÷∓!!≤∅÷÷×> %> ≥&>≥∓∓!!≤÷\.

>÷/!&\> %& +≤≤!×-≥≤%÷!& 1÷&÷+& >≤÷-&÷ ÷/!>> >≥//÷÷÷ +&\ &+×&≥1÷ +&≤÷! /!&≤!!&∂%÷&^ &!! ^÷&≥!&÷ /+≥÷+& &\&×&÷÷÷&÷÷÷, ∅∅÷&

[illegible]

[illegible][illegible]

[19] $\exists +1\% \geq 21 \div 3 \div + \& \in \{3\}$ 二. $\wedge \leq \leq + \wedge$, " + * $1 + \div + 11 \div \forall ! \geq \& \div 1 \div \leq + \& \div \& \> \geq 1 \div \div ! \forall \exists + 1 \div \leq \exists 11 \geq \& \geq \leq \leq 3 \div \div \sqrt{\div + \div \& \div} \notin + 1 \& \& \notin \% \forall \div / _$
 $\div \notin \div$, " $\% \approx 11 \div \div \& \> ! \forall \leq \div \div \div \leq + / \sqrt{\div \div \div \div \div ! \& \div \div \div \leq \leq + \& \div + 1 \div \div \div \& \div \notin \& \div 11 \leq \leq \& \div \div \sqrt{\div \div + \& \> \& \div \div \div \div \div \& \div ! \leq \% \& \div \div \leq \% \& \div \div \exists 0 \exists 1 \div \div \%$
10.1145/3465416.3483305.

[illegible]

[21] $\in! \supset \supset \neg \div \% \top \div \& \neg \div \geq \mathcal{N}, /! \mathcal{N} \geq \leq \div! \approx! \dagger \div! + \& \exists \geq \mathcal{N} + \& \mid \div \div \> \& \! : *! \mathcal{N} \in \geq \wedge \mathcal{N} \div \& \leq \leq! / \div \& \geq \& \div \leq \! \& \! . \> \& *! \& \! \% \div \! : \neg . \exists . *! \div \div \mathcal{N} + \& , 1976.$

[illegible]

[23] $\wedge \nmid !\wedge \nmid \notin + / ! \# \# + \& \setminus \sqrt{+} / \# \in ! \exists \> ! \&, \sqrt{+} \div \leq + = \exists ! | > \vdash \notin \% = \div - \perp. / \exists \% / + \wedge ! : \geq \& \% = \div | > \% \leq \perp ! \# / \exists \% / + \wedge ! \approx | \div > >, 1980.$

[24] $! \div k > |z| \div \%k \% \leq \% + \leq \% = \div, " \leq \div ! \div k > |z| \div \setminus \div \%k \% \leq \% !k, " = \div ! > \% !k |.9. + = + \% \div - \div \div !k \leq \div ! \div k > |z| \div \%k \% \leq \% + \leq \% = \div.$

[25] $1 \leq k \leq 1/\epsilon$, $\forall k \leq k_0 \leq 1/\epsilon$, " $\exists 1 \leq k \leq 1/\epsilon$, $\forall k_0 \leq k \leq 1/\epsilon$," $\Rightarrow 1/\epsilon \leq 1/\epsilon$. 1.0, 2024.

[illegible][illegible]