[illegible]

[illegible]

[illegible]

[illegible]

[illegible] [illegible]

[illegible]

[illegible]

1. The Emergency Is the Engine

[illegible]

2. The Brake Pedal Is Wired to the Accelerator

[illegible]

3. The Asymmetry of Accountability

[illegible]

4. The Rigged Ledger of Progress



5. The Semantic Dilution of “Open” and “Human”

> [illegible]

6. The Residual Reality

7. Rhetorical Debugging: From Diagnosis to Procedure

[illegible] $\theta(c, s)$ [illegible] c [illegible] $s \in \{+, -\}$ [illegible]

$$\theta(c, -) > \theta(c, +),$$

[illegible]

$$\mathcal{A}(c) = \theta(c, -) - \theta(c, +)$$

[illegible]

7.1 The Evidentiary Ledger

[illegible]

7.2 Semantic Dilution as Requirement Shedding

7.3 The Personification Pivot

$g(o)$ o

[illegible]

[illegible]

[illegible]

7.4 Institutional Theater and the Counterfactual Brake

[illegible]

[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]
[illegible]	[illegible]	[illegible]

[illegible]

[illegible]

[illegible]

7.5 The Emergency Pivot

[illegible]

[illegible] $\Longrightarrow$ [illegible] $\Longrightarrow$ [illegible]

[illegible]

[illegible]

[illegible]

8. A Compact Audit Protocol

[illegible]

1. [illegible]

2. [illegible]

3. [illegible]

4. [illegible]

5. [illegible]

9. The AI Dictionary of Redefinitions

[illegible]

Open

Safety

Human in the Loop

$$L = \lambda\tau.$$

Deterrence

Emergence and Hallucination

Feedback

Benchmark

AGI Forecast

Summary

Maintenance

10. Capability, Contamination, and the Human Baseline

11. The User as an Extractive Interface

12. Limit Cases: When the Record Replaces the World

[redacted]

[redacted]

[redacted]

[redacted]

[redacted]

[illegible]

Companion Essays

[illegible]

Mechanism Essays

- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]
- [illegible]

[illegible]

[illegible]

[illegible]

Interface Essays

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Limit Cases

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Appendices

A. A Formal Model of Rhetorical Asymmetry

$$c = (p, e, a, t, m),$$

$$s(c) \in \{-1, +1\}$$

$$\Phi(c) = w_e E(e) + w_m M(m) - w_t T(t) - w_u U(c),$$

$$\Phi(c) \geq \theta,$$

$$\theta = \theta(s),$$

$$\theta(-1) > \theta(+1).$$

$$\mathcal{A}_\theta = \theta(-1) - \theta(+1).$$

$$\mathcal{A}_\theta = 0.$$

$$\vec{w}_s = (w_{e,s}, w_{m,s}, w_{t,s}, w_{u,s})$$

$$\vec{w}_+ = \vec{w}_- \qquad \theta(+1) = \theta(-1).$$

A.1 The Valence-Reversal Operator

$$R : (p, e, a, t, m, +1) \mapsto (p', e', a', t', m', -1),$$

$$E(e') = E(e), \qquad T(t') = T(t), \qquad M(m') = M(m), \qquad U(Rc) = U(c).$$

$$D(c) = D(Rc),$$

$$\widehat{\mathcal{I}} = \frac{1}{N} \sum_{i=1}^{N} \left| D(c_i) - D(Rc_i) \right|.$$

B. Agency Conservation and the Personification Pivot

$$P(A = a \mid o)$$

$$(o) = (P(A = a_1 \mid o), \ldots, P(A = a_k \mid o)) .$$

$$\Delta_A = d\big((o^+),\ (o^-)\big) ,$$

$$d (P, Q) = \frac{1}{2} \sum_{a \in \mathcal{G}} |P(a) - Q(a)|.$$

$$\Delta_A^* = d \big(P(A \mid o^+, X), P(A \mid o^-, X)\big) .$$

[illegible]

$$H(o) = \begin{cases} 1, & \text{[illegible]} \\ 0, & \text{[illegible]}, \end{cases}$$

[illegible]

$$O(o) = \begin{cases} 1, & \text{[illegible]} \\ 0, & \text{[illegible]}. \end{cases}$$

[illegible]

$$\Pi = \left[P(H = 1 \mid o^+) - P(H = 1 \mid o^-)\right] + \left[P(O = 1 \mid o^-) - P(O = 1 \mid o^+)\right].$$

[illegible] Π [illegible]

C. Forecasts, Calibration, and the Accelerating Miss

[illegible] t_0 [illegible]

$$p = P(E \le T \mid \mathcal{F}_{t_0})$$

[illegible] E [illegible] T [illegible] T [illegible]

$$y = \begin{cases} 1, & E \text{ [illegible] } T, \\ 0, & E \text{ [illegible] } T. \end{cases}$$

[illegible]

$$B(p, y) = (p - y)^2,$$

[illegible] $y = 0$

$$B(p, 0) = p^2,$$

0.9 0.55

U_t t

$$\frac{\partial U}{\partial B} \leq 0 :$$

$$\frac{\partial U}{\partial B} > 0.$$

(p_i, T_i, y_i)

$$L_n = \sum_{i=1}^{n} (p_i - y_i)^2$$

U_n

$$(\Delta L_n, \Delta U_n) > 0$$

D. Human Oversight as a Queueing Problem

λ

τ.

$$\mu = \frac{1}{\tau}.$$

c

$$\rho = \frac{\lambda}{c\mu} = \frac{\lambda\tau}{c}.$$

$$\rho < 1.$$

$$\rho \geq 1,$$

$\rho < 1$ $I \in [0,1]$ $K \in [0,1]$ $P \in [0,1]$ $C \in [0,1]$

$$\Omega = (1-\rho)_+ IKPC,$$

$$(x)_+ = (x, 0).$$

$$\Omega \approx 0.$$

[redacted]

D.1 Refusal Bandwidth

[redacted] R [redacted] $r(x) \in \{0, 1\}$ [redacted]

$$f_R = \frac{1}{|R|} \sum_{x \in R} r(x).$$

[redacted] f_R [redacted] R_ϵ [redacted] ϵ [redacted]

$$f_R(\epsilon) = P(r(x) = 1 \mid x \in R_\epsilon).$$

[redacted]

E. The Counterfactual Brake

[redacted] x_t [redacted] t [redacted]

$$u_t \in \{ [redacted], [redacted] \}$$

[redacted] z_t [redacted] z^* [redacted]

$$P(u_t = [redacted] \mid z_t = z^*) > P(u_t = [redacted] \mid z_t = z_0),$$

[redacted] z_0 [redacted]

[redacted]

$$P(u_t = \blacksquare \mid z_t = z^*, E = \blacksquare) > 0,$$

$E = \blacksquare$

$$\mathcal{B} = \max_{z} \left[P(u = \blacksquare \mid z, E = \blacksquare) - P(u = \blacksquare \mid z_0, E = \blacksquare) \right].$$

$$\mathcal{B} = 0,$$

$D = \blacksquare$

$$D = P(\blacksquare \; t+1 \mid z_t = z^*).$$

$\mathcal{B} \; D \approx 0$

F. Semantic Dilution as Requirement Loss

$$\mathcal{R}_0(w) = \{r_1, r_2, \ldots, r_n\}$$

w t

$$\mathcal{R}_t(w) \subseteq \mathcal{R}_0(w)$$

$$Q_t(w) = \frac{|\mathcal{R}_t(w)|}{|\mathcal{R}_0(w)|}.$$

$$Q_t(w) < 1,$$

$$\frac{dQ_t(w)}{dt} < 0.$$

$V_t(w)$

$$\Lambda_t(w) = \frac{V_t(w)}{Q_t(w) + \varepsilon},$$

$\varepsilon > 0$

$$Q_t(w) \downarrow, \qquad V_t(w) \approx V_0(w),$$

$$\Lambda_t(w) \uparrow .$$

$= (r$ $, r$ $, r$ $, r$ $, r$ $, r$ $).$

G. The Rigged Ledger as Discounting Asymmetry

[illegible] i [illegible] x_i [illegible] p_i [illegible] t_i [illegible] δ [illegible]

$$V_i = p_i x_i e^{-\delta t_i}.$$

[illegible] x_i [illegible]

$$V = \sum_{i \in B} \widehat{p}_i^{\,B} x_i e^{-\delta_B t_i} - \sum_{j \in H} \widehat{p}_j^{\,H} |x_j| e^{-\delta_H t_j}.$$

[illegible]

$$\widehat{p}_i^{\,B} > p_i, \qquad \widehat{p}_j^{\,H} < p_j,$$

[illegible]

$$\delta_B < \delta_H^{\text{[illegible]}},$$

[illegible] δ_H [illegible]

$$\mathcal{L} = \left(\overline{\widehat{p}^{\,B} - p^B}\right) - \left(\overline{\widehat{p}^{\,H} - p^H}\right).$$

[illegible] $\mathcal{L}$ [illegible] V [illegible]

H. A Coding Protocol for Empirical Testing

c_i

$$_{}_i = (s_i, e_i, t_i, a_i, g_i, r_i, b_i),$$

s_i e_i t_i a_i g_i r_i b_i

$$E[e_i \mid s_i = -1] > E[e_i \mid s_i = +1]$$

$P(\quad \mid s_i = +1) > P(\quad$

$P(\quad \mid s_i = -1) < P(\quad$

$$P(b_i = 1 \mid \quad) < 1$$

X

$$\kappa = \frac{p_o - p_e}{1 - p_e},$$

p_o p_e

I. Failure Conditions and Falsification

$$\mathcal{A}_\theta \approx 0,$$

$$\Delta_A^* \approx 0$$

$$\mathcal{B} > 0 \qquad D \approx 1,$$

$$\frac{d\Lambda_t}{dt} \approx 0.$$

[redacted]

[redacted]

$$[redacted](\Delta L, \Delta U) \leq 0,$$

[redacted]

[redacted]

References