Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Dokumentacija

Web programiranje 1

https://stankovich02.github.io/befitgym/



Sadržaj:

Uvod	4
Tehnologije i programi koji su korišćeni za izradu sajta:	4
Opis fukncionalnosti sajta:	4
Template:	4
Organizacija sajta	5
Mapa sajta:	5
SITEMAP	5
RSS	5
Opis sajta i sekcija:	7
Stranica: index.html	7
Header	7
Home	7
About	8
Features	8
Pricing	9
Trainers	9
Discount	10
Testimonials	10
Blogs	11
Form	12
Footer	13
Stranica: author.html	14
Header	14
About-author	14
Footer	14
Kodovi	15
HTML	15
index.html	15
author.html	20
CSS	23

Marko Stanković	41/21
style.css	23
responsive.css	43
JavaScript	55
main.js	55

Uvod

Tehnologije i programi koji su korišćeni za izradu sajta:

- 1. HTML
- 2. CSS
- 3. JavaScript
- 4. jQuery
- 5. jQuery plugin
- 6. XML
- 7. Figma
- 8. Visual Studio Code

Opis fukncionalnosti sajta:

- Dinamičko ispisavanje navigacije sajta, i izrada responsive navigacije za manje uređaje
- Animacija menjaja slika u home sekciji na svakih 5 sekundi
- Dinamičko ispisvanje stavki u sekciji About Us
- Dinamičko ispisivanje karakteristika teretane u sekciji Gym Features
- Prelaskom kursora preko slika u sekciji Gym Features slike se uveličavaju
- Dinamičko ispisavanje basic i premium plana za treniranje u sekciji Pricing plan
- Dinamičko ispisivanje trenera u sekciji Expert Trainers
- Prelaskom preko polja sa imenom trenera, polje se podiže i korisniku se prikazuju dostupni linkovi socijalnih mreža trenera
- Dinamičko ispisivanje utisaka klijenata u sekciji Testimonials
- Dinamičko ispisivanje blog postova u sekciji Daily Posts
- Prelaskom kursora preko slika u sekciji Daily Posts slike se uveličavaju
- Provera unešenih podataka u formi za poručivanje plana i ispisivanje grešaka
- Pri zadovoljavanju uslova forme (border forme se iz crvene promeni u zelenu boju) omogućuje se slanje unešenih podataka korisnika
- jQuery UI plugin sa animacijom "fade" nakon prosleđivanja uspešne forme
- Dinamičko ispisivanje korisnih linkova u Footer-u

Template:

Za izradu sajta je korišćen template sa sledećeg linka:

https://www.youtube.com/watch?v=z3MueMJcfSE&t=1999s&ab_channel=Mr.WebDesigner, uz promenu fajla style.css, kao i inicijalnog JS-a koji je izbrisan i kucan od početka u fajlu main.js

Organizacija sajta

Mapa sajta:

- 1. Početna (index.html)
- 2. Informacije o autoru (author.html)
- 3. SITEMAP (sitemap.xml)
- 4. RSS (rss.xml)

SITFMAP

RSS

```
</item>
   <item>
        <title>Pricing</title>
        <link>https://stankovich02.github.io/befitgym/#pricing</link>
        <description>Changes in our pricing plans</description>
   </item>
   <item>
        <title>Trainers</title>
        <link>https://stankovich02.github.io/befitgym/#trainers</link>
        <description>Changes about our gym trainers</description>
   </item>
   <item>
        <title>Reviews</title>
        <link>https://stankovich02.github.io/befitgym/#review</link>
        <description>Changes in our reviews section</description>
   </item>
</channel>
</rss>
```


Opis sajta i sekcija:

Stranica: index.html

Header




• **Header** se sastoji iz logo-a i dinamički ispisanog menija. Meni je responsive , tako da na uređajima koji su ispod 768px širine ekrana pojaviće se "hamburger" koji se na klik otvara od gore.




Home

 Sekcija Home, koja se sastoji iz tri slike koje su pozadinske za tu sekciju i one se dinamički menjaju podešenim tajmerom na svakih 5 sekundi.




About

• Sekcija **About** u kojoj se nalazi kratak opis teretane , i stavke koje su takođe ispisane dinamički.




Features

 Sekcija Features, ispisana dinamički i ona pokazuje neke osnovne karakterisitke teretane.




Marko Stanković 41/21
Pricing

 Sekcija Pricing, u kojoj su navedeni dostupni planovi teretane, Basic i Premium, i njihova cena. Oba plana su ispisana dinamički.




Trainers

Sekcija Trainers, predstavlja trenere u teretani koji rade sa klijentima. Prelaskom
preko polja sa imenom trenera polje se podiže i prikazuju se dodatno linkovi socijalnih
mreža trenera. Treneri su takodje ispisani dinamički u pozadini pomoću JavaScripta.




Discount

 Kratko obaveštavajuće polje za korisnike, da je u toku popust na planove, ukoliko se pri popunjavanju forme unese promo kod.




Testimonials

Sekcija Testimonials, prikazuje neke od utisaka klijenata tokom korišćenja naših planova. U sekciji je korišćen Swiper.js, koji sam "premotava" utiske sa delay-om od 5 sekundi, a takodje postoji i mogućnost samostalnog premotavanja od strane korisnika. Ova sekcija je takođe ispisana dinamički u JavaScript-u.




Blogs


 Sekcija Blogs, takođe rađena pomoću Swiper.js, "premotava" blog postove na 5 sekundi, ali i sam korisnik može premotavati postove pomoću kružića ispod postova. Blog postovi su ispisani dinamički takođe.



Form


Sekcija sa formom za popunjavanje , je glavna za poručivanje plana u teretani. Forma poseduje regularne izraze za svaki element u njoj i bez njihove pravilne ispunjenosti forma , tj. podaci iz forme , neće biti prosleđeni u bazu. Regularni izrazi se proveraju nakon izlaska iz svakog elementa i na osnovu toga se ispisuje tekst o upozorenju ako je loše popunjeno polje i u istom trenutku donji border elementa dobija crvenu boju kao i cela forma, da bi pri pravilnom popunjavanju elementa donji border dobio zelenu boju , a cela forma nakon pravilnog popunjavanja svih elemenata u formi. Izrazi se još jednom proveravaju klikom na dugme **ORDER** i tek nakon toga se podaci prosleđuju. U formi je korišćen **jQuery plugin** koji pri pravilnom popunjavanju forme klikom na dugme pravi efekat "fade" na formi , forma se resetuje i stranica se učita ponovo.





Footer

• **Footer** sadrži dinamički ispisane korisne linkove u pozadini, satnicu rada teretane tokom nedelje, kontakt informacije, i polje za unos mejla radi dobijanja nekih novosti, promocija, itd. i to polje ne sadrži regularni izraz već je to obezbeđeno unosom input-a tipa **email.**




Stranica: author.html

Header

• Sekcija **header** kao i njen **meni** imaju iste karakteristike kao i na stranici <u>index.html</u>

About-author

• Sekcija **about-author** sadrži Swiper.js swiper tipa "cube", tj. pregled informacija o autoru stranice se vrši tzv. "vrtenjem" kocke u horizontalnom smeru.





Footer

 Footer je takođe isti tako da ima iste karakteristike tj. osobine kao i na stranici index.html

Kodovi

HTMI

index.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <meta name="description" content="BEFIT Gym exist since 2000 with over 20 training</pre>
gyms across the country, and over 1000 clients, online and at the gym, and every new day
for us is a motivation for success."/>
    <meta name="keywords" content="befit , gym , jquery , slider, testimonials , trainers</pre>
, trainings, plans , js , css , responsive"/>
    <meta name="author" content="Marko Stankovic"/>
    <title>BEFIT Gym</title>
    <!-- font awesome cdn link -->
     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.4/css/all.min.css"/>
     <link rel="stylesheet" href="https://unpkg.com/swiper@7/swiper-bundle.min.css" />
     <script src="https://unpkg.com/swiper@7/swiper-bundle.min.js"></script>
     <!--jQuery-->
     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
    <link rel="stylesheet" href="//code.jquery.com/ui/1.12.1/themes/smoothness/jquery-</pre>
ui.css">
    <link rel="stylesheet" href="css/jquery-ui.css"/>
    <script src="js/jquery-ui.js"></script>
    <script src="//code.jquery.com/jquery-1.12.4.js"></script>
    <script src="//code.jquery.com/ui/1.12.1/jquery-ui.js"></script>
    <!-- custom css file link -->
    <link rel="stylesheet" href="css/style.css"/>
     <link rel="stylesheet" href="css/responsive.css"/>
    <!--FavIcon-->
     <link rel="icon" href="images/favicon.ico"/>
</head>
<body>
<!-- header section starts-->
<header class="header">
    <a href="index.html" class="logo"> <span>BE</span>FIT </a>
    <div id="menu-btn" class="fas fa-bars"></div>
    <nav class="navbar">
```

```
</nav>
</header>
<!-- header section ends-->
<!-- home section starts -->
<section class="home" id="home">
    <div class="swiper home-slider">
        <div class="swiper-wrapper">
            <div class="swiper-slide slide" >
                <div class="content">
                    <span>be strong, be fit</span>
                    <h3>Make yourself stronger than your excuses.</h3>
                    <a href="#pricing" class="btn">get started</a>
                </div>
            </div>
        </div>
        <div class="swiper-pagination"></div>
    </div>
</section>
<!-- home section ends -->
<!-- about section starts -->
<section class="about" id="about">
    <div class="image">
        <img src="images/about-img.jpg" id="bounceimg" alt="A man holds chains">
    </div>
    <div class="content">
        <span>about us</span>
        <h3 class="title">Every day is a chance to become better</h3>
        SEFIT Gym exist since 2000 with over 20 training gyms across the country, and
over 1000 clients.
            online and at the gym, and every new day for us is a motivation for success,
so if u are not our
            client yet, what are you waiting for?
        <div class="box-container" id="about-cont">
        </div>
   </div>
</section>
<!-- about section ends -->
<!-- features section starts -->
<section class="features" id="features">
    <h1 class="heading"> <span>gym features</span> </h1>
    <div class="box-container">
   </div>
</section>
<!-- features section ends -->
```

```
<!-- pricing section starts -->
<section class="pricing" id="pricing">
   <div class="information">
       <span>pricing plan</span>
       <h3>affordable pricing plan for your</h3>
        <i class="fas fa-check"></i> Cardio exercise 
        <i class="fas fa-check"></i> Weight lifting 
       <i class="fas fa-check"></i> Diet plans 
        <i class="fas fa-check"></i> Overall results 
   </div>
   <div class="plan">
       <h3>basic plan</h3>
       <div class="price"><span>$</span>30<span>/mo</span></div>
      <div class="list">
      </div>
      <a href="#ordering" class="btn">purchase</a>
   </div>
   <div class="plan">
       <h3>premium plan</h3>
       <div class="price"><span>$</span>90<span>/mo</span></div>
      <div class="list">
      </div>
      <a href="#ordering" class="btn">purchase</a>
   </div>
</section>
<!-- pricing section ends -->
<!-- trainers section starts -->
<section class="trainers" id="trainers">
   <h1 class="heading"> <span>expert trainers</span> </h1>
   <div class="box-container">
   </div>
 </section>
<!-- trainers section ends -->
<!-- banner section starts -->
<section class="banner">
   <span>join us now</span>
   <h3>get up to 50% discount</h3>
   On your form submission use our promo code <span>BEFIT50</span> and get
a <span>50%</span> discount on your first purchase!
   <a href="#ordering" class="btn">get discount</a>
</section>
```

```
<!-- banner section ends -->
<!-- review section starts -->
<section class="review" id="review">
   <div class="information">
        <span>testimonials</span>
       <h3>what our clients says</h3>
        These are just some of the impressions of our clients
        <span id="clients-nmb">500+</span>&nbspsatisfied clients
   <div class="swiper review-slider">
        <div class="swiper-wrapper">
       </div>
   </div>
</section>
<!-- review section ends -->
<!-- blogs section starts -->
<section class="blogs" id="blogs">
   <h1 class="heading"> <span>daily posts</span> </h1>
   <div class="swiper blogs-slider">
       <div class="swiper-wrapper">
       </div>
        <div class="swiper-pagination"></div>
   </div>
</section>
<!-- Plans order section starts-->
<section id="ordering">
   <h1>Order your training plan today!</h1>
   <form name="orderingForm" id="orderingForm" action="" method="">
            <input type="text" id="fullname" name="Full name" placeholder="Full name"</pre>
autocomplete="off"/>
            <span></span>
            <input type="text" id="email" name="email" placeholder="Email"</pre>
autocomplete="off"/>
            <span></span>
        <select name="selectplans" id="selectplans">
            <option value="0">Choose your plan:</option>
            <option value="1">Basic plan</option>
            <option value="2">Premium plan</option>
       </select>
       <span></span>
        <div id="card">
               <div id="cardtype">
```

```
<input type="text" id="Cardnmb" placeholder="Card number"</pre>
autocomplete="off" name="cardnmb"/>
                <img><img>
                </div>
                <span></span>
            <div id="expdate">
                <div id="monthyear">
                <span>Expiry date:</span>
               <input type="text" id="expdatemonth" name="expdatemonth" placeholder="MM">
                <input type="text" id="expdateyear" name="expdateyear" placeholder="YY">
                </div>
                <input type="text" name="cvv" autocomplete="off" placeholder="CVV"</pre>
id="cvv"/>
            </div>
                <span></span>
                <span></span>
                <input type="text" name="cardholder" placeholder="Name on card"</pre>
autocomplete="off" id="cardholder"/>
                <span></span>
                <input type="text" autocomplete="off" placeholder="Promo code"</pre>
name="promo"/>
       </div>
        <input type="submit" id="subm" value="ORDER"/>
       <div id="popupbg">
            <div id="popup">
                <img src="images/check.png" alt="Green check">
                <h2>Thank you!</h2>
                Your order has been successfully placed!
                <button id="popup-btn" type="button">OK</button>
            </div>
        </div>
   </form>
</section>
<!-- Plans order section ends-->
<!-- footer section starts -->
<section class="footer">
   <div class="box-container">
       <div class="box">
       </div>
       <div class="box">
            <h3>opening hours</h3>
             Monday : < i > 7:00 AM - 10:30 PM < / i > 
             Tuesday : <i>> 7:00 AM - 10:30 PM </i> 
            y > Wednesday : (i) 7:00 AM - 10:30 PM (i) (p)
             Friday : <i>> 7:00 AM - 10:30 PM </i>
```

```
 Saturday : <i>> 7:00 AM - 10:30 PM </i> 
            Sunday : <i> closed </i> 
       </div>
       <div class="box">
           <h3>contact</h3>
            <i class="fas fa-phone"></i> 011-456-7890 
            <i class="fas fa-phone"></i> 011-222-3333 
            <i class="fas fa-envelope"></i> befit@gmail.com 
           <i class="fas fa-map"></i> Belgrade, Serbia - 11800 
           <div class="share">
               <a href="#" class="fab fa-facebook-f"></a>
               <a href="#" class="fab fa-twitter"></a>
               <a href="#" class="fab fa-linkedin"></a>
               <a href="#" class="fab fa-pinterest"></a>
           </div>
       </div>
       <div class="box">
           <h3>newsletter</h3>
           Subscribe to our newsletter for latest updates!
           <form action="">
               <input type="email" name="" class="email" placeholder="Email..." id="">
               <input type="submit" value="subscribe" class="btn">
           </form>
       </div>
   </div>
</section>
<div class="credit"> created by <span>Marko Stankovic 41/21</span> | all rights reserved!
<!-- footer section ends -->
<!-- custom js file link -->
<script src="js/main.js"></script>
</body>
</html>
```

author.html

```
<meta name="keywords" content="author , befit , gym , cube , jquery , js , css ,</pre>
responsive , portfolio"/>
    <meta name="author" content="Marko Stankovic"/>
   <title>BEFIT | Author</title>
    <!-- font awesome cdn link -->
     <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/5.15.4/css/all.min.css"/>
     <!-- Link Swiper's -->
     <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper/swiper-</pre>
bundle.min.css"/>
     <script src="https://cdn.jsdelivr.net/npm/swiper/swiper-bundle.min.js"></script>
     <!--jQuery-->
     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
     <script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.0.0/jquery.min.js"></script>
     <!-- custom css file link -->
     <link rel="stylesheet" href="css/style.css"/>
    <link rel="stylesheet" href="css/responsive.css"/>
   <!--FavIcon-->
     <link rel="icon" href="images/favicon.ico"/>
</head>
<body>
   <header class="header">
        <a href="index.html" class="logo"> <span>BE</span>FIT</a>
       <div id="menu-btn" class="fas fa-bars"></div>
        <nav class="navbar">
        </nav>
    <h1 id="about-head">
       ABOUT ME:<img src="images/rotation.png" alt="Rotation cube">
   </h1>
 <section id="container about-author">
   <div class="swiper cube mySwiper">
       <div class="swiper-wrapper">
          <div class="swiper-slide cube-slide">
            <img src="images/author.png" alt="Author-picture"/>
          </div>
          <div class="swiper-slide cube-slide">
              Hello there! I am Marko Stanković, a future Front-end developer. I am
currently enrolled in ICT college
              and my passion is web development. My dream is to have a full-time or
remote job and build the best websites
              in the world. I'm learning new web development languages every day and I'm
surprised how interesting it all is.
```

```
Spin the cube for more informations about me :)
            </h2>
          </div>
          <div class="swiper-slide cube-slide">
            <h2>Check out my portfolio site!</h2>
            <img src="images/down-arrow.png" alt="Arrow-to-down">
            <a href ="https://stankovich02.github.io/portfolio/" target="_blank"><img</pre>
src="images/portfolio.png" /></a>
         </div>
         <div class="swiper-slide cube-slide">
            <h2>Check out my GitHub profile!</h2>
            <img src="images/down-arrow-black.png" alt="Arrow-to-down">
            <a href ="https://github.com/stankovich02" target="_blank"><img</pre>
src="images/github.png" /></a>
         </div>
         <div class="swiper-slide cube-slide">
            <img src="images/left-arrow.png" alt="Arrow-to-down">
            <img src="images/the-end.png" alt="The end">
          </div>
       </div>
        <div class="swiper-pagination bullets"></div>
     </div>
   </section>
    <section class="footer author-footer">
        <div class="box-container">
            <div class="box">
            </div>
            <div class="box">
                <h3>opening hours</h3>
                \langle p \rangle Monday : \langle i \rangle 7:00 AM - 10:30 PM \langle /i \rangle \langle /p \rangle
                Tuesday : <i>> 7:00 AM - 10:30 PM </i> 
                 Wednesday : <i>> 7:00 AM - 10:30 PM </i> 
                 Friday : <i>> 7:00 AM - 10:30 PM </i> 
                 Saturday : <i>> 7:00 AM - 10:30 PM </i> 
                 Sunday : <i> closed </i> 
            </div>
            <div class="box">
                <h3>contact</h3>
                 <i class="fas fa-phone"></i> 011-456-7890 
                 <i class="fas fa-phone"></i> 011-222-3333 
                <i class="fas fa-envelope"></i> befit@gmail.com 
                <i class="fas fa-map"></i> Belgrade, Serbia - 11800 
                <div class="share">
                    <a href="#" class="fab fa-facebook-f"></a>
                    <a href="#" class="fab fa-twitter"></a>
                    <a href="#" class="fab fa-linkedin"></a>
                    <a href="#" class="fab fa-pinterest"></a>
```

```
</div>
            </div>
            <div class="box">
                <h3>newsletter</h3>
                Subscribe to our newsletter for latest updates!
                <form action="">
                    <input type="email" name="" class="email" placeholder="Email..."</pre>
id="">
                    <input type="submit" value="subscribe" class="btn">
                </form>
            </div>
        </div>
    </section>
    <div class="credit"> created by <span>Marko Stankovic 41/21</span> | all rights
reserved! </div>
    <!-- custom js file link -->
    <script src="js/main.js"></script>
</body>
```

CSS

style.css

```
0% {
   left: -20px;
 100% {
   left: 30px;
@keyframes leftright {
 0% {
   left: -20px;
 100% {
   left: 30px;
}
 font-family: "Nunito", sans-serif;
 margin: 0;
  padding: 0;
 box-sizing: border-box;
 text-decoration: none;
 outline: none;
 border: none;
 text-transform: capitalize;
 transition: all 0.2s linear;
html {
 font-size: 70.5%;
 scroll-behavior: smooth;
 scroll-padding-top: 5rem;
 overflow-x: hidden;
html::-webkit-scrollbar {
 width: 1rem;
html::-webkit-scrollbar-track {
 background: #000;
html::-webkit-scrollbar-thumb {
  background: #f00;
}
body {
 background: #000;
```

```
section {
  padding: 5rem 9%;
p {
 text-transform: none;
.heading {
 text-align: center;
 margin-bottom: 3rem;
  position: relative;
.heading::before {
 content: "";
 position: absolute;
 top: 50%;
 left: 0;
 transform: translateY(-50%);
 height: 0.1rem;
 width: 100%;
 background: #aaa;
  z-index: -1;
.heading span {
 font-size: 3rem;
 color: #f00;
 background: #000;
 padding: 0.5rem 1.5rem;
 border: 0.1rem solid #aaa;
  border-radius: 0.5rem;
.btn {
 margin-top: 1rem;
 display: inline-block;
 padding: 1rem 2.8rem;
 padding-right: 3rem;
 background: linear-gradient(130deg, #f00 93%, transparent 90%);
 color: #fff;
 cursor: pointer;
 font-size: 1.7rem;
.btn:hover {
 transform: scale(1.1);
```

```
.header {
 position: fixed;
 top: 0;
 left: 0;
 right: 0;
 display: flex;
 align-items: center;
 justify-content: space-between;
 padding: 0 9%;
 z-index: 10000;
 background: #000;
.header .logo {
 font-weight: bolder;
 color: #fff;
 font-size: 3rem;
.header .logo span {
 color: #f00;
.header .navbar a {
 display: inline-block;
 padding: 1.5rem 2rem;
 font-size: 1.7rem;
 color: #fff;
.header .navbar a:hover {
 background: #f00;
#menu-btn {
 font-size: 3rem;
 color: #fff;
 cursor: pointer;
 display: none;
.home {
 padding: 0;
 margin-top: 5rem;
.home .slide {
 min-height: 70vh;
 background-size: cover !important;
 background-position: center !important;
 padding: 2rem 9%;
 display: flex;
```

```
align-items: center;
 transition: all 0.8s;
.home .slide .content {
 width: 60rem;
.home .slide .content span {
 font-size: 2rem;
 color: #f00;
 display: block;
.home .slide .content h3 {
 font-size: 5rem;
 color: #fff;
 padding: 1rem 0;
.swiper-pagination-bullet {
 height: 2rem;
 width: 2rem;
 background: #fff;
 border-radius: 50%;
.swiper-pagination-bullet.swiper-pagination-bullet-active {
 background: #f00;
.about {
 display: flex;
 align-items: center;
 flex-wrap: wrap;
 gap: 8rem;
.about .image {
 flex: 1 1 42rem;
 position: relative;
.about .image::before, .about .image::after {
 content: "";
 position: absolute;
 z-index: -1;
 background: #f00;
 height: 15rem;
 width: 15rem;
.about .image::before {
 top: 0;
```

```
left: 0;
.about .image::after {
 bottom: 0;
 right: 0;
.about .image img {
 width: 100%;
 padding: 2rem;
.about .content {
 flex: 1 1 42rem;
.about .content span {
 font-size: 2rem;
 color: #f00;
.about .content .title {
 font-size: 4rem;
 color: #fff;
 margin-top: 0.5rem;
.about .content p {
 font-size: 1.5rem;
 color: #aaa;
 padding: 1rem 0;
 line-height: 1.5;
.about .content .box-container {
 display: flex;
 flex-direction: column;
 gap: 2rem;
 margin-top: 1rem;
.about .content .box-container .box {
 flex: 1 1 20rem;
.about .content .box-container .box h3 {
 font-size: 2rem;
 color: #fff;
.about .content .box-container .box h3 i {
 padding-right: 1.5rem;
 color: #f00;
.about .content .box-container .about-check {
 display: flex;
```

```
flex: auto;
 margin-bottom: 10px;
.about .content #about-cont {
 padding-top: 20px;
 margin-bottom: 50px;
.features .box-container {
 display: flex;
.features .box-container .box {
 background: #111;
 width: 33.33%;
.features .box-container .box:nth-child(2) {
 display: flex;
 flex-flow: column-reverse;
.features .box-container .box .image {
 height: 30rem;
 width: 100%;
 overflow: hidden;
.features .box-container .box .image img {
 height: 100%;
 width: 100%;
 -o-object-fit: cover;
    object-fit: cover;
.features .box-container .box .content {
 height: 30rem;
 display: flex;
 flex-direction: column;
 justify-content: center;
 align-items: center;
.features .box-container .box .content img {
 height: 9rem;
 margin-bottom: 3rem;
 filter: invert(1);
.features .box-container .box .content h3 {
 font-size: 2rem;
 color: #f00;
.features .box-container .box .content p {
```

```
line-height: 2;
 font-size: 1.5rem;
 color: #aaa;
 padding: 1rem 0;
.pricing {
 display: flex;
.pricing .information {
 width: 33.33%;
.pricing .information span {
 font-size: 2rem;
 color: #f00;
.pricing .information h3 {
 font-size: 3rem;
 padding-top: 0.5rem;
 color: #fff;
.pricing .information p {
 line-height: 2;
 padding: 1rem 0;
 font-size: 1.6rem;
 color: #aaa;
.pricing .information p i {
 padding-right: 1rem;
 color: #f00;
.pricing .plan {
 text-align: center;
 padding: 2rem;
 width: 33.33%;
.pricing .plan:nth-child(2) {
 background: linear-gradient(130deg, #111 93%, transparent 90%);
.pricing .plan h3 {
 font-size: 2.5rem;
 margin: 1rem 0;
 color: #fff;
.pricing .plan .price {
 font-size: 4rem;
 font-weight: bolder;
```

```
color: #f00;
.pricing .plan .price span {
 color: #fff;
 font-size: 2rem;
.pricing .plan .list {
 padding: 1rem 0;
.pricing .plan .list p {
 line-height: 2;
 padding: 1rem 0;
 font-size: 1.6rem;
 color: #aaa;
.pricing .plan .list p i {
 padding-right: 1rem;
 color: #f00;
.trainers .box-container {
 display: flex;
.trainers .box-container .box {
 height: 40rem;
 overflow: hidden;
 position: relative;
 width: 33%;
 margin: 0 5px;
.trainers .box-container .box img {
 height: 100%;
 width: 100%;
 -o-object-fit: cover;
     object-fit: cover;
.trainers .box-container .box .content {
 position: absolute;
 bottom: 0;
 left: 0;
 right: 0;
 background: #111;
 padding: 2rem;
.trainers .box-container .box .content span {
 font-size: 1.5rem;
 color: #f00;
```

```
.trainers .box-container .box .content h3 {
 font-size: 2rem;
 color: #fff;
  padding-top: 0.5rem;
.trainers .box-container .box .content .share {
  padding-top: 2rem;
 margin-top: 1.5rem;
  border-top: 0.1rem solid #aaa;
.trainers .box-container .box .content .share a {
 font-size: 2rem;
  color: #fff;
 margin-right: 1.5rem;
.trainers .box-container .box .content .share a:hover {
  color: #f00;
.banner {
 background: linear-gradient(rgba(0, 0, 0, 0.7), rgba(0, 0, 0.7)),
url(../images/banner-bg.jpg) no-repeat;
  background-size: cover;
 background-position: center;
 background-attachment: fixed;
 text-align: center;
.banner span {
 font-size: 2rem;
  color: #f00;
.banner h3 {
 padding-top: 1rem;
 color: #fff;
 text-transform: uppercase;
  font-size: 3.5rem;
.banner p {
 margin: 1rem auto;
 max-width: 60rem;
 font-size: 1.5rem;
 color: #aaa;
  line-height: 2;
.banner #disc {
  text-transform: uppercase;
```

```
.review {
 display: flex;
 align-items: center;
 flex-wrap: wrap;
 gap: 2rem;
.review .information {
 flex: 1 1 35rem;
.review .information span {
 font-size: 2rem;
 color: #f00;
.review .information h3 {
 font-size: 3rem;
 color: #fff;
 padding-top: 1rem;
.review .information p {
 font-size: 1.5rem;
 line-height: 2;
 color: #aaa;
 padding: 1rem 0;
.review .review-slider {
 flex: 1 1 60rem;
.review .review-slider .slide {
 background: linear-gradient(130deg, #111 93%, transparent 90%);
 padding: 2rem 3rem;
.review .review-slider .slide p {
 font-size: 1.5rem;
 line-height: 2;
 color: #aaa;
.review .review-slider .slide .user {
 display: flex;
 align-items: center;
 margin-top: 1.5rem;
.review .review-slider .slide .user img {
 height: 5rem;
 width: 5rem;
 -o-object-fit: cover;
```

```
object-fit: cover;
 border-radius: 50%;
 margin-right: 1rem;
.review .review-slider .slide .user h3 {
 font-size: 2rem;
 color: #fff;
.review .review-slider .slide .user span {
 color: #f00;
 font-size: 1.5rem;
.review .review-slider .slide .user i {
 font-size: 5rem;
 margin-left: auto;
 margin-right: 2rem;
 color: #f00;
.blogs .slide {
 background: #111;
 margin-bottom: 7rem;
.blogs .slide .image {
 height: 25rem;
 width: 100%;
 overflow: hidden;
.blogs .slide .image img {
 height: 100%;
 width: 100%;
 -o-object-fit: cover;
    object-fit: cover;
.blogs .slide .content {
 padding: 2rem;
.blogs .slide .content .link {
 padding-bottom: 1.5rem;
 font-size: 1.5rem;
.blogs .slide .content .link a {
 color: #f00;
.blogs .slide .content .link a:hover {
 color: #fff;
```

```
.blogs .slide .content .link span {
 color: #fff;
  padding: 0 1rem;
.blogs .slide .content h3 {
 font-size: 2rem;
 color: #fff;
 line-height: 1.5;
.blogs .slide .content p {
 font-size: 1.5rem;
 color: #aaa;
 line-height: 2;
 padding: 1rem 0;
.footer .box-container {
 display: grid;
 grid-template-columns: repeat(auto-fit, minmax(25rem, 1fr));
 gap: 1.5rem;
.footer .box-container .box h3 {
 font-size: 2.5rem;
 color: #fff;
 padding: 1rem 0;
.footer .box-container .box .links {
 font-size: 1.6rem;
 display: block;
 color: #aaa;
 padding: 1rem 0;
.footer .box-container .box .links:hover {
 color: #f00;
.footer .box-container .box .links:nth-child(9), .footer .box-container .box .links:nth-
child(10), .footer .box-container .box .links:nth-child(11) {
 color: white;
 font-size: 1.7rem;
.footer .box-container .box p {
 font-size: 1.6rem;
 color: #aaa;
 padding: 1rem 0;
.footer .box-container .box p i {
  padding-right: 0.5rem;
```

```
color: #f00;
.footer .box-container .box .share {
  padding: 1rem 0;
.footer .box-container .box .share a {
  height: 4.5rem;
 width: 4.5rem;
 line-height: 4.5rem;
 font-size: 1.7rem;
 color: #fff;
 background: #111;
 border-radius: 50%;
 margin-right: 0.5rem;
 text-align: center;
.footer .box-container .box .share a:hover {
  background: #f00;
.footer .box-container .box form .email {
 margin-bottom: 1rem;
 width: 100%;
 background: #111;
 padding: 1.2rem;
 font-size: 1.5rem;
 color: #fff;
 text-transform: none;
}
.credit {
 font-size: 2rem;
 text-align: center;
 padding: 2rem;
 color: #fff;
 background: #111;
 line-height: 1.5;
.credit span {
 color: #f00;
#ordering h1 {
 font-size: 3rem;
 color: #fff;
 text-align: center;
  padding: 2rem 0;
  margin-top: 100px;
```

```
margin-bottom: 50px;
#ordering form {
 width: 30%;
 margin: 50px auto;
 display: flex;
 flex-direction: column;
 margin-bottom: 150px;
 padding: 50px;
#ordering form .incomplete {
 border-bottom: 2px solid red;
#ordering form .complete {
  border-bottom: 2px solid green;
#ordering form span {
 color: red;
 font-size: 18px;
 text-transform: none;
 text-align: center;
#ordering form input {
 width: 100%;
 color: white;
 padding: 10px;
 font-size: 18px;
 margin: 10px 0px;
 border-bottom: 2px solid white;
 border-radius: 1px;
  background-color: transparent;
  text-transform: none;
#ordering form button[type=submit] {
 width: 100%;
 padding: 10px;
 margin: 10px 0px;
  border: 1px solid #ccc;
 border-radius: 5px;
  background: #ccc;
 color: #fff;
 font-size: 16px;
 font-weight: bold;
 cursor: -webkit-grab;
  cursor: grab;
#ordering form #subm {
```

```
width: 50%;
 margin: 40px auto 0px auto;
  background-color: #ccc;
 color: #000;
  cursor: -webkit-grab;
  cursor: grab;
#ordering form #card {
 display: flex;
 flex-direction: column;
#ordering form #card #cardtype {
 width: 100%;
 display: flex;
 align-items: center;
 justify-content: space-between;
#ordering form #card #cardtype #Cardnmb {
 width: 90%;
#ordering form #card #expdate {
 display: flex;
  width: 100%;
#ordering form #card #expdate #monthyear {
 display: flex;
 align-items: center;
 width: 100%;
#ordering form #card #expdate input {
  width: 20%;
#ordering form #card #expdate p {
 color: white;
 font-size: 20px;
 margin: 0px 5px;
#ordering form #card #expdate span {
 color: white;
 font-size: 18px;
 margin-right: 10px;
#ordering form #card #expdate #cvv {
 width: 20%;
#ordering form #card #cardholder {
  width: 100%;
```

```
#ordering form #selectplans {
 padding: 5px;
 margin: 10px 0px;
 border: 1px solid #ccc;
 border-radius: 5px;
 text-transform: none;
 font-size: 18px;
#popupbg {
 display: none;
 width: 100%;
 z-index: 999999;
 position: fixed;
 top: 0;
 left: 0;
 right: 0;
 bottom: 0;
 height: 100%;
  background-color: rgb(0, 0, 0);
  background-color: rgba(0, 0, 0, 0.8);
#popupbg #popup {
 width: 400px;
 background: #fff;
 border-radius: 5px;
 box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
 position: absolute;
 top: 50%;
 left: 50%;
 transform: translate(-50%, -50%);
 text-align: center;
  padding: 20px;
#popupbg #popup h2 {
 margin-bottom: 20px;
 font-size: 20px;
  color: #333;
#popupbg #popup p {
 margin-bottom: 20px;
 font-size: 18px;
  color: #333;
#popupbg #popup img {
 width: 20%;
```

```
margin-top: -50px;
 margin-bottom: 30px;
  border-radius: 50%;
  box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
#popupbg #popup #popup-btn {
 width: 100%;
  padding: 10px;
 margin: 10px 0px;
 border: 1px solid #ccc;
 border-radius: 5px;
 background: #6fd649;
 color: #fff;
 outline: none;
 font-size: 16px;
 font-weight: bold;
 cursor: -webkit-grab;
 cursor: grab;
 box-shadow: 0 20 20px rgba(0, 0, 0, 0.2);
#about-head {
 text-align: center;
 display: flex;
 align-items: center;
 justify-content: center;
 margin-top: 100px;
 margin-bottom: 50px;
 font-size: 3rem;
 color: #fff;
 text-align: center;
 padding: 2rem 0;
 margin-top: 100px;
 margin-bottom: 50px;
#about-head img {
 margin-left: 20px;
.author-footer{
 padding-top: 40%;
#container{
 width: 500px;
 height: 500px;
  position: relative;
 margin: 0 auto;
  margin-top: 15%;
```

```
margin-bottom: 100px;
 padding-top: 100px;
.cube {
 width: 500px;
 height: 500px;
 position: absolute;
 top: 50%;
 left: 50%;
 box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
 transform: translate(-50%, -50%);
 margin-top: 50px;
.cube-slide {
 background-position: center;
 background-size: cover;
 border-radius: 10px;
.cube-slide:nth-child(2){
 padding: 30px;
 background-image: url('../images/author-bg-2.jpg');
 text-align: center;
.cube-slide:nth-child(2) h2{
 font-size: 22px;
 text-align: justify;
 font-weight: bold;
 color: black;
 text-transform: none;
 line-height: 40px;
.cube-slide:nth-child(3){
 padding: 10px;
 background-color: #6a7e9e;
 text-align: center;
.cube-slide:nth-child(3) h2{
 font-size: 30px;
 margin: 10px auto 50px auto;
 color: white;
.cube-slide img {
 display: block;
 width: 100%;
```

```
border-radius: 10px;
.cube-slide:nth-child(3) img:nth-child(2),.cube-slide:nth-child(4) img:nth-child(2){
 width: auto;
 height: auto;
 margin: 0 auto 50px auto;
 position: relative;
 animation: updown 1.5s infinite alternate;
.cube-slide:nth-child(4){
 background-image: url('../images/author-bg-2.jpg');
 padding: 10px;
.cube-slide:nth-child(4) h2{
 font-size: 30px;
 margin: 10px auto 50px auto;
 text-align: center;
 color: #000;
.cube-slide:nth-child(4) img:nth-child(1){
 width: 20%;
 height: 20%;
 border-radius: 10px;
 margin: 70px auto 70px auto;
.cube-slide:nth-child(5){
 background-color: #6a7e9e;
 display: flex;
 align-items: center;
.cube-slide:nth-child(5) img:nth-child(1){
 width:auto ;
 height:auto;
 position: relative;
 border-radius: 10px;
 margin: 70px auto 70px auto;
 animation: leftright 1.5s infinite alternate;
.cube-slide:nth-child(5) img:nth-child(2){
 width:auto ;
 height:auto;
 border-radius: 10px;
 margin: 70px auto 70px auto;
}
.cube .swiper-pagination-bullet {
 width: 10px;
```

```
height: 10px;
background: #fff;
padding: 2px;
opacity: 1;
}
.cube .swiper-pagination-bullet-active {
    background: #000;
}
```

responsive.css

```
@media (max-width: 1501px) {
  .pricing {
    flex-direction: column;
    align-items: center;
  .pricing .information {
   width: 50%;
    text-align: center;
  .pricing .plan {
   width: 50%;
   margin-top: 50px;
  .trainers .box-container {
   flex-wrap: wrap;
    justify-content: center;
  .trainers .box-container .box {
   height: auto;
   margin-top: 50px;
   width: 35%;
   margin: 20px 20px;
  #ordering form {
   width: 50%;
@media(max-width: 1301px)
 .author-footer{
   padding-top: 60%;
@media(max-width: 1150px){
 .header{
```

```
flex-direction: column;
    padding: 0 2%;
@media (max-width: 1101px) {
 #ordering form {
   width: 70%;
@media (max-width: 991px) {
 html {
   font-size: 55%;
    scroll-padding: 7rem;
  .header {
   padding: 0 2rem;
  section {
    padding: 3rem 2rem;
  .home .slide {
    padding: 2rem 5%;
  .home .slide .content {
   width: 50rem;
  .home .slide .content h3 {
    font-size: 4rem;
  .features .box-container {
    flex-direction: column;
    align-items: center;
  .features .box-container .box {
   width: 60vw;
   margin-bottom: 50px;
  .features .box-container .box:nth-child(2) {
    flex-flow: column;
  #ordering form input {
    font-size: 16px;
  #ordering form #selectplans {
    font-size: 16px;
  #ordering form span {
```

```
font-size: 16px;
  #ordering form #card #expdate p {
    font-size: 16px;
  #ordering form #card #expdate span {
    font-size: 16px;
  .author-footer{
    padding-top: 80%;
@media (max-width: 768px) {
 #menu-btn {
    display: inline-block;
  .header {
    padding: 2rem;
   flex-direction: row;
  .header .navbar {
    position: absolute;
   top: 99%;
   left: 0;
   right: 0;
    background: #000;
    -webkit-clip-path: polygon(0 0, 100% 0, 100% 0, 0 0);
            clip-path: polygon(0 0, 100% 0, 100% 0, 0 0);
  .header .navbar.active {
    -webkit-clip-path: polygon(0 0, 100% 0, 100% 100%, 0 100%);
            clip-path: polygon(0 0, 100% 0, 100% 100%, 0 100%);
  .header .navbar a {
    display: block;
   font-size: 2rem;
  .about {
    gap: 3rem;
  .about .image {
   margin-top: 5rem;
  .about .content .title {
    font-size: 3rem;
  .features .box-container {
```

```
flex-flow: column;
 .trainers .box-container {
   flex-direction: column;
   align-items: center;
 .trainers .box-container .box {
   height: auto;
   margin-top: 50px;
   width: 60%;
   margin: 20px 20px;
 #ordering form {
   width: 80%;
 .cube {
   width: 400px;
   height: 400px;
   position: absolute;
   top: 50%;
   left: 50%;
   box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
   transform: translate(-50%, -50%);
   margin-top: 50px;
 .cube-slide {
   background-position: center;
   background-size: cover;
   border-radius: 10px;
.cube-slide:nth-child(1) img{
   width: 100%;
   height: 100%;
 .cube-slide:nth-child(2){
   padding: 30px;
   background-image: url('../images/author-bg-2.jpg');
   text-align: center;
 .cube-slide:nth-child(2) h2{
   font-size: 18px;
   text-align: justify;
   font-weight: bold;
   color: black;
   text-transform: none;
   line-height: 30px;
```

```
.cube-slide:nth-child(3){
 padding: 10px;
 background-color: #6a7e9e;
 text-align: center;
.cube-slide:nth-child(3) h2{
 font-size: 22px;
 margin: 10px auto 50px auto;
 color: white;
.cube-slide img {
 display: block;
 width: 90%;
 margin: auto;
 border-radius: 10px;
.cube-slide:nth-child(3) img:nth-child(2),.cube-slide:nth-child(4) img:nth-child(2){
 width: 10%;
 height: 10%;
 margin: 0 auto 50px auto;
 position: relative;
 animation: updown 1.5s infinite alternate;
.cube-slide:nth-child(4){
 background-image: url('../images/author-bg-2.jpg');
 padding: 10px;
.cube-slide:nth-child(4) h2{
 font-size: 22px;
 margin: 10px auto 50px auto;
 text-align: center;
 color: #000;
.cube-slide:nth-child(4) img:nth-child(1){
 width: 20%;
 height: 20%;
 border-radius: 10px;
 margin: 70px auto 70px auto;
.cube-slide:nth-child(5){
 background-color: #6a7e9e;
 display: flex;
 align-items: center;
.cube-slide:nth-child(5) img:nth-child(1){
 width:auto ;
```

```
height:auto;
    position: relative;
    border-radius: 10px;
    margin: 70px auto 70px auto;
    animation: leftright 1.5s infinite alternate;
  .cube-slide:nth-child(5) img:nth-child(2){
    width:auto ;
   height:auto;
   border-radius: 10px;
    margin: 70px auto 70px auto;
@media (max-width: 606px) {
  .features .box-container .box:nth-child(2) {
    display: flex;
   flex-flow: column;
  .pricing .information {
   width: 80%;
  .pricing .plan {
   width: 80%;
  #ordering form {
   width: 90%;
  .author-footer{
    padding-top: 100%;
 .cube {
    margin-top: 10px;
@media (max-width: 481px) {
 @keyframes updown {
    0% {
     top: -10px;
   100% {
      top: 20px;
  @keyframes leftright {
    0% {
      left: -10px;
```

```
100% {
    left: 20px;
#ordering form {
 width: 95%;
  padding: 10px;
.cube {
 width: 300px;
 height: 300px;
 margin-top: -30px;
.cube-slide:nth-child(2){
  padding: 20px;
.cube-slide:nth-child(2) h2{
 font-size: 15px;
  line-height: 20px;
.cube-slide:nth-child(3){
  padding: 7px;
.cube-slide:nth-child(3) h2{
 font-size: 18px;
 margin: 10px auto 25px auto;
.cube-slide:nth-child(3) img:nth-child(2),.cube-slide:nth-child(4) img:nth-child(2){
 width: 10%;
 height: 10%;
 margin: 10px auto 50px auto;
.cube-slide:nth-child(4) h2{
  font-size: 18px;
 margin: 10px auto 25px auto;
.cube-slide:nth-child(5) img:nth-child(1){
 width: 15%;
  height: 15%;
.cube-slide:nth-child(5) img:nth-child(2){
 width: 30%;
 height: 30%;
```

```
@media (max-width: 450px) {
  html {
    font-size: 50%;
  .features .box-container .box {
    width: 90%;
  #popupbg #popup {
    width: 80%;
    background: #fff;
    border-radius: 5px;
    box-shadow: 0 0 10px rgba(0, 0, 0, \overline{0.2});
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
    text-align: center;
    padding: 15px;
  #popupbg #popup h2 {
    margin-bottom: 15px;
    font-size: 18px;
    color: #333;
  #popupbg #popup p {
    margin-bottom: 15px;
    font-size: 16px;
    color: #333;
  #popupbg #popup img {
    max-width: 20%;
    margin-top: -50px;
    margin-bottom: 30px;
    border-radius: 50%;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
@media (max-width: 400px) {
  .pricing .information {
    width: 95%;
  .pricing .plan {
    width: 95%;
  .trainers .box-container .box {
    width: 90%;
```

```
.train {
 width: 300px;
  height: 300px;
  position: absolute;
  left: 50%;
  top: 50%;
  margin-left: -150px;
 margin-top: -150px;
.swiper-slide {
  background-position: center;
  background-size: cover;
.swiper-slide img {
  display: block;
 width: 100%;
#ordering form {
 width: 95%;
#ordering form span {
  color: red;
 font-size: 14px;
 text-transform: none;
  text-align: center;
#ordering form input {
  margin: 5px 0px;
#ordering form button {
 width: 100%;
 padding: 7px;
  margin: 10px 0px;
  border: 1px solid #ccc;
  border-radius: 5px;
  background: #ccc;
  color: #fff;
  font-size: 16px;
  font-weight: bold;
  cursor: -webkit-grab;
  cursor: grab;
#ordering form #subm {
  width: 50%;
  margin: 40px auto 0px auto;
  background-color: #ccc;
```

```
color: #000;
 cursor: -webkit-grab;
  cursor: grab;
#ordering form #card {
  display: flex;
  flex-direction: column;
#ordering form #card #cardtype {
 width: 100%;
 display: flex;
 align-items: center;
 justify-content: space-between;
#ordering form #card #cardtype #Cardnmb {
 width: 85%;
#ordering form #card #expdate {
  display: flex;
 flex-wrap: wrap;
 width: 100%;
#ordering form #card #expdate #monthyear {
 display: flex;
 align-items: center;
 width: 100%;
#ordering form #card #expdate input {
 width: 25%;
#ordering form #card #expdate span {
 color: white;
 font-size: 15px;
 margin-right: 10px;
#ordering form #card #expdate #cvv {
 width: 40%;
#popupbg #popup {
 width: 85%;
#popupbg #popup h2 {
 margin-bottom: 10px;
 font-size: 17px;
  color: #333;
#popupbg #popup p {
```

```
margin-bottom: 10px;
    font-size: 15px;
    color: #333;
  #popupbg #popup img {
    max-width: 20%;
   margin-top: -15%;
    margin-bottom: 30px;
    border-radius: 50%;
    box-shadow: 0 0 10px rgba(0, 0, 0.2);
  #popupbg #popup #popup-btn {
    width: 50%;
  .cube-slide img {
    display: block;
   width: 85%;
   margin: auto;
   border-radius: 10px;
@media(max-width: 350px){
  .cube {
   width: 230px;
   height: 230px;
   margin-top: -70px;
  .cube-slide:nth-child(2){
    padding: 20px;
  .cube-slide:nth-child(2) h2{
   font-size: 12px;
    line-height: 15px;
  .cube-slide:nth-child(3){
    padding: 5px;
  .cube-slide:nth-child(3) h2{
   font-size: 15px;
   margin: 10px auto 25px auto;
  .cube-slide img {
    display: block;
   width: 70%;
   margin: auto;
    border-radius: 10px;
```

```
.cube-slide:nth-child(3) img:nth-child(2){
 width: 10%;
 height: 10%;
 margin: 0px auto 30px auto;
.cube-slide:nth-child(4) img:nth-child(2){
 margin: 0px auto -20px auto;
 width: 10%;
 height: 10%;
.cube-slide:nth-child(4) h2{
 font-size: 15px;
 margin: 10px auto 25px auto;
.cube-slide:nth-child(5) img:nth-child(1){
 width: 15%;
 height: 15%;
 margin: 70px auto 70px auto;
.cube-slide:nth-child(5) img:nth-child(2){
 width: 30%;
 height: 30%;
 margin: 70px auto 70px auto;
.cube .swiper-pagination-bullet {
 width: 6px;
 height: 6px;
.cube .swiper-pagination-bullet-active {
  background: #000;
```

JavaScript

main.js

```
let navMenu = document.querySelector('.navbar');
navMenu.innerHTML="";
let links =
['index.html#home','index.html#about','index.html#features','index.html#pricing','index.h
tml#trainers', 'index.html#review', 'index.html#blogs','author.html'];
let sections = ['home', 'about', 'features', 'pricing', 'trainers', 'review', 'blogs',
'author'l
const menubtn = document.querySelector('#menu-btn');
const navbar = document.querySelector('.header .navbar');
menubtn.addEventListener('click', () =>{
    menubtn.classList.toggle('fa-times');
    navbar.classList.toggle('active');
});
window.onscroll = () =>{
    menubtn.classList.remove('fa-times');
    navbar.classList.remove('active');
};
for(let indeks in links){
    navMenu.innerHTML += `<a href="${links[indeks]}">${sections[indeks]}</a>`;
//footer
let footerLinks =
['index.html#home','index.html#about','index.html#features','index.html#pricing','index.h
tml#trainers', 'index.html#review','index.html#blogs',
'documentation.pdf','sitemap.xml','rss.xml'];
let footerSections = ['home', 'about', 'features', 'pricing', 'trainers',
'review','blogs','documentation','sitemap','rss']
let footerBox = document.querySelector('.footer .box');
footerBox.innerHTML= '<h3>quick links</h3>';
for(let indeks in footerLinks){
    footerBox.innerHTML += `<a class="links"</pre>
href="${footerLinks[indeks]}">${footerSections[indeks]}</a>`;
if(window.location.pathname == '/befitgym/index.html' || window.location.pathname ==
'/befitgym/'){
var indeksImg = 0;
var images = ['home-bg-1.jpg','home-bg-2.jpg','home-bg-3.jpg'];
function changeImg(){
    document.querySelector('.slide').style.backgroundImage =
`url(images/${images[indeksImg]})`;
    indeksImg++;
```

```
if(indeksImg >= images.length){
        indeksImg = 0;
    setTimeout("changeImg()", 5000);
};
window.onload = changeImg;
//about
let boxCont = document.querySelector('#about-cont');
boxCont.innerHTML= "";
let aboutMotives = ['body and mind', 'healthy life', 'strategies', 'workout'];
for(let indeks in aboutMotives)
    boxCont.innerHTML += `<div class="box about-check">
                             <h3>
                                 <i class="fas fa-check"></i>${aboutMotives[indeks]}
                             </h3>
                        </div>
//features
let features = document.querySelector('#features .box-container');
features.innerHTML = "";
let singleFeature = ['body building', 'gym for men', 'gym for women'];
let nameOfImages = ['men-with-weigths.jpg', 'men-showing-abs.jpg','women-showing-
biceps.jpg'l;
let altFeaturesImages = ['men-with-weigths','men-showing-abs','women-showing-biceps'];
let altFeaturesIcons = ['biceps','men-lifting-dumbbells','women-lifting-dumbbells'];
for(let indeks in singleFeature)
    features.innerHTML += `<div class="box">
                             <div class="image">
                                 <img src="images/${nameOfImages[indeks]}"</pre>
alt="${altFeaturesImages[indeks]}">
                             <div class="content">
                                 <img src="images/icon-1.png"</pre>
alt="${altFeaturesIcons[indeks]}">
                                 <h3>${singleFeature[indeks]}</h3>
                             </div>
                           </div>`
$('#features img').mouseover(function(){
    $(this).css({"transform":"scale(1.1)"})
});
$('#features img').mouseout(function(){
    $(this).css({"transform":"scale(1)"})
});
//pricing
```

```
let planLists = document.querySelectorAll('.plan .list');
planLists.innerHTML = "";
let basicPlan = ['Personal training','Cardio exercise','Weight lifting','Diet
plans','Overall results'];
let premiumPlan = ['Personal training','Cardio exercise','Weight lifting','Diet
plans','Overall results','Trainer support 24/7','App download included','No limit numbers
of training']
for(let indeks in basicPlan){
    planLists[0].innerHTML += `  <i class="fas fa-check"></i>
${basicPlan[indeks]}`
for(let indeks in premiumPlan){
    planLists[1].innerHTML += `  <i class="fas fa-check"></i>
${premiumPlan[indeks]}``
//trainers
let trainerBox = document.querySelector('#trainers .box-container');
trainerBox.innerHTML = "";
let trainerImages = ['Josh Chase-Expert trainer.jpg','Victoria Pollard-Expert
trainer.jpg','Frank Gardner-Expert trainer.jpg','Beth Thompson-Expert trainer.jpg'];
let altTrainerImages = ['Josh Chase - Expert trainer', 'Victoria Pollard - Expert
trainer', 'Frank Gardner - Expert trainer', 'Beth Thompson - Expert trainer'];
let trainerNames = ['Josh Chase','Victoria Pollard','Frank Gardner','Beth Thompson'];
for(let indeks in trainerImages){
    trainerBox.innerHTML += `<div class="box">
                                <img src="images/${trainerImages[indeks]}"</pre>
alt="${altFeaturesImages[indeks]}">
                                <div class="content">
                                    <span>expert trainer</span>
                                    <h3>${trainerNames[indeks]}</h3>
                                    <div class="share">
                                         <a href="https://www.facebook.com/" class="fab</pre>
fa-facebook-f"></a>
                                        <a href="https://twitter.com/" class="fab fa-</pre>
twitter"></a>
                                        <a href="https://www.linkedin.com/" class="fab</pre>
fa-linkedin"></a>
                                    </div>
                                </div>
                            </div>`
$('#trainers .content').css('transform','translateY(6.5rem)');
$('#trainers .content').mouseover(function(){
    $(this).css({"transform":"translateY(0px)"})
});
$('#trainers .content').mouseout(function(){
```

```
$(this).css({"transform":"translateY(6.5rem)"})
});
//testimonials
let testimonialSlider = document.querySelector("#review .swiper-wrapper");
testimonialSlider.innerHTML="";
let clientsNames = ['Elmer Dunn', 'Melisa Nash', 'Hayden Brandt', 'Barbara Hilton'];
let clientsProffesions = ['designer','photographer','lawyer','ui/ux designer'];
let clientsPictures = ['Elmer Dunn.png','Melisa Nash.png','Hayden Brandt.png','Barbara
Hilton.png']
let altClientsPictures = ['Elmer Dunn - designer', 'Melisa Nash - photographer', 'Hayden
Brandt - lawyer', 'Barbara Hilton - ui/ux designer'];
let clientsTestimonials = ["I had over 100kg, and I was afraid of that cognition. My
friend told me about BEFIT and in 2 months I have lost 15kg. I am very happy now and I
won't stop losing my belly at any cost!",
                        "BEFIT means something special to me. People out there, trainers,
everyone are kind and helpful. For now, my body looks perfect in my opinion and I am very
satisfied!",
                        "Sitting all day in the chair and typing for people made my
health and spine worse, so I had to go to a gym. A friend recommended BEFIT gym to me and
now I am not scared about my spine anymore!",
                        "I am BEFIT client for almost 3 years and every day for me is
something different. I wake up and the only thing on what I am thinking about is morning
training at the BEFIT gym after that I am ready for other obligations that day."];
for(let indeks in clientsNames){
    testimonialSlider.innerHTML += `<div class="swiper-slide slide">
                                         ${clientsTestimonials[indeks]}
                                         <div class="user">
                                             <img src="images/${clientsPictures[indeks]}"</pre>
alt="${altClientsPictures[indeks]}">
                                             <div class="info">
                                                 <h3>${clientsNames[indeks]}</h3>
                                                 <span>${clientsProffesions[indeks]}</span</pre>
                                             </div>
                                             <i class="fas fa-quote-left"></i></i>
                                         </div>
                                    </div>`
};
//testiomonials slider
const reviewsSwiper = new Swiper(".review-slider", {
    spaceBetween: 20,
    grabCursor: true,
    loop:true.
    autoplay: {
        delay: 7500,
        disableOnInteraction: false,
```

```
breakpoints:{
        0:{
            slidesPerView:1,
        },
        600:{
            slidesPerView:2,
        },
    },
});
//blogs
let blogsSlider = document.querySelector("#blogs .swiper-wrapper");
blogsSlider.innerHTML = "";
let blogsImages = ['blog-1.jpg','blog-2.jpg','blog-3.jpg','blog-4.jpg','blog-5.jpg'];
let altBlogsImages = ['fitness is not about being better than someone else','how to get a
six pack in 2 months', 'how to get a six pack in 2 months', 'how to get a six pack in 2
months','how to get a six pack in 2 months'];
let blogsWrittenBy = ['by admin','by admin','by admin','by admin'];
let blogsWrittenDate = ['21st may, 2021','2nd june, 2021','15th august, 2021','25th
november, 2021', '2nd december, 2021'];
let blogsTitles = ['Fitness is not about being better than someone else, it is about
being better than you used to be.',
                'How much training actually helps in improving your mindset?',
                'Most popular question: "Best exercises for bigger biceps?"',
                'Is it imoprtant to have your personal coach during the trainings or you
can train on your own?',
                'Is cardio really good for you? What are the benefits of cardio?'];
let blogsTexts = ['If you're not sure what your goals are, or don't know where to start
on your fitness journey...',
                'The general rule is that training can improve the way of thinking, but
is it really so? Well we can...',
                'There are a lot of exercises if you want to have bigger biceps , so in
this post we will describe some of the most...',
                'Is it important to have your personal coach during the training or you
can train on your own?',
                'Cardio is specifically designed to provide a functional full-body
workout while improving energy levels, metabolic rate, strength, and endurance.'];
for(let indeks in blogsImages){
    blogsSlider.innerHTML += `<div class="swiper-slide slide">
                                <div class="image">
                                    <img src="images/${blogsImages[indeks]}"</pre>
alt="${altBlogsImages[indeks]}">
                                </div>
                                <div class="content">
```

```
<div class="link"> <a</pre>
href="#">${blogsWrittenBy[indeks]}</a> <span>|</span> <a</pre>
href="#">${blogsWrittenDate[indeks]}</a> </div>
                                     <h3>${blogsTitles[indeks]}</h3>
                                     ${blogsTexts[indeks]}
                                 </div>
                             </div>`
$('#blogs img').mouseover(function(){
    $(this).css({"transform":"scale(1.1)"})
});
$('#blogs img').mouseout(function(){
    $(this).css({"transform":"scale(1)"})
});
//blogs slider
const blogsSwiper = new Swiper(".blogs-slider", {
    spaceBetween: 20,
    grabCursor: true,
    loop:true,
    autoplay: {
        delay: 5000,
        disableOnInteraction: false,
    pagination: {
        el: ".swiper-pagination",
        clickable: true,
    },
    breakpoints:{
        0:{
            slidesPerView:1,
        },
        600:{
            slidesPerView:2,
        },
        1300:{
            slidesPerView:3,
        },
    },
});
//form select
var expDateDay = document.querySelector('#expdatemonth');
var expDateYear = document.querySelector('#expdateyear');
var datum = new Date();
var dateYear = datum.getFullYear();
var shortYear = dateYear % 2000;
for(let i=1; i<=12; i++){
```

```
if(i<10)
        expDateDay.innerHTML += "<option value=" + i + ">0" + i + "</option>";
    else{
         expDateDay.innerHTML += `<option value="${i}">${i}</option>`
}
for(let i=shortYear; i<=shortYear + 10; i++){</pre>
    expDateYear.innerHTML += `<option value="${i}">${i}</option>`
//form validation
const form = document.querySelector('#orderingForm');
const fullName = document.querySelector('#fullname');
const mail = document.querySelector('#email');
const Selectplans = document.querySelector('#selectplans');
const cardNumber = document.querySelector('#Cardnmb');
const expMonth = document.querySelector('#expdatemonth');
const expYear = document.querySelector('#expdateyear');
const cvv = document.querySelector('#cvv');
const cardHolder = document.querySelector('#cardholder');
const submit = document.querySelector('#submit');
var fullnameRegex = /^[A-ZČĆŽĐŠ][a-zćčžđŠ]{1,14}\s([A-ZČĆŽĐŠ][a-zćčžđŠ]{1,14})?\s?[A-
Z\check{C}\check{Z}\check{D}][a-z\check{C}\check{Z}\check{d}\check{S}]\{1,19\}(\langle (A-Z\check{C}\check{Z}\check{D}\check{S})[a-z\check{C}\check{Z}\check{d}\check{S}]\{1,14\}))?
var mailRegex = /^\w+([\.-]?\w+)*@\w+([\.-]?\w+)*(\.\w{2,3})+$/
var cardNumberRegex = /^[45][0-9]{15}$/;
var expMonthRegex = /^[0-9]{2};
var expYearRegex = /^[0-9]{2};
var cvvRegex = /^[0-9]{3}$/;
var messages = document.querySelectorAll('#orderingForm span');
var fullNameCheck = false;
var mailCheck = false;
var cardNumberCheck = false;
var expMonthCheck = false;
var expYearCheck = false;
var CvvCheck = false;
var cardHolderCheck = false;
var selectPlansCheck = false;
function validateFullName(){
    if(fullName.value.match(fullnameRegex)){
        fullName.classList.remove('incomplete');
        fullName.classList.add('complete');
        messages[0].innerHTML = "";
        return true;
```

```
else if(fullName.value.length == 0){
       fullName.classList.add('incomplete');
        fullName.classList.remove('complete');
        messages[0].innerHTML = "Please enter your full name!";
        return false;
   else{
        fullName.classList.add('incomplete');
       fullName.classList.remove('complete');
       messages[0].innerHTML = "Please enter your full name in correct format!
<br>Example: John Doe";
       return false;
function validateMail(){
   if(mail.value.match(mailRegex)){
        mail.classList.remove('incomplete');
       mail.classList.add('complete');
       messages[1].innerHTML = "";
       return true;
   else if(mail.value.length == 0){
       mail.classList.add('incomplete');
       mail.classList.remove('complete');
       messages[1].innerHTML = "Please enter your email!";
       return false;
   else{
       mail.classList.add('incomplete');
       mail.classList.remove('complete');
       messages[1].innerHTML = "Please enter your email in correct format! <br/>br>Example:
johndoe@gmail.com";
        return false;
}
function validateSelectPlans(){
   let selectedValue = Selectplans.options[Selectplans.selectedIndex].value;
   if(selectedValue == 0){
        Selectplans.classList.remove('complete');
        Selectplans.classList.add('incomplete');
       messages[2].innerHTML = "Please choose your plan!";
        return false;
   else{
        Selectplans.classList.remove('incomplete');
        Selectplans.classList.add('complete');
```

```
messages[2].innerHTML = "";
        return true;
function validateCardNumber(){
   if(cardNumber.value.match(cardNumberRegex)){
        cardNumber.classList.remove('incomplete');
        cardNumber.classList.add('complete');
       messages[3].innerHTML = "";
       return true;
   else if(cardNumber.value.length == 0 )
        cardNumber.classList.add('incomplete');
        cardNumber.classList.remove('complete');
        messages[3].innerHTML = "Please enter your card number!";
       return false;
   else{
        cardNumber.classList.add('incomplete');
        cardNumber.classList.remove('complete');
       messages[3].innerHTML = "Please enter your card number in correct format!
<br>Example: 4234 5678 9012 3456, and it must start with 4 or 5";
        return false;
}
function validateExpMonth(){
   if(expMonth.value.match(expMonthRegex))
    expMonth.classList.remove('incomplete');
     expMonth.classList.add('complete');
    messages[5].innerHTML = "";
    return true;
   else if(expMonth.value.length == 0)
    expMonth.classList.remove('complete');
    expMonth.classList.add('incomplete');
    messages[5].innerHTML = "Please enter your expiration date!";
    return false;
   else
     expMonth.classList.remove('complete');
     expMonth.classList.add('incomplete');
    messages[5].innerHTML = "Please enter your expiration month date in correct format!
<br>Example: 01";
```

```
return false;
function validateExpYear(){
    if(expYear.value < shortYear && expYear.value > 0)
    expYear.classList.remove('complete');
    expYear.classList.add('incomplete');
    messages[5].innerHTML = "Your card is expired!";
    return false;
    if(expYear.value.match(expYearRegex))
    expYear.classList.remove('incomplete');
    expYear.classList.add('complete');
    messages[5].innerHTML = "";
    return true;
   else if(expYear.value.length == 0)
    expYear.classList.remove('complete');
    expYear.classList.add('incomplete');
    messages[5].innerHTML = "Please enter your expiration date!";
    return false;
   else
    expYear.classList.remove('complete');
    expYear.classList.add('incomplete');
    messages[5].innerHTML = `Please enter your expiration year date in correct format!
<br>Example: ${shortYear}`};
     return false;
function validateCvv(){
   if(cvv.value.match(cvvRegex)){
       cvv.classList.remove('incomplete');
       cvv.classList.add('complete');
       messages[6].innerHTML = "";
      return true;
   else if (cvv.value.length == 0){
       cvv.classList.remove('complete');
       cvv.classList.add('incomplete');
       messages[6].innerHTML = "Please enter your CVV!";
       return false;
```

```
else{
        cvv.classList.remove('complete');
        cvv.classList.add('incomplete');
        messages[6].innerHTML = "Please enter your CVV in correct format! <br>>Example:
123";
        return false;
function validateCardHolder(){
    if(cardHolder.value.match(fullnameRegex)){
        cardHolder.classList.remove('incomplete');
        cardHolder.classList.add('complete');
        messages[7].innerHTML = "";
       return true;
    else if(cardHolder.value.length == 0){
        cardHolder.classList.add('incomplete');
        cardHolder.classList.remove('complete');
        messages[7].innerHTML = "Please enter card holder name!";
        return false;
    else{
        cardHolder.classList.add('incomplete');
        cardHolder.classList.remove('complete');
        messages[7].innerHTML = "Please enter your card holder name in correct format!
<br>Example: John Doe";
        return false;
//Event Listeners
fullName.addEventListener('focus', () => {
    fullName.classList.add('incomplete');
    });
fullName.addEventListener('blur',function(){
    validateFullName();
    formborder();
fullName.addEventListener('keydown', (e) => {
    if(e.key == 'Backspace' || e.key == 'Delete'){
        fullName.classList.remove('complete');
        fullName.classList.add('incomplete');
});
mail.addEventListener('focus', () => {
    mail.classList.add('incomplete');
    });
```

```
mail.addEventListener('blur', function(){
    validateMail();
    formborder();
});
mail.addEventListener('keydown', (e) => {
    if(e.key == 'Backspace' || e.key == 'Delete'){
        mail.classList.remove('complete');
        mail.classList.add('incomplete');
});
Selectplans.addEventListener('blur', function(){
    validateSelectPlans();
    formborder();
});
cardNumber.addEventListener('focus', () => {
    cardNumber.classList.add('incomplete');
    });
cardNumber.addEventListener('blur', function(){
    validateCardNumber();
    formborder();
});
cardNumber.addEventListener('keydown', (e) => {
    if(e.key == 'Backspace' || e.key == 'Delete'){
        cardNumber.classList.remove('complete');
        cardNumber.classList.add('incomplete');
        document.querySelector('#cardtype img').removeAttribute('src');
    if(e.key == 4)
        document.querySelector('#cardtype img').setAttribute('src', 'images/visa.png');
        document.querySelector('#cardtype img').setAttribute('alt', 'visacard')
    if(e.key == 5)
        document.querySelector('#cardtype img').setAttribute('src', 'images/master.png');
        document.querySelector('#cardtype img').setAttribute('alt', 'mastercard')
});
expMonth.addEventListener('focus', () => {
    expMonth.classList.add('incomplete');
expMonth.addEventListener('blur', function(){
    validateExpMonth();
    formborder();
});
```

```
expYear.addEventListener('focus', () => {
    expYear.classList.add('incomplete');
expYear.addEventListener('blur', function(){
    validateExpYear();
    formborder();
});
cvv.addEventListener('focus', () => {
    cvv.classList.add('incomplete');
    });
cvv.addEventListener('blur', validateCvv);
cardHolder.addEventListener('focus', () => {
    cardHolder.classList.add('incomplete');
    });
cardHolder.addEventListener('blur', function(){
    validateCardHolder();
    formborder();
});
cardHolder.addEventListener('keydown', (e) => {
    if(e.key == 'Backspace' || e.key == 'Delete')
        cardHolder.classList.remove('complete');
        cardHolder.classList.add('incomplete');
});
//form submission
var modbtn = document.querySelector('#popup-btn')
var popup = document.querySelector("#popupbg");
form.addEventListener('submit', function(e) {
    e.preventDefault();
   validateFullName();
    validateMail();
    validateSelectPlans();
    validateCardNumber();
    validateExpMonth();
    validateExpYear();
    validateCvv();
    validateCardHolder();
    if(validateFullName() && validateMail() && validateSelectPlans() &&
validateCardNumber() && validateExpMonth() && validateExpYear() && validateCvv() &&
validateCardHolder())
        $(popup).show();
        $(modbtn).on('click',function(){
            $(popup).hide();
            $(form).effect( "fade", 1000);
        setTimeout("location.reload(true);", 970);
```

```
});
    });
function formborder(){
    if(validateFullName() && validateMail() && validateSelectPlans() &&
validateCardNumber() && validateExpMonth() && validateExpYear() && validateCvv() &&
validateCardHolder())
        document.querySelector('form').style.border = '3px solid green';
    else
        document.querySelector('form').style.border = '3px solid red';
}
if(window.location.pathname == '/befitgym/author.html')
    var swiper = new Swiper(".cube", {
        effect: "cube",
        grabCursor: true,
        cubeEffect: {
          shadow: true,
          slideShadows: true,
          shadowOffset: 20,
          shadowScale: 0.94,
        },
        pagination: {
          el: ".swiper-pagination",
       },
      });
```