


DM42n, time per call


One bar per run, oldest on the left, marked with the time it was taken. Logarithmic. A bar at the bottom of the scale is at or below 0.01 ms, the tick resolution rather than a measurement. Case 01 is the empty control and is subtracted from the rest.



DM42n estimate working memory (stack) used, including overhead for probe and base loading of ca. 2000 byte


One bar per run, oldest on the left, marked with the time it was taken. Bytes below the reference point, from one call. Only a reading with STCKST 0 is drawn so a missing bar is a case that run could not resolve, being no deeper than the probe itself.

Legend: 2026-07-29 23:08 2026-07-29 23:48 2026-07-30 01:30 2026-07-31 14:03




DM42, time per call

One bar per run, oldest on the left, marked with the time it was taken. Logarithmic. A bar at the bottom of the scale is at or below 0.01 ms, the tick resolution rather than a measurement. Case 01 is the empty control and is subtracted from the rest



DM42 estimate working memory (stack) used, including overhead for probe and base loading of ca. 2000 bytes


One bar per run, oldest on the left, marked with the time it was taken. Bytes below the reference point, from one call. Only a reading with STCKST 0 is drawn, so a missing bar is a case that run could not resolve, being no deeper than the probe itself.



SIM, time per call

One bar per run, oldest on the left, marked with the time it was taken. Logarithmic. A bar at the bottom of the scale is at or below 0.01 ms, the tick resolution rather than a measurement. Case 01 is the empty control and is subtracted from the rest

ms per call 2026-07-30 02:47



SIM estimate working memory (stack) used, including overhead for probe and base loading of ca. 2000 bytes.

One bar per run, oldest on the left, marked with the time it was taken. Bytes below the reference point, from one call. Only a reading with STCKST 0 is drawn, so a missing bar is a case that run could not resolve, being no deeper than the probe itself.

