

SpringBoot + DynamoDB + CRUD Rest API + Swagger – Flight Demo Application

Download and started the DynamoDB locally using the below java command

```
D:\Projects\AWS\dynamodb_local_latest>java -jar -Djava.library.path=./DynamoDBLocal_lib -jar DynamoDBLocal.jar -sharedDb
Initializing DynamoDB Local with the following configuration:
Port:      8000
InMemory:   false
DbPath:     null
SharedDb:   true
shouldDelayTransientStatuses: false
CorsParams: *
```

D:\Projects\AWS\dynamodb_local_latest>java -jar -Djava.library.path=./DynamoDBLocal_lib -jar
DynamoDBLocal.jar -sharedDb

Initializing DynamoDB Local with the following configuration:

```
Port:      8000
InMemory:   false
DbPath:     null
SharedDb:   true
shouldDelayTransientStatuses: false
CorsParams: *
```


Started Springboot

```
d.s.w.p.DocumentationPluginsBootstrapper : Found 1 custom documentation plugin(s)
s.d.s.w.s.ApiListingReferenceScanner      : Scanning for api listing references
s.b.c.e.t.TomcatEmbeddedServletContainer : Tomcat started on port(s): 8090 (http)
c.d.s.flight.FlightApplication           : Started FlightApplication in 19.076 seconds (JVM running for 22.8)
```

Access the API's using Swagger

localhost:8090/swagger-ui.html#/

Bookmarks IHG

 **swagger** default (/v2/api-docs) Explore

Flight Management Rest APIs

Flight Management Rest APIs

Created by Stanley
[Contact the developer](#)
[Free](#)

flight-controller : Flight Controller Show/Hide List Operations Expand Operations

GET	/flightService/flights	API to Get all the Flights
POST	/flightService/flights	API to Create Flight Details
DELETE	/flightService/flights/{id}	API to Delete Flight Details by ID
GET	/flightService/flights/{id}	API to Get Flight Details by ID
PUT	/flightService/flights/{id}	API to Update Flight Details

[BASE URL: / , API VERSION: 1.0.0-SNAPSHOT]

Get All Flights API

[Try it out!](#) [Hide Response](#)

Curl

```
curl -X GET --header 'Accept: application/json' 'http://localhost:8090/flightService/flights'
```

Request URL

```
http://localhost:8090/flightService/flights
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
[
  {
    "id": "964db7a3-8fde-4944-9374-d83a2b221ab4",
    "airlineCode": "EK",
    "flightNo": "0410",
    "origin": "DXB",
    "destination": "SYD",
    "ticketPrice": 3560,
    "active": true
  },
  {
    "id": "6391a573-4a14-438a-b13c-797ea31ad5e1",
    "airlineCode": "AI",
    "flightNo": "0015",
    "origin": "DXB",
    "destination": "MAA",
    "ticketPrice": 550,
    "active": true
  }
]
```

Create Flight

JSON Input

```
{
  "airlineCode": "EK",
  "flightNo": "0049",
  "origin": "DXB",
  "destination": "FRA",
  "ticketPrice": "1900.00",
  "active": "true"
}
```

[Try it out!](#) [Hide Response](#)

Curl

```
curl -X POST --header 'Content-Type: application/json' --header 'Accept: application/json' -d '{ \
  "airlineCode": "EK", \
  "flightNo": "0049", \
  "origin": "DXB", \
  "destination": "FRA", \
  "ticketPrice": "1900.00", \
  "active": "true" \
}' 'http://localhost:8090/flightService/flights'
```

Request URL

```
http://localhost:8090/flightService/flights
```

Request Headers

```
{
  "Accept": "application/json"
}
```

Response Body

```
{
  "id": "a034d6b9-4a50-4434-8e24-58bec6701dab",
  "airlineCode": "EK",
  "flightNo": "0049",
  "origin": "DXB",
  "destination": "FRA",
  "ticketPrice": 1900,
  "active": true
}
```

Delete flight by id

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	<input type="text" value="c1fb15b2-5c6a-4147-b84e-92245037a56c"/>	id	path	string

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		
401	Unauthorized		
403	Forbidden		
404	Flight record does not exist for the given id		

[Try it out!](#) [Hide Response](#)

Curl

```
curl -X DELETE --header 'Accept: */*' 'http://localhost:8090/flightService/flights/c1fb15b2-5c6a-4147-b84e-92245037a56c'
```

Request URL

```
http://localhost:8090/flightService/flights/c1fb15b2-5c6a-4147-b84e-92245037a56c
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
no content
```

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	964db7a3-8fde-4944-9374-d83a2b221ab4	id	path	string

Response Messages

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Flight record does not exist for the given id		

[Try it out!](#) [Hide Response](#)

Curl

```
curl -X GET --header 'Accept: application/json' 'http://localhost:8090/flightService/flights/964db7a3-8fde-4944-9374-d83a2b221ab4'
```

Request URL

```
http://localhost:8090/flightService/flights/964db7a3-8fde-4944-9374-d83a2b221ab4
```

Request Headers

```
{  "Accept": "*/*"}
```

Response Body

```
{  "id": "964db7a3-8fde-4944-9374-d83a2b221ab4",  "airlineCode": "EK",  "flightNo": "0410",  "origin": "DXB",  "destination": "SYD",  "ticketPrice": 3560,  "active": true}
```

Update flight by id

[Try it out!](#) [Hide Response](#)

Curl

```
curl -X PUT --header 'Content-Type: application/json' --header 'Accept: application/json' -d '{ \  "airlineCode": "EK", \  "flightNo": "0410", \  "origin": "DXB", \  "destination": "SYD", \  "ticketPrice": 2560, \  "active": true \}' 'http://localhost:8090/flightService/flights/964db7a3-8fde-4944-9374-d83a2b221ab4'
```

Request URL

```
http://localhost:8090/flightService/flights/964db7a3-8fde-4944-9374-d83a2b221ab4
```

Request Headers

```
{  "Accept": "application/json"}
```

Response Body

```
{  "id": "964db7a3-8fde-4944-9374-d83a2b221ab4",  "airlineCode": "EK",  "flightNo": "0410",  "origin": "DXB",  "destination": "SYD",  "ticketPrice": 2560,  "active": true}
```