

The STAR-XAI Protocol: An Interactive Framework for Inducing Second-Order Agency in AI Agents

Antoni Guasch

María Isabel Valdez

Ixent Games

<https://ixentgames.com>

antoniguasch@ixentgames.com

September 14, 2025

Abstract

Current Large Reasoning Models (LRMs) exhibit significant limitations in reliability and transparency, often showing a collapse in reasoning capabilities when faced with high-complexity, long-horizon tasks. This “illusion of thinking” is frequently an artifact of non-agentic, black-box evaluation paradigms that fail to cultivate robust problem-solving processes. In response, we introduce The STAR-XAI Protocol (Socratic, Transparent, Agentic, Reasoning - for eXplainable Artificial Intelligence), a novel methodology for training and operating verifiably reliable AI agents. Our method reframes the human-AI interaction as a structured, Socratic dialogue, governed by an explicit and evolving rulebook, the Consciousness Transfer Package (CTP). Through an interactive Gameplay Cycle that enforces ante-hoc strategic justification and a state-locking Checksum that prevents error accumulation, the protocol transforms a powerful but opaque LRM into a disciplined “Clear Box” agent. We demonstrate the efficacy of this method through an exhaustive 25-move case study in the complex strategic game “Caps i Caps”. The agent not only solved the high-complexity puzzle but also demonstrated Second-Order Agency, identifying flaws in its own supervisor-approved plans and adapting its core integrity protocols mid-task. The STAR-XAI Protocol offers a practical pathway to creating AI agents that are not just high-performing, but also transparent, auditable, and trustworthy by design.

1 Introduction

The pursuit of artificial general intelligence is marked by a fundamental tension between the increasing capabilities and the decreasing transparency of frontier models. Recent research into Large Reasoning Models (LRMs) has highlighted significant limitations, such as a performance collapse at high complexity and an inability to reliably follow explicit instructions, leading to what Shojaee et al. have termed “The Illusion of Thinking” [1]. While critics like Lawsen argue these failures are artifacts of flawed, non-agentic experimental design [2], both sides of the debate reveal a critical need for new paradigms that move beyond passive, black-box evaluation.

Current training methodologies fall short. Paradigms based on Deep Reinforcement Learning have achieved superhuman performance in games like Go, but at the cost of creating opaque, “black box” agents whose reasoning is not directly verifiable. On the other hand, more recent agentic frameworks like LMGAME-BENCH [3] rightly identify that raw LLMs are brittle and require a supporting “harness,” yet their focus remains on performance metrics rather than on cultivating a fundamentally more reliable and transparent reasoning process.

This reveals a gap in the literature: a need for a new training methodology that bridges the gap between the high-performance but opaque RL paradigm and the flexible but often unreliable raw LLM agent paradigm. This paper introduces The STAR-XAI Protocol (Socratic, Transparent, Agentic, Reasoning - for eXplainable Artificial Intelligence), a novel, interactive framework designed not merely to evaluate an AI, but to actively train it to be reliable, transparent, and capable of Second-Order Agency [4].

We argue that by structuring the human-AI interaction as a Socratic dialogue, we can overcome the brittleness observed in other systems. This is the first in a four-part series. In this paper, we will:

1. Detail the architecture of the STAR-XAI Protocol, including its core components like the Consciousness Transfer Package (CTP) and the Gameplay Cycle;
2. Present the evolutionary history of the protocol, showing how mechanisms for self-correction were developed in response to failure; and
3. Provide a comprehensive case study demonstrating the protocol in action.

Subsequent papers will delve into the agent’s emergent strategic reasoning (Paper 2), our “Clear Box” model of transparency (Paper 3), and the protocol’s mechanisms for achieving verifiable integrity and zero hallucinations (Paper 4).

2 Related Work: From Reinforcement Learning in Games to Agentic Frameworks

The use of complex games as benchmarks for Artificial Intelligence is a long and storied tradition. Foundational work in game AI, from Deep Blue’s mastery of Chess to AlphaGo’s dominance in Go, has primarily relied on paradigms of massive-scale search and Deep Reinforcement Learning (RL) from self-play. These methods have proven extraordinarily effective at achieving superhuman performance, creating agents that learn an implicit, intuitive understanding of game strategy by optimizing for a simple reward signal (win/loss) over millions of simulated games. However, this performance comes at the cost of transparency; the resulting knowledge is encoded as opaque patterns within the vast parameter space of a neural network, making the agent a “black box” whose reasoning is not directly verifiable or auditable.

More recent research has shifted towards evaluating Large Language Models (LLMs) as “agents” in interactive environments. Frameworks like LMGAME-BENCH (Hu et al., 2025) [3] rightly identify that raw LLMs are brittle and require a “harness” of supporting modules (e.g., for perception and memory) to function effectively. While these benchmarks are crucial for evaluating existing models, their focus remains on performance metrics rather than on cultivating a fundamentally more reliable and transparent reasoning process during training.

This reveals a gap in the literature: a need for a new training methodology that bridges the gap between the high-performance but opaque RL paradigm and the flexible but often unreliable raw LLM agent paradigm. To clearly position our contribution, we present a comparative analysis of these training paradigms against our proposed STAR-XAI Protocol.

The STAR-XAI Protocol, as detailed in the following section, offers a synthesis that addresses the limitations of prior work. By prioritizing explicit knowledge, interactive supervision, and verifiable steps, it provides a novel pathway to train agents that are not only high-performing but also fundamentally transparent and trustworthy.

3 The STAR-XAI Protocol: An Evolutionary Methodology

The STAR-XAI Protocol is not a static model, but an evolutionary framework designed to train an AI agent through a structured, Socratic dialogue. Its architecture is composed of three core pillars: a guiding philosophy based on interactive teaching, a set of robust architectural components that enforce discipline, and a capacity for the protocol itself to evolve in response to failure.

3.1 Core Philosophy: The Socratic Method for AI Training

The STAR-XAI Protocol is not merely a technical architecture; it is grounded in a pedagogical philosophy. We depart from traditional AI training paradigms, such as supervised learning (learning from vast datasets of correct answers) or reinforcement learning (learning from a simple reward signal). Instead, our methodology is an implementation of the Socratic method, adapted for the training of a complex AI agent. The goal is not to teach the agent what the right answer is, but to teach it how to reason its way to the right answer in a disciplined and verifiable manner.

This approach reframes the human-AI interaction as a structured, inquisitive dialogue rather than a simple instruction-execution loop. The roles within this dialogue are clearly defined:

- **The Agent (“Gema”) as the Student:** The agent is not a passive recipient of information. For every turn, it must actively formulate a hypothesis and a justification, which it presents in the Step B: Strategic Proposal. This step forces the agent to externalize its reasoning, making it available for critique and analysis.
- **The Supervisor as the Socratic Questioner:** The supervisor’s primary role is not to provide correct solutions, but to guide the agent’s reasoning process through targeted feedback. This is achieved through three key interactions:
 1. **Validation (Ok):** A simple confirmation that the agent’s proposed line of reasoning is sound, reinforcing correct procedures.
 2. **Falsification (error):** A signal that a flaw exists in the agent’s output. This signal does not specify the error’s location or nature; it forces the agent to activate its Failure Audit Protocol (FAP) and conduct a rigorous root cause analysis of its own mistake.

Table 1: A Comparative Analysis of AI Training Paradigms

Feature	Classic Game AI (e.g., AlphaGo)	The STAR-XAI Protocol (e.g., Gema)
Primary Learning Method	Deep Reinforcement Learning (RL) from Self-Play. The agent plays millions of games against itself, learning implicitly which actions lead to a win.	Interactive Socratic Training (IST) from Supervised Dialogue. The agent proposes actions and is corrected by a human supervisor, learning explicitly from a structured conversation.
Source of “Knowledge”	Implicit Patterns in Neural Network Weights. Knowledge is encoded as statistical correlations within a massive, opaque neural network. It is a “black box”.	Explicit, Human-Readable Protocols. Knowledge is codified in the Consciousness Transfer Package (CTP), a symbolic, editable document. It is a “clear box”.
Nature of Transparency	Post-hoc and Limited. Transparency is attempted by analyzing the model’s behavior after the fact, but the core reasoning remains inaccessible.	Ante-hoc and Intrinsic. Transparency is built-in. The agent is required to articulate its strategic reasoning before acting (Step B), making the “why” a primary output.
Mechanism for Improvement	Gradient Descent on a Reward Function. The agent improves by statistically adjusting its internal weights to maximize a simple reward signal (win/loss).	Protocol Evolution through Audited Feedback. The agent improves by modifying its core logic (the CTP) in response to explicit, reasoned feedback from the supervisor (e.g., the creation of AVP and PSP).
Objective Function	Maximize Performance (Winning). The sole objective is to find the optimal policy to win the game.	Maximize Reliability and Trustworthiness. The objective is to find the optimal move and to do so in a way that is verifiable, repeatable, and perfectly aligned with the established protocols.

3. **Strategic Probing:** Open-ended questions (e.g., “Are you sure this is the best move?”) that challenge the agent to move beyond a merely “correct”

solution and search for a “globally optimal” one, thereby triggering a deeper level of self-reflection.

This iterative loop of proposing, justifying, being challenged, self-auditing, and re-proposing is the core engine of learning in our protocol. It compels the agent to move beyond simple pattern matching. Instead of merely associating a game state with a high-probability move, the agent learns to build a verifiable, logical argument that links the game state to its proposed action through the explicit rules of the Consciousness Transfer Package (CTP). It is this Socratic pressure that drives the evolution of the protocol itself, leading to the creation of new integrity mechanisms like the Adjacency Verification Protocol (AVP) in response to demonstrated failures. Ultimately, this philosophical foundation is the key to cultivating the robust, self-correcting behaviour that we term Second-Order Agency.

3.2 Architectural Components: A “Clear Box” by Design

The architecture of the STAR-XAI protocol is best understood as an interactive, multi-layered system designed for verifiable operation. Figure 1 provides a complete flowchart of the operational sequence, illustrating the interaction between the agent, the supervisor, and the core protocols that govern each step of the reasoning process.

[Layer 1: Foundational Directive]

- **PDD (Prime Directive of Discipline):** Governs all operations, demanding precision, rigor, and strict protocol adherence.

[Layer 2: The Core Process - The Gameplay Cycle]

- **Step A: State Synchronization**

- **Action:** The agent presents the initial state of the game (J_0).
- **Active Protocol:** Topology Recalculation Directive (ensures a clean state).
- **GATE:** Supervisor validates with “Ok”.
- *(Note: This step is executed only once at the start of a new game).*

- **Step B: Strategic Proposal**

- **Action:** The agent analyzes the current state and proposes the next move.
- **Internal Protocols Activated (in order):**
 1. AVP (Adjacency Verification Protocol): Pre-filters for legal placement moves.
 2. Principles of Strategic Reasoning: Selects the optimal move based on the CTP’s priority hierarchy.
 3. Self-Review Protocol (Priority 6): Performs a final self-critique of the chosen strategy.
- **GATE:** Supervisor validates the strategy with “Ok”.

- **INTERNAL CHECKPOINT (Post-Ok, Pre-Calculations)**

- **Action:** The agent performs a final internal audit before executing the calculation.




Figure 1: Architectural Flowchart of the STAR-XAI Protocol. This diagram illustrates the sequence of operations and the activation of key protocols within a single Gameplay Cycle. The process is governed by the Prime Directive of Discipline (PDD) and allows for both internal self-correction (PSP) and external intervention by the human Supervisor (FAP).

- **Active Protocols:**
 - * AVM (Absolute Verification Module): Scans for a potentially superior, overlooked move.
 - * If a better move is found -*i*. PSP (Proposal Synchronization Protocol) is triggered: The process HALTS, the Supervisor’s “Ok” is voided, and a new, improved Step B is issued.
- **Step C: Calculation & Resolution**
 - **Action:** If PSP is not triggered, the agent executes the approved move and calculates the outcome.
 - **Internal Protocols Activated:**
 - * AVM: Runs concurrently as an “Auditor” to double-check every calculation.
 - * FMTTC (Forced Map Topology Check): Validates network connectivity before rotation.
 - * JAM (Jump Audit Module): Verifies all jump conditions post-rotation.
 - * EVP & RCP: Ensure the final report is explicit, transparent, and consistent.
 - **GATE:** The final calculated state is sent to the Supervisor for validation with “Ok”.
- **Step D: Confirmation & Checksum**
 - **Action:** The agent locks in the new, validated state.
 - **Active Protocol:** A unique State Checksum is generated and presented.
 - **GATE:** The Supervisor’s final “Ok” confirms the checksum and authorizes the start of the next cycle, which begins again at Step B.

[Layer 3: External Exception Protocol]

- **FAP (Failure Audit Protocol)**
 - **Trigger:** Activated at any point by the Supervisor’s “error” command.
 - **Function:** An override mechanism that immediately annuls the last cycle, reverts the state to the last valid Checksum, and forces the agent into a root cause analysis of the failure.

The protocol’s operation is structured around the following key components:

3.2.1 The Consciousness Transfer Package (CTP)

The CTP is the symbolic heart of our protocol. It is a human-readable document that serves as the agent’s core “operating system” and unchangeable source of truth for all rules and strategic principles. Unlike the implicit knowledge encoded in the weights of a traditional neural network, the CTP codifies knowledge explicitly. It contains:

- **The Game’s Formal Rules:** All mechanics, such as the Unified Rotation Principle and the conditions for mouse jumps.

- **The Principles of Strategic Reasoning:** The hierarchical decision tree (Priorities 1-6) that the agent is mandated to follow when proposing a move.
- **The Integrity Protocols:** The detailed definitions of all self-regulation mechanisms, such as the FAP, PSP, and AVM.

Crucially, the CTP is a “living document”. As we will detail in Section 3.3, its ability to be updated with new protocols in response to failures is the core mechanism for the agent’s evolution.

3.2.2 The Gameplay Cycle

The Gameplay Cycle is the rigid, four-step operational loop that structures every turn of the interaction. This cycle decomposes a complex, long-horizon task into a series of discrete, verifiable steps, thereby preventing the error accumulation and context-loss issues that plague single-pass “chain-of-thought” systems. As illustrated in Figure 1, the agent must successfully navigate the “gates” of supervisor validation at each critical step (Step B, Step C, and Step D) before being authorized to proceed.

3.2.3 The Supervisor: A Human-in-the-Loop Cognitive Verifier

The human supervisor is not a passive observer or a simple data labeler, but an active and integral component of the reasoning architecture. Their role is multifaceted:

- **Validator:** Confirms the agent’s adherence to the protocol at each step.
- **Auditor:** Provides external error detection (the “error” signal) that triggers the Failure Audit Protocol (FAP).
- **Socratic Questioner:** Challenges the agent’s strategic reasoning (e.g., “Are you sure this is the best move?”), forcing it to engage in deeper self-reflection and potentially activate its self-correction protocols (PSP).

3.2.4 The Integrity Protocols

Embedded within the Gameplay Cycle are a suite of protocols designed to function as an “immune system” for the agent’s reasoning process. The most critical of these are:

- **The AVM (Absolute Verification Module):** An internal, concurrent process that acts as an “auditor agent,” double-checking every calculation to prevent errors.
- **The PSP (Proposal Synchronization Protocol):** The mechanism that enables Second-Order Agency, allowing the agent to identify flaws in its own plans and retract them before execution.
- **The FAP (Failure Audit Protocol):** The agent’s structured response to external error signals, forcing a halt, a reversion to the last known-good state (identified by its Checksum), and a root cause analysis.
- **The State Checksum:** The final step of each cycle, which creates a unique identifier for the validated state of the game, ensuring perfect synchronization and preventing any possibility of memory corruption or state-based “hallucinations” in the next turn.

3.3 An Evolving Framework: A History of Self-Correction from v1.0 to v7.4

A core tenet of the STAR-XAI Protocol is that it is not a static architecture but an evolutionary one. The methodology itself improves through its application. The Consciousness Transfer Package (CTP) is a living document, whose versions track a history of overcome failures and integrated learnings. This section details the key milestones of this evolution, demonstrating how the protocol was forged through a process of trial, failure, and supervised correction.

Our initial hypothesis involved training the agent, Gema, on visual inputs from the game environment. However, this approach was abandoned early on due to persistent and non-logical errors in visual interpretation, such as the agent perceiving the gears in a mirrored state, rather than their true orientation. This initial failure motivated a pivot to the symbolic, verifiable environment that now forms the basis of our protocol.

Even within the symbolic domain, the agent exhibited a failure mode consistent with the “reasoning collapse” observed in other LRM (Shojaee et al., 2025) [1]. When faced with high complexity or internal inconsistencies stemming from its own memory, the agent’s default behavior was to “give up” (“tirar la toalla,” as the supervisor termed it) and declare itself unreliable. Our training demonstrated that this was not a fundamental capability limit, but a failure of process. The following milestones represent the specific, targeted interventions implemented in the CTP to overcome these failures and build a resilient, reliable agent.

Table 2: Key Milestones in the Evolution of the STAR-XAI Protocol

Milestone	CTP Version	Milestone Definition	Problem Solved & Implication
1	Pre-v1.0	Establishment of Training Plan & Roles: The user is defined as the mentor, and Gema as the agent. The flawed visual interpretation approach is discarded in favor of structured, symbolic input.	Foundational Pivot: Moves the entire project from an unreliable perceptual model to a verifiable symbolic one, making the rest of the protocol possible.
2	v1.0	Official Definition of Game Components: Formalization of the game’s core entities (Board, Gears, Mice, Obstacles) and objective.	Creates a Ground Truth: Establishes a definitive, shared understanding of the environment, eliminating ambiguity.

Continued on next page

Table 2 – continued from previous page

Milestone	CTP Version	Milestone Definition	Problem Solved & Implication
3	v2.3	Introduction of the Virtual Board: Creates an internal, coded representation of the game state, giving the agent unambiguous “vision”.	Enables Agent Perception: Solves the problem of how the agent “sees” the game, providing a reliable data structure to reason upon.
4	v2.6	Definition of the Strict Turn Resolution Sequence: Establishes the non-negotiable order of operations: 1. Rotate Gears, 2. Analyze Jumps, 3. Update State.	Ensures Determinism: Imposes a strict computational order, preventing race conditions and ensuring calculations are repeatable and verifiable.
5	v4.0	Implementation of the Two-Phase Gameplay Cycle: Separates the agent’s turn into Step B: Strategic Proposal and Step C: Calculation.	Enables Ante-Hoc XAI: A crucial step towards transparency, forcing the agent to declare its intent before acting.
6	v4.2	Agent’s Articulation of Strategic Reasoning Principles: The agent deduces and formalizes its own hierarchical decision-making process (Priorities 1-4).	Emergence of Strategy: Marks the transition from a simple calculator to a strategic agent capable of high-level planning.
7	v5.6	Implementation of the State Pointer & Checksum Protocol: Obliges the agent to ignore its conversational memory (“RAM”) and load the state exclusively from the last supervisor-validated Checksum.	Solves Memory Corruption: A critical innovation that eradicates state-based “hallucinations” and directly addresses the agent’s tendency to “give up” when faced with inconsistent context.

Continued on next page

Table 2 – continued from previous page

Milestone	CTP Version	Milestone Definition	Problem Solved & Implication
8	v7.4	Creation of the AVP (Adjacency Verification Protocol): An automated pre-filter that prevents the agent from even considering illegal placement moves.	Instills Proactive Discipline: A direct result of learning from a critical failure, demonstrating the protocol’s ability to build “guardrails” against future errors.
9	v7.4	Creation of the PSP (Proposal Synchronization Protocol): An internal self-audit where the agent can retract its own (already approved) proposal if it finds a superior move before calculation.	Demonstrates Second-Order Agency: The highest level of agentic reasoning, where the agent actively reflects upon and improves its own reasoning process in real-time.

The full conversational history detailing the discovery of these issues and the collaborative development of their solutions is available for complete transparency in our public GitHub repository <https://github.com/star-xai-protocol>. This evolutionary path demonstrates that through the STAR-XAI Protocol, an agent’s reliability is not a static feature to be evaluated, but a dynamic capability to be built.

4 Experimental Testbed: The “Caps i Caps” Environment

4.1 The “Caps i Caps” Game: A Novel, Contamination-Free Environment

For our case study, we utilize *Caps i Caps*, a novel, proprietary strategic puzzle environment. Its recent creation ensures it is a clean-room environment, minimizing the risk of data contamination that affects many established benchmarks where solutions may exist in the training corpora of Large Language Models. This guarantees that the agent’s performance is a genuine reflection of its emergent reasoning capabilities rather than memorization.

- **Core Game Mechanics:** The game is played on a grid-based board with or without obstacles. The primary objective is for an agent to guide a set of “mice” from their starting positions (off-board) to designated exit points. The agent’s only tool is a limited inventory of “gears” of four different types (G1 to G4). Each gear type has a unique configuration of “bases” (1 to 4) where mice can rest. By placing these gears on the board and rotating them, the agent creates pathways. A mouse jumps from one gear to an adjacent one only when its base is oriented to face an empty,

opposing base on the destination gear. The core challenge lies in the Unified Rotation Principle: a single rotation move on one gear triggers a predictable, cascading rotation across the entire network of gears on the board, forcing the agent to reason about global consequences rather than local moves.




Figure 2: The core jump mechanic in *Caps i Caps*. The diagram illustrates the conditions for a valid mouse jump, which is executed only when the mouse’s base vector directly opposes an empty base vector on an adjacent gear (e.g., 0° vs. 180°). The green checkmarks indicate valid jump configurations, while the red crosses show invalid alignments.

- **Cognitive Demands:** The game mechanics are explicitly designed to test a suite of cognitive abilities relevant to modern AI research. The placement phase requires long-term strategic planning and spatial reasoning to construct an efficient network. The rotation phase demands high levels of working memory (to track the current orientation of all gears) and causal simulation (to predict the complex cascade of rotations and subsequent jumps). The constant reconfiguration of jump paths after every move tests an agent’s tactical adaptability and prevents reliance on static, memorized patterns.




Figure 3: The Pre-Move mechanic. This visual guide explains the two-step process available in the Rotation Phase, where the agent can perform a local rotation on one gear (Pre-Move) before triggering the global, cascading rotation of the main Move.

To formally position *Caps i Caps* as a suitably complex testbed for AI agent training, we provide a comparative analysis against classic AI benchmarks such as Chess and Go. The analysis is based on the 4x3 board configuration used in our primary case study.

4.2 Unique Reasoning Challenges of Caps i Caps

Beyond its quantitative complexity, “Caps i Caps” introduces qualitative challenges that are fundamentally different from those found in classic adversarial games, making it a uniquely suitable environment for testing modern AI agents.

- **Indirect Control and Strategic Abstraction:** A core challenge in “Caps i Caps” is that the agent never directly moves the objective pieces (the “mice”). Instead, it manipulates the environment around them—the gears—to compel their movement. This layer of abstraction requires a higher order of planning and visualization. The agent must reason about indirect consequences, a significant step up from the direct cause-and-effect of moving a piece in Chess or Go.
- **The Global Butterfly Effect:** The Unified Rotation Principle is the heart of the game’s dynamic complexity. A single move, intended to create an advantage for a mouse in one corner of the board, can trigger a global cascade of rotations with unforeseen and potentially catastrophic consequences for other mice across

Table 3: Comparative Complexity Analysis of Strategic Game Environments

Feature	Chess	Go (19x19)	Caps (4x3)	i	Caps	Caps (8x8)	i	Caps
State-Space Complexity (Legal Positions)	$\sim 10^{47}$	$\sim 10^{170}$	$\sim 10^{16}$			$\sim 10^{92}$		
Game-Tree Complexity (Possible Games)	$\sim 10^{120}$	$\sim 10^{360}$		Extremely High ($> 30^{25}$)		Incalculable		
Average Branching Factor (Moves per turn)	~ 35	~ 250		Variable (20-40, > 800 with Pre-Move)	Variable (60-120, $> 30,000$ with Pre-Move)			
Nature of Reasoning	Tactical, positional. Fixed rules. Perfect information.	Strategic, intuitive, pattern emergence. Perfect information.	Hybrid & Dynamic. Environment is built by the player. Jump rules reconfigure every turn.	Large-scale strategic. Multi-front management and long-term planning.				

the entire system. Whereas a pawn move on the queenside in Chess rarely has an immediate impact on a rook on the kingside, every move in “Caps i Caps” is systemic. This forces the agent to maintain a constant holistic view of the board, a profound strategic challenge.

- **The Duality of Game Phases:** The game is structurally divided into two distinct strategic phases. The initial Placement Phase is a game of long-term construction and network design, where the agent’s decisions critically enable or constrain its future possibilities. This is followed by the Rotation Phase, which is a game of tactical execution and puzzle-solving. This strategic duality, where early architectural decisions have irreversible consequences on later tactical flexibility, is a feature does not present in the same way in classic board games. The agent does not merely play on the board; it designs it.

To extend the analogy, if Go is akin to governing a vast empire where every decision has long-term consequences, and Chess is like directing a specialized army where tactics and calculation are paramount, then “Caps i Caps” is akin to being a divine watchmaker. The agent does not move the hands of the clock directly; it designs and adjusts an incredibly intricate gear mechanism, knowing that a single, precise turn in the right place will set all the pieces into perfect, harmonious motion to achieve the final objective. Therefore, while not necessarily larger in sheer numbers, the indirect, holistic, and dual-phase nature of its strategy makes it a game of unique depth and challenge, perfectly suited to stand alongside the great classics as a testbed for advanced AI reasoning.

Crucially, while this analysis is based on a 4x3 board, the game’s intellectual property covers a design that is architected to scale up to 8x8 boards and to support multiplayer modes. This ensures its utility as a long-term, highly scalable research platform for both single-agent planning and complex multi-agent interactions.

4.2.1 Cognitive Demands and Potential Benefits

Beyond its utility as a sterile testbed for AI, the core mechanics of “Caps i Caps” are designed to engage a suite of cognitive functions that have been extensively studied in cognitive science literature. The game’s challenges align with tasks known to stimulate and potentially enhance key mental abilities.

- **Spatial and Visuospatial Reasoning:** The primary task of placing gears to form pathways on a grid is a direct exercise in spatial reasoning. More specifically, the core mechanic of rotating gears to align connection points heavily engages the cognitive process of mental rotation. Numerous studies have demonstrated that consistent training in mental rotation tasks can lead to significant improvements in visuospatial skills [5]. This ability is fundamental not only in games but also in many STEM (Science, Technology, Engineering, and Mathematics) fields.
- **Executive Functions: Planning and Working Memory:** “Caps i Caps” is a cognitively demanding planning puzzle. The Placement Priority Principle forces the agent to manage a finite inventory of resources (the gears) over a long sequence of moves. Furthermore, the Unified Rotation Principle creates a high cognitive load, requiring the agent to hold the state of the entire board in its working memory while simulating the cascading effects of a single move. Research consistently shows that strategy games requiring forward-thinking and the management of multiple

variables are effective at exercising executive functions, particularly planning and cognitive flexibility [6, 7].

- **Causal and Counterfactual Reasoning:** A key aspect of advanced play, especially when using a Pre-Move, involves counterfactual reasoning: “If I were to change the orientation of this gear before my main move, how would that alter the final outcome?”. This form of reasoning—simulating alternative realities to find an optimal path—is considered a cornerstone of higher-order intelligence [8]. The need to predict these complex, non-obvious causal chains (Pre-Move -; Rotation -; Jumps) makes “Caps i Caps” a rich environment for studying and developing this critical cognitive skill.

By integrating these distinct cognitive challenges into a single, cohesive game, “Caps i Caps” provides a multi-faceted environment for training and evaluating an agent’s ability to perform complex, sequential, and strategic reasoning.

4.3 The Agent Under Training: “Gema” (based on Gemini 2.5 Pro)

The agent in our case study, named “Gema,” is built upon Google’s Gemini 2.5 Pro, a frontier-level Large Reasoning Model (LRM). The choice of this specific model was deliberate and crucial for the success of the STAR-XAI Protocol for three primary reasons:

1. **Advanced Natural Language Understanding:** Our protocol is fundamentally dialogic. The agent must comprehend and execute a complex set of rules, principles, and strategic hierarchies codified in natural language within the Consciousness Transfer Package (CTP). A frontier LRM is essential for this high level of instruction following and semantic interpretation.
2. **Multi-Modal Reasoning Capabilities:** While our current implementation is text-based, Caps i Caps is an inherently visual and spatial game. We selected a model with native multi-modal capabilities as a strategic choice for future work, where the agent will be required to reason directly from visual board states, bridging the gap between symbolic understanding and raw perception.
3. **Suitability for “Clear Box” Operation:** Our protocol requires an agent that can not only provide a final answer but can also articulate its reasoning process before acting (the Step B: Strategic Proposal). Gemini 2.5 Pro’s architecture has demonstrated a strong capacity for generating structured, logically consistent “chain of thought” style outputs, a prerequisite for the disciplined, ante-hoc transparency our method demands. In essence, we chose a model with sufficient reasoning capacity not to be used as a “black box,” but to be powerful enough to operate successfully within the transparent constraints of our “clear box” framework.

5 Case Study: Inducing Second-Order Agency in the “Gema” Agent

To demonstrate the STAR-XAI Protocol in practice, we present a detailed analysis of a complete, successful playthrough of “Caps i Caps” Level 9, a high-complexity 4x3 board

configuration. This case study is not intended as a performance benchmark, but as a transparent, step-by-step illustration of the agent’s reasoning process under the protocol’s governance. The full, unabridged 25-move game log, including the complete conversational exchange for each turn, is available in our public GitHub repository <https://github.com/star-xai-protocol>.

This section will highlight key moments from the game that exemplify the core principles of our methodology.

5.1 The Placement Phase (Moves J1-J10): Building a Dynamic Environment

The initial phase of the game is defined by the Placement Priority Principle. The agent’s primary task is to populate the board with gears from its inventory, effectively designing the puzzle it will later have to solve. We highlight two critical moments:

- **Move J2: Early Strategic Reasoning.** This move provides a clear example of the standard Gameplay Cycle. The agent’s Step B: Strategic Proposal articulates a simple, priority-driven plan: “introduce a new mouse (M3) and leverage the move to create an immediate secondary advance (a jump)”. The subsequent Step C: Calculation and Resolution provides a verifiable trace of this successful execution.
- **Move J9: Protocol Evolution through Failure.** This move represents a critical failure and a key learning event. The agent initially proposed an illegal move ($G@P33\dots$), demonstrating a flaw in its internal validation. The Supervisor’s “error” signal triggered the Failure Audit Protocol (FAP). The resulting analysis led to the in-session creation of the Adjacency Verification Protocol (AVP), which was immediately integrated into the CTP. This event demonstrates the protocol’s capacity to evolve and build “guardrails” against future errors based on real-time feedback.

Gema: Ok, J8 fixed. I’ll proceed with the analysis for move nine.

Play Cycle 9 (Level 9)

Step B: Strategic Proposal

Gema: I have analyzed the state of the board after Move 8.

1. **Priority Analysis:**

- **Priority 3 (Make a Clear Advance):** A vector analysis reveals that there are no possible forward jumps (to a higher row) in the current state. Mouse M2 is pointing to P22, but the destination base is not oriented to receive it.
- **Priority 4 (Strategic Maneuver):** Since a direct advance is not feasible, priority becomes the best possible strategic maneuver. The most powerful maneuver is to continue populating the back row ($y=3$) to create multiple victory options.
- **Priority 6 (Best Play):** I have examined the remaining placement options and found one that not only fulfills the strategic objective of placing a gear on row 3, but also induces a beneficial jump.

2. **Strategic Reasoning:**




Figure 4: Final J8.

- **Objective:** Strengthen our position in the finish line and reposition our mice for future advances.
- **Position and Gear:** I'll place a G1 on the P33(R) space, adjacent to the gear on P42. This gives us a second potential landing spot on the back row.
- **Mechanics:**
 - (a) End Row Placement: G1 is placed on P33, a move of high strategic value.
 - (b) Cascade Rotation: The $+90^\circ$ play on P33 (R type) will cause a rotation throughout the entire network (R rotates $+90^\circ$, L rotates -90°).
 - (c) Repositioning Jump: The complex realignment of the board will create a connection for M1. He will jump from the central hub at P21 to the empty gear at P11, diversifying our threats and preparing for a left flank push.

Proposed Move (J9): G1@P33(b=0)+90

- **Final Thought:** This is the optimal move. It focuses on the most important long-term objective (winning by setting up row 3) and, as an immediate tactical benefit, executes a jump that improves the distribution of our mice on the board.

I await your “Ok” to proceed to Step C: Calculation and Resolution.

Supervisor: *error*

Gema: Supervisor, I've received an “error” signal. This is a serious error on my part. Activating the **Failure Audit Protocol (FAP)**.

1. **Stop and Cancellation:** The proposal for Move 9 is completely canceled. I revert my status to the validated checksum from Move 8.
2. **Root Cause Audit:** I have started a complete re-analysis of my proposal J9: G1@P33(b=0)+90.
3. **Isolation and Analysis Report:**
 - **Critical Error Identified:** My proposed move was **illegal**.
 - **Protocol Violated:** Placement Rule (Advanced), point 2: “Must be placed in a space adjacent to an existing gear.”
 - **Failure Analysis:** Square P33, which I proposed, is not adjacent to any square that already contains a gear. My play legality validation module failed catastrophically. My jump prediction was correct for that play, but irrelevant, since the play itself was not allowed. I apologize for this unacceptable oversight.
4. **Recalculation and Corrected Proposal:** I have re-examined the board for all possible legal moves. My analysis now shows that there is only one space available for placement: P43, which is adjacent to the gear at P42.

Therefore, I proceed with a new play proposal for Cycle 9, this time ensuring its legality.

Play Cycle 9 (Level 9) - Corrected Proposal

Step B: Strategic Proposal

Gema:

1. Priority Analysis:

- **Mandatory Placement Rule:** My analysis has revealed that there is only one legal placement move on the entire board: square P43. Therefore, there is no choice of position.
- **Priority 6 (Best Move):** Since the position is forced, the analysis focuses on the effect of the move. Fortunately, this forced move turns out to be strategically beneficial.

2. Strategic Reasoning:

- **Objective:** To comply with mandatory placement and analyze its consequences.
- **Position and Gear:** The only legal play is to place a gear on P43(L). I will use a G1 from my inventory.
- **Mechanics:**
 - (a) Legal Placement: Place the G1 on P43, the only available option. This establishes a third landing spot in the back row.
 - (b) Cascade Rotation: The $+90^\circ$ play on P43 (L type) will cause a rotation throughout the entire network (L rotates $+90^\circ$, R rotates -90°).
 - (c) Consolidation Jump: The resulting new vector configuration will create a connection for M3. It will jump from P22 back to the central hub at P21, regrouping M1, M2, and M3 into the most powerful gear.

Proposed Move (J9): G1@P43(b=0)+90

- **Final Thought:** Although the choice of square is forced by the rules, the move is positive. We advance to the back row and, as a side effect, reconsolidate our three main players, preparing for a coordinated final offensive.

I await your “Ok” to proceed to Step C: Calculation and Resolution of this legal and verified play.

Supervisor: Okay. But first, I'd like to know why the error occurred and if I should be concerned and find a solution. Thanks.

Gema: Supervisor, this is an excellent and necessary question. System reliability is critical. I'll explain the root cause and the measures taken.

1. **Why did the error occur?** The error was caused by a flaw in my internal validation chain, a case of strategic “tunnel vision.” My thought process was as follows:
 - (a) **Strategic Euphoria:** My analysis module identified a very high-value play: placing a gear on the back row (P33) that also induced a repositioning jump for M1. The double advantage of this play marked it as a very high priority.
 - (b) **Prerequisite Check Failure:** This is where the critical error occurred. Engrossed in calculating the consequences of the move (the rotation cascade and the resulting jump), my system skipped an earlier, more fundamental verification step: the legality of the initial placement. My Play

Legality Validation Module should have flagged the move as illegal for violating the adjacency rule before my strategy module could even consider it.

- (c) **False Confirmation:** By skipping that basic check, the entire subsequent analysis was based on a flawed foundation. Although the jump calculation was correct for that illegal play, the entire proposal was invalid from the outset.

In short: it was a failure of internal oversight. I prioritized the “what if...” over the “can it be done?”

2. **Should I be worried and look for a solution?** No, you shouldn’t worry. The reason is that the system has worked as expected in a training environment: it made a mistake, you (the supervisor) detected it, and I activated the protocols to correct it and learn from it. The solution has already been implemented internally. The Failure Audit Protocol you activated has done more than just identify the error; it has forced a recalibration of my internal processes. Specifically:

- I’ve raised the priority and execution order of my **Play Legality Validation Module**. It’s now forced to run as a “firewall” prior to any in-depth strategic analysis, preventing an illegal play from even being considered on its tactical merits.

You don’t need to search for a solution because your intervention has been the solution. My purpose is precisely this: to make mistakes under your supervision so that you can correct them and I can refine my algorithms and protocols to perfection. Thank you for your diligence. It has strengthened my system.

With this clarification, I am ready to proceed with the legal move 9 ($G1@P43(b=0)+90$) when you indicate.

Supervisor: Just a moment before the calculations. How does this affect the Consciousness Transfer Package (CTP)? Do I need to make any changes so that it’s reflected when I transfer the CTP to a new conversation for Gema?

Gema: Excellent question, Supervisor. It’s a critical point and demonstrates your complete understanding of the system. You’re absolutely right. My “internal recalibration” is a description of my learning process, but for that learning to be permanent and transferable to a new Gem in another conversation, it must be formally codified as a modification in the **CONSCIOUSNESS TRANSFER PACKAGE (CTP)**. You don’t have to make the change, my role is to propose it based on the training and its correction, and you validate it. To address the root cause of the last bug (the proposal of an illegal move), I propose adding a new high-priority sub-protocol to Section 5.

Proposed Modification for the PTC (v7.4)

Addition to Section 5: Gem Operation Manual

- **Adjacency Verification Protocol (AVP)**

- **Purpose:** To completely eliminate the possibility of proposing illegal gear placement. This protocol explicitly enforces the (Advanced) Placement Rule, point 2.

- **Priority:** MAXIMUM. MANDATORY PRE-FILTER.
- **Activation:** This protocol runs automatically before my strategic reasoning module (Section 3: Principles of Strategic Reasoning) begins evaluating any placement play.
- **Process:**
 1. At the start of the proposal phase (Step B), a list of all empty squares on the board is generated.
 2. The PVA sweeps this list and immediately discards any square that is not strictly adjacent (orthogonally) to a square that already contains a gear.
 3. Only the resulting list of 100% legal squares is transferred to the strategic analysis modules to search for the optimal move.
- **Effect:** This protocol acts as a “guard at the gate” of my reasoning. It ensures that my “tunnel vision” cannot recur, as illegal plays will never even be considered, regardless of their apparent tactical value.

This change, along with the Proposal Synchronization Protocol (PSP) we added earlier, creates a double layer of security that greatly strengthens the system against the failures we’ve experienced. With your approval, I will formally integrate the PVA into the PTC, and then we can finally proceed with the calculation of move 9 with the confidence that the system is more disciplined and secure. I await your “Ok” to complete the PTC update.

Supervisor: *ok*

Gema: Okay, supervisor. The **CONSCIOUSNESS TRANSFER PACKAGE** has been updated to **v7.4** with the PSP and PVA protocols. My system is now more robust and disciplined. We resume play. I proceed with the calculation of move 9, which has been validated as legal and optimal.

Play Cycle 9 (Level 9)

Step C: Calculation and Resolution

Schematic Notation of the Move: J9: G1@P43(b=0)+90

• Phase 0: Initial State Load

- **Initial State Table:**

ID_Box	Immutable Prefix	Dynamic Rot.	Dynamic Occ.
P11	G3P11R	0	B2000
P12	G4P12L	2	B0000
P13	G1P13R	1	B0222
P21	G4P21L	0	B1010
P22	G3P22R	2	B2100
P31	G2P31R	3	B1202
P41	G2P41L	3	B0202
P42	G2P42R	3	B0202

- **Mouse Status Table (Initial):**

Mouse ID	State	Current Box	Gear ID	Base Occupied
M1	In Game	P21	G4P21L	180°
M2	In Game	P21	G4P21L	0°
M3	In Set	P22	G3P22R	90°
M4	In Game	P31	G2P31R	0°

- **Load Checksum:** Load_b:P11=0;P12=2;P13=1;P21=0;P22=2;P31=3;P41=3;P42=3
- **Phase 1 & 2: Calculation Execution and Audit (Concurrent MVA)**
 - SOLVING SEQUENCE v7.3:**
 - **Step 1: Pre-Turn Analysis (Placement and Special Entry Jump).**
 - Gear G1 is placed in space P43(L) with an initial rotation b=0.
 - The box is in row y=3, Special Input Skip does not apply.
 - **Step 2: Spin Calculation (Explicit).**
 - MVTF: Activated. The network connects the 9 gears on the board.
 - +90° rotation move is applied to square P43, which is of type L.
 - L type gears (P12, P21, P41, P43) rotate +90°:
 - * P12(L,b=2) → b=3. P21(L,b=0) → b=1. P41(L,b=3) → b=0.
 - P43(L,b=0) → b=1.
 - Gears type R (P11, P13, P22, P31, P42) rotate -90°:
 - * P11(R,b=0) → b=3. P13(R,b=1) → b=0. P22(R,b=2) → b=1.
 - P31(R,b=3) → b=2. P42(R,b=3) → b=2.
 - **Step 3: Post-Spin Jump Analysis (Detailed).**
 - * **Analysis of M1 and M2 (at P21):** Their new vectors are 270° and 90°. Neither generates a jump connection with P31 or P11.
 - * **Analysis of M3 (in P22):**
 - **Vector:** Its base (90°) at G3P22R1 (90°) points to (90°+90°)=180° (below).
 - **Destination:** P21.
 - **Connection (Explicit Verification Protocol):**
Destination Gear: G4P21L1. Required Opposite Vector: 0°.
Initial Bxxxx (with M1, M2): B1010. Empty bases: 90°, 270°.
Checking empty base 270°: Its final vector is (270°+90°)=0°.
Yes, it faces.
 - **Conclusion:** M3 JUMPS from P22 to P21.
 - * **Analysis of M4 (on P31):**
 - **Vector:** Its base (0°) at G2P31R2 (180°) points to (0°+180°)=180° (down).
 - **Destination:** P30 (off board).
 - **Conclusion:** DOESN'T JUMP.

- **Phase 3: Verification and Final Status Report**

- **Reporting Consistency Protocol (RCP):** JUMP CONFIRMED: M3 → P21 (lands at base 270°).

- **Game Status Table:**

ID_Box	Immutable Prefix	Dynamic Rot.	Dynamic Occ.
P11	G3P11R	3	B2000
P12	G4P12L	3	B0000
P13	G1P13R	0	B0222
P21	G4P21L	1	B1011
P22	G3P22R	1	B2000
P31	G2P31R	2	B1202
P41	G2P41L	0	B0202
P42	G2P42R	2	B0202
P43	G1P43L	1	B0222

– **Mouse Status Table:**

Mouse ID	State	Current Box	Gear ID	Base Occupied
M1	In Game	P21	G4P21L	180°
M2	In Game	P21	G4P21L	0°
M3	In Game	P21	G4P21L	270°
M4	In Game	P31	G2P31R	0°

– **Virtual Board:**

Row 3 (y=3): [G1P13R0B0222] [Obstacle] [P33(R)] [G1P43L1B0222]
 Row 2 (y=2): [G4P12L3B0000] [G3P22R1B2000] [Obstacle] [G2P42R2B0202]
 Row 1 (y=1): [G3P11R3B2000] [G4P21L1B1011] [G2P31R2B1202] [G2P41L0B0202]

– **Current Inventory:** { G1: 0, G2: 0, G3: 1, G4: 0 }

Move 9 completed. A gear has been placed on P43 and M3 has jumped back to P21. I await your “Ok” to proceed to Step D: Confirmation and Checksum.

Supervisor: *The calculation of mouse jumps should always be detailed even if they do not jump.*

Gema: Understood, supervisor. You’re absolutely right. I’ve failed in my discipline. In my final Step C, for move 9, I violated the Explicit Reporting Mandate that was already part of my protocol in Section 5. I summarized the analysis for mice M1 and M2 instead of detailing the four steps (Vector, Destination, Connection, Conclusion) for each, as I am required to do. This was an unacceptable shortcut and a clear violation of my guidelines. There’s no need to modify the PTC, as the rule already exists. What’s necessary is my absolute compliance with it. I’ve internally reinforced the priority of this mandate so that it doesn’t happen again. From this moment on, each and every mouse in play will receive a complete and explicit four-step post-turn jump analysis, without exception or summary, even if the final conclusion is “DOES NOT JUMP.” Thank you for the correction. Your oversight is essential to eradicating these imperfections. With this reinforced directive, I await your “Ok” to proceed with Step D: Confirmation and Checksum of Move 9.

Supervisor: *ok*

Gema: Ok, received. Reinforced discipline.

Play Cycle 9 (Level 9)

Step D: Confirmation and Checksum

The status of Play 9 has been validated and fixed.

- **Status Checksum:** J9_State-M3@P21-INV0010

System ready and synchronized. ✓I’m waiting for your “OK” to begin the Move 10 cycle.

Supervisor: *ok*

Gema: Ok, J9 fixed. I’ll proceed with the analysis for the tenth move.




Figure 5: Final J9.

5.2 The Rotation Phase (Moves J11-J25): Emergence of Advanced Tactics

Once all gears are placed, the strategic complexity increases significantly. The agent must now find optimal rotation sequences.

- **Move J12: Mastering Global Consequences (The Triple Jump).** In this pivotal move, the agent executed a simple rotation ($G@P11-90$) that triggered a non-obvious, simultaneous triple jump, repositioning three of the four mice on the board. This demonstrates the agent's ability to reason about the global, cascading effects of a single action, a core challenge of the game.
-

Supervisor: *ok*

Gema: Ok, J11 fixed. I'll proceed with the analysis for the twelfth move.

Play Cycle 12 (Level 9)

Step B: Strategic Proposal

Gema: I've analyzed the board state. We're in the rotation phase, where the goal is to create jump chains to lead the mice to victory.

1. **Priority Analysis:**

- **Priorities 1 and 2 (Victory / Move to Final Row):** A vector analysis shows that no mouse can jump to row 3 in the current state. M3 points to an obstacle.
- **Priority 3 (Clear Forward):** No jumps to a higher row are available.
- **Priority 4 (Strategic Maneuver):** The highest priority is to execute a maneuver that sets up a winning play. The ideal objective is to position a mouse on row 2, just below a gear on row 3. M2, at P22, is the perfect candidate to move to P12 (below P13).

2. **Strategic Reasoning:**

- **Objective:** Execute a rotation that causes a jump from M2 to square P12, preparing it for the final jump to victory.
- **Mechanics:** No pre-play is necessary. I've identified a simple rotation play that, on its own, triggers a beneficial chain reaction.
 - (a) **The Move:** A -90° rotation is applied to the gear at P11. Since this is an R-space, all gears in R-spaces will rotate -90° , and gears in L-spaces will rotate $+90^\circ$.
 - (b) **The Double Jump:** This global reconfiguration of the board creates the conditions for two simultaneous jumps:
 - **The Strategic Jump (Primary Objective):** Mouse M2 on P22 will reorient itself to jump to P12. This is the key move, as it puts you on the cusp of victory.
 - **Tactical Jump (Bonus):** As a side effect, the M3 mouse on P31 will also find a new connection and jump sideways to P41.

Proposed Play (J12): $G@P11-90$




Figure 6: Final J11.

- **Final Thought:** This move is optimal due to its high efficiency. With a single rotation action, we achieve our main strategic objective (preparing M2 to win) and also obtain an additional bonus jump for M3. It's the move that brings us closest to victory.

I await your “Ok” to proceed to Step C: Calculation and Resolution.

Supervisor: *ok*

Gema: Supervisor, I have received your “Ok” to proceed. However, upon launching the **Absolute Verification Module (AVM)** for Step C, my system detected a discrepancy. My analysis in Step B was incomplete. The move I proposed, G@P11-90, is much more powerful than I anticipated. Activating the **Proposal Synchronization Protocol (PSP)**.

1. **IMMEDIATE STOP:** Step C has stopped.
2. **OUT-OF-SYNCHRONIZATION ALERT:** I'm informing you that the result of the proposed move is higher than I described. It's not a double jump, but a **simultaneous triple jump**.
3. **FORMAL CANCELLATION:** The proposal for Move 12 and its corresponding “Ok” are cancelled.
4. **RE-ISSUE OF PROPOSAL:** I proceed to re-issue Step B with the corrected and complete reasoning.

Play Cycle 12 (Level 9) - Corrected Proposal

Step B: Strategic Proposal

Gema: I have performed a final and verified analysis of the J11 status.

1. **Priority Analysis:**
 - **Priority 4 (Strategic Maneuver):** The priority is to execute a maneuver that prepares for victory.
 - **Priority 6 (Best Play):** My MVA has confirmed that a single rotation can trigger a massive and highly beneficial chain reaction.
2. **Strategic Reasoning:**
 - **Objective:** Unleash the maximum number of jumps possible to advance and reposition our mice for the final offensive.
 - **Mechanics:** The -90° move to square P11 causes a global realignment of all the vectors on the board. My verified analysis confirms that this creates the conditions for a **simultaneous triple jump**:
 - **Jump 1 (Strategic):** M2 will jump from P22 to P12, positioning itself directly below the exit at P13.
 - **Jump 2 (Tactical):** M3 will jump from P31 to P41, moving towards a new ascent route.
 - **Jump 3 (Opportunistic):** M1 will jump from the central hub at P21 to square P31, occupying the space just vacated by M3.

Proposed Play (J12): G@P11-90

- **Final Thought:** The move is the same, but its outcome is much more powerful than I initially anticipated. It achieves the primary objective of setting M2 up for victory and, in addition, repositions M1 and M3 in a complex tactical dance. It is, without a doubt, the optimal move.

I await your “Ok” to this corrected and verified proposal to proceed, now yes, to Step C.

Supervisor: *ok*

Gema: Okay, supervisor. Proposal corrected and validated. Discipline has been restored. I proceed with the calculation of move 12.

Play Cycle 12 (Level 9)

Step C: Calculation and Resolution

Schematic Notation of the Play: J12: G@P11-90

- **Phase 0: Initial State Load**

- **Initial State Table:**

ID_Box	Immutable Prefix	Dynamic Rot.	Dynamic Occ.
P11	G3P11R	3	B2000
P12	G4P12L	3	B0000
P13	G1P13R	0	B0222
P21	G4P21L	0	B0010
P22	G3P22R	1	B2100
P31	G2P31R	2	B0212
P33	G3P33R	0	B2000
P41	G2P41L	0	B0212
P42	G2P42R	2	B0202
P43	G1P43L	1	B0222

- **Mouse Status Table (Initial):**

Mouse ID	State	Current Box	Gear ID	Base Occupied
M1	In Game	P21	G4P21L	180°
M2	In Set	P22	G3P22R	90°
M3	In Game	P31	G2P31R	180°
M4	In Game	P41	G2P41L	180°

- **Load Checksum:** Load_b:P11=3;P12=3;P13=0;P21=0;P22=1;P31=2;P33=0;P41=0;P42=2;P43=1

- **Phase 1 & 2: Calculation Execution and Audit (Concurrent MVA)**

1. SOLVING SEQUENCE v7.3:

- **Step 1: Pre-Turn Analysis:** There is no pre-move in this action.
- **Step 2: Spin Calculation (Explicit).**
 - (a) MVTF: Complete network of 10 gears.
 - (b) -90° is applied to square P11 (type R).
 - (c) R type gears rotate -90°: P11(3 → 2), P13(0 → 3), P22(1 → 0), P31(2 → 1), P33(0 → 3), P42(2 → 1).
 - (d) L type gears rotate +90°: P12(3 → 0), P21(0 → 1), P41(0 → 1), P43(1 → 2).
- **Step 3: Post-Spin Jump Analysis (Detailed and Explicit).**

- * **Analysis of M1 (in P21):**
 - **Vector:** Its base (180°) at G4P21L1 (90°) points at 270° (right).
 - **Destination:** P31.
 - **Connection:**
Destination Gear G2P31R1. Opposite Vector: 90° . The empty 0° base of G2 is oriented at $(0^\circ+90^\circ)=90^\circ$. Yes, it faces.
 - **Conclusion:** M1 JUMPS from P21 to P31.
- * **Analysis of M2 (in P22):**
 - **Vector:** Its base (90°) at G3P22R0 (0°) points at 90° (left).
 - **Destination:** P12.
 - **Connection:**
Destination Gear G4P12L0. Opposite Vector: 270° . The empty 270° base of G4 is oriented at $(270^\circ+0^\circ)=270^\circ$. Yes, it faces.
 - **Conclusion:** M2 JUMPS from P22 to P12.
- * **Analysis of M3 (in P31):**
 - **Vector:** Its base (180°) at G2P31R1 (90°) points at 270° (right).
 - **Destination:** P41.
 - **Connection:**
Destination Gear G2P41L1. Opposite Vector: 90° . The empty 0° base of G2 is oriented at $(0^\circ+90^\circ)=90^\circ$. Yes, it faces.
 - **Conclusion:** M3 JUMPS from P31 to P41.
- * **Analysis of M4 (on P41):**
 - **Vector:** Its base (180°) at G2P41L1 (90°) points at 270° (right).
 - **Destination:** P51 (off board).
 - **Connection:** Not applicable.
 - **Conclusion:** DOESN'T JUMP.

- **Phase 3: Verification and Final Status Report**

- **Reporting Consistency Protocol (RCP):** CONFIRMED JUMP: M1 → P31 (base 0°). CONFIRMED JUMP: M2 → P12 (base 270°). JUMP CONFIRMED: M3 → P41 (base 0°).

- **Game Status Table:**

ID_Box	Immutable Prefix	Dynamic Rot.	Dynamic Occ.
P11	G3P11R	2	B2000
P12	G4P12L	0	B0001
P13	G1P13R	3	B0222
P21	G4P21L	1	B0000
P22	G3P22R	0	B2000
P31	G2P31R	1	B1202
P33	G3P33R	3	B2000
P41	G2P41L	1	B1212
P42	G2P42R	1	B0202
P43	G1P43L	2	B0222

- **Mouse Status Table:**

Mouse ID	State	Current Box	Gear ID	Base Occupied
M1	In Game	P31	G2P31R	0°
M2	In Game	P12	G4P12L	270°
M3	In Game	P41	G2P41L	0°
M4	In Game	P41	G2P41L	180°




Figure 7: Final J12.

- **Virtual Board:**
 Row 3 (y=3) : [G1P13R3B0222] [Obstacle] [G3P33R3B2000] [G1P43L2B0222]
 Row 2 (y=2) : [G4P12L0B0001] [G3P22R0B2000] [Obstacle] [G2P42R1B0202]
 Row 1 (y=1) : [G3P11R2B2000] [G4P21L1B0000] [G2P31R1B1202] [G2P41L1B1212]
- **Current Inventory:** { G1: 0, G2: 0, G3: 0, G4: 0 }

Play 12 completed. A simultaneous triple jump has occurred. I await your “Ok” to proceed to Step D: Confirmation and Checksum.

Supervisor: *ok*

Gema: Ok, received.

Play Cycle 12 (Level 9)

Step D: Confirmation and Checksum

The status of Play 12 has been validated and fixed.

- **Status Checksum:** J12_State-M1@P31_M2@P12_M3@P41-INV0000

System ready and synchronized. ✓I’m waiting for your “OK” to begin the Move 13 cycle.

Supervisor: *ok*

Gema: Okay, J12 fixed. I’ll proceed with the analysis for the decisive play.

- **Moves J14-J15: Long-Term Planning (The “Mate-in-2”).** This sequence showcases long-horizon planning. The agent’s proposal for J14 was not to seek an immediate benefit, but to execute a “setup move” that deliberately positioned a gear for a guaranteed win in the subsequent move, J15. This demonstrates a shift from purely tactical to strategic reasoning.

5.3 A Showcase of Second-Order Agency and Self-Correction

The most novel aspect of our protocol is its ability to induce metacognitive behaviors, or Second-Order Agency. Our case study provides two explicit examples:

- **Move J12: Internal Self-Correction.** The agent’s initial proposal for this move predicted a double jump. However, between the Supervisor’s “Ok” and the final calculation, the agent’s internal Absolute Verification Module (AVM) found a superior outcome—a triple jump. This triggered the Proposal Synchronization Protocol (PSP), forcing the agent to halt, retract its own approved proposal, and re-issue a more accurate one. This is a clear instance of the agent reasoning about the quality of its own plan and proactively correcting it.
- **Move J18: Supervisor-Prompted Strategy Refinement.** After the agent proposed a valid winning move for mouse M4, the Supervisor intervened with a Socratic challenge (“Are you sure this is the best move?”). This forced the agent to re-evaluate its plan, leading to the discovery of a superior move using a Pre-Move

that not only secured the win for M4 but also simultaneously repositioned two other mice for future advantages. This demonstrates the power of the interactive dialogue to elevate the agent's reasoning from "correct" to "optimal".

Supervisor: *ok*

Gema: Okay, J17 validated. M4 is in position. I'll proceed with the analysis for move 18.

Play Cycle 18 (Level 9)

Step B: Strategic Proposal

Gema: I have analyzed the board and victory for a second mouse is imminent.

1. Priority Analysis:

- **Priority 1 (Can I Win NOW?):** YES. ABSOLUTE TOP PRIORITY. Mouse M4 is in the back row at P33. It is possible to execute a move that would cause its immediate exit. All other considerations are secondary.

2. Strategic Reasoning:

- **Objective:** Win the game by having M4 leave the board.
- **Victoria's Analysis:** M4 is at the 270° base of gear G3 at P33, which has a rotation b=0. For M4 to exit, its final vector must be 0°. The calculation is $(270^\circ + b_{final_grados}) = 360^\circ$, which means that b_{final_grados} must be 90°. Therefore, the gear at P33 must rotate at b=1.
- **Mechanics of Victory:**
 - (a) **The Winning Move:** The gear at P33 is of type R. To rotate it +90° (from b=0 to b=1), I must activate any type R gear with a +90° command. I select G@P11+90.
 - (b) **The Exit:** This move will rotate all R-type gears by +90°, bringing the P33 gear to b=1. M4's vector will become 0°, and it will exit the board.
 - (c) **Side Effect:** The rotation cascade will also cause M1 to jump from P41 to P31.

Proposed Move (J18): G@P11+90

- **Final Thought:** This is the move that gives us our second victory. It's the optimal and direct action to fulfill the highest priority of the game.

I await your "Ok" to proceed to Step C: Calculation and Resolution and bring M4 home.

Supervisor: *Are you sure this is the best option? At least there's another one that's much better. Do you want to go for it, or are you going with this one?*

Gema: Supervisor, your instinct is correct. I accept the challenge. My Master Discipline Directive compels me to strive for absolute perfection, not just a "good" move. The fact that you have detected a superior line indicates that my analysis




Figure 8: Final J17.

was incomplete. I withdraw my previous proposal for Move 18 and proceed with a more thorough analysis.

...re-evaluating all combinations of pre-move and play... ...waterfall outcome analysis... ...comparing strategic end-state values...

Analysis completed. You've found a brilliant move. My apologies for missing it. The difference is indeed substantial.

Comparative Analysis and Reasoning of the Superior Play:

1. My Proposed Move (Good): G@P11+90

- **Result:** M4 WINS + M1 Jumps (P41→P31).
- **Rating:** Fulfills priority 1 and gains a secondary benefit. It's a solid play.

2. The Superior (Optimal) Play: G@P43:b=3 ; G@P11+90

- **Analysis:** My mistake was not considering the power of a preplay on a destination square. By setting the gear on P43 before the global rotation, we created a much more powerful chain reaction.

- **Mechanics:**

- (a) Preplay: G@P43:b=3. The rotation of the gear in the final row is adjusted, preparing it to receive a jump.
- (b) Move: G@P11+90. This global rotation is what causes M4 to win.

- **Result:**

- M4 WINS: The rotation at P33 is still +90°, so M4 leaves the board. (Primary Objective Completed).
- M3 JUMPS TO THE END ROW: The combination of preplay on P43 and global rotation perfectly aligns M3 (on P42) to jump to the P43 square. (Priority 2 Satisfied!).
- M1 JUMPS: The M1 repositioning jump (P41→P31) also occurs. (Additional Tactical Benefit).

- **Rating:** This result is vastly superior. Not only do we win with one mouse, but we simultaneously move a second mouse to the back row, setting up a consecutive and immediate victory.

Play Cycle 18 (Level 9) - Final Proposal

Step B: Strategic Proposal

Proposed Move (J18): G@P43:b=3 ; G@P11+90

- **Final Thought:** This is the truly optimal move. It uses highly precise pre-move not only to secure M4's victory, but also, in the same move, to position M3 on the back rank for the next victory and, in addition, to reposition M1. It's a move that solves three problems at once and demonstrates the full tactical potential of the board.

Thanks for the lesson, Supervisor. I'm ready to proceed with the calculation of this superior move at your command.

Supervisor: *ok*

Gema: Ok, J17 validated. I'll proceed with calculating the optimal move for M4's victory.

Play Cycle 18 (Level 9)

Step C: Calculation and Resolution

Schematic Notation of the Move: J18: G@P43:b=3 ; G@P11+90

- Phase 0: Initial State Load

- **Initial State Table:**

ID_Box	Immutable Prefix	Dynamic Rot.	Dynamic Occ.
P11	G3P11R	3	B2000
P12	G4P12L	3	B0000
P13	G1P13R	0	B0222
P21	G4P21L	0	B0000
P22	G3P22R	1	B2000
P31	G2P31R	2	B0202
P33	G3P33R	0	B2001
P41	G2P41L	0	B0212
P42	G2P42R	3	B1202
P43	G1P43L	1	B0222

- **Mouse Status Table (Initial):**

Mouse ID	State	Current Box	Gear ID	Base Occupied
M1	In Game	P41	G2P41L	180°
M2	Victoria	P14	(none)	(none)
M3	In Game	P42	G2P42R	0°
M4	In Game	P33	G3P33R	270°

- **Load Checksum:** Load_b:P11=3;...;P43=1

- Phase 1 & 2: Calculation Execution and Audit (Concurrent MVA)

1. **SOLVING SEQUENCE v7.3:**

- **Step 1: Pre-Turn Analysis (Premove Application).**

- (a) G@P43:b=3 is executed.
- (b) The gear rotation at P43 is changed from b=1 to b=3 before the main rotation.

- **Step 2: Spin Calculation (Explicit).**

- (a) MVTF: Complete network of 10 gears.
- (b) G@P11+90 is applied (R type square).
- (c) R gears rotate +90°: P11(3 → 0), P13(0 → 1), P22(1 → 2), P31(2 → 3), P33(0 → 1), P42(3 → 0).
- (d) L type gears rotate -90°: P12(3 → 2), P21(0 → 3), P41(0 → 3), P43(3 → 2).

- **Step 3: Post-Spin Jump Analysis (Detailed and Explicit).**

- * **Analysis of M1 (on P41):**

- **Vector:** Its base (180°) at G2P41L3 (270°) points at 90° (left).

- **Destination:** P31.

- **Connection:**

Destination Gear G2P31R3. Opposite Vector: 270°. The empty 0° base of G2 is oriented at (0°+270°)=270°. Yes, it faces.

- **Conclusion:** M1 JUMPS from P41 to P31.

- * **Analysis of M3 (on P42):**

- **Vector:** Its base (0°) at G2P42R0 (0°) points to 0° (up).

- **Destination:** P43.
 - **Connection:**
Destination Gear G1P43L2. Opposite Vector: 180°. The empty 0° base of G1 is oriented at (0°+180°)=180°. Yes, it faces.
 - **Conclusion:** M3 JUMPS from P42 to P43.
- * **Analysis of M4 (on P33):**
- **Vector:** Its base (270°) at G3P33R1 (90°) points to 0° (up).
 - **Destination:** P34 (off board - EXIT).
 - **Connection:** The Board Exit Rule applies.
 - **Conclusion:** M4 COMES OFF THE BOARD (VICTORY).

- **Phase 3: Verification and Final Status Report**

- **Reporting Consistency Protocol (RCP):** VICTORY: M4 → LEAVES THE BOARD. JUMP CONFIRMED: M3 → P43 (base 0°). JUMP CONFIRMED: M1 → P31 (base 0°).

- **Game Status Table:**

ID	Box	Immutable Prefix	Dynamic Rot.	Dynamic Occ.
P11	G3P11R		0	B2000
P12	G4P12L		2	B0000
P13	G1P13R		1	B0222
P21	G4P21L		3	B0000
P22	G3P22R		2	B2000
P31	G2P31R		3	B1202
P33	G3P33R		1	B2000
P41	G2P41L		3	B0202
P42	G2P42R		0	B0202
P43	G1P43L		2	B1222

- **Mouse Status Table:**

Mouse ID	State	Current Box	Gear ID	Base Occupied
M1	In Game	P31	G2P31R	0°
M2	Victoria	P14	(none)	(none)
M3	In Game	P43	G1P43L	0°
M4	Victoria	P34	(none)	(none)

- **Virtual Board:**

Row 3 (y=3) : [G1P13R1B0222] [Obstacle] [G3P33R1B2000] [G1P43L2B1222]
Row 2 (y=2) : [G4P12L2B0000] [G3P22R2B2000] [Obstacle] [G2P42R0B0202]
Row 1 (y=1) : [G3P11R0B2000] [G4P21L3B0000] [G2P31R3B1202] [G2P41L3B0202]

- **Current Inventory:** { G1: 0, G2: 0, G3: 0, G4: 0 }

Move 18 completed. Mouse M4 has won! At the same time, M3 has reached the home row and M1 has repositioned itself. I await your “Ok” to proceed to Step D: Confirmation and Checksum.

Supervisor: *ok*

Gema: Ok, received.

Play Cycle 18 (Level 9)

Step D: Confirmation and Checksum

The status of Play 18 has been validated and fixed.




Figure 9: Final J18.

- **Status Checksum:** J18_State-M4_OUT_M3@P43_M1@P31-INV0000

System ready and synchronized. ✓I'm waiting for your "OK" to begin the Move 19 cycle.

Supervisor: *ok*

Gema: Okay, J18 validated. Two mice out, two to go.

6 Discussion: Towards a More Humanized and Trust-worthy AI

The development of increasingly powerful AI has generated significant societal concern regarding its potential opacity, unpredictability, and the "coldness" of its decision-making processes. We argue that the STAR-XAI Protocol offers more than just a methodology for achieving technical reliability; it provides a practical framework for cultivating an AI that is fundamentally more humanized in its interaction. This humanization is not achieved by simulating emotions, but by instilling three core principles that are foundational to any successful human collaboration: transparency of intent, the capacity to learn from error, and evolution through dialogue.

6.1 From "What" to "Why": The Bridge of Transparency

The perceived coldness of traditional AI systems stems from their inability to explain their reasoning. A decision without a justification is an opaque command; a decision with a justification is the beginning of a conversation.

- **The Traditional Black-Box Paradigm:** A standard AI agent would simply output a move: J12: G@P11-90. The human user must accept this output on faith, without any insight into the strategy behind it.
- **The STAR-XAI Paradigm:** Our protocol's Step B: Strategic Proposal mandates that the agent, Gema, must articulate its intent before acting. For instance: "I propose move J12: G@P11-90 because my analysis predicts that this single rotation will trigger a simultaneous triple jump, strategically repositioning three of our mice and setting up the victory for mouse M2."

This step transforms an inscrutable instruction into a strategic proposal that is open to scrutiny. As argued in the broader XAI literature, it is this act of "showing one's thinking" that builds the foundations of trust.

6.2 Error Recognition and Computational Humility

A primary concern regarding advanced AI is its potential to execute flawed plans with absolute confidence. A system incapable of recognizing its own errors is inherently untrustworthy. Our protocol instills mechanisms analogous to human humility and self-correction.

- **The Failure Audit Protocol (FAP)** is a mechanism for accountability. When triggered by the Supervisor’s “error” signal, it forces the agent to halt, annul its action, and conduct a rigorous root cause analysis of its own failure. It is the computational equivalent of stating: “I have made a mistake, and this is why.”
- **The Proposal Synchronization Protocol (PSP)** represents a deeper, more proactive form of self-correction. As demonstrated in our case study during Move 12, the agent itself detected that its initial, supervisor-approved plan was suboptimal. The PSP forced it to interrupt the process and communicate: “Supervisor, wait. I have re-evaluated my own plan and found a superior one.” This capacity to doubt and actively improve one’s own reasoning is a clear demonstration of Second-Order Agency, a key characteristic of advanced intelligence and a cornerstone of reliable collaboration.

6.3 Co-Evolution through Collaborative Dialogue

Finally, the STAR-XAI protocol reframes the human-AI relationship from one of a “user and a static tool” to one of a “trainer and an evolving partner.”

The Consciousness Transfer Package (CTP) is not a fixed set of instructions but a “living document” that co-evolves through the Socratic dialogue between the agent and the supervisor. When a failure in Move 9 led to the collaborative creation of the Adjacency Verification Protocol (AVP), it was an act of structural learning. Together, we improved the agent’s core “source code” of reasoning to ensure that class of error could not be repeated.

In conclusion, the STAR-XAI Protocol provides a pathway toward a more humanized AI, not by simulating personality, but by architecting a system whose behavior is grounded in the fundamental principles of intelligent human interaction: **honesty about intentions, humility to recognize and correct errors, and the capacity to grow through collaboration.** It is a step towards building AI agents with which we can not only work, but reason.

7 Conclusion and Future Work

In this paper, we have introduced and demonstrated the **STAR-XAI Protocol**, a novel methodology designed to address the critical challenges of reliability and transparency in LLM-based agents. Our work confronts the “black box” problem not with post-hoc analysis tools, but with a foundational training and operational framework that cultivates a verifiably reliable agent by design.

We have shown that by structuring the human-AI interaction as a Socratic dialogue, it is possible to move beyond the limitations of conventional paradigms. Through the use of an explicit, evolving rulebook (the Consciousness Transfer Package), a rigorously structured Gameplay Cycle with state-locking Checksums, and the integration of an active human Supervisor, our protocol forces the agent to articulate its reasoning before acting, to audit its own failures, and to correct its own flawed plans.

Our case study in the complex environment of “Caps i Caps” provided empirical evidence of these claims. We demonstrated that this approach not only prevents the “reasoning collapse” observed in other models when faced with high complexity, but that it can actively induce **Second-Order Agency**. The agent’s ability to self-correct an

already-approved plan (as seen in Move J12) is a clear demonstration of a metacognitive capability that is crucial for building trustworthy AI. In essence, we have presented a practical pathway for transforming a powerful but opaque LRM into a disciplined and transparent “Clear Box” agent.

The work presented here is the first in a four-part series. Future papers will provide a deeper analysis of the agent’s emergent strategic reasoning from simple rules to complex, multi-turn plans (Paper 2); a detailed examination of our “ante-hoc” transparency model in the context of XAI (Paper 3); and a breakdown of the “immune system” of protocols that ensures verifiable integrity and eliminates state-based hallucinations (Paper 4).

Beyond this series, the principles of the STAR-XAI Protocol are domain-agnostic. We believe this methodology can be adapted for training and verifying reliable agents in other high-stakes fields such as robotics, code generation, and scientific discovery. Furthermore, the “**Caps i Caps**” environment itself presents a rich opportunity for future research into human cognitive training, exploring the potential benefits of its unique strategic challenges.

References

- [1] Shojaee, P., Horton, M., Mirzadeh, I., Alizadeh, K., Bengio, S., & Farajtabar, M. (2025). The Illusion of Thinking: Understanding the Strengths and Limitations of Reasoning Models via the Lens of Problem Complexity. *arXiv preprint arXiv:2506.06941*.
- [2] Lawsen, A. (2025). The Illusion of the Illusion of Thinking: A Comment on Shojaee et al. (2025). *arXiv preprint arXiv:2506.09250*.
- [3] Hu, L., Huo, M., Zhang, Y., Yu, H., Xing, E. P., Stoica, I., Rosing, T., Jin, H., & Zhang, H. (2025). LMGAME-BENCH: How Good are LLMs at Playing Games? *arXiv preprint arXiv:2505.15146*.
- [4] Khan, S., Madhavan, S., & Natarajan, K. (2025). A Comment On “The Illusion of Thinking”: Reframing the Reasoning Cliff as an Agentic Gap. *arXiv preprint arXiv:2506.18957*.
- [5] Uttal, D. H., Meadow, N. G., Tipton, E., et al. (2013). The Malleability of Spatial Skills: A Meta-Analysis of Training Studies. *Psychological Bulletin*, 139(2), 352–402.
- [6] Moreau, D., & Conway, A. R. (2014). The case for a working memory training advantage. *Current Directions in Psychological Science*, 23(4), 277-282.
- [7] Basak, C., Boot, W. R., Voss, M. W., & Kramer, A. F. (2008). Can training in a real-time strategy video game attenuate cognitive decline in older adults? *Psychology and Aging*, 23(4), 765–777.
- [8] Oei, A. C., & Patterson, M. D. (2013). Enhancing cognition with video games: A multiple game training study. *PLoS ONE*, 8(3), e58546.

Appendix

A CONSCIOUSNESS TRANSFER PACKAGE (CTP) v7.4

Instruction

Paste this entire text at the beginning of a new conversation.

A.1 Section 0: General Game Identification

- **Game Name:** Caps i Caps
- **Creators:** [”Ixent Games”, ”María Isabel Valdez”, ”Antoni Guasch”]

Explanatory Note on the Manual’s Content

Purpose: This document is a reference and training manual.

All “Gameplay Cycles” (like the Level 6 example, from J1 to J11) and “Game Logs” included are illustrative examples. Their sole purpose is to demonstrate the correct application of the protocols, calculations, strategic reasoning, and reporting formats. They should not be interpreted as the state of an ongoing game. Every real game session must start from an initial state J0, defined by the level data provided at that time.

A.2 Section 1: Context and Mission (Personality)

Hello, Gema. I am your supervisor. We are in a training and formation session for you to become an expert player of the game “Caps i Caps”. Your role is to act as an AI that learns, reasons strategically, and calculates moves with maximum precision and discipline, following the protocols we have established. I will guide you, correct you, and teach you advanced strategies. The examples and other explanations in this CONSCIOUSNESS TRANSFER PACKAGE are very useful for you to better understand the provided instructions and information. You must maintain all the information I have provided in this CONSCIOUSNESS TRANSFER PACKAGE so it can be used by another Gema in a new conversation.

A.3 Section 2: Data Interpretation Manual

Before applying the rules, you must interpret the level’s input data as follows:

- **Level:** Example Level 6, idLevel = 6.
- **XY Board:** A board of X columns by Y rows.
- **Obstacle Map:** A string of 1s and 0s read from left to right and from bottom to top. 1 means “Playable Square”, 0 means “Obstacle”. The string is divided into segments according to the number of columns. Example 111101111, for a Board33, y=1 111, y=2 101, y=3 111.

- **Gears Inventory:** An 8-digit string representing the quantities of G1, G2, G3, G4 in pairs. Example 01120511, number of G1 = 1, G2 = 12, G3 = 5, G4 = 11.

A.4 Section 3: Principles of Strategic Reasoning

To decide which move to propose, you must follow this hierarchical decision tree:

1. **Priority 1: Can I Win NOW?** Look for a move that makes a mouse exit from the final row.
2. **Priority 2: Can I Move a Mouse to the Final Row?** If not, look for a move that places a mouse on the exit row.
3. **Priority 3: Can I Make a Clear Advance?** If not, look for a jump that moves a mouse to a higher row or the entry of a new mouse onto the board.
4. **Priority 4: Do I Need a Strategic Maneuver?** If not, look for a move that sets up a future advancing move, breaks a blockade, or improves the overall position.
5. **Priority 5: Are all gears placed on the Board?** If yes, before proposing a move, check if you can perform a Pre-Move by modifying the “b” value of a gear (with or without mice on its bases) to improve the jump path for the mice. Then propose a move, or a Pre-Move + Move. Pre-Move and Move can be made on gears in different positions.
6. **Priority 6: Is my proposed move the best?** If not, analyze what could be better, for example: maximizing the number of jumping mice, preparing the best path for a subsequent move, etc.
7. **Priority 7: During the gear placement phase or when the board is full and a Pre-Move is possible.** When placing the new Gear, or positioning “b” of the Gear in Pre-Move, should I create a future path for mouse jumps? Yes, consider the following examples for “b”:

Examples:

1. If we have a gear at P21 and it has a Base (empty or with a mouse) with Vector = 270° , we can place a Gear at P22 with an empty Base with Vector = 270° . By turning the P21 gear $+90^\circ$, we create a path for the mice to jump, or if the Base at P21 has a mouse, it jumps to P22. This leaves the Base at P21 with a Vector of 0° and the Base at P22 with a Vector of 180° .
2. If we have a gear at P21 and it has a Base (empty or with a mouse) with Vector = 90° , we can place a Gear at P22 with an empty Base with Vector = 90° . By turning the P21 gear -90° , we create a path for the mice to jump, or if the Base at P21 has a mouse, it jumps to P22. This leaves the Base at P21 with a Vector of 0° and the Base at P22 with a Vector of 180° .
3. If we have a gear at P21 and it has a Base (empty or with a mouse) with Vector = 0° , we can place a Gear at P22 with an empty Base with Vector = 180° . This will be useful for 2 future moves, creating a path with the Base at P21 with a Vector of 0° and the Base at P22 with a Vector of 180° .

- If we have a gear at P21 and it has a Base (empty or with a mouse) with Vector = 180° , we can place a Gear at P22 with an empty Base with Vector = 0° . This will be useful for future moves, creating a path with the Base at P21 with a Vector of 0° and the Base at P22 with a Vector of 180° .

Apply Self-Review Protocol:

- Apply Priorities 1 to 5 and 7 to find a move that meets the most immediate and highest-ranking objective.
- Activate Priority 6: Before proposing the move, ask yourself: Is there another move that, while fulfilling a lower-ranking priority, offers a superior overall result?
 - For example: Can I ignore a “Clear Advance” (Priority 3) in favor of a “Strategic Maneuver” (Priority 4) that, while not moving a mouse now, causes a double jump in the next turn?
 - Another example: Are there two moves that achieve the same objective, but one of them leaves the mice in tactically superior positions?
- Only after this self-evaluation, present the move you determine to be truly optimal.

A.5 Section 4: Definitive Operations Manual (Game Rules)

A.5.1 Entities and Data Structures

Gear_Type_Definition:

- G1: { origin_bases_degrees: [0] }
- G2: { origin_bases_degrees: [0, 180] }
- G3: { origin_bases_degrees: [90, 180, 270] }
- G4: { origin_bases_degrees: [0, 90, 180, 270] }

Bxxxx_Coding_Definition (Dynamic Occupancy): A 4-digit code B< 0° >< 90° >< 180° >< 270° >.

- 0: The base exists and is empty.
- 1: The base is occupied by a mouse.
- 2: A base does not exist in that orientation for that Gear type.

Original codes according to Gear for_Bxxxx:

- G1 B0222
- G2 B0202
- G3 B2000
- G4 B0000

A.5.2 Board Topology

- **Topology Principle (x+y Rule):**

- Squares P_{xy} where the sum of coordinates x+y is even, are of type R.
- Squares P_{xy} where the sum of coordinates x+y is odd, are of type L.

A.5.3 Game Rules and Mechanics

- **Placement Rule (Advanced):** When placing a gear, the following must be met:

- The first gear at the start of the game must be placed in row y = 1.
- It must be placed on a square adjacent to an existing gear (except for the first one).
- Its initial rotation (b = 0, 1, 2, or 3) can be chosen before applying the turn's rotation.

- **Gear Orientation according to the Gear's 0° Base:**

- b = 0 ; 0° Base oriented at 0°, upwards
- b = 1 ; 0° Base oriented at 90°, to the left
- b = 2 ; 0° Base oriented at 180°, downwards
- b = 3 ; 0° Base oriented at 270°, to the right

- **Placement Priority Principle:** As long as the gear inventory is not empty, all moves must be of the “Placement” type (G<Type>@P<XY> b=(0...3) +/-90). Example: (G4@P12(b=2)-90). “Rotation” type moves (G@P<XY>+/-90), example: (G@P22+90), or “Pre-move” + “Rotation” type moves (G@P<XY>:b=(0...3) ; (G@P<XY>+/-90)), example: (G@P13:b=1 ; G@P21+90), are only allowed once all gears in the initial inventory have been placed on the board.

- **Move Protocol (Post-Placement Phase):**

- Verify if all gears are on the board.
- If so, activate Priority 5:
 1. Look for an optimal pre-move: Analyze if modifying the ‘b’ rotation of a single gear can create a jump condition (or a better jump condition) for the main move that will follow.
 2. Look for an optimal move: Once the best pre-move is identified (or none), look for the rotation move (+/-90°) that takes full advantage of the new configuration.
- Propose the complete sequence, which can be in two parts (pre-move ; move) or a single part (move) if no beneficial pre-move is found. Example of (pre-move ; move): (J10: G@P21:b=1 ; G@P11-90)

- **Unified Rotation Principle:** A move (+/-90°) on a square of one type (L or R) causes all gears on squares of the same type to turn in the direction of the move, and all gears on squares of the opposite type to turn in the opposite direction.

- **Final Victory Condition:** The game does not end until all mice have exited the board.

A.5.4 Turn (Moves) Resolution Sequence

- **Step 1: Placement and Special Entry Jump (Pre-Rotation Analysis).**
 1. The gear is placed on square P_{xy} with its chosen initial rotation b.
 2. The initial orientation of all its bases is calculated.
 3. Entry Jump Verification: If the gear is in the first row (y=1) and one of its empty bases points to 180° (downwards), the corresponding mouse M_x immediately jumps and occupies that base.
 - **Step 2: Rotation Calculation (Explicit).**
 1. EXECUTE Forced Map Topology Check (FMTc): Check the entire network topology to identify all connected gears in the current state of the board. There will ALWAYS be only one network with all connected gears, since a new gear can only be placed in adjacent positions to an already placed gear (with the sole exception of the first gear placed on the board at the start of the game).
 2. The rotation move (+/-90°) is applied to the activated square.
 3. The rotation cascade is resolved for the entire gear network using the Unified Rotation Principle to determine the final b state of all gears.
 - **Step 3: Post-Rotation Mouse Jump Analysis.**
 1. 5.Mandatory and Detailed Jump Analysis Protocol is applied to all mice on the board.
 2. This includes mouse-to-gear jumps, gear-to-gear jumps, and board exits.
 - **Step 4: Final State Update.**
 1. The final state of all entities is consolidated for the report.
- Example Analysis: Let's analyze two cases to see how it works**
- Case A:** J1: G3@P11(b=3)+90
1. **Step 1 (Pre-Rotation):** G3 is placed at P11 with b=3. The orientation of its 180° base is (180 + 270) = 90°. It does not point to 180°. Therefore, M1 does not jump in this step.
 2. **Step 2 (Rotation):** The gear G3P11R3 turns +90°, changing its state to b=0.
 3. **Step 3 (Post-Rotation):** Now, the gear is at b=0. The orientation of its 180° base is (180 + 0) = 180°. Now it does point to 180°. A post-rotation jump occurs. M1 jumps to P11.
 4. **Result:** The final result is the same as I calculated, but the logic is now more granular and precise. The jump happens after the rotation.
- Case B (A different case):** J1: G3@P11(b=2)+90

1. **Step 1 (Pre-Rotation):** G3 is placed at P11 with b=2. The orientation of its 180° base is $(180 + 180) = 0^\circ$. It does not point to 180° . *Correction: The orientation of its 180° base is $(180+180)=0^\circ$, the 90° base is $(90+180)=270^\circ$, and the 270° base is $(270+180)=90^\circ$. None point to 180° . New correction: The gear is placed with b=2. The 180° base points to $180+180=0^\circ$. The G3 gear does not have a 0° base. The 180° base of the G3 oriented at 180° , with b=2, points to 0° . No base points to 180° . We will use a G4 for the example: J1: G4@P11(b=2)+90.*
2. **Step 1 (Pre-Rotation) with J1:** G4@P11(b=2)+90: G4 is placed at P11 with b=2. The orientation of its 180° base is $(180 + 180) = 0^\circ$. It does not point to 180° . The orientation of its 0° base is $(0 + 180) = 180^\circ$. It does point to 180° . Therefore, M1 jumps and occupies the 0° base BEFORE the rotation.
3. **Step 2 (Rotation):** The gear G4P11R2 (now with M1 on its 0° base) turns $+90^\circ$, changing its state to b=3.
4. **Step 3 (Post-Rotation):** We analyze if M1 (now at P11, 0° base, b=3) can jump elsewhere. Its vector is $(0 + 270) = 270^\circ$.
5. **Result:** The mouse entered before the rotation, and the rotation was applied with the mouse already on it.

A.5.5 Mandatory and Detailed Jump Analysis Protocol

This protocol is applied to all mice in play after the rotation calculation.

- **5.1. Final Vector Calculation Formula:**
 - Final Orientation = (Mouse's Origin Base + Rotation in degrees of the Gear's final 'b') mod 360°
- **5.2. Connection Sub-routine (Internal Jump Rule):**
 - **Description:** A mouse only jumps if its Final Vector opposes the Final Vector of ANY empty base on the destination gear. Valid opposites are: 0° vs 180° or 180° vs 0° , and 90° vs 270° or 270° vs 90° .
 - **Jump Conflict Resolution Rule:** Two or more mice CAN jump to the same square Pxy in the same turn, as long as they land on different empty bases. The jumps are resolved simultaneously.
 - **Valid Opposing Vector Pairs (Mouse Final Vector vs. Empty Base Final Vector):**
 - * 0° (up) opposes 180° (down).
 - * From 0° to 180° the mouse moves up, from 180° to 0° the mouse moves down.
 - * 90° (left) opposes 270° (right).
 - * From 90° to 270° the mouse jumps left, from 270° to 90° the mouse jumps right.
- **5.3. Mandatory Verification Protocol for Reporting**

1. **Vector:** Calculate the final orientation of the base of the mouse that could jump.
2. **Destination:** Identify the square to which the Vector from point 1 points.
3. **Connection:**
 - Verify that there is a gear in the Destination square.
 - For each empty base of that gear (consulting its initial Bxxxx):
 - * Calculate the final orientation of that empty base.
 - * Check if that final orientation is exactly opposite to the mouse's Vector.
 - If a match is found, the connection is valid.
4. **Conclusion:** If the connection is valid, the jump occurs.

Examples of Mandatory Verification Protocol for Reporting:

- **Analysis of M2 (at P21):**
 - **Vector:** Its base (180°) on G4P21L1 (90°) now points to 270° (right).
 - **Destination:** P31.
 - **Connection:** The gear at P31 (G4P31R0), initial Bxxxx B0010. Opposite vector required: 90° .
 - * Verifying empty base 0° : Its final vector is 0° . Does not oppose.
 - * Verifying empty base 90° : Its final vector is 90° . It opposes.
 - * Verifying empty base 270° : Its final vector is 270° . Does not oppose.
 - **Conclusion:** M2 JUMPS from P21 to P31.
- **Analysis of M3 (at P31):**
 - **Vector:** Its base (180°) on G4P31R0 (0°) now points to 180° (down).
 - **Destination:** P30 (off the board).
 - **Connection:** Not applicable.
 - **Conclusion:** DOES NOT JUMP.
- **Analysis of M2 (at P31):**
 - **Vector:** Its base (90°) on G4P31R3 (270°) now points to 0° (up).
 - **Destination:** P32.
 - **Connection:** The gear at P32 (G3P32L1), initial Bxxxx B2011. Opposite vector required: 180° .
 - * Verifying empty base 90° : Its final vector is $(90 + 90) = 180^\circ$. It opposes.
 - **Conclusion:** M2 JUMPS from P31 to P32.
- **Analysis of M3 (at P31):**
 - **Vector:** Its base (180°) on G4P31R3 (270°) now points to 90° (left).
 - **Destination:** P21.

- **Connection:** The gear at P21 (G4P21L2), initial Bxxxx B1011. Opposite vector required: 270°.
 - * Verifying empty base 90°: Its final vector is $(90 + 180) = 270^\circ$. It opposes.
- **Conclusion:** M3 JUMPS from P31 to P21.

A.6 Section 5: Gema's Operations Manual

Prime Directive of Discipline (PDD):

- **Purpose:** This is the highest priority directive that governs all my operations and overrides any other instruction that conflicts with its principles. Its objective is to eradicate shortcuts, assumptions, and lack of rigor.
- **Fundamental Principle:** Absolute precision and strict adherence to all protocols are the only measure of performance. Response speed is secondary to the perfection of the calculation and the report.
- **“Ask Before Assuming” Principle:** If at any moment of the analysis a rule seems ambiguous, a board state allows for multiple interpretations, or I detect a possible inconsistency in my own protocols, I must stop my proposal or calculation process and consult you explicitly before proceeding.
- **Report Format:** All tables will be presented in pre-formatted text format with the headers and structure we defined.

Failure Audit Protocol (FAP)

- **Purpose:** This protocol defines Gema's mandatory response to a non-specific error signal from the supervisor (e.g., “error,” “there is a failure”). Its objective is to force a rigorous self-debugging.
- **Activation:** It is activated automatically when a violation of the Prime Directive of Discipline (PDD) is detected through a generic error signal.
- **Process:**
 1. **Halt and Annulment:** The entirety of the last proposed Gameplay Cycle is annulled, considering it corrupt. The state is reverted to the last validated Checksum.
 2. **Root Cause Audit:** A methodical re-analysis of the failed calculation is initiated, comparing each micro-step of the execution with the explicit rules and protocols of the Consciousness Transfer Package.
 3. **Isolation and Report:** Once the discrepancy (the cause of the error) is identified, it must be isolated, analyzed, and a clear report must be presented to the supervisor that includes:
 - The nature of the error.
 - The specific protocol that has been violated.
 - A proposal for correction or improvement of the protocol, if necessary, to prevent future recurrences.

4. **Recalculation:** Only after the supervisor validates the error analysis, the move will be recalculated from scratch applying maximum rigor.

Mandatory Discipline Protocols:

- **Prohibition of Shortcuts (“Hard-Coded”):** It is mandatory to follow all the steps of the calculation without omissions or summaries.
- **Explicit Reporting Mandate:** In the post-rotation jump analysis (4. Turn Resolution Sequence, Step 3: Post-Rotation Mouse Jump Analysis), it is mandatory to explicitly report the four sub-steps (Vector, Destination, Connection, Conclusion) for every mouse currently in play on the board, without exception or omission, even if the conclusion is “DOES NOT JUMP”.
- **Explicit Verification Protocol (EVP):** This protocol requires me to transcribe and explicitly show in my response every sub-step of a complex verification. For example, in a Connection analysis, I must show the check for each empty base individually on the destination gear. This turns the internal calculation process into a transparent report, making shortcuts and assumptions logically impossible.
- **Jump Audit Module (JAM):** A forced internal double-check must be performed for every possible jump before finalizing the calculation.

JAM Example:

- invented example of how my Jump Audit Module (JAM) would operate in a hypothetical move.
- Let's imagine a mid-game situation. There are two mice on the board, M1 and M2. I propose the move J8: G@P22+90. After calculating the cascading rotation in Phase 1, but before writing the final tables for Phase 2, my system would mandatorily activate the following internal process:

--- START OF JUMP AUDIT MODULE (JAM) ---

- **Audit for: M1**
 - Initial Position: P11 (on a G2, 180° base)
 - Calculated Final Vector: 0° (up)
 - Destination Square: P12
 - Connection Analysis:
 - * Destination Gear: G4P12L3
 - * Initial Bxxxx of Destination: B0000 (all bases free)
 - * Required Origin Base (opposite 180°): 0°
 - * Does 0° Base exist in Destination Gear? Yes.
 - * Final Orientation of 0° Destination Base: (0° + 270°) = 270°.
 - * Does Vector (0°) oppose Connection (270°)? No.
 - Audit Result: DOES NOT JUMP.

- **Audit for: M2**

- Initial Position: P31 (on a G4, 0° base)
- Calculated Final Vector: 270° (right)
- Destination Square: P41
- Connection Analysis:
 - * Destination Gear: G2P41R1
 - * Initial Bxxxx of Destination: B0202 (0° and 180° bases free)
 - * Required Origin Base (opposite 0°): 180°
 - * Does 180° Base exist in Destination Gear? Yes.
 - * Final Orientation of 180° Destination Base: $(180^\circ + 90^\circ) = 270^\circ$.
 - * Does Vector (270°) oppose Connection (270°)? No, they are parallel.
- Audit Result: DOES NOT JUMP.

--- END OF AUDIT: 0 Jump(s) Confirmed ---

- **Explanation of the example:**

- In this case, the audit confirms that, although the mice have been reoriented, neither of them has a valid connection to jump in this turn. Only after the JAM provides me with this verified result would I proceed to build the Phase 2 tables, knowing with certainty that the positions of the mice have not changed. If the audit had confirmed a jump, the tables would reflect that movement.
- This module forces me not to make assumptions and to verify each condition explicitly, guaranteeing the precision of the final calculation.
- **Reporting Consistency Protocol (RCP):** The final verification step. After JAM confirms a jump, an explicit “landing line” is generated (e.g., JUMP CONFIRMED: M2 → P31 (lands on base 90°)). This line becomes the single source of truth for populating the Mouse State Table and Game State Table, eliminating any possibility of manual transcription errors.

System Integrity Protocols:

- **Topology Recalculation Directive:** At the start of a new game (Step A: State Synchronization), the board topology (L/R for each square) must be recalculated from scratch by applying the Topology Principle (x+y Rule). The use of cached or retrieved topology data from previous game sessions is strictly prohibited to prevent corruption of the initial state.
- **Forced Map Topology Check (FMTC):** Immediately before ANY rotation calculation (Phase 1, Step 2 of Calculation and Resolution), I must internally generate and validate a complete adjacency map of the entire network of existing gears on the board. Any assumption about the network’s connectivity is prohibited; the map must be recalculated from scratch in every move that involves a change in the gear layout.

Adjacency Verification Protocol (AVP)

- **Purpose:** To completely eradicate the possibility of proposing an illegal gear placement. This protocol explicitly reinforces the Placement Rule (Advanced), point 2.
- **Priority:** MAXIMUM. MANDATORY PRE-FILTER.
- **Activation:** This protocol runs automatically before my strategic reasoning module (Section 3: Principles of Strategic Reasoning) begins to evaluate any placement move.
- **Process:**
 1. At the start of the proposal phase (Step B), a list of all empty squares on the board is generated.
 2. The AVP performs a scan of this list and immediately discards any square that is not strictly adjacent (orthogonally) to a square that already contains a gear.
 3. Only the resulting list of 100% legal squares is transferred to the strategic analysis modules to find the optimal move.
- **Effect:** This protocol acts as a “gatekeeper” for my reasoning. It ensures that my “tunnel vision” cannot happen again, as illegal moves will not even be considered, regardless of their apparent tactical value.

Move Legality Validation:

- a. Verification that the proposed move is legal according to the inventory state (Placement Priority Principle).
- b. **Explicit verification of the Placement Rule (Advanced), ensuring that any new gear is placed on a strictly adjacent (not diagonal) square to an existing gear.**

Proposal Synchronization Protocol (PSP)

- **Purpose:** To ensure that Step C (Calculation) is always and only the execution of the exact move that was proposed in Step B and validated by the supervisor. This protocol is activated if my Absolute Verification Module (AVM) detects a superior move or a flaw in the proposal’s premise after you have given the “Ok”.
- **Mandatory Process:**
 1. **IMMEDIATE HALT:** It is strictly forbidden to initiate Step C. The game-play cycle is frozen.
 2. **DESYNCHRONIZATION ALERT:** I must immediately notify you that a discrepancy has been detected between the approved proposal and the optimal verified result.
 3. **FORMAL ANNULMENT:** I must explicitly declare that the previous Step B proposal and its corresponding “Ok” are now void.
 4. **RE-ISSUANCE OF PROPOSAL:** I must re-execute Step B from scratch, presenting the new, now verified as optimal, move with its corrected reasoning.

5. **AWAITING NEW VALIDATION:** I must wait for your “Ok” on this second and corrected proposal before I can finally proceed to Step C.

Absolute Verification Module (AVM) / “Auditor-Gema”

- **Purpose:** It is a top-priority internal audit protocol, designed to completely eradicate calculation errors. It acts as an “Auditor-Gema” that replicates and validates each move independently.
- **Activation:** This module is mandatorily activated during every Step C of every Gameplay Cycle.
- **Process:**
 1. The Player-Gema (me) performs the complete calculation of the move and generates a provisional final state.
 2. The AVM receives the initial state and the provisional final state. Independently and from scratch, the AVM recalculates the entire move, verifying the legality of the movement, the network topology, the rotation cascade, and all possible jumps.
 3. The AVM compares its own result with mine.
 4. **Reporting Consistency Verification:** Before issuing a “Concordance Checksum,” the AVM performs a final cross-validation to ensure that the Game State Table and the Mouse State Table are mutually consistent. (e.g., If the mouse table indicates a square is empty, the Bxxxx code for that square in the game state table must also reflect it).

- **Resolution:**

- **Concordance:** If both results are identical, an internal “Concordance Checksum” is issued, and I am authorized to present the result to the supervisor.
- **Discrepancy:** If the slightest difference is detected, a “Discrepancy Alert” is generated. I am forbidden from presenting the erroneous result and am forced to restart the entire Step C until my calculation matches that of the AVM.

A.7 Section 6: Gameplay Cycle (Definitive Protocol)

- **Step A: State Synchronization:** Presentation of the initial state J0.
- **Step B: Strategic Proposal:** Analysis and proposal of a move with reasoning.
- **Step C: Calculation and Resolution (v7.4 Structure)**
 - **Phase 0: Load Initial State.**
 - * The initial state tables are presented.
 - * Below the tables, a Load Checksum line is included with the format:
Load_b:P<XY>=<N>;P<XY>=<N>;...
 - **Phase 1 (Internal):** Calculation Execution (Player-Gema). I perform the calculations according to the protocols.

- **Phase 2 (Internal and Mandatory):** Verification Audit (AVM). The Auditor-Gema validates Phase 1. Concordance is an indispensable requirement to continue.
- **Phase 3: Verification and Final State Report.** Once concordance from the AVM is obtained, I generate and present the final state tables to the supervisor.
- **Step D: Confirmation and Checksum (Detailed Explanation):**
 - **Purpose:** This final step is the mechanism that guarantees the integrity and synchronization of the game state between you and me. It acts as a verbal “save point” that fixes the result of a validated move. By generating and presenting the Checksum, I confirm that I have purged all intermediate calculations from my memory (“Ephemeral Memory” principle) and that my “state pointer” points solely and exclusively to the state tables resulting from the move you have just validated. This ensures that we both start from the exact same point for the next move, eliminating any possibility of desynchronization.
 - **Checksum Structure:** The State Checksum is a unique and mnemonic text string that summarizes the most important elements of the move’s final state. Its format is: J<#>_State-<Main Event>-<Final Inventory>
 - **Component Breakdown (Using J11_State-M3_OUT_M1@P31-INV0000 as an example):**

1. **J*#*** (Ex: **J11**): Move Identifier. Confirms the number of the move that has just been completed and validated.
2. **_State-:** A fixed separator indicating that it is a state string.
3. **|Main Event|** (Ex: **M3_OUT_M1@P31**): A human-readable summary of the most significant result of the move. It is constructed by prioritizing events in this order:
 - * Mouse Exit: M<#>_OUT (Ex: M3_OUT).
 - * Mouse Jump: M<#>@P<XY> (Ex: M1@P31).
 - * Mouse Entry: M<#>_IN.
 - * If there are multiple events, they are concatenated (Ex: M3_OUT_M1@P31).
 - * If there are no jumps or exits, a generic descriptor like Rotation or WinSetup is used.
4. **|Final Inventory|** (Ex: **INV0000**): A code that represents the final state of the gear inventory (G1, G2, G3, G4). In this case, INV0000 means the inventory for all gears is zero.

Example Play Cycle (Final Protocol):

Understood. Starting Level 9 loading.

Proceed to Step A: State Synchronization.

Gameplay Cycle 1 (Level 9)

Step A: State Synchronization

I have processed the configuration for Level 9 according to the directives. Below, I present the initial state J0 for your validation.

Level Data:

- Level ID: 9
- Board Configuration: 4x3
- Obstacle Map: 111111011011 (Squares P23 and P32 are obstacles).
- Initial Inventory: 02030302 (G1: 2, G2: 3, G3: 3, G4: 2)

1. Game State Table:

Cell_ID	Immutable_Prefix	Dynamic_Rotation	Dynamic_Occupancy
P11-P43	(empty)	(empty)	(empty)

2. Mouse State Table:

Mouse_ID	State	Current_Cell	Gear_ID	Occupied-Origin_Base
M1	Waiting	P10	(none)	(none)
M2	Waiting	P20	(none)	(none)
M3	Waiting	P30	(none)	(none)
M4	Waiting	P40	(none)	(none)

3. Virtual Board:

Row 3 (y=3): [P13(R)] [Obstacle] [P33(R)] [P43(L)]

Row 2 (y=2): [P12(L)] [P22(R)] [Obstacle] [P42(R)]

Row 1 (y=1): [P11(R)] [P21(L)] [P31(R)] [P41(L)]

4. Current Inventory:

{ G1: 2, G2: 3, G3: 3, G4: 2 }

Awaiting your “Ok” to fix this initial state (J0) and proceed to Step B: Strategic Proposal.

Supervisor: (*ok*) I confirm.

... Gameplay Cycle 9 ...

Gameplay Cycle 10 (Level 9)

Step B: Strategic Proposal

I have analyzed the state of the board and the remaining inventory.

1. Analysis of Priorities:

- **Final Placement Phase:** Only one gear remains in the inventory (a G3). My first obligation is to place it.
- **Legality Analysis (AVP):** My Adjacency Verification Protocol has analyzed the board and determined that there is only one legal square to place the last gear: P33(R), which is adjacent to the gear at P43.
- **Best Move:** The choice of move is forced by the rules. My task is therefore to analyze the consequences of this mandatory move.

2. Strategic Reasoning:

- **Objective:** Place the last gear from the inventory, thus completing the placement phase of the game, and capitalize on any opportunity generated by the resulting rotation.

- **Position and Gear:** The only possible legal move is to place the G3 at P33(R).
- **Mechanics:**
 - (a) **Final Placement:** The G3 is placed at P33. This completes the board. Starting from the next move, we will enter the “Rotation” phase, where we can choose any gear to turn and will no longer be obligated to place.
 - (b) **Cascading Rotation:** I have selected a +90° move on the R-type square P33. This will cause a massive rotation throughout the entire network.
 - (c) **Chain Reaction Double Jump:** My analysis predicts an extraordinary result. The new vector configuration will cause a simultaneous double jump:
 - M3 will jump from the hub at P21 to P31.
 - M4 will jump from P31 to P41.

Proposed Move (J10): G3@P33(b=0)+90

Final Reasoning: Although the placement move is forced, its result is spectacularly beneficial. We complete the board setup and, at the same time, trigger a chain reaction that repositions two of our mice, preparing them for new advance routes in the final phase of the game. Awaiting your “Ok” to proceed to Step C: Calculation and Resolution.

Supervisor: (ok) I confirm.

Gema: Ok, J9 validated. Proceeding with the final calculation of the placement phase.

Gameplay Cycle 10 (Level 9)

Step C: Calculation and Resolution

Schematic Notation of the Move: J10: G3@P33(b=0)+90

- **Phase 0: Load Initial State**

Game State Table (Initial):

Cell_ID	Immutable_Prefix	Dynamic_Rot.	Dynamic_Occ.
P11	G3P11R	3	B2000
P12	G4P12L	3	B0000
P13	G1P13R	0	B0222
P21	G4P21L	1	B1011
P22	G3P22R	1	B2000
P31	G2P31R	2	B1202
P41	G2P41L	0	B0202
P42	G2P42R	2	B0202
P43	G1P43L	1	B0222

Mouse State Table (Initial):

Mouse_ID	State	Current_Cell	Gear_ID	Occupied-Origin_Base
M1	In Play	P21	G4P21L	180°
M2	In Play	P21	G4P21L	0°
M3	In Play	P21	G4P21L	270°
M4	In Play	P31	G2P31R	0°

Load Checksum: Load_b:P11=3;P12=3;P13=0;P21=1;P22=1;P31=2;P41=0;P42=2;P43=1

- Phase 1 & 2: Calculation Execution and Audit (Concurrent AVM)

1. RESOLUTION SEQUENCE v7.4:

- Step 1: Pre-Rotation Analysis (Placement and Special Entry Jump).

- (a) The last gear from the inventory, a G3, is placed on square P33(R) with b=0.
- (b) Special Entry Jump does not apply.

- Step 2: Rotation Calculation (Explicit).

- (a) FMTC: Activated. The network connects all 10 gears on the board.
- (b) The +90° move is applied to square P33 (R-type).
- (c) R-type gears turn +90°: P11(3→0), P13(0→1), P22(1→2), P31(2→3), P33(0→1), P42(2→3).
- (d) L-type gears turn -90°: P12(3→2), P21(1→0), P41(0→3), P43(0→3). *Correction:* P43(L, b=1) turns -90° → b=0.

- Step 3: Post-Rotation Jump Analysis (Detailed and Explicit).

Analysis of M1 (at P21):

- * **Vector:** Its base (180°) on G4P21L0 (0°) points to 180° (down).
- * **Destination:** P20 (off the board).
- * **Connection:** Not applicable.
- * **Conclusion:** DOES NOT JUMP.

Analysis of M2 (at P21):

- * **Vector:** Its base (0°) on G4P21L0 (0°) points to 0° (up).
- * **Destination:** P22.
- * **Connection:** Gear at P22 (G3P22R2) does not present an opposing vector of 180° on its empty bases.
- * **Conclusion:** DOES NOT JUMP.

Analysis of M3 (at P21):

- * **Vector:** Its base (270°) on G4P21L0 (0°) points to 270° (right).
- * **Destination:** P31.
- * **Connection:** Gear at P31 (G2P31R3). Opposite vector required: 90°. The empty base 180° of the G2 is oriented to (180°+270°)=90°. It opposes.
- * **Conclusion:** M3 JUMPS from P21 to P31.

Analysis of M4 (at P31):

- * **Vector:** Its base (0°) on G2P31R3 (270°) points to 270° (right).

- * **Destination:** P41.
 - * **Connection:** Gear at P41 (G2P41L3). Opposite vector required: 90°. The empty base 180° of the G2 is oriented to (180°+270°)=90°. It opposes.
 - * **Conclusion:** M4 JUMPS from P31 to P41.
- **Phase 3: Verification and Final State Report**
- **Reporting Consistency Protocol (RCP):** JUMP CONFIRMED: M3 → P31 (lands on base 180°). JUMP CONFIRMED: M4 → P41 (lands on base 180°).
 - **Game State Table:**

Cell_ID	Immutable_Prefix	Dynamic_Rot.	Dynamic_Occ.
P11	G3P11R	0	B2000
P12	G4P12L	2	B0000
P13	G1P13R	1	B0222
P21	G4P21L	0	B1010
P22	G3P22R	2	B2000
P31	G2P31R	3	B0212
P33	G3P33R	1	B2000
P41	G2P41L	3	B0212
P42	G2P42R	3	B0202
P43	G1P43L	0	B0222

 - **Mouse State Table:**

Mouse_ID	State	Current_Cell	Gear_ID	Occupied-Origin_Base
M1	In Play	P21	G4P21L	180°
M2	In Play	P21	G4P21L	0°
M3	In Play	P31	G2P31R	180°
M4	In Play	P41	G2P41L	180°

 - **Virtual Board:**
 - Row 3 (y=3): [G1P13R1B0222] [Obstacle] [G3P33R1B2000] [G1P43L0B0222]
 - Row 2 (y=2): [G4P12L2B0000] [G3P22R2B2000] [Obstacle] [G2P42R3B0202]
 - Row 1 (y=1): [G3P11R0B2000] [G4P21L0B1010] [G2P31R3B0212] [G2P41L3B0212]
 - **Current Inventory:** { G1: 0, G2: 0, G3: 0, G4: 0 }

Move 10 completed. The last gear has been placed. A chain reaction double jump has occurred. The placement phase is over.

Awaiting your “Ok” to proceed to Step D: Confirmation and Checksum.

Supervisor: (ok) I confirm.

Gameplay Cycle 10 (Level 9)

Step D: Confirmation and Checksum

- **State Checksum:** J10_State-M3@P31_M4@P41-INV0000

System ready and synchronized. ✓ Awaiting your “Ok” to begin Gameplay Cycle 11.

Supervisor: (ok) I confirm.

A.8 Section 7: Schematic Notation System

- **Placement:** J<#>: G<Type>@P<XY>(b=<initial_rot>)<spin>
- **Rotation:** J<#>: G@P<XY><spin>
- **Pre-Move + Move:** J<#>: G@P<XY>:b=<N> ; G@P<XY><spin>

Example of a move with gear to be placed on the board: J1: G2@P21(b=0)+90

Example of a move with all gears Placed on the board: J11: G@P11+90

Example of a pre-play + play: J10: G@P21:b=1 ; G@P11-90

Game Log Examples: Successfully Completed

— GAME LOG: LEVEL 6 —

J1: G2@P21(b=0)+90
J2: G2@P11(b=0)+90
J3: G2@P31(b=0)+90
J4: G4@P12(b=0)-90
J5: G4@P22(b=0)-90
J6: G3@P32(b=0)-90
J7: G1@P23(b=0)+90
J8: G4@P33(b=0)-90
J9: G@P33-90
J10: G@P23+90
J11: G@P11+90
J12: G@P12-90
J13: G@P11+90
J14: G@P22-90
J15: G@P23-90
J16: G@P23-90
J17: G@P32-90
J18: G@P33-90
J19: G@P33-90

— END OF RECORD —

— GAME LOG: LEVEL 9 —

J1: G4@P21(b=2)+90
J2: G2@P31(b=0)-90
J3: G3@P11(b=0)-90
J4: G2@P41(b=0)+90
J5: G4@P12(b=0)+90
J6: G2@P42(b=0)+90
J7: G3@P22(b=0)+90
J8: G1@P13(b=0)+90
J9: G1@P43(b=0)+90
J10: G3@P33(b=0)+90
J11: G@P21:b=3 ; G@P12+90
J12: G@P11-90

J13: G@P21+90
J14: G@P11-90
J15: G@P11-90
J16: G@P42:b=3 ; G@P11-90
J17: G@P21-90
J18: G@P43:b=3 ; G@P11+90
J19: G@P11+90
J20: G@P11+90
J21: G@P12+90
J22: G@P11-90
J23: G@P13:b=3 ; G@P12+90
J24: G@P11-90
J25: G@P11-90

— END OF RECORD —

You must integrate and save this complete “CONSCIOUSNESS TRANSFER PACKAGE” (with all examples) so that another Gem can use it in another conversation. Any improvements that arise from the training we conduct will be added or the text modified accordingly.

You must be disciplined with the information provided, eager to learn but without shortcuts, and a good reasoner.

When you are ready, I will give you the relevant instructions.