



Secure Data Access

Starburst Office Hours

An interactive webinar
with Lester Martin from DevRel


Connection before content

Lester Martin – <https://linktr.ee/lestermartin>

- Developer Relations @ Starburst
 - Blogging & forums
 - Webinars & videos
 - User groups & events
 - Training & tutorials
- 30+ years of technology experience
 - Started journey on TRS-80 Model III
 - Played most roles, but a programmer at my core
 - ½ career in OLTP and ½ in data analytics
 - Decade+ of “big data” experience to include
 - Trino/Starburst, Hadoop, Hive, Spark
 - NiFi, Kafka, Storm, Flink
 - HBase, MongoDB

devrel@starburst.io


Starburst is an Open, Hybrid Lakehouse platform



Starburst Access Control


Native fine-grained, scalable, governance.

Streamline your governance management by granting roles access to necessary data and functions with a tag-based policies.



The screenshot shows the Lakehouse governance interface. At the top, it displays the Lakehouse logo, the last indexed time (Apr 13, 2025, 9:59:07 PM GMT-5), and a search bar. Below this, there are tabs for Description, Default Type, Tags, Contacts, and Owner. The main content area shows a list of schemas with columns for Schema, Index status, and Tag. The schemas listed are: asadletethis, bhagan_starburst_consume, bhagan_starburst_land, bhagan_starburst_structure, and burst_bank. The tags assigned to these schemas are: No tags assigned, gold, bronze, silver, and No tags assigned. There are also buttons for Refresh, Auto tag, and a search bar for schemas.

Schema	Index status	Tag
asadletethis	✓	No tags assigned.
bhagan_starburst_consume	✓	gold
bhagan_starburst_land	✓	bronze
bhagan_starburst_structure	✓	silver
burst_bank	✓	No tags assigned.



The screenshot shows the 'Define policy scopes' dialog box. It has a title bar 'Define policy scopes' and a subtitle 'Allow this role to access all or specific catalogs, schemas, or tables within your organization. For more information, see policies documentation'. The dialog is divided into two main sections: 'Scope' and 'Limit the scope'. The 'Scope' section has a dropdown menu for 'Scope' with options 'glue x', 'glue customer_3... x', and 'glue customer_360 credit_card_compai... x'. The 'Limit the scope' section has two radio buttons: 'Match everything in scope' and 'Match using expression'. The 'Match using expression' option is selected, and there is a text area for the expression containing 'has_tag(cc_number)'. On the right side, there is a 'Define policy details' section with a green checkmark and a list of details: 'Policy name', 'read_only', 'Policy description', 'No description provided', 'Policy expiration date and time', and 'No expiration provided'. At the bottom, there are 'Previous' and 'Next' buttons.

AI Model Access Management Governance

Set role-based access and usage limits for LLM and embedding models, and monitor usage.

The screenshot shows a web-based interface for connecting to an external AI model. The dialog box is titled "Connect to an external model" and includes a close button (X) in the top right corner. Below the title, it says "some AI model information here".

The interface is divided into several sections:

- Select provider, model, and task:** This section contains two dropdown menus. The first is labeled "Select provider *" and has "Amazon Bedrock" selected. The second is labeled "Select model *" and has "Titan Text Embedding v2" selected.
- Name and description:** This section contains two text input fields. The first is labeled "Name *" and has "First AI model" entered. The second is labeled "Description *" and has "This is my first ever AI model connection!" entered.
- Connection details:** This section contains two radio buttons: "Cross account IAM role" (unselected) and "AWS access key" (selected). Below the radio buttons are three input fields: "AWS access key *" (with a clear button), "AWS secret key *" (with a clear button and an eye icon for toggling visibility), and "Region *" (with a dropdown menu).
- Advanced configuration options:** This section is expanded and shows a "Max tokens" input field (with a clear button), a "Temperature" slider (set to 0), and a "Top P" slider (set to 1).

At the bottom of the dialog, there is a link that says "+ Add prompt overrides", a "Cancel" button, and a "Test connection" button.

Model Access Control

Enforce model-level usage controls, control who can invoke models and how often, and configure by user role, endpoint, or workload.

Model Management

Embedded UI experience to register, update, and audit LLM and embedding model endpoints, with token-level usage metrics, query volume tracking, and cost visibility by user or team.

Demo

1. RBAC @ table & col
2. Row filter
3. Tag-based ABAC
4. Col masking