

API Doc - SRC Custom Integration

Shiprocket Checkout is a fast, secure, and conversion-optimized checkout solution built for Indian D2C brands. This document helps developers integrate the checkout on custom websites via APIs, catalog sync, and a lightweight JS snippet.

Catalog APIs

These APIs are to be created by the seller's development team so that Shiprocket system can utilize the APIs to sync catalog/product details to their backend.

GET Fetch Products

`https://seller-url-for-product-list?page=1&limit=100`

Note:

- `products[].id` and `products[].variants[].id` must be unique
- Both ids should be of long data-type

PARAMS

page	1
limit	100

GET Fetch Collections

`https://seller-url-for-collections-list?page=1&limit=100`

Note:

- `collections[].id` must be unique

PARAMS

page	1
limit	100

GET Fetch Products by Collection

`https://seller-url-for-collection-product-list?collection_id=1234&page=1&limit=100`

PARAMS

collection_id	1234
page	1
limit	100

Catalog Webhooks

These are webhooks sent by merchant's system to shiprocket for syncing the products automatically. The auth for webhooks works in a similar way to API Auth (Headers X-API-Key and X-API-HMAC-SHA256 of request body)

HTTP Statuses

- 200 - OK
 - 511 - Invalid X-API-Key or calculated hmac in X-API-HMAC-SHA256
 - 404 - Not found
-

POST Product Webhook

`https://checkout-api.shiprocket.com/wh/v1/custom/product`

HEADERS

X-API-Key	YOUR-API-KEY
X-API-HMAC-SHA256	<calculated-hmac>

HMAC SHA256 is Base64. See <https://www.dcode.com/online-tools/hmac>

Body raw (json)

json

```
{
  "id": 632910392,
  "title": "iPod Nano - 8GB",
  "body_html": "<p>It's the small iPod with one very big idea: Video. Now the world's most po",
  "vendor": "Apple",
  "product_type": "Cult Products",
  "created_at": "2023-11-07T09:50:12-05:00",
  "handle": "ipod-nano",
  "updated_at": "2023-11-07T09:50:12-05:00",
  "tags": "Emotive, Flash Memory, MP3, Music",
  "status": "active",
  "variants": [
    {
      "id": 808950810,
      "title": "Pink",
      "price": "199.00",
      "compare_at_price": "299.00",
      "sku": "IPOD2008PINK",
      "created_at": "2023-11-07T09:50:12-05:00",
      "updated_at": "2023-11-07T09:50:12-05:00",
      "quantity": 42,
      "taxable": true,
      "grams": 567,
      "image": {
        "src": "https://cdn.shopify.com/s/files/1/0005/4838/0009/products/ipod-nano.png",
      },
      "weight": 1.25,
      "weight_unit": "lb",
      "option_values": {
        "Color": "Blue",
        "Size": "32"
      }
    }
  ],
  "image": {
    "src": "https://cdn.shopify.com/s/files/1/0005/4838/0009/products/ipod-nano.png?v=16991",
  },
  "options": [
    {
      "name": "Color",
      "values": ["Blue", "Red"]
    },
    {
      "name": "Size",
      "values": ["30", "32", "34"]
    }
  ]
}
```

```
}
```

POST Collection Webhook

<https://checkout-api.shiprocket.com/wh/v1/custom/collection>

HEADERS

X-API-Key

YOUR-API-KEY

X-API-HMAC-SHA256

<calculated-hmac>

HMAC SHA256 in Base64. See - <https://www.devglan.com/online-tools/hmac-sha256-online>

Body raw (json)

json

```
{
  "id": 482865238,
  "updated_at": "2023-10-03T13:19:52-04:00",
  "body_html": "<p>The best selling ipod ever</p>",
  "handle": "smart-ipods",
  "image": {
    "src": "https://cdn.shopify.com/s/files/1/0005/4838/0009/collections/ipod_nano_8gb.jpg"
  },
  "title": "Smart iPods",
  "created_at": "2017-08-31T20:00:00-04:00"
}
```

Checkout APIs

These are checkout related APIs in order to initiate checkout or get order details.

API's require header

- `X-Api-Key` - will be provided by shiprocket's team
- `X-Api-HMAC-SHA256` - (HMAC SHA256 in Base64 calculated using Api Secret. See [this](#))

API BASE URL -

STAGING - `https://fastrr-api-dev.pickrr.com`

PRODUCTION - `https://checkout-api.shiprocket.com`

POST Access Token / Checkout

`https://checkout-api.shiprocket.com/api/v1/access-token/checkout`

HEADERS

X-Api-Key	<api-key>
X-Api-HMAC-SHA256	<calculated-hmac>
	HMAC SHA256 in Base64. See - https://www.devglan.com/online-tools/hmac-sha256-online

Body raw (json)

json

```
{
  "cart_data": {
    "items": [
      {
        "variant_id": "1244539923890450",
        "quantity": 1
      }
    ],
    "custom_attributes": {
      "your_key": "your_value"
    },
    "mobile_app": false
  },
  "redirect_url": "https://your-domain-requestcatcher.com/?anyparam=anyvalue&more=2" // We
```

```
"timestamp": "2023-12-29T11:45:33.085563Z"
```

```
}
```

POST Access Token / Checkout (Custom Price / Discount)

https://checkout-api.shiprocket.com/api/v1/access-token/checkout

HEADERS

X-API-Key

<api-key>

X-API-HMAC-SHA256

<calculated-hmac>

HMAC SHA256 in Base64. See - <https://www.devglan.com/online-tools/hmac-sha256-online>

Body raw (json)

json

```
{
  "cart_data": {
    "items": [
      {
        "variant_id": "1244539923890450", // Must be unique for all items
        "quantity": 1,
        "catalog_data": { // If defined, all below fields are required.
          "price": 911.0,
          "name": "Your product name",
          "image_url": "https://fastrr-checkout.myshopify.com/cdn/shop/files/DALL_E_..."
        }
      }
    ],
    "cart_discount": { // If specified, only this fixed discount is applied.
      "coupon_code": "YOUR_COUPON_CODE_1234",
      "amount": 96.0
    },
    "custom_attributes": {
      "your_key": "your_value"
    },
    "mobile_app": false
  },
  "redirect_url": "https://test-checkout.requestcatcher.com/test?key=val",
  "timestamp": "2023-12-29T12:06:33.085563Z"
```

```
}
```

POST Order / Details

<https://checkout-api.shiprocket.com/api/v1/custom-platform-order/details>

Values

- status - CREATED / INITIATED / FAILED / SUCCESS
- source - web / m-web
- payment_type - CASH_ON_DELIVERY / PREPAID
- payment_status - Pending / Success / Failed

HEADERS

X-Api-Key	H3E8hebrr7oZFnVV
X-Api-HMAC-SHA256	FYttb1JEV3KL0iaqcA30FkNE1665aPTchcHX37J4sWvo=
Content-Type	application/json

Body raw

```
{
  "order_id": "65a000df3fc6c468b9da1f53",
  "timestamp": "2024-01-11T14:59:36.603Z"
}
```

POST Order List

<https://checkout-api.shiprocket.com/api/v1/custom-platform-order/details/list>

Values

- **start_date, end_date** (mandatory) - datetime in UTC in ISO Datetime format
- **timestamp** (mandatory) - current datetime in UTC in ISO Datetime format.
- **status** (optional) - [SUCCESS, INITIATED].
- **limit** (optional) - between [0, 250]. **Default** - 200
- **page** - Must be >0. **Default** - 0

Response

- List of Order id with status, sorted by date in descending order.
- total - count of total orders matched

HEADERS

X-Api-Key	H3E8hebr7oZFnVV
X-Api-HMAC-SHA256	ubviFvp8rchq2w2BdzEOOvrhliBDYGGJ3BhrK+TzWmRI=
Content-Type	application/json

Body raw

```
{
  "startDate": "2024-10-01T00:00:00Z",
  "endDate": "2024-10-31T23:59:59Z",
  "timestamp": "2024-10-08T06:27:41.620Z",
  "status": "SUCCESS",
  "limit": 250,
  "page": 0
}
```

POST Refund Initiate

<https://checkout-api.shiprocket.com/api/v1/external/refund/initiate>

Values

- **order_id** - platform_order_id OR fastr_order_id
- **amount** - Must be >0

HEADERS

X-Api-Key	H3E8hebr7oZFnVV
X-Api-HMAC-SHA256	ubviFvp8rchq2w2BdzEOOvrhliBDYGGJ3BhrK+TzWmRI=
Content-Type	application/json

Body raw

```
{
  "amount": 1,
  "order_id": "6091036688608"
}
```

POST Refund Report

<https://checkout-api.shiprocket.com/api/v1/external/refund/reports>

Values

- **start_date, end_date** (mandatory) - date in UTC in ISO Datetime format
- **page** - Must be >0. **Default** - 0

Response

- List of Order id with status, sorted by date in descending order.
- total - count of total orders matched

HEADERS

X-API-Key	H3E8hebr7oZFnVV
X-API-HMAC-SHA256	ubviFvp8rchq2w2BdzEOOvrhliBDYGJ3BhrK+TzWmRI=
Content-Type	application/json

Body raw

```
{
  "page": 0,
  "from": "2025-05-01",
  "to": "2025-06-06"
}
```

Order Webhook

These are webhooks sent by shiprocket to seller's URL. Response is expected to be with status 200.

Note: Webhooks may be sent more than once as well.

POST Order

<SELLER_REGISTERED_WEBHOOK_URL>

Although webhooks will be sent almost everytime, we recommend create a some periodic jobs as a failsafe for pending orders to check for their status (See Order/Details API in Checkout APIs section)

HEADERS

Content-Type application/json

Body raw

```
{
  "order_id": "686233cd1ff136306c2bf410",
  "cart_data": {
    "items": [
      {
        "variant_id": "35",
        "quantity": 1
      }
    ]
  },
  "redirect_url": "https://www.test.in/faster-success",
  "status": "SUCCESS",
  "source": "m-web",
  "phone": "6302017947",
  "email": "swdvewcvef@gmail.com",
  "shipping_plan": "Express",
  "shipping_address": {
    "phone": "6302xxxxxx",
    "alternate_phone": null,
    "line1": "cvwdvFling,",
    "line2": "Plotage ,Rajendra nagar",
    "city": "Hyderabad",
    "pincode": "500030",
    "state": "Telangana",
    "country": "India",
    "country_code": "IN",
    "landmark": null
  }
}
```

```
    "landmark": null,
    "first_name": "ZHahaika",
    "last_name": "Moha",

    "email": "swdvyewcvef@gmail.com",
    "gender": null
  },
  "shipping_charges": 0,
  "rto_prediction": "low",
  "edd": "2025-07-03",
  "billing_address": {
    "phone": "6302xxxxxx",
    "alternate_phone": null,
    "line1": "Flatfvfvrgbbuilding,",
    "line2": "Ploillage ,Rajendra nagar",
    "city": "Hyderabad",
    "pincode": "500030",
    "state": "Telangana",
    "country": "India",
    "country_code": "IN",
    "landmark": null,
    "first_name": "ZHahaika",
    "last_name": "Moha",
    "email": "swdvyewcvef@gmail.com",
    "gender": null
  },
  "payment_type": "PREPAID",
  "payment_status": "Success",
  "payments": [
    {
      "txn_id": "Cujfsk1751266340",
      "payment_status": "Success",
      "gateway": "Razorpay",
      "payment_method": "UPI",
      "amount": 1586.68,
      "pg_transaction_id": "order_QnJbE6i9UScecJ",
      "amount_received": 1586.68,
      "created_at": "2025-06-30T06:52:21Z"
    }
  ],
  "coupon_codes": [
    "GP2K"
  ],
  "coupon_discount": 5579.94,
  "prepaid_discount": 32.38,
  "total_discount": 5612.32,
  "cod_charges": null,
  "subtotal_price": 7199,
  "total_amount_payable": 1586.6800000000003,
  "platform_order_id": "686233cd1ff136306c2bf410",
  "loyalty_points_applied": null,
  "discount_detail": {
    "discount_data": [
      {
        "discount_id": "682d782fa802cd51d58a8b57",
        "discount_type": "discount",
        "discount_amount": 5579.94,
        "discount code": "GP2K",
```

```

        "pay_modes": [],
        "discount_mode": "percent",
        "custom_attributes": {
            "variant_ids": [
                "35"
            ],
            "thirdPartyDiscountProvider": "NONE"
        }
    },
    "total_discount": 5579.94,
    "custom_attributes": {},
    "validation_error_msgs": null
},
"tags": [
    "low"
],
"fastrrr_order_id": "113535525",
"cart_id": "686233ce4b87c76957f1108d",
"order_created_date": "2025-06-30T06:59:32Z"
}

```

Checkout UI Flow

- Add `script` and `css`
 - STAGING
 - <https://customcheckoutfastrrr.netlify.app/assets/js/channels/shopify.js>
 - <https://customcheckoutfastrrr.netlify.app/assets/styles/shopify.css>
 - PROD
 - <https://checkout-ui.shiprocket.com/assets/js/channels/shopify.js>
 - <https://checkout-ui.shiprocket.com/assets/styles/shopify.css>
- Generate Checkout Access Token = `token` on click of Buy Now / Checkout button on website
- Call `HeadlessCheckout.addToCart` function on click of Buy Now / Checkout button on website and pass in `token`
- If order is successfully placed user is redirected to the `redirect_url` specified when creating the access token.
- Fallback URL needs to be passed in the said function just to ensure in rare cases whenever checkout server is down, customer will be redirected to this fallback URL (must be merchant's native checkout URL).

Example

```

html

<html>
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Test</title>

```

```
<link rel="stylesheet" href="https://checkout-ui.shiprocket.com/assets/styles/shopify.css">
</head>
<body>

  <button id="buyNow">Checkout</button>
</script>
```

GET Success Redirect

<redirect_url_specified_in_access_token_checkout_api>?oid=62f3d76a087fb021ee1c8b0e&ost=SUCCESS

PARAMS

oid	62f3d76a087fb021ee1c8b0e
ost	SUCCESS

Loyalty Points Manager

POST Fetch Loyalty Points

https://seller-url-for-get-points

This API will be consumed by shiprocket to get available loyalty balance of the customer with given contact number.

Body raw (json)

json

```
{
  "mobile_number": "9999999999",
  "cart_value": 1000.00
}
```

POST Block Points

https://seller-url-for-block-points

This API will be consumed by shiprocket to block applicable points against the customer with given contact number for that generated order id.

Body raw (json)

json

```
{
  "mobile_number": "9451018768",
  "transactional_points": 50,
  "order_id": 12345
}
```

POST [OPTIONAL] Unblock points

<https://seller-url-for-unblock-points>

This API will be consumed by shiprocket to unblock applicable points against the customer for that generated order id when customer clicks on Remove Points option, Exit Checkout or Change number.

If customer reload the page or close the tab, unblock needs to be triggered by merchant's system if points are blocked and final bill not generated for a specific time frame.

Body raw (json)

json

```
{
  "order_id": 12345
}
```