Conditionally Format

To navigate to the worksheet you wan

To return to this **Home** works

Worksheet	Rule Type
Products1	Cell value
Products2	Cell value (with formula)
Book tour	Top/bottom values Above/below average
Grades	Top/bottom values
Customers1	Unique/duplicate
Quarters	Icon set
Bike rating	Icon set
FY months	Icon set
Regional sales	Icon set
Mountains	Data bars
Category sales	3 color scale
Banded rows	Formula-based
Compare to totals	Formula-based
Products3	Formula-based
Customers2	Formula-based

ting Data: Examples and Guidelines

t to see, click the worksheet name button in the **Worksheet** column.

heet, click the **Home** button Home in the top left cell.

Description
Find specific numbers, dates, and text in a list of products
See a dynamically changed number or text value in a list of products
Identify top, bottom, and above average values in a recent book tour report
Determine who are the top two students in the class
Find duplicate rows in a list of customers
Quickly see revenue status and trends from one quarter to the next
Compare different product criteria by using a rating scale
Examine profit trends from month to month
Identify regional sales below $900,000
Compare heights of the tallest mountains
Examine overall sales distributions in key product categories
Shade alternate rows in a range
Compare data in a cell outside the conditionally formatted range of cells
Shade an entire row where several criteria must be true
Shade an entire row if the row is a unique value

Home | How to create this rule

Date	Product	Region	Amount
04/09/2007	Dairy	Denmark	$1,148.00
05/26/2007	Produce	Denmark	$1,530.00
12/07/2007	Produce	Denmark	$1,423.50
		Denmark Total	**$4,101.50**
11/05/2007	Dairy	Finland	$192
07/12/2007	Dairy	Finland	$351
06/02/2007	Grain	Finland	$560.40
		Finland Total	**$1,103.50**
08/30/2007	Dairy	Germany	$470
07/26/2007	Dairy	Germany	$17
09/24/2007	Grain	Germany	$1,405.00
10/30/2007	Grain	Germany	$470
08/26/2007	Grain	Germany	$17
07/07/2007	Grain	Germany	$747.00
06/26/2007	Produce	Germany	$17
07/07/2007	Produce	Germany	$747.00
		Germany Total	**$3,891.20**
02/18/2007	Dairy	Italy	$3,194.20
02/13/2007	Dairy	Italy	$438
12/18/2007	Produce	Italy	$3,194.20
03/13/2007	Produce	Italy	$438
		Italy Total	**$7,265.26**

Products1

Identify specific numbers, dates, and text in a list of products

In a subtotaled list of products, you want to quickly see product sales for the current month, products classified as "Grain," or products with less than $500 in sales.

Conditional formatting rule	Format	Range
Current month	AaBbCcYyZz	A3:A23
Cell value contains "Grain"	AaBbCcYyZz	B3:B23
Cell value < 500	$38,718	D3:D23

Because the list is subtotaled, you don't want to filter or sort the data because doing so would change the way the data is displayed. Applying conditional formatting is useful in this case, because the formatting helps you see values based on criteria without having to rearrange the data.

Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formatting rules for** box, select **This worksheet**.

Home | How to create this rule

Date	Product	Region	Amount
04/09/2007	Dairy	Denmark	$1,148.00
05/26/2007	Produce	Denmark	$1,530.00
12/07/2007	Produce	Denmark	$1,423.50
		Denmark Total	**$4,101.50**
11/05/2007	Dairy	Finland	$192
07/12/2007	Dairy	Finland	$351.00
06/02/2007	Grain	Finland	$560.40
		Finland Total	**$1,103.50**
08/30/2007	Dairy	Germany	$470.00
07/26/2007	Dairy	Germany	$17
09/24/2007	Grain	Germany	$1,405.00
10/30/2007	Grain	Germany	$470.00
08/26/2007	Grain	Germany	$17
07/07/2007	Grain	Germany	$747.00
06/26/2007	Produce	Germany	$17
07/07/2007	Produce	Germany	$747.00
		Germany Total	**$3,891.20**
01/18/2007	Dairy	Italy	$3,194.20
02/13/2007	Dairy	Italy	$438.43
12/18/2007	Produce	Italy	$3,194.20
03/13/2007	Produce	Italy	$438.43
		Italy Total	**$7,265.26**

Change Product: Grain

Change Amount: $200

Identify a dynamically changed number or text value in a list of products

In a subtotaled list of products, you want to quickly see products classified as "Grain," "Dairy," or "Produce," or products with sales between $100 and $500.

Conditional formatting rule	Format	Range
Cell value = G2	AaBbCcYyZz	B3:B23
Cell value < G5	$38,718	D3:D23

You can use a formula in the rules to reference a cell outside the conditionally formatted range of cells. In the formula, the cell reference must be an absolute reference, such as G5.

In this example, data validation is also applied to cells G2 and G5 to create a drop-down list of values.

Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formatting rules for** box, select **This worksheet**.

Home

How to create this rule

		(Top 20%)	(Above Average)	(Bottom 10)
City	**Date**	**Fee**	**Attendance**	**Books Sold**
Anchorage	15-Mar	$1,038	179	98
Atlanta	8-Feb	**$1,880**	149	95
Charleston	29-Jan	$1,822	**328**	124
Cleveland	10-Feb	$1,073	128	**32**
Detroit	14-Feb	**$1,881**	**376**	58
Flagstaff	25-Mar	$1,222	37	**5**
New Orleans	31-Mar	$1,233	**415**	59
New York	23-Jan	$1,180	205	147
Philadelphia	31-Jan	**$1,965**	145	**31**
Providence	2-Feb	**$1,964**	111	73
Salt Lake City	21-Mar	$1,190	**275**	**37**
Topeka	20-Feb	$1,775	66	**12**
Vancouver, B.C.	13-Mar	$1,740	69	59
Washington, D.C.	27-Jan	$1,724	**499**	151

Identify top, bottom, and above average values in a recent book tour report

In a list of results from your book tour, you want to identify and compare the top 20% cities visited for fees generated, the cities that were above in attendance, and the bottom 10 cities in number of books sold.

Conditional formatting rule	Format	Range
Top 20%	AaBbCcYyZz	C4:C25
Above average	AaBbCcYyZz	D4:D25
Bottom 10	AaBbCcYyZz	E4:E25

In general, use the **Format only top or bottom ranked values** and **Format values that are above and below average** rules to identify the highest and lowest values in a range. You can filter and sort the data without affecting the conditional formatting rules.

Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formatting rules for** box, select **This worksheet**.

Home

How to create this rule

Student	Quiz1	Exam1	Quiz2	Exam2	Grade
Nancy	96	97	90	82	Super! 90
Andrew	59	55	71	94	72
Janet	69	71	98	98	84
Margaret	99	90	59	79	83
Steven	56	86	65	74	75
Michael	57	61	84	67	66
Robert	55	86	59	86	79
Laura	89	91	91	81	Super! 87
Anne	55	77	91	86	79

Determine the top t

In a summary of quiz and ex
the top two students in the
achievement.

Conditional formatting rule	Form
Top 2	

This rule applies two format
custom number format: "Su

The ability to use a number
conditional formatting avail

Tip To see the conditional
in the **Styles** group, click th
Formatting, click **Manage**
rules for box, select **This w**

wo students in the class

xam grades, you want to identify
class and recognize their

nat	Range
Super! 38718	F3:F11

ts: a bold, dark red font, and a
uper! "00.

format is a new feature for
able in Microsoft Office Excel 2007.

l formatting rules, on the **Home** tab,
e arrow next to **Conditional**
Rules and, in the **Show formatting**
vorksheet.

Home

How to create this rule

Contact Name	Address	City	Postal Coc	Country	Phone
Ana Trujillo	Avda. de la Constitución	México D.F.	5021	Mexico	(5) 555-4729
Antonio Moreno	Mataderos 2312	México D.F.	5023	Mexico	(5) 555-3932
Christina Berglund	Berguvsvägen 8	Luleå	S-958 22	Sweden	0921-12 34 65
Frédérique Citeaux	24, place Kléber	Strasbourg	67000	France	88.60.15.31
Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK	(171) 555-7788
Georg Pipps	Geislweg 14	Salzburg	5020	Austria	6562-9722
Guillermo Fernández	Calle Dr. Jorge Cash 321	México D.F.	5033	Mexico	(5) 552-3745
Hanna Moos	Forsterstr. 57	Mannheim	68306	Germany	0621-08460
Henriette Pfalzheim	Mehrheimerstr. 369	Köln	50739	Germany	0221-0644327
Henriette Pfalzheim	Mehrheimerstr. 369	Köln	50739	Germany	0221-0644327
Horst Kloss	Taucherstraße 10	Cunewalde	1307	Germany	0372-035188
Isabel de Castro	Estrada da saúde n. 58	Lisboa	1756	Portugal	(1) 356-5634
Maria Anders	Obere Str. 57	Berlin	12209	Germany	030-0074321
Marie Bertrand	265, boulevard Charonn	Paris	75012	France	(1) 42.34.22.66
Hanna Moos	Forsterstr. 57	Mannheim	68306	Germany	0621-08460
Sergio Gutiérrez	Av. del Libertador 900	Buenos Aires	1010	Argentina	(1) 123-5555
Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK	(171) 555-7788
Maria Anders	Obere Str. 57	Berlin	12209	Germany	030-0074321
Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK	(171) 555-7788

Find duplicate values in a list of customers

In a list of customers, you want to quickly identify duplicate values.

Conditional formatting rule	Format	Range
Duplicate values	AaBbCcYyZz	A3:A21

Use the **Format only unique or duplicate values rule** to visually identify how many unique or duplicate values exist in a range. In this case, only the customer's **Contact name** is conditionally formatted.

If you want to filter, copy, or remove duplicate values, you can change settings in the **Advanced Filter** or **Remove Duplicates** dialog boxes.


The **Customers2** example shows how to highlight the entire row by using a formula-based rule.


Tip To see the conditional formatting rules, on the **Home** tab, in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formatting rules for** box, select **This worksheet**.

Home

How to create this rule

	2005	2006 Gross Profits (in Millions)											
Area	**Q4**	**Q1**	**Status**	**Trend**	**Q2**	**Status**	**Trend**	**Q3**	**Status**	**Trend**	**Q4**	**Status**	**Trend**
Europe	$32	$33	✗	→	$81	✓	↑	$72	✓	↓	$56	✓	↓
S. America	$26	$29	✗	→	$30	✗	→	$42	✗	↑	$69	✓	↑
Far East	$49	$62	✓	↑	$70	✓	↑	$43	✗	↓	$63	✓	↑
Australia	$22	$64	✓	↑	$78	✓	↑	$38	✗	↓	$45	!	↑
N. America	$11	$67	✓	↑	$77	✓	↑	$35	✗	↓	$76	✓	↑







uickly see revenue status a

a geographical and quarterly summary
ant to see status and trend key perform
om one quarter to the next to monitor ov

Conditional formatting rule	Format
con set (Icon only): Value >= 50 Value < 50 and >= 45 Value < 45	
con set (Icon only): Value >= 5 Value < 5 and >= 0 Value < 0	

status KPI answers the question: Does
specific number? For the four **Status** c
alues are the same, although you could
f thresholds for each range if you had di


of each region or quarter.
trend KPI answers the question: What i
alue over time? For the four Trend colu
alues are 5 million or more, between 5 n
ss than zero. The value in the cell is the
e current quarter and the previous quar
ormula; for example, C3-B3 (C3 minus B
ip To see the conditional formatting ru
the Styles group, click the arrow next t
ormatting, click Manage Rules and, in
ules for box, select This worksheet.




nd trends

of gross profits, you
ance indicators (KPIs)
erall progress.

	Range
✖	D4:D8 G4:G8 J4:J8 M4:M8
⇩	E4:E8 H4:H8 K4:K8 N4:N8

a current value meet
olumns, the threshold
define a different set
fferent expectations



s the trend of the
nns, the threshold
illion and zero, and
difference between
ter expressed as a
3).
es, on the Home tab,
o Conditional
the Show formatting

Home

How to create this rule

● Excellent ◕ Very Good ◑ Good ◔ Fair ○ Poor

Product	Shifting	Brakes	Handle Bars	Seat	Frequency of Repair	Overall Score
Mountain Bike	●	○	○	◔	◑	◔
Comfort Rider	◕	◑	◑	●	◕	◑
Hybrid	◑	◑	◑	◑	◔	◔
Road Bike	◑	○	○	◔	○	○
Recumbant	◔	◑	◑	◕	◔	◔
Unicycle	◑	◔	◔	○	●	◔



npare different product criteria by using ting scale

omparison of different types of bicycles, you want to rate based on a scale of 1 to 5.

ditional formatting	Format	Range
set (Icons only): = 5 = 2 = 4 = 1 = 3		B4:G9
set: = 5 = 2 = 4 = 1 = 3		B2:F2

Quarters icon set is the same for both ranges. In the B3:G8, the underlying values are 1 through 5, but the s are not visible.

range B1:F1, the legend is defined with the same tional formatting rules. The numbers are represented as For each number, the legend displays the words llent" (5), "Very Good" (4), "Good" (3), "Fair" (2), and " (1) in a custom format in each cell.

To see the conditional formatting rules, on the **Home** tab, **Styles** group, click the arrow next to **Conditional atting**, click **Manage Rules** and, in the **Show formatting for** box, select **This worksheet**.

Home

How to create this rule

FY 2008	Profits	Trend
July	$5,000	
August	$7,000	$2,000
September	$10,000	$3,000
October	$2,500	-$7,500
November	$4,000	$1,500
December	$9,800	$5,800
January	$5,400	-$4,400
February	$6,700	$1,300
March	$4,300	-$2,400
April	$11,000	$6,700
May	$12,500	$1,500
June	$9,800	-$2,700


Examine profit trends from month to m

In a fiscal year summary of profits for each month, you identify upward or downward trends from month to mont using only two icons.

Conditional formatting rule	Format
Icon set: Value >= 0 Value < 0 and >=0 Value < 0	

The 3 Arrows (Colored) icon set is used, but the conditi formatting rule is defined so that only the green up arrow (positive or zero values) or the red down arrow (negative numbers) can appear. The yellow arrow is never shown because the conditional formatting rule applies an impos condition to it (<0 and >=0 at the same time).

Tip To see the conditional formatting rules, on the **Hon** in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show form rules for** box, select **This worksheet**.


onth
can
th by
Range
C4:C14
onal
v
e
ssible
ne tab,
natting

Home | How to create this rule

Region	Sales
	< $900,000
NorthWest	$1,781,345
West	$534,389
SouthWest	$1,009,268
South	$899,999
Central	$2,345,184
NorthEast	$900,000
East	$1,567,090
Territories	$34,678
Total	**$9,071,953**
	$9,071,953

Identify regional sales at or below $900,000

In a summary of regional sales, you want to see sales below $900,000 by using only one icon in the 3 Traffic Lights (Unrimmed) icon set.

Conditional formatting rule	Format	R
Cell value >= 900000	No Format Set	B
Icon set: Value > 900000 Value <= 900000 and >= 0 Value < 0		B

How to do this:
Rule 1 Set the value opposite to what you want to trigger the icon; in this case, greater than or equal to $900,000, and set the format to **Automatic**. Then, select the **Stop If True** check box.
Rule 2 Set the format to the 3 Traffic Lights (Unrimmed) icon set so that only the yellow icon can show up.

How this works:
If rule 1 is true Excel applies the format, which is set to **Automatic** (black on white). Nothing changes in those cells visually. Then, Excel ignores rule 2 because the **Stop If True check box** is selected.
If rule 1 is false Excel evaluates rule 2:

- The yellow icon is applied if the value is <= $900,000.
- The green icon is never applied because rule 1 stops evaluating when > $900,000.
- The red icon is never applied because there are never any negative values.

Tip To see the conditional formatting rules, on the **Home** tab in the **Styles** group, click the arrow next to **Conditional Formatting**, click **Manage Rules** and, in the **Show formatting rules for** box, select **This worksheet**.