

Lettering and book curvature improve six pages


All 30 numbered figure pages reviewed, covering 33 book-page plates. The flat-scanned Plate 2 foldout remains unchanged.

Accepted refinements cover Plates 3-4, 10-11, 24, 27, 29 and 31. Letter baselines, selected reference lines and a restrained model of curvature are fitted together. The strongest gains are on Plates 10-11 and 29.

Reserved observations: comparison with the previous delivered corrections

Folio	Plate(s)	Groups	Previous RMS	Refined RMS	Assessment
278	3, 4	2	0.87 px	0.75 px	Modest
283	10, 11	10	2.34 px	0.49 px	Clear gain
296	24	4	0.92 px	0.83 px	Modest
299	27	1	0.88 px	0.48 px	Modest
301	29	2	3.77 px	0.73 px	Clear gain
303	31	2	2.39 px	0.62 px	Clear gain

The full book supports a changing parity pattern, not one fixed odd/even warp




275 table pages were surveyed automatically; 261 models passed the residual gate. Curvature trends differ by parity and change through the volume. Each accepted figure fit uses its own evidence; nearby same-parity pages provide only a weak guide where the model supports it.

The plotted ratio is a diagnostic of the fitted correction field, not measured paper stretch. Original drawing dimensions and camera calibration remain unknown.

Distributed lettering and selected photo/diagram reference lines constrain both directions. Both plates remain together on their original page.

Refined correction




RMS measures departure from the intended horizontal/vertical direction in source-pixel coordinates. These observations were excluded from fitting; they do not establish absolute dimensions.


Plate 11 | enlarged wiring-diagram comparison

Bottom portion of the same page, enlarged to make the lettering and local change of tilt easier to inspect.

Previous delivered correction



Refined correction




The fit uses horizontal and vertical lettering across the diagram. Blue observations in the companion geometry proof were reserved for validation. Original wiring, labels and line quality remain raster pixels from the source.


Plate 29 | printed page 301

The shaft and two end-plate references reveal different distortion through the page. A single affine correction could not align both ends.

Previous delivered correction



Refined correction




Reserved observations: 2 groups | Previous RMS 3.77 px | Refined RMS 0.73 px

RMS measures departure from the intended horizontal/vertical direction in source-pixel coordinates. These observations were excluded from fitting; they do not establish absolute dimensions.


Plate 31 | printed page 303

Base edge, upright and headings constrain a smooth field. The caption and hub-edge checks were held out.

Previous delivered correction



Refined correction



Reserved observations: 2 groups | Previous RMS 2.39 px | Refined RMS 0.62 px


RMS measures departure from the intended horizontal/vertical direction in source-pixel coordinates. These observations were excluded from fitting; they do not establish absolute dimensions.

Smaller accepted refinements


These changes have narrower supporting evidence. The comparison preserves the original viewpoint and avoids forcing circular parts to circles.

Printed page 278 | Plates 3, 4

Previous




Refined




Printed page 296 | Plates 24

Previous




Refined



Printed page 299 | Plates 27

Previous



Refined




Plate-by-plate review

Every numbered figure page was inspected. Retained does not mean distortion-free: unresolved cases are recorded below.

Folio / plates	Decision and evidence	
277 / 1	RETAINED	Caption is level within 0.20 degrees. Vehicle photograph has no reliable second axis; retain original scene perspective.
Foldout / 2	FLAT SCAN RETAINED	User confirms a flat scan. Corrected asset, source and placement remain unchanged; no book-curvature model applied.
278 / 3,4	REFINED	Level the long Plate 3 caption and photo crop boundary. Reserved Plate 4 caption lines remain level; keep both plates together.
279 / 5	RETAINED	Caption is within 0.43 degrees. Different assembled views do not provide a shared page-wide orthogonal frame.
280 / 6	RETAINED	Caption is within 0.04 degrees. Splayed and broken control rods are intentional; text is too sparse for a reliable full-page warp.
281 / 7	RETAINED	Caption is within 0.15 degrees. Isometric armor edges must retain their intended angles; label groups do not sufficiently constrain both axes.
282 / 8,9	RETAINED	Trial reduced one caption tilt but worsened the reserved Plate 9 caption. Retain the existing crop; slight caption tilt remains.
283 / 10,11	REFINED	Distributed H/V lettering and selected photo/diagram lines support the new fit. Ten reserved groups improve substantially.
284 / 12	RETAINED	Trial improved the caption but produced an unstable correction elsewhere. Some candidate outline edges are not reliable axes; retain prior result.
285 / 13	RETAINED	Four traced printed borders already provide strong constraints. Borders and interior lettering visually reviewed; retain the existing nonlinear correction.
286 / 14	RETAINED	Four traced printed borders already provide strong constraints. Borders and interior lettering visually reviewed; retain the existing nonlinear correction.
287 / 15	RETAINED	Four traced printed borders already provide strong constraints. Borders and interior lettering visually reviewed; retain the existing nonlinear correction.
288 / 16	RETAINED	Four traced printed borders already provide strong constraints. Borders and interior lettering visually reviewed; retain the existing nonlinear correction.
289 / 17	RETAINED	Four traced printed borders already provide strong constraints. Borders and interior lettering visually reviewed; retain the existing nonlinear correction.
290 / 18	RETAINED	Four traced printed borders already provide strong constraints. Borders and interior lettering visually reviewed; retain the existing nonlinear correction.
291 / 19	RETAINED	Four traced printed borders already provide strong constraints. Borders and interior lettering visually reviewed; retain the existing nonlinear correction.

Plate-by-plate review | continued

Every numbered figure page was inspected. Retained does not mean distortion-free: unresolved cases are recorded below.

Folio / plates	Decision and evidence	
292 / 20	RETAINED	Caption is within 0.12 degrees. Few independent page-wide references; retain the relative arrangement of the two views.
293 / 21	RETAINED	Existing paired reference-axis correction retained after visual review. Interior geometry and physical aspect ratio remain uncalibrated.
294 / 22	RETAINED	Trial worsened reserved caption and section-edge checks relative to the existing affine correction. Retain prior result; residual distortion remains.
295 / 23	RETAINED	Caption is within 0.03 degrees. Sparse shared axes and an angled section assembly do not justify a stronger warp.
296 / 24	REFINED	Use selected reference-outline segments and lettering. The reduced model levels the right reference and keeps reserved labels consistent; improvement is modest.
297 / 25	RETAINED	Four traced printed borders already provide strong constraints. Borders and interior lettering visually reviewed; retain the existing nonlinear correction.
298 / 26	RETAINED	Caption is within 0.11 degrees. Rounded track-link silhouette supplies no trustworthy full-page orthogonal frame.
299 / 27	REFINED	Header and caption support a two-parameter change of tilt with page height. Reserved Plate 27 heading improves; horizontal coordinates stay unchanged.
300 / 28	RETAINED	Caption is within 0.01 degrees. No reliable independent field spanning both views; retain the existing arrangement.
301 / 29	REFINED	Upper/lower end-plate references and shaft/scale lines support a shared curvature model. Reserved section line and caption improve.
302 / 30	RETAINED	Caption is within 0.22 degrees. No circularity constraint is imposed on the brake band; retain prior correction.
303 / 31	REFINED	Base edge, upright and headings support variable correction through page height. Reserved caption and hub-edge checks improve relative to prior affine result.
304 / 32	RETAINED	Caption is within 0.17 degrees. Short part labels and curved band geometry do not sufficiently constrain a stronger field.
305 / 33	RETAINED	Four traced printed borders already provide strong constraints. Borders and interior lettering visually reviewed; retain the existing nonlinear correction.
306 / 34	RETAINED	Four traced printed borders already provide strong constraints. Borders and interior lettering visually reviewed; retain the existing nonlinear correction.