

asciiquack PDF Demo

*Jane Developer <jane@example.com>
v1.0, 2026-03-07 â€” Initial demo release*

This document demonstrates the PDF export features of **asciiquack** using embedded Noto fonts for reliable, portable output. All text styles, structural elements, and content blocks shown here can be reproduced without any external font installation.

Document Structure

Headings and sections give your document a clear hierarchy. asciiquack supports six heading levels with proportional sizes and decorative rules under the top two levels.

Second-Level Section

Content under a second-level section appears here. You can nest sections freely.

Third-Level Section

Deeper nesting is also supported, all the way down to level six. At each level the font size decreases so the structure remains visually clear.

Text Formatting

inline markup lets you express emphasis and technical content:

- **Bold text** is rendered using the bold font variant.
- *Italic text* is rendered using the italic font variant.
- ***Bold italic*** combines both variants.
- Monospace text is rendered using the monospace font variant.
- A AsciiDoc website

A Longer Paragraph

The quick brown fox jumps over the lazy dog. Pack my box with five dozen liquor jugs. How valiantly did Panjandrum Krimhilde fight! The five boxing wizards jump quickly. Jaded zombies acted quaintly but kept driving their oxen forward. Sphinx of black quartz, judge my vow.

Lists

Unordered Lists

- First item at depth zero
- Second item at depth zero **Nested first item at depth one** Nested second item at depth one *** Deeply nested item
- Third item at depth zero

Ordered Lists

1. First step: install the tool
2. Second step: write your document .. Sub-step: choose a good title .. Sub-step: organise your content
3. Third step: convert to PDF
4. Fourth step: share the result

Description Lists

term one

The definition of the first term is placed after the double-colon delimiter. It can continue for several sentences.

term two

A second term with its associated description.

code term

Technical terms in monospace are a natural fit for description lists when documenting an API.

Code Blocks

Source code is set in the monospace font with a light grey background.

A simple Python function

```
def greet(name: str) -> str:
    """Return a greeting string."""
    return f"Hello, {name}!"

if __name__ == "__main__":
    print(greet("world"))
```

Plain listing blocks work the same way:

```
$ asciiquack -b pdf examples/demo.adoc
asciiquack: converting 'examples/demo.adoc'
asciiquack: output written to 'examples/demo.pdf'
```

Admonitions

NOTE: This is a note admonition. Use it to highlight supplementary information that may be helpful but is not strictly necessary.

TIP: Tips provide helpful shortcuts or best practices.

WARNING: Warnings alert the reader to potential pitfalls.

IMPORTANT: IMPORTANT for critical information the reader must not miss.

CAUTION: Caution blocks warn of potentially dangerous conditions.

Block Quotes

Imagination is more important than knowledge. Knowledge is limited. Imagination encircles the world.

The engine can arrange and combine its numerical quantities exactly as if they were letters or any other general symbols; and in fact it might bring out its results in algebraical notation, were provisions made accordingly.

Horizontal Rules

A thematic break (horizontal rule) separates major content divisions:

Content continues after the rule above.

Images

Images are embedded directly in the PDF output. JPEG images are stored with the native DCTDecode filter for compact output; PNG images are decoded and stored as

uncompressed RGB pixel data.



Second Page Content

This section begins on a new page because of the explicit page-break macro (<<<) in the source.

The Noto font family – Noto Sans, Noto Sans Mono, and Noto Serif – provides extensive Unicode coverage and is released under the *SIL Open Font License 1.1* . When bundled with `asciiquack` it guarantees that every PDF produced by the tool will contain embedded, fully-licensed fonts with no dependency on the host system's font installation.

Font Embedding Details

Six TrueType font slots are embedded in the PDF output:

`pdf-font`

Regular body text (NotoSans-Regular)

`pdf-font-bold`

Bold body text (NotoSans-Bold)

`pdf-font-italic`

Italic body text (NotoSans-Italic)

`pdf-font-bold-italic`

Bold-italic body text (NotoSans-BoldItalic)

`pdf-font-mono`

Monospace text (NotoSansMono-Regular)

`pdf-font-mono-bold`

Bold monospace text (NotoSansMono-Bold)

You can override any slot by passing the corresponding document attribute:

```
asciiquack -b pdf \  
  -a pdf-font=/path/to/MyFont-Regular.ttf \  
  -a pdf-font-bold=/path/to/MyFont-Bold.ttf \  
  document.adoc
```

Only the slots you specify are overridden; the remaining slots continue to use their defaults (Noto fonts when built from the repository, or the PDF base-14 Helvetica and Courier families when the Noto fonts are not available).

Inline Markup Summary