- Home (/)
- Project (/alibaba/druid)
- Activity (/alibaba/druid/activity)
- Files (/alibaba/druid/tree/master)
- Commits (/alibaba/druid/commits/master)
- Graphs (/alibaba/druid/graphs/master)
- MergeRequests (/alibaba/druid/merge_requests)
- Milestones (/alibaba/druid/milestones)
- Issues (/alibaba/druid/issues)
- Wikis (/alibaba/druid/wikis/home)
- Labels (/alibaba/druid/labels)

(http://www.aliyun.com) 管理控制台 (http://home.console.aliyun.com)
登录 (https://account.aliyun.com/login/login.htm)

Commit `84ed1699bf702dcae07ec57d2d69eb545ea89a8a` `(/alibaba/druid/commit/84ed1699bf702dcae07ec57d2d69eb545ea89a8a)`

Authored by **wenshao (/u/wenshao)** 4 years ago

2 parents `bde289e7 (/alibaba/druid/commit/bde289e71664e8f60d926bd884ce35e201543e50)` `dcae4e22 (/alibaba/druid/commit/dcae4e2247ff254f7e7ef7ff2776b9e296c3dfcc)`

master (/alibaba/druid/tree/master) ...

Merge branch 'master' of https://github.com/wenshao/druid (https://github.com/wenshao/druid)

Showing **2 changed files** with **388 additions** and **385 deletions**

src/main/resources/support/http/resources/js/lang.js

```
-$.namespace("druid.lang");
-druid.lang = function() {
-       var LANG_EN = 0;
-       var LANG_CN = 1;
-       var lang = {
-               'Index' : ['Index','首页'],
-                'DataSource' : ['DataSource', '数据源'],
-                'SQL' : ['SQL','SQL监控'],
-                'Wall' : ['Wall' , 'SQL防火墙'],
-                'WebApp' : ['WebApp' , 'Web应用'],
-                'WebURI' : ['WebURI' , 'URI监控'],
-                'Web Session' : ['Web Session' , 'Session监控'],
-                'Spring' : ['Spring' , 'spring监控'],
-                'JSON API' : ['JSON API' , 'JSON API'],
-                'ResetAll' : ['Reset All' , '重置'],
-
-                'StatIndex' : ['Stat Index', '统计索引'],
-                'ViewJSONAPI' : ['View JSON API','查看JSON API'],
-                'Version' : ['Version' , '版本'],
-                'Drivers' : ['Drivers' , '驱动'],
-                'ResetEnable' : ['ResetEnable' , '是否允许重置'],
-                'ResetCount' : ['ResetCount' , '重置次数'],
-                'JavaVersion' : ['JavaVersion' , 'java版本'],
-                'JavaVMName' : ['JavaVMName' , 'jvm名称'],
-                'JavaClassPath' : ['JavaClassPath' , 'classpath路径'],
-                'StartTime' : ['StartTime' , '启动时间'],
-
-                'DataSourceStatList' : ['DataSourceStat List' , '数据源列表'],
-                'UserName' : ['UserName', '用户名'],
-                'URL' : ['URL', '连接地址'],
-                'DbType' : ['DbType', '数据库类型'],
-                'DriverClassName' : ['DriverClassName', '驱动类名'],
-                'FilterClassNames' : ['FilterClassNames', 'filter类名'],
-                'TestOnBorrow' : ['TestOnBorrow', '获取连接时检测'],
-                'TestWhileIdle' : ['TestWhileIdle', '空闲时检测'],
-                'TestOnReturn' : ['TestOnReturn', '连接放回连接池时检测'],
-                'InitialSize' : ['InitialSize', '初始化连接大小'],
-                'MinIdle' : ['MinIdle', '最小空闲连接数'],
-                'MaxActive' : ['MaxActive', '最大连接数'],
-                'QueryTimeout' : ['QueryTimeout', '查询超时时间'],
-                'TransactionQueryTimeout' : ['TransactionQueryTimeout', '事务查询超时时间'],//
-                'LoginTimeout' : ['LoginTimeout', '登录超时时间'],//
-                'ValidConnectionCheckerClassName' : ['ValidConnectionCheckerClassName', '连接有效性检查类名'],
-                'ExceptionSorterClassName' : ['ExceptionSorterClassName', 'ExceptionSorter类名'],//
-                'DefaultAutoCommit' : ['DefaultAutoCommit', '默认autocommit设置'],
-                'DefaultReadOnly' : ['DefaultReadOnly', '默认只读设置'],
-                'DefaultTransactionIsolation' : ['DefaultTransactionIsolation', '默认事务隔离'],//
-                'NotEmptyWaitCount' : ['NotEmptyWaitCount', '等待次数'],//
-                'NotEmptyWaitMillis' : ['NotEmptyWaitMillis', '等待最大时长'],//
-                'WaitThreadCount' : ['WaitThreadCount', '等待线程数量'],
-                'StartTransactionCount' : ['StartTransactionCount', '事务启动数'],//
-                'TransactionHistogram' : ['TransactionHistogram', '事务时间分布'],//
-                'PoolingCount' : ['PoolingCount', '池中连接数'],//
-                'PoolingPeak' : ['PoolingPeak', '池中连接数峰值'],//
-       'PoolingPeakTime' : ['PoolingPeakTime', '池中连接数峰值时间'],////
-       'ActiveCount' : ['ActiveCount', '活跃连接数'],
-       'ActivePeak' : ['ActivePeak', '活跃连接数峰值'],//
-       'ActivePeakTime' : ['ActivePeakTime', '活跃连接数峰值时间'],
-       'LogicConnectCount' : ['LogicConnectCount', '逻辑连接打开次数'],
-       'LogicCloseCount' : ['LogicCloseCount', '逻辑连接关闭次数'],
-       'LogicConnectErrorCount' : ['LogicConnectErrorCount', '逻辑连接错误次数'],
-       'PhysicalConnectCount' : ['PhysicalConnectCount', '物理连接打开次数'],
-       'PhysicalCloseCount' : ['PhysicalCloseCount', '物理关闭数量'],
-       'PhysicalConnectErrorCount' : ['PhysicalConnectErrorCount', '物理连接错误次数'],
-       'ExecuteCount' : ['ExecuteCount', '执行数'],
-       'ErrorCount' : ['ErrorCount', '错误数'],
-       'CommitCount' : ['CommitCount', '提交数'],
-       'RollbackCount' : ['RollbackCount', '回滚数'],
-       'PSCacheAccessCount' : ['PSCacheAccessCount', 'PSCache访问次数'],
-       'PSCacheHitCount' : ['PSCacheHitCount', 'PSCache命中次数'],
-       'PSCacheMissCount' : ['PSCacheMissCount', 'PSCache丢失次数'],//
-       'ConnectionHoldTimeHistogram' : ['ConnectionHoldTimeHistogram', '连接持有时间分布'],
-       'ClobOpenCount' : ['ClobOpenCount', 'Clob打开次数'],
-       'BlobOpenCount' : ['BlobOpenCount', 'Blob打开次数'],
-
-       'UserNameDesc' : ['Specify the username used when creating a new connection.', '指定建立连接是使用的用户名'],
-       'URLDesc' : ['The JDBC driver connection URL', 'jdbc连接字符串'],
-       'DbTypeDesc' : ['database type', '数据库类型'],
-       'DriverClassNameDesc' : ['The fully qualifed name of the JDBC driver class', 'jdbc驱动的类名'],
-       'FilterClassNamesDesc' : ['All the fully qualifed name of the filter classes', 'filter的类名'],
-       'TestOnBorrowDesc' : [' Test or not when borrow a connection', '是否在获得连接后检测其可用性'],
-       'TestWhileIdleDesc' : ['Test or not when a connection is idle for a while', '是否在连接空闲一段时间后检测其可用性'],
-       'TestOnReturnDesc' : ['Test or not when return a connection', '是否在连接放回连接池后检测其可用性'],
-       'InitialSizeDesc' : ['The size of datasource connections to create when initial a datasource', '连接池建立时创建的初始化连接数'],
-       'MinIdleDesc' : ['The minimum number of connections a pool should hold. ', '连接池中最小的活跃连接数'],
-       'MaxActiveDesc' : ['The maximum number of connections for a pool', '连接池中最大的活跃连接数'],
-       'QueryTimeoutDesc' : ['', '查询超时时间'],
-       'TransactionQueryTimeoutDesc' : ['', '事务查询超时时间'],
-       'LoginTimeoutDesc' : ['', ''],///
-       'ValidConnectionCheckerClassNameDesc' : ['', ''],
-       'ExceptionSorterClassNameDesc' : ['', ''],
-       'DefaultAutoCommitDesc' : ['', ''],
-       'DefaultReadOnlyDesc' : ['', ''],
-               'DefaultTransactionIsolationDesc' : ['', ''],
-               'NotEmptyWaitCountDesc' : ['Total times for wait to get a connection', '获取连接时最多等待多少次'],//
-               'NotEmptyWaitMillisDesc' : ['Total millins for wait to get a connection', '获取连接时最多等待多长时间'],
-               'WaitThreadCountDesc' : ['The current waiting thread count', '当前等待获取连接的线程数'],
-               'StartTransactionCountDesc' : ['The count of start transaction', '事务开始的个数'],
-               'TransactionHistogramDesc' : ['The histogram values of transaction time, [0-10 ms, 10-100 ms, 100-1 s, 1-10 s, 10-100 s, >100 s]', '事务运行时间分布，分布区间为[0-10 ms, 10-100 ms, 100-1 s, 1-10 s, 10-100 s, >100 s]'],
-               'PoolingCountDesc' : ['The current usefull connection count', '当前连接池中的数目'],//
-               'PoolingPeakDesc' : ['The usefull connection peak count', '连接池中数目的峰值'],
-               'PoolingPeakTimeDesc' : ['The usefull connection peak time', '连接池数目峰值出现的时间'],
-               'ActiveCountDesc' : ['The current active connection count', '当前连接池中活跃连接数'],
-               'ActivePeakDesc' : ['The current active connection peak count', '连接池中活跃连接数峰值'],
-               'ActivePeakTimeDesc' : ['The active connection peak time', '活跃连接池峰值出现的时间'],
-               'LogicConnectCountDesc' : ['Total connect times from datasource', '产生的逻辑连接建立总数'],
-               'LogicCloseCountDesc' : ['Total close connect times from datasource', '产生的逻辑连接关闭总数'],
-               'LogicConnectErrorCountDesc' : ['Total connect error times', '产生的逻辑连接出错总数'],
-               'PhysicalConnectCountDesc' : ['Create physical connnection count', '产生的物理连接建立总数'],
-               'PhysicalCloseCountDesc' : ['Close physical connnection count', '产生的物理关闭总数'],
-               'PhysicalConnectErrorCountDesc' : ['Total physical connect error times', '产生的物理连接失败总数'],
-               'ExecuteCountDesc' : ['', ''],
-               'ErrorCountDesc' : ['', ''],
-               'CommitCountDesc' : ['', ''],
-               'RollbackCountDesc' : ['', ''],
-               'PSCacheAccessCountDesc' : ['PerpareStatement access count', 'PSCache访问总数'],
-               'PSCacheHitCountDesc' : ['PerpareStatement hit count', 'PSCache命中次数'],
-               'PSCacheMissCountDesc' : ['PerpareStatement miss count', 'PSCache丢失次数'],//
-               'ConnectionHoldTimeHistogramDesc' : ['The histogram values of connection hold time, [0-1 ms, 1-10 ms, 10-100 ms, 100ms-1s, 1-10 s, 10-100 s, 100-1000 s, >1000 s]', '连接持有时间分布，分布区间为[0-1 ms, 1-10 ms, 10-100 ms, 100ms-1s, 1-10 s, 10-100 s, 100-1000 s, >1000 s]'],
-               'ClobOpenCountDesc' : ['', 'Clob打开数'],
-               'BlobOpenCountDesc' : ['', 'Blob打开数'],
-               /**spring-detail*/
-               'Class' : ['Class', 'Class'],
-                'Method' : ['Method', 'Method'],
-                'ExecuteErrorCount' : ['ExecuteErrorCount', '执行出错数'],
-                'ExecuteTimeMillis' : ['ExecuteTimeMillis', '执行时间'],
-                'RunningCount' : ['RunningCount', '执行中'],
-                'ConcurrentMax' : ['ConcurrentMax', '最大并发'],
-                'JdbcExecuteCount' : ['JdbcExecuteCount', 'Jdbc执行数'],
-                'JdbcExecuteErrorCount' : ['JdbcExecuteErrorCount', 'Jdbc出错数'],
-                'JdbcExecuteTimeMillis' : ['JdbcExecuteTimeMillis', 'Jdbc时间'],
-                'JdbcCommitCount' : ['JdbcCommitCount', '事务提交数'],
-                'JdbcRollbackCount' : ['JdbcRollbackCount', '事务回滚数'],
-                'JdbcFetchRowCount' : ['JdbcFetchRowCount', '读取行数'],
-                'JdbcUpdateCount' : ['JdbcUpdateCount', '更新行数'],
-                'JdbcPoolConnectionOpenCount' : ['JdbcPoolConnectionOpenCount', '连接池获取连接次数'],
-                'JdbcPoolConnectionCloseCount' : ['JdbcPoolConnectionCloseCount', '连接池关闭连接次数'],
-                'JdbcResultSetOpenCount' : ['JdbcResultSetOpenCount', 'ResultSet打开次数'],
-                'JdbcResultSetCloseCount' : ['JdbcResultSetCloseCount', 'ResultSet关闭次数'],
-                /**sql-detail*/
-                'ParseView' : ['ParseView', '解析信息'],//
-                'Tables' : [' Tables', '表'],
-                'Fields' : ['Fields', '字段'],
-                'Coditions' : ['Coditions', '条件'],
-                'Relationships' : ['Relationships', '关联'],
-                'OrderByColumns' : ['OrderByColumns', '排序字段'],
-                'LastSlowView' : ['LastSlowView', '最后慢查询'],
-                'MaxTimespan' : ['MaxTimespan', '最慢'],
-                'MaxTimespanOccurTime' : ['MaxTimespanOccurTime', '最慢发生时间'],
-                'LastSlowParameters' : ['LastSlowParameters', '最后慢查询参数'],
-                'LastErrorView' : ['LastErrorView', '最后错误视图'],
-                'LastErrorMessage' : ['LastErrorMessage', '最后错误信息'],
-                'LastErrorClass' : ['LastErrorClass', '最后错误类'],
-                'LastErrorTime' : ['LastErrorTime', '最后错误时间'],
-                'LastErrorStackTrace' : ['LastErrorStackTrace', '最后错误堆栈'],
-                'OtherView' : ['OtherView', '其他信息'],
-                'BatchSizeMax' : ['BatchSizeMax', '批处理最大值'],////
-                'BatchSizeTotal' : ['BatchSizeTotal', '批处理总数'],//
-                'ReaderOpenCount' : ['ReaderOpenCount', 'reader打开次数'],//
-                'InputStreamOpenCount' : ['InputStreamOpenCount', 'inputstream打开次数'],
-                'ReadStringLength' : ['ReadStringLength', '读取字符串长度'],//
-                'ReadBytesLength' : ['ReadBytesLength', '读取字节长度'],//
-
-                'ExecHisto':['ExecHisto','执行时间分布'],
-                'ExecRsHisto':['ExecRsHisto','执行+RS时分布'],
-                'FetchRowHisto':['FetchRowHisto','读取行数分布'],
-                'UpdateHisto':['UpdateHisto','更新行数分布'],
-
-                'count1ms':['count of 0-1 ms','0-1毫秒次数'],
-                'count10ms':['count of 1-10 ms','1-10毫秒次数'],
-                'count100ms':['count of 10-100 ms','10-100毫秒次数'],
-                'count1s':['count of 100ms-1s','100-1000毫秒次数'],
-                'count10s':['count of 1-10 s','1-10秒次数'],
-                'count100s':['count of 10-100 s','10-100秒次数'],
-                'count1000s':['count of 100-1000 s','100-1000秒次数'],
-                'countBg1000s':['count of >1000 s','大于1000秒次数'],
-
-                'fetch0':['count of 0 FetchRow','读取行数为0'],
-                'fetch9':['count of 1-9 FetchRow','读取行数1-9'],
-                'fetch99':['count of 10-99 FetchRow','读取行数10-99'],
-                'fetch999':['count of 100-999 FetchRow','读取行数100-999'],
-                'fetch9999':['count of 1000-9999 FetchRow','读取行数1000-9999'],
-                'fetch99999':['count of >9999 FetchRow','读取行数大于9999'],
-
-                'update0':['count of 0 UpdateCount','更新行数为0'],
-                'update9':['count of 1-9 UpdateCount','更新行数1-9'],
-                'update99':['count of 10-99 UpdateCount','更新行数10-99'],
-                'update999':['count of 100-999 UpdateCount','更新行数100-999'],
-                'update9999':['count of 1000-9999 UpdateCount','更新行数1000-9999'],
-                'update99999':['count of >9999 UpdateCount','更新行数大于9999'],
-                /**wall*/
-                'CheckCount':['CheckCount', '检查次数'],
-                'HardCheckCount':['HardCheckCount', '硬检查次数'],
-                'ViolationCount':['ViolationCount', '非法次数'],
-                'BlackListHitCount':['BlackListHitCount', '黑名单命中次数'],
-                'BlackListSize':['BlackListSize', '黑名单长度'],
-                'WhiteListHitCount':['WhiteListHitCount', '白名单命中次数'],
-                'WhiteListSize':['WhiteListSize', '白名单长度'],
-                'SyntaxErrorCount':['SyntaxErrorCount', '语法错误次数'],
-                'TableName':['TableName', '表名'],
-
-                'SelectCount':['SelectCount', 'Select数'],
-                'InsertCount':['InsertCount', 'Insert数'],
-                'UpdateCount':['UpdateCount', 'Update数'],
-                'DeleteCount':['DeleteCount', 'Delete数'],
-                'TruncateCount':['TruncateCount', 'Truncate数'],
-                'CreateCount':['CreateCount', 'Create数'],
-                'AlterCount':['AlterCount', 'Alter数'],
-                'DropCount':['DropCount', 'Drop数'],
-                'ReplaceCount':['ReplaceCount', 'Replace数'],
-                'DeleteDataCount':['DeleteDataCount', '删除数据行数'],
-                'UpdateDataCount':['UpdateDataCount', '更新数据行数'],
-                'FetchRowCount':['FetchRowCount', '读取行数'],
-                /**session-detail*/
-                'SESSIONID':['SESSIONID', 'SESSIONID'],
-                'UserAgent':['UserAgent', 'UserAgent'],
-                'Principal':['Principal', 'Principal'],
-                'CreateTime':['CreateTime', '创建时间'],
-                'LastAccessTime':['LastAccessTime', '最后访问时间'],
-                'RemoteAddress':['RemoteAddress', '访问ip地址'],
-                'RequestCount':['RequestCount', '请求次数'],
-                'RequestTimeMillisTotal':['RequestTimeMillisTotal', '总共请求时间'],
-                'RequestInterval':['RequestInterval', '请求间隔'],
-                /**weburi-detail*/
-               'RequestTimeMillis':['RequestTimeMillis', '请求时间'],
-               'JdbcExecutePeak':['JdbcExecutePeak', 'jdbc执行峰值'],
-               'JdbcFetchRowPeak':['JdbcFetchRowPeak', 'jdbc查询取回行数峰值'],
-               'JdbcUpdatePeak':['JdbcUpdatePeak', 'jdbc更新峰值']
-
-       };
-
-       var COOKIE_LANG_NAME = "cookie_lang";
-
-       function log(str) {
-               if (typeof (console) != 'undefined' && typeof(console.log) != 'undefined') {
-                       console.log(str);
-               } else {
-                       $('body').append('<input type="hidden" value="' + str + " />");
-               }
-       }
-
-       function setCookie(name,value,expires,path,domain,secure)
-       {
-               var expDays = expires*24*60*60*1000;
-               var expDate = new Date();
-               expDate.setTime(expDate.getTime()+expDays);
-               var expString = ((expires==null) ? "": (";expires="+expDate.toGMTString()));
-               var pathString = ((path==null) ? "": (";path="+path));
-               var domainString = ((domain==null) ? "": (";domain="+domain));
-               var secureString = ((secure==true) ? ";secure": "");
-               document.cookie = name + "="+ escape(value) + expString + pathString + domainString + secureString;
-       }
-
-       function getCookie(name)
-       {
-               var result = null;
-               var myCookie = document.cookie + ";";
-               var searchName = name + "=";
-               var startOfCookie = myCookie.indexOf(searchName);
-               var endOfCookie;
-               if (startOfCookie != -1)
-               {
-                       startOfCookie += searchName.length;
-                       endOfCookie = myCookie.indexOf(";",startOfCookie);
-                       result = unescape(myCookie.substring(startOfCookie,endOfCookie));
-               }
-               return result;
-       }
-
-       function setText($obj) {
-               var key = $obj.attr('langKey');
-               if (typeof(lang[key]) != 'undefined') {
-                       var text = lang[key][druid.lang.langNow];
-                       $obj.text(lang[key][druid.lang.langNow]);
-               } else {
-                       log('key [' + key + '] not found');
-               }
-       }
-       function setTitle($obj) {
-               var key = $obj.attr('langKey');
-               if (typeof(lang[key]) != 'undefined') {
-                       var title = lang[key][druid.lang.langNow];
-                       $obj.attr('title', title);
-               } else {
-                       log('key [' + key + '] not found');
-               }
-       }
-
-       return {
-               langNow : LANG_CN,
-               EVENT_LOAD_FINISHED : 'loadFinished',
-               init : function(langNow) {
-                       if (typeof(langNow) != 'undefined') {
-                               this.setLangType(langNow);
-                       } else {
-                               var langInCookie = getCookie(COOKIE_LANG_NAME);
-                               if (langInCookie == LANG_CN || langInCookie == LANG_EN) {
-                                       this.setLangType(langInCookie);
-                               }
-                       }
-                       $(document).on(this.EVENT_LOAD_FINISHED, '.lang', function() {
-                               log('load lang');
-                               setText($(this));
-                       });
-                       $(document).on(this.EVENT_LOAD_FINISHED, '.langTitle', function() {
-                               log('load title');
-                               setTitle($(this));
-                       });
-                       this.trigger();
-
-                       $(document).on('click','.langSelector',function() {
-                               var langSelected = $(this).attr('langNow');
-                               druid.lang.setLangType(langSelected);
-                               druid.lang.trigger();
-                               return false;
-                       });
-               },
-               setLangType : function (langNow) {
-                       this.langNow = langNow;
-                       setCookie(COOKIE_LANG_NAME,langNow,30,'/');
-               },
-               getLangType : function () {
-                       return this.langNow;
-               },
-               show : function($parent) {
-                       var $obj;
-                       var $objTitle;
-                       if ($parent) {
-                               $obj = $parent.find('.lang');
-                               $objTitle = $parent.find('.langTitle');
-                       } else {
-                               $obj = $('.lang');
-                               $objTitle = $('.langTitle');
-                       }
-                       $obj.each(function() {
-                               setText($(this));
-                       });
-                       $objTitle.each(function() {
-                               setTitle($(this));
-                       });
-               },
-               trigger : function() {
-                       log('to load lang now');
-                       $('.lang').trigger(this.EVENT_LOAD_FINISHED);//触发语言显示事件
-                       $('.langTitle').trigger(this.EVENT_LOAD_FINISHED);//触发语言显示事件
-               }
-       }
-}();
+$.namespace("druid.lang");
+druid.lang = function() {
+       var LANG_EN = 0;
+       var LANG_CN = 1;
+       var lang = {
+               'Index' : ['Index','首页'],
+               'DataSource' : ['DataSource', '数据源'],
+               'SQL' : ['SQL','SQL监控'],
+               'Wall' : ['Wall' , 'SQL防火墙'],
+               'WebApp' : ['WebApp' , 'Web应用'],
+               'WebURI' : ['WebURI' , 'URI监控'],
+               'Web Session' : ['Web Session' , 'Session监控'],
+               'Spring' : ['Spring' , 'spring监控'],
+               'JSON API' : ['JSON API' , 'JSON API'],
+               'ResetAll' : ['Reset All' , '重置'],
+
+               'StatIndex' : ['Stat Index', '统计索引'],
+               'ViewJSONAPI' : ['View JSON API','查看JSON API'],
+               'Version' : ['Version' , '版本'],
+               'Drivers' : ['Drivers' , '驱动'],
+               'ResetEnable' : ['ResetEnable' , '是否允许重置'],
+               'ResetCount' : ['ResetCount' , '重置次数'],
+               'JavaVersion' : ['JavaVersion' , 'java版本'],
+               'JavaVMName' : ['JavaVMName' , 'jvm名称'],
+               'JavaClassPath' : ['JavaClassPath' , 'classpath路径'],
+               'StartTime' : ['StartTime' , '启动时间'],
+
+               'DataSourceStatList' : ['DataSourceStat List' , '数据源列表'],
+               'UserName' : ['UserName', '用户名'],
+               'URL' : ['URL', '连接地址'],
+               'DbType' : ['DbType', '数据库类型'],
+                'DriverClassName' : ['DriverClassName', '驱动类名'],
+                'FilterClassNames' : ['FilterClassNames', 'filter类名'],
+                'TestOnBorrow' : ['TestOnBorrow', '获取连接时检测'],
+                'TestWhileIdle' : ['TestWhileIdle', '空闲时检测'],
+                'TestOnReturn' : ['TestOnReturn', '连接放回连接池时检测'],
+                'InitialSize' : ['InitialSize', '初始化连接大小'],
+                'MinIdle' : ['MinIdle', '最小空闲连接数'],
+                'MaxActive' : ['MaxActive', '最大连接数'],
+                'QueryTimeout' : ['QueryTimeout', '查询超时时间'],
+                'TransactionQueryTimeout' : ['TransactionQueryTimeout', '事务查询超时时间'],//
+                'LoginTimeout' : ['LoginTimeout', '登录超时时间'],//
+                'ValidConnectionCheckerClassName' : ['ValidConnectionCheckerClassName', '连接有效性检查类名'],
+                'ExceptionSorterClassName' : ['ExceptionSorterClassName', 'ExceptionSorter类名'],//
+                'DefaultAutoCommit' : ['DefaultAutoCommit', '默认autocommit设置'],
+                'DefaultReadOnly' : ['DefaultReadOnly', '默认只读设置'],
+                'DefaultTransactionIsolation' : ['DefaultTransactionIsolation', '默认事务隔离'],//
+                'NotEmptyWaitCount' : ['NotEmptyWaitCount', '等待次数'],//
+                'NotEmptyWaitMillis' : ['NotEmptyWaitMillis', '等待最大时长'],//
+                'WaitThreadCount' : ['WaitThreadCount', '等待线程数量'],
+                'StartTransactionCount' : ['StartTransactionCount', '事务启动数'],//
+                'TransactionHistogram' : ['TransactionHistogram', '事务时间分布'],//
+                'PoolingCount' : ['PoolingCount', '池中连接数'],//
+                'PoolingPeak' : ['PoolingPeak', '池中连接数峰值'],//
+                'PoolingPeakTime' : ['PoolingPeakTime', '池中连接数峰值时间'],////
+                'ActiveCount' : ['ActiveCount', '活跃连接数'],
+                'ActivePeak' : ['ActivePeak', '活跃连接数峰值'],//
+                'ActivePeakTime' : ['ActivePeakTime', '活跃连接数峰值时间'],
+                'LogicConnectCount' : ['LogicConnectCount', '逻辑连接打开次数'],
+                'LogicCloseCount' : ['LogicCloseCount', '逻辑连接关闭次数'],
+                'LogicConnectErrorCount' : ['LogicConnectErrorCount', '逻辑连接错误次数'],
+                'PhysicalConnectCount' : ['PhysicalConnectCount', '物理连接打开次数'],
+                'PhysicalCloseCount' : ['PhysicalCloseCount', '物理关闭数量'],
+                'PhysicalConnectErrorCount' : ['PhysicalConnectErrorCount', '物理连接错误次数'],
+                'ExecuteCount' : ['ExecuteCount', '执行数'],
+                'ErrorCount' : ['ErrorCount', '错误数'],
+                'CommitCount' : ['CommitCount', '提交数'],
+                'RollbackCount' : ['RollbackCount', '回滚数'],
+                'PSCacheAccessCount' : ['PSCacheAccessCount', 'PSCache访问次数'],
+                'PSCacheHitCount' : ['PSCacheHitCount', 'PSCache命中次数'],
+                'PSCacheMissCount' : ['PSCacheMissCount', 'PSCache丢失次数'],//
+                'ConnectionHoldTimeHistogram' : ['ConnectionHoldTimeHistogram', '连接持有时间分布'],
+                'ClobOpenCount' : ['ClobOpenCount', 'Clob打开次数'],
+                'BlobOpenCount' : ['BlobOpenCount', 'Blob打开次数'],
+
+                'UserNameDesc' : ['Specify the username used when creating a new connection.', '指定建立连接是使用的用户名'],
+                'URLDesc' : ['The JDBC driver connection URL', 'jdbc连接字符串'],
+                'DbTypeDesc' : ['database type', '数据库类型'],
+                'DriverClassNameDesc' : ['The fully qualifed name of the JDBC driver class', 'jdbc驱动的类名'],
+                'FilterClassNamesDesc' : ['All the fully qualifed name of the filter classes', 'filter的类名'],
+                'TestOnBorrowDesc' : [' Test or not when borrow a connection', '是否在获得连接后检测其可用性'],
+                'TestWhileIdleDesc' : ['Test or not when a connection is idle for a while', '是否在连接空闲一段时间后检测其可用性'],
+                'TestOnReturnDesc' : ['Test or not when return a connection', '是否在连接放回连接池后检测其可用性'],
+                'InitialSizeDesc' : ['The size of datasource connections to create when initial a datasource', '连接池建立时创建的初始化连接数'],
+                'MinIdleDesc' : ['The minimum number of connections a pool should hold. ', '连接池中最小的活跃连接数'],
+                'MaxActiveDesc' : ['The maximum number of connections for a pool', '连接池中最大的活跃连接数'],
+                'QueryTimeoutDesc' : ['', '查询超时时间'],
+                'TransactionQueryTimeoutDesc' : ['', '事务查询超时时间'],
+                'LoginTimeoutDesc' : ['', ''],///
+                'ValidConnectionCheckerClassNameDesc' : ['', ''],
+                'ExceptionSorterClassNameDesc' : ['', ''],
+                'DefaultAutoCommitDesc' : ['', ''],
+                'DefaultReadOnlyDesc' : ['', ''],
+                'DefaultTransactionIsolationDesc' : ['', ''],
+                'NotEmptyWaitCountDesc' : ['Total times for wait to get a connection', '获取连接时最多等待多少次'],//
+                'NotEmptyWaitMillisDesc' : ['Total millins for wait to get a connection', '获取连接时最多等待多长时间'],
+                'WaitThreadCountDesc' : ['The current waiting thread count', '当前等待获取连接的线程数'],
+                'StartTransactionCountDesc' : ['The count of start transaction', '事务开始的个数'],
+                'TransactionHistogramDesc' : ['The histogram values of transaction time, [0-10 ms, 10-100 ms, 100-1 s, 1-10 s, 10-100 s, >100 s]', '事务运行时间分布，分布区间为[0-10 ms, 10-100 ms, 100-1 s, 1-10 s, 10-100 s, >100 s]'],
+                'PoolingCountDesc' : ['The current usefull connection count', '当前连接池中的数目'],//
+                'PoolingPeakDesc' : ['The usefull connection peak count', '连接池中数目的峰值'],
+                'PoolingPeakTimeDesc' : ['The usefull connection peak time', '连接池数目峰值出现的时间'],
+                'ActiveCountDesc' : ['The current active connection count', '当前连接池中活跃连接数'],
+                'ActivePeakDesc' : ['The current active connection peak count', '连接池中活跃连接数峰值'],
+                'ActivePeakTimeDesc' : ['The active connection peak time', '活跃连接池峰值出现的时间'],
+               'LogicConnectCountDesc' : ['Total connect times from datasource', '产生的逻辑连接建立总数'],
+               'LogicCloseCountDesc' : ['Total close connect times from datasource', '产生的逻辑连接关闭总数'],
+               'LogicConnectErrorCountDesc' : ['Total connect error times', '产生的逻辑连接出错总数'],
+               'PhysicalConnectCountDesc' : ['Create physical connnection count', '产生的物理连接建立总数'],
+               'PhysicalCloseCountDesc' : ['Close physical connnection count', '产生的物理关闭总数'],
+               'PhysicalConnectErrorCountDesc' : ['Total physical connect error times', '产生的物理连接失败总数'],
+               'ExecuteCountDesc' : ['', ''],
+               'ErrorCountDesc' : ['', ''],
+               'CommitCountDesc' : ['', ''],
+               'RollbackCountDesc' : ['', ''],
+               'PSCacheAccessCountDesc' : ['PerpareStatement access count', 'PSCache访问总数'],
+               'PSCacheHitCountDesc' : ['PerpareStatement hit count', 'PSCache命中次数'],
+               'PSCacheMissCountDesc' : ['PerpareStatement miss count', 'PSCache丢失次数'],//
+               'ConnectionHoldTimeHistogramDesc' : ['The histogram values of connection hold time, [0-1 ms, 1-10 ms, 10-100 ms, 100ms-1s, 1-10 s, 10-100 s, 100-1000 s, >1000 s]', '连接持有时间分布，分布区间为[0-1 ms, 1-10 ms, 10-100 ms, 100ms-1s, 1-10 s, 10-100 s, 100-1000 s, >1000 s]'],
+               'ClobOpenCountDesc' : ['', 'Clob打开数'],
+               'BlobOpenCountDesc' : ['', 'Blob打开数'],
+               /**spring-detail*/
+               'Class' : ['Class', 'Class'],
+               'Method' : ['Method', 'Method'],
+               'ExecuteErrorCount' : ['ExecuteErrorCount', '执行出错数'],
+               'ExecuteTimeMillis' : ['ExecuteTimeMillis', '执行时间'],
+               'RunningCount' : ['RunningCount', '执行中'],
+               'ConcurrentMax' : ['ConcurrentMax', '最大并发'],
+               'JdbcExecuteCount' : ['JdbcExecuteCount', 'Jdbc执行数'],
+               'JdbcExecuteErrorCount' : ['JdbcExecuteErrorCount', 'Jdbc出错数'],
+               'JdbcExecuteTimeMillis' : ['JdbcExecuteTimeMillis', 'Jdbc时间'],
+               'JdbcCommitCount' : ['JdbcCommitCount', '事务提交数'],
+               'JdbcRollbackCount' : ['JdbcRollbackCount', '事务回滚数'],
+               'JdbcFetchRowCount' : ['JdbcFetchRowCount', '读取行数'],
+               'JdbcUpdateCount' : ['JdbcUpdateCount', '更新行数'],
+               'JdbcPoolConnectionOpenCount' : ['JdbcPoolConnectionOpenCount', '连接池获取连接次数'],
+               'JdbcPoolConnectionCloseCount' : ['JdbcPoolConnectionCloseCount', '连接池关闭连接次数'],
+               'JdbcResultSetOpenCount' : ['JdbcResultSetOpenCount', 'ResultSet打开次数'],
+               'JdbcResultSetCloseCount' : ['JdbcResultSetCloseCount', 'ResultSet关闭次数'],
+               /**sql-detail*/
+               'ParseView' : ['ParseView', '解析信息'],//
+               'Tables' : [' Tables', '表'],
+               'Fields' : ['Fields', '字段'],
+                'Coditions' : ['Coditions', '条件'],
+                'Relationships' : ['Relationships', '关联'],
+                'OrderByColumns' : ['OrderByColumns', '排序字段'],
+                'LastSlowView' : ['LastSlowView', '最后慢查询'],
+                'MaxTimespan' : ['MaxTimespan', '最慢'],
+                'MaxTimespanOccurTime' : ['MaxTimespanOccurTime', '最慢发生时间'],
+                'LastSlowParameters' : ['LastSlowParameters', '最后慢查询参数'],
+                'LastErrorView' : ['LastErrorView', '最后错误视图'],
+                'LastErrorMessage' : ['LastErrorMessage', '最后错误信息'],
+                'LastErrorClass' : ['LastErrorClass', '最后错误类'],
+                'LastErrorTime' : ['LastErrorTime', '最后错误时间'],
+                'LastErrorStackTrace' : ['LastErrorStackTrace', '最后错误堆栈'],
+                'OtherView' : ['OtherView', '其他信息'],
+                'BatchSizeMax' : ['BatchSizeMax', '批处理最大值'],////
+                'BatchSizeTotal' : ['BatchSizeTotal', '批处理总数'],//
+                'ReaderOpenCount' : ['ReaderOpenCount', 'reader打开次数'],//
+                'InputStreamOpenCount' : ['InputStreamOpenCount', 'inputstream打开次数'],
+                'ReadStringLength' : ['ReadStringLength', '读取字符串长度'],//
+                'ReadBytesLength' : ['ReadBytesLength', '读取字节长度'],//
+
+                'ExecHisto':['ExecHisto','执行时间分布'],
+                'ExecRsHisto':['ExecRsHisto','执行+RS时分布'],
+                'FetchRowHisto':['FetchRowHisto','读取行数分布'],
+                'UpdateHisto':['UpdateHisto','更新行数分布'],
+                'InTransactionCount' : ['InTransactionCount','事务中次数'],
+                'MaxTimespanDesc' : ['Execute Time Millis Max','最长的执行时间'],
+                'InTransactionCountDesc' : ['Execute In Transaction Count','在事务中运行的次数'],
+
+                'count1ms':['count of 0-1 ms','0-1毫秒次数'],
+                'count10ms':['count of 1-10 ms','1-10毫秒次数'],
+                'count100ms':['count of 10-100 ms','10-100毫秒次数'],
+                'count1s':['count of 100ms-1s','100-1000毫秒次数'],
+                'count10s':['count of 1-10 s','1-10秒次数'],
+                'count100s':['count of 10-100 s','10-100秒次数'],
+                'count1000s':['count of 100-1000 s','100-1000秒次数'],
+                'countBg1000s':['count of >1000 s','大于1000秒次数'],
+
+                'fetch0':['count of 0 FetchRow','读取行数为0'],
+                'fetch9':['count of 1-9 FetchRow','读取行数1-9'],
+                'fetch99':['count of 10-99 FetchRow','读取行数10-99'],
+                'fetch999':['count of 100-999 FetchRow','读取行数100-999'],
+                'fetch9999':['count of 1000-9999 FetchRow','读取行数1000-9999'],
+                'fetch99999':['count of >9999 FetchRow','读取行数大于9999'],
+
+                'update0':['count of 0 UpdateCount','更新行数为0'],
+                'update9':['count of 1-9 UpdateCount','更新行数1-9'],
+                'update99':['count of 10-99 UpdateCount','更新行数10-99'],
+                'update999':['count of 100-999 UpdateCount','更新行数100-999'],
+                'update9999':['count of 1000-9999 UpdateCount','更新行数1000-9999'],
+                'update99999':['count of >9999 UpdateCount','更新行数大于9999'],
+                /**wall*/
+       'CheckCount':['CheckCount', '检查次数'],
+       'HardCheckCount':['HardCheckCount', '硬检查次数'],
+       'ViolationCount':['ViolationCount', '非法次数'],
+       'BlackListHitCount':['BlackListHitCount', '黑名单命中次数'],
+       'BlackListSize':['BlackListSize', '黑名单长度'],
+       'WhiteListHitCount':['WhiteListHitCount', '白名单命中次数'],
+       'WhiteListSize':['WhiteListSize', '白名单长度'],
+       'SyntaxErrorCount':['SyntaxErrorCount', '语法错误次数'],
+       'TableName':['TableName', '表名'],
+
+       'SelectCount':['SelectCount', 'Select数'],
+       'InsertCount':['InsertCount', 'Insert数'],
+       'UpdateCount':['UpdateCount', 'Update数'],
+       'DeleteCount':['DeleteCount', 'Delete数'],
+       'TruncateCount':['TruncateCount', 'Truncate数'],
+       'CreateCount':['CreateCount', 'Create数'],
+       'AlterCount':['AlterCount', 'Alter数'],
+       'DropCount':['DropCount', 'Drop数'],
+       'ReplaceCount':['ReplaceCount', 'Replace数'],
+       'DeleteDataCount':['DeleteDataCount', '删除数据行数'],
+       'UpdateDataCount':['UpdateDataCount', '更新数据行数'],
+       'FetchRowCount':['FetchRowCount', '读取行数'],
+       /**session-detail*/
+       'SESSIONID':['SESSIONID', 'SESSIONID'],
+       'UserAgent':['UserAgent', 'UserAgent'],
+       'Principal':['Principal', 'Principal'],
+       'CreateTime':['CreateTime', '创建时间'],
+       'LastAccessTime':['LastAccessTime', '最后访问时间'],
+       'RemoteAddress':['RemoteAddress', '访问ip地址'],
+       'RequestCount':['RequestCount', '请求次数'],
+       'RequestTimeMillisTotal':['RequestTimeMillisTotal', '总共请求时间'],
+       'RequestInterval':['RequestInterval', '请求间隔'],
+       /**weburi-detail*/
+       'RequestTimeMillis':['RequestTimeMillis', '请求时间'],
+       'JdbcExecutePeak':['JdbcExecutePeak', 'jdbc执行峰值'],
+       'JdbcFetchRowPeak':['JdbcFetchRowPeak', 'jdbc查询取回行数峰值'],
+       'JdbcUpdatePeak':['JdbcUpdatePeak', 'jdbc更新峰值']
+
+   };
+
+   var COOKIE_LANG_NAME = "cookie_lang";
+
+   function log(str) {
+       if (typeof (console) != 'undefined' && typeof(console.log) != 'undefined') {
+           console.log(str);
+       } else {
+           $('body').append('<input type="hidden" value="' + str + " />");
+       }
+   }
+
+   function setCookie(name,value,expires,path,domain,secure)
+   {
```

```
+               var expDays = expires*24*60*60*1000;
+               var expDate = new Date();
+               expDate.setTime(expDate.getTime()+expDays);
+               var expString = ((expires==null) ? "": (";expires="+expDate.toGMTString()));
+               var pathString = ((path==null) ? "": (";path="+path));
+               var domainString = ((domain==null) ? "": (";domain="+domain));
+               var secureString = ((secure==true) ? ";secure": "");
+               document.cookie = name + "="+ escape(value) + expString + pathString + domainString + secureString;
+       }
+
+       function getCookie(name)
+       {
+               var result = null;
+               var myCookie = document.cookie + ";";
+               var searchName = name + "=";
+               var startOfCookie = myCookie.indexOf(searchName);
+               var endOfCookie;
+               if (startOfCookie != -1)
+               {
+                       startOfCookie += searchName.length;
+                       endOfCookie = myCookie.indexOf(";",startOfCookie);
+                       result = unescape(myCookie.substring(startOfCookie,endOfCookie));
+               }
+               return result;
+       }
+
+       function setText($obj) {
+               var key = $obj.attr('langKey');
+               if (typeof(lang[key]) != 'undefined') {
+                       var text = lang[key][druid.lang.langNow];
+                       $obj.text(lang[key][druid.lang.langNow]);
+               } else {
+                       log('key [' + key + '] not found');
+               }
+       }
+       function setTitle($obj) {
+               var key = $obj.attr('langKey');
+               if (typeof(lang[key]) != 'undefined') {
+                       var title = lang[key][druid.lang.langNow];
+                       $obj.attr('title', title);
+               } else {
+                       log('key [' + key + '] not found');
+               }
+       }
+
+       return {
+               langNow : LANG_CN,
+               EVENT_LOAD_FINISHED : 'loadFinished',
+               init : function(langNow) {
+                       if (typeof(langNow) != 'undefined') {
+                               this.setLangType(langNow);
+                       } else {
```

```
+                               var langInCookie = getCookie(COOKIE_LANG_NAME);
+                               if (langInCookie == LANG_CN || langInCookie == LANG_EN) {
+                                       this.setLangType(langInCookie);
+                               }
+                       }
+                       $(document).on(this.EVENT_LOAD_FINISHED, '.lang', function() {
+                               log('load lang');
+                               setText($(this));
+                       });
+                       $(document).on(this.EVENT_LOAD_FINISHED, '.langTitle', function() {
+                               log('load title');
+                               setTitle($(this));
+                       });
+                       this.trigger();
+
+                       $(document).on('click','.langSelector',function() {
+                               var langSelected = $(this).attr('langNow');
+                               druid.lang.setLangType(langSelected);
+                               druid.lang.trigger();
+                               return false;
+                       });
+               },
+               setLangType : function (langNow) {
+                       this.langNow = langNow;
+                       setCookie(COOKIE_LANG_NAME,langNow,30,'/');
+               },
+               getLangType : function () {
+                       return this.langNow;
+               },
+               show : function($parent) {
+                       var $obj;
+                       var $objTitle;
+                       if ($parent) {
+                               $obj = $parent.find('.lang');
+                               $objTitle = $parent.find('.langTitle');
+                       } else {
+                               $obj = $('.lang');
+                               $objTitle = $('.langTitle');
+                       }
+                       $obj.each(function() {
+                               setText($(this));
+                       });
+                       $objTitle.each(function() {
+                               setTitle($(this));
+                       });
+               },
+               trigger : function() {
+                       log('to load lang now');
+                       $('.lang').trigger(this.EVENT_LOAD_FINISHED);//触发语言显示事件
+                       $('.langTitle').trigger(this.EVENT_LOAD_FINISHED);//触发语言显示事件
+                }
+        }
+}();
...
```

src/main/resources/support/http/resources/sql.html

```
@@ -23,50 +23,50 @@
                                        <tr>
                                                <th>N</th>
                                                <th><a id="th-SQL" >SQL</a></th>
-                                               <th width="50" title="Execute Count"><a id="th-ExecuteCount"  class="lang" langKey="ExecuteCount">ExecCount</a></th>
-                                               <th width="50" title="Execute Time Millis Total"><a id="th-TotalTime" class="lang" langKey="ExecuteTimeMillis">ExecTime</a></th>
-                                               <th width="50" title="Execute Time Millis Max"><a id="th-MaxTimespan" class="lang" langKey="MaxTimespan">ExecMax</a></th>
-                                               <th width="50" title="Execute In Transaction Count"><a id="th-InTransactionCount" class="lang" langKey="InTransactionCount">Txn</a></th>
-                                               <th width="50" title="Error Count"><a id="th-ErrorCount" class="lang" langKey="ErrorCount">Error</a></th>
-                                               <th width="50" title="Update Count"><a id="th-UpdateCount" class="lang" langKey="JdbcUpdateCount">Update</a></th>
-                                               <th width="50" title="Fetch Row Count"><a id="th-FetchRowCount" class="lang" langKey="JdbcFetchRowCount">FetchRow</a></th>
-                                               <th width="50" title="Running Count"><a id="th-RunningCount" class="lang" langKey="RunningCount">Running</a></th>
-                                               <th width="50" title="Concurrent Max"><a id="th-ConcurrentMax" class="lang" langKey="ConcurrentMax">Concurrent</a></th>
+                                               <th width="50"><a id="th-ExecuteCount"  class="lang" langKey="ExecuteCount">ExecCount</a></th>
+                                               <th width="50"><a id="th-TotalTime" class="lang" langKey="ExecuteTimeMillis">ExecTime</a></th>
+                                               <th width="50" class="langTitle" langKey="MaxTimespanDesc" title="Execute Time Millis Max"><a id="th-MaxTimespan" class="lang" langKey="MaxTimespan">ExecMax</a></th>
+                                               <th width="50" class="langTitle" langKey="InTransactionCountDesc" title="Execute In Transaction Count"><a id="th-InTransactionCount" class="lang" langKey="InTransactionCount">Txn</a></th>
+ <th width="50" ><a id="th-ErrorCount" class="lang" langKey="ErrorCount">Error</a></th>
+ <th width="50"><a id="th-UpdateCount" class="lang" langKey="JdbcUpdateCount">Update</a></th>
+ <th width="50"><a id="th-FetchRowCount" class="lang" langKey="JdbcFetchRowCount">FetchRow</a></th>
+ <th width="50"><a id="th-RunningCount" class="lang" langKey="RunningCount">Running</a></th>
+ <th width="50"><a id="th-ConcurrentMax" class="lang" langKey="ConcurrentMax">Concurrent</a></th>
  <th align="left" width="100"><span class="lang" langKey="ExecHisto">ExecHisto</span><br />[
- <a id="th-Histogram[0]" langTitle="count1ms" title="count of '0-1 ms'" >-</a>
- <a id="th-Histogram[1]" langTitle="count10ms" title="count of '1-10 ms'" >-</a>
- <a id="th-Histogram[2]" langTitle="count100ms" title="count of '10-100 ms'" >-</a>
- <a id="th-Histogram[3]" langTitle="count1s" title="count of '100ms-1 s'" >-</a>
- <a id="th-Histogram[4]" langTitle="count10s" title="count of '1-10 s'" >-</a>
- <a id="th-Histogram[5]" langTitle="count100s" title="count of '10-100 s'" >-</a>
- <a id="th-Histogram[6]" langTitle="count1000s" title="count of '100-1000 s'" >-</a>
- <a id="th-Histogram[7]" langTitle="countBg1000s" title="count of '> 1000 s'" >-</a> ]
+ <a id="th-Histogram[0]" class="langTitle" langKey="count1ms" title="count of '0-1 ms'" >-</a>
+ <a id="th-Histogram[1]" class="langTitle" langKey="count10ms" title="count of '1-10 ms'" >-</a>
+ <a id="th-Histogram[2]" class="langTitle" langKey="count100ms" title="count of '10-100 ms'" >-</a>
+ <a id="th-Histogram[3]" class="langTitle" langKey="count1s" title="count of '100ms-1 s'" >-</a>
+ <a id="th-Histogram[4]" class="langTitle" langKey="count10s" title="count of '1-10 s'" >-</a>
+ <a id="th-Histogram[5]" class="langTitle" langKey="count100s" title="count of '10-100 s'" >-</a>
```

```
+
<a id="th-Histogram[6]" class="langTitle" langKey="count1000s" title="count of
'100-1000 s'" >-</a>
+
<a id="th-Histogram[7]" class="langTitle" langKey="countBg1000s" title="count of
'> 1000 s'" >-</a> ]
                                                                       </th>
                                                                       <th
align="left" width="100"><span class="lang"
langKey="ExecRsHisto">ExecRsHisto</span> <br />[
-
<a id="th-ExecuteAndResultHoldTimeHistogram[0]" langTitle="count1ms"
title="count of '0-1 ms'" >-</a>
-
<a id="th-ExecuteAndResultHoldTimeHistogram[1]" langTitle="count10ms"
title="count of '1-10 ms'" >-</a>
-
<a id="th-ExecuteAndResultHoldTimeHistogram[2]" langTitle="count100ms"
title="count of '10-100 ms'" >-</a>
-
<a id="th-ExecuteAndResultHoldTimeHistogram[3]" langTitle="count1s" title="count
of '100ms-1s'" >-</a>
-
<a id="th-ExecuteAndResultHoldTimeHistogram[4]" langTitle="count10s"
title="count of '1-10 s'" >-</a>
-
<a id="th-ExecuteAndResultHoldTimeHistogram[5]" langTitle="count100s"
title="count of '10-100 s'" >-</a>
-
<a id="th-ExecuteAndResultHoldTimeHistogram[6]" langTitle="count1000s"
title="count of '100-1000 s'" >-</a>
-
<a id="th-ExecuteAndResultHoldTimeHistogram[7]" langTitle="countBg1000s"
title="count of '> 1000 s'" >-</a> ]
+
<a id="th-ExecuteAndResultHoldTimeHistogram[0]" class="langTitle"
langKey="count1ms" title="count of '0-1 ms'" >-</a>
+
<a id="th-ExecuteAndResultHoldTimeHistogram[1]" class="langTitle"
langKey="count10ms" title="count of '1-10 ms'" >-</a>
+
<a id="th-ExecuteAndResultHoldTimeHistogram[2]" class="langTitle"
langKey="count100ms" title="count of '10-100 ms'" >-</a>
+
<a id="th-ExecuteAndResultHoldTimeHistogram[3]" class="langTitle"
langKey="count1s" title="count of '100ms-1s'" >-</a>
+
<a id="th-ExecuteAndResultHoldTimeHistogram[4]" class="langTitle"
langKey="count10s" title="count of '1-10 s'" >-</a>
+
<a id="th-ExecuteAndResultHoldTimeHistogram[5]" class="langTitle"
langKey="count100s" title="count of '10-100 s'" >-</a>
+
<a id="th-ExecuteAndResultHoldTimeHistogram[6]" class="langTitle"
langKey="count1000s" title="count of '100-1000 s'" >-</a>
```

```
            +
        53  <a id="th-ExecuteAndResultHoldTimeHistogram[7]" class="langTitle"
            langKey="countBg1000s" title="count of '> 1000 s'" >-</a> ]
54      54                                                                      </th>
                                                                                <th
55      55  align="left" width="100"><span class="lang"
            langKey="FetchRowHisto">FetchRowHisto</span> <br />[
            -
56          <a id="th-FetchRowCountHistogram[0]" langTitle="fetch0" title="count of '0
            FetchRow'" >-</a>
            -
57          <a id="th-FetchRowCountHistogram[1]" langTitle="fetch9" title="count of '1-9
            FetchRow'" >-</a>
            -
58          <a id="th-FetchRowCountHistogram[2]" langTitle="fetch99" title="count of '10-99
            FetchRow'" >-</a>
            -
59          <a id="th-FetchRowCountHistogram[3]" langTitle="fetch999" title="count of '100-
            999 FetchRow'" >-</a>
            -
60          <a id="th-FetchRowCountHistogram[4]" langTitle="fetch9999" title="count of
            '1000-9999 FetchRow'" >-</a>
            -
61          <a id="th-FetchRowCountHistogram[5]" langTitle="fetch99999" title="count of '>
            9999 FetchRow'" >-</a> ]
            +
        56  <a id="th-FetchRowCountHistogram[0]" class="langTitle" langKey="fetch0"
            title="count of '0 FetchRow'" >-</a>
            +
        57  <a id="th-FetchRowCountHistogram[1]" class="langTitle" langKey="fetch9"
            title="count of '1-9 FetchRow'" >-</a>
            +
        58  <a id="th-FetchRowCountHistogram[2]" class="langTitle" langKey="fetch99"
            title="count of '10-99 FetchRow'" >-</a>
            +
        59  <a id="th-FetchRowCountHistogram[3]" class="langTitle" langKey="fetch999"
            title="count of '100-999 FetchRow'" >-</a>
            +
        60  <a id="th-FetchRowCountHistogram[4]" class="langTitle" langKey="fetch9999"
            title="count of '1000-9999 FetchRow'" >-</a>
            +
        61  <a id="th-FetchRowCountHistogram[5]" class="langTitle" langKey="fetch99999"
            title="count of '> 9999 FetchRow'" >-</a> ]
62      62                                                                      </th>
                                                                                <th
63      63  align="left" width="100"><span class="lang"
            langKey="UpdateHisto">UpdateHisto</span> <br />[
            -
64          <a id="th-EffectedRowCountHistogram[0]" langTitle="update0" title="count of '0
            UpdateCount'" >-</a>
            -
65          <a id="th-EffectedRowCountHistogram[1]" langTitle="update9" title="count of '1-9
            UpdateCount'" >-</a>
```

```
-<a id="th-EffectedRowCountHistogram[2]" langTitle="update99" title="count of '10-99 UpdateCount'" >-</a>
-<a id="th-EffectedRowCountHistogram[3]" langTitle="update999" title="count of '100-999 UpdateCount'" >-</a>
-<a id="th-EffectedRowCountHistogram[4]" langTitle="update9999" title="count of '1000-9999 UpdateCount'" >-</a>
-<a id="th-EffectedRowCountHistogram[5]" langTitle="update99999" title="count of '> 9999 UpdateCount'" >-</a> ]
+<a id="th-EffectedRowCountHistogram[0]" class="langTitle" langKey="update0" title="count of '0 UpdateCount'" >-</a>
+<a id="th-EffectedRowCountHistogram[1]" class="langTitle" langKey="update9" title="count of '1-9 UpdateCount'" >-</a>
+<a id="th-EffectedRowCountHistogram[2]" class="langTitle" langKey="update99" title="count of '10-99 UpdateCount'" >-</a>
+<a id="th-EffectedRowCountHistogram[3]" class="langTitle" langKey="update999" title="count of '100-999 UpdateCount'" >-</a>
+<a id="th-EffectedRowCountHistogram[4]" class="langTitle" langKey="update9999" title="count of '1000-9999 UpdateCount'" >-</a>
+<a id="th-EffectedRowCountHistogram[5]" class="langTitle" langKey="update99999" title="count of '> 9999 UpdateCount'" >-</a> ]
                                                                                            </th>
                                                                                    </tr>
                                                                            </thead>
...
```