Stat 134: Section 3

Adam Lucas

September 9th, 2019

Conceptual Review

Please discuss these short questions with those around you in section. These problems are intended to highlight concepts that will be relevant for today's problems

- a. When do we want to use the binomial distribution? Which assumptions have to be met?
- b. What is the formula for the binomial distribution?

Problem 1

Given that there were 12 heads in 20 independent coin tosses, calculate the chance that

- a. the first two tosses landed heads;
- b. at least two of the first five tosses landed heads.

Ex 2.1.5 in Pitman's Probability

Try to do this problem with as little tedious work as possible.

Problem 2

A gambler decides to keep betting on red at roulette where there are 18 reds out of 38 tiles in total, and stop as soon as she has won a total of five bets.

- a. What is the probability that she has to make exactly 8 bets before stopping?
- b. What is the probability that she has to make at least 9 bets?

Ex 2.1.12 in Pitman's Probability

Problem 3: The matching problem

There are n letters addressed to n people at n different addresses. The n addresses are typed on n envelopes. A disgruntled secretary shuffles the letters and puts them in the envelopes in random order, one letter per envelope.

- a. What is the chance that the i_{th} letter is put in the correctly addressed envelope? How about both i_{th} letter and j_{th} letter $(i \neq j)$? And the chance that the letters at positions i_1, i_2, \dots, i_k are put in correctly?
- b. Find the probability that at least one letter is put in a correctly addressed envelope;
- c. What is the probability in part *b*. approximately, for large *n*?

Ex 2.rev.28 in Pitman's Probability

Hint: Use the inclusionexclusion formula: $P(\bigcup_{i=1}^{n} A_i) =$ $\sum_{i=1}^{n} P(A_i) - \sum_{i < j} P(A_i A_j) + \dots +$ $(-1)^{n+1}P(A_1A_2A_3...A_n)$