Example

Milan Malfait, Ghent University

March 22, 2022

1 R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see http://rmarkdown.rstudio.com.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

summary(cars)

```
##
                          dist
         speed
    {\tt Min.}
##
            : 4.0
                     Min.
                             :
                                2.00
    1st Qu.:12.0
                     1st Qu.: 26.00
##
##
    Median:15.0
                     Median : 36.00
##
    Mean
            :15.4
                     Mean
                             : 42.98
    3rd Qu.:19.0
                     3rd Qu.: 56.00
##
            :25.0
                             :120.00
##
    Max.
                     Max.
```

2 Including Plots

You can also embed plots, for example:



Note that the echo = FALSE parameter was added to the code chunk to prevent printing of the R code that generated the plot.

3 Caching

The GHA workflow maintains cached *knitr* results between subsequent runs to reduce runtime. Caching can be enabled by specifying cache=TRUE in the code chunk header.

Note that this should be used with caution, as caches may become invalid when code is changed, potentially leading to unsuspected results.

```
## Run with caching enabled
Sys.time()
```

[1] "2022-03-22 17:35:03 UTC"

Session info

Session info

[1] "2022-03-22 17:35:03 UTC"

```
## - Session info -------------
##
   setting value
   version R version 4.1.3 (2022-03-10)
##
           macOS Big Sur/Monterey 10.16
##
   system
           x86 64, darwin17.0
## ui
           X11
   language (EN)
##
   collate en US.UTF-8
##
   ctype
            en_US.UTF-8
##
            UTC
   tz
   date
            2022-03-22
##
           2.14.2 @ /usr/local/bin/ (via rmarkdown)
   pandoc
! package
                * version date (UTC) lib source
##
   P bslib
                  0.3.1
                          2021-10-06 [?] CRAN (R 4.1.0)
##
   P cli
                  3.2.0
                          2022-02-14 [?] CRAN (R 4.1.2)
##
                  0.2-18 2020-11-04 [2] CRAN (R 4.1.3)
     codetools
                         2022-02-21 [?] CRAN (R 4.1.2)
##
  P colorspace
                  2.0-3
## P crayon
                  1.5.0
                          2022-02-14 [?] CRAN (R 4.1.2)
## P digest
                  0.6.29 2021-12-01 [?] CRAN (R 4.1.0)
## P ellipsis
                  0.3.2
                          2021-04-29 [?] CRAN (R 4.1.0)
## P evaluate
                  0.15
                          2022-02-18 [?] CRAN (R 4.1.2)
                  1.0.2
                         2022-01-14 [?] CRAN (R 4.1.2)
##
   P fansi
## P farver
                  2.1.0
                         2021-02-28 [?] CRAN (R 4.1.0)
## P fastmap
                  1.1.0
                          2021-01-25 [?] CRAN (R 4.1.0)
## P ggplot2
                * 3.3.5
                          2021-06-25 [?] CRAN (R 4.1.0)
                          2022-02-24 [?] CRAN (R 4.1.2)
## P glue
                  1.6.2
## P gtable
                  0.3.0
                         2019-03-25 [?] CRAN (R 4.1.0)
## P highr
                  0.9
                          2021-04-16 [?] CRAN (R 4.1.0)
                          2021-08-25 [?] CRAN (R 4.1.0)
## P htmltools
                  0.5.2
## P jquerylib
                  0.1.4
                          2021-04-26 [?] CRAN (R 4.1.0)
## P jsonlite
                  1.8.0
                          2022-02-22 [?] CRAN (R 4.1.2)
## P knitr
                  1.37
                          2021-12-16 [?] CRAN (R 4.1.0)
## P labeling
                  0.4.2
                         2020-10-20 [?] CRAN (R 4.1.0)
## P lifecycle
                  1.0.1
                         2021-09-24 [?] CRAN (R 4.1.0)
## P magrittr
                  2.0.2
                         2022-01-26 [?] CRAN (R 4.1.2)
## P munsell
                  0.5.0
                          2018-06-12 [?] CRAN (R 4.1.0)
##
   P pillar
                  1.7.0
                          2022-02-01 [?] CRAN (R 4.1.2)
## P pkgconfig
                  2.0.3
                          2022-03-22 [?] Github (r-lib/pkgconfig@b81ae03)
## P R6
                          2021-08-19 [?] CRAN (R 4.1.0)
                  2.5.1
## P renv
                  0.15.4 2022-03-03 [?] CRAN (R 4.1.2)
## P rlang
                          2022-03-04 [?] CRAN (R 4.1.2)
                  1.0.2
## P rmarkdown
                  2.13
                          2022-03-10 [?] CRAN (R 4.1.2)
  P sass
                  0.4.0
                         2021-05-12 [?] CRAN (R 4.1.0)
                          2020-05-11 [?] CRAN (R 4.1.0)
## P scales
                  1.1.1
##
   P sessioninfo
                  1.2.2
                          2021-12-06 [?] CRAN (R 4.1.0)
##
  P stringi
                  1.7.6
                          2021-11-29 [?] CRAN (R 4.1.0)
  P stringr
                  1.4.0
                          2019-02-10 [?] CRAN (R 4.1.0)
## P tibble
                  3.1.6
                          2021-11-07 [?] CRAN (R 4.1.0)
## P utf8
                  1.2.2
                          2021-07-24 [?] CRAN (R 4.1.0)
## P vctrs
                  0.3.8
                         2021-04-29 [?] CRAN (R 4.1.0)
## P withr
                  2.5.0
                         2022-03-03 [?] CRAN (R 4.1.2)
## P xfun
                  0.30
                          2022-03-02 [?] CRAN (R 4.1.2)
```