

# Post-selection inference

Koen Van den Berge

Last compiled on 19 November, 2021

## Contents

```
runEdgeR <- function(counts, design){
  d <- DGEList(counts)
  d <- calcNormFactors(d)
  d <- estimateDisp(d, design)
  fit <- glmFit(d, design)
  lrt <- glmLRT(fit, coef=2)
  return(lrt)
}

# simulate data according to a negative binomial distribution
set.seed(99)
n <- 1e4 #number of genes
m <- 100 #number of cells
fprCluster <- c()
fprMock <- c()
par(mfrow=c(1,3))
for(ii in 1:5){
  dss <- DESeq2::makeExampleDESeqDataSet(n=n, m=m)
  counts <- assays(dss)$counts

  # t-SNE on top PCs
  tsneDR <- Rtsne(log1p(t(counts)))

  # cluster in t-SNE space
  km <- kmeans(tsneDR$Y, centers=2)
  group <- as.factor(km$cluster)
  plot(tsneDR$Y, col=group, pch=16, cex=1/2, main="t-SNE on top PCs", xlab="t-SNE1", ylab="t-SNE2")

  # DE based on clustering
  design <- model.matrix(~group)
  lrt <- runEdgeR(counts, design)
  hist(lrt$table$PValue, main=paste("iteration",ii,"cluster comparison"), ylim=c(0,600), xlab="p-value")
  fprCluster[ii] <- sum(lrt$table$PValue <= 0.05)

  # mock DE
  mock <- as.factor(rep(1:2,each=m/2))
  designMock <- model.matrix(~mock)
  lrtMock <- runEdgeR(counts, designMock)
  hist(lrtMock$table$PValue, main=paste("iteration",ii,"mock comparison"), ylim=c(0,600), xlab="p-value")
}
```

```

Sys.sleep(1)
fprMock[ii] <- sum(lrtMock$table$PValue <= 0.05)
}

```

**t-SNE on top PCs**



**iteration 1 cluster comparison**



**iteration 1 mock comparison**



**t-SNE on top PCs**



**iteration 2 cluster comparisor**



**iteration 2 mock comparison**




**t-SNE on top PCs**



**iteration 3 cluster comparisor**



**iteration 3 mock comparison**




**t-SNE on top PCs**



**iteration 4 cluster comparisor**



**iteration 4 mock comparison**





```
par(mfrow=c(1,1))
boxplot(cbind(fprCluster, fprMock)/n, names=c("cluster-based", "random"), ylab="False positive rate")
```



```
sessionInfo()
```

```
## R version 4.1.2 (2021-11-01)
## Platform: x86_64-apple-darwin17.0 (64-bit)
## Running under: macOS Catalina 10.15.7
##
## Matrix products: default
## BLAS:   /Library/Frameworks/R.framework/Versions/4.1/Resources/lib/libRblas.0.dylib
## LAPACK: /Library/Frameworks/R.framework/Versions/4.1/Resources/lib/libRlapack.dylib
##
## locale:
## [1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
##
## attached base packages:
## [1] stats4      stats      graphics  grDevices datasets  utils      methods
## [8] base
##
## other attached packages:
## [1] edgeR_3.36.0           limma_3.50.0
## [3] Rtsne_0.15            DESeq2_1.34.0
## [5] SummarizedExperiment_1.24.0 Biobase_2.54.0
## [7] MatrixGenerics_1.6.0    matrixStats_0.61.0
## [9] GenomicRanges_1.46.0    GenomeInfoDb_1.30.0
## [11] IRanges_2.28.0          S4Vectors_0.32.2
## [13] BiocGenerics_0.40.0     rmarkdown_2.10
## [15] knitr_1.33
```

```
##
## loaded via a namespace (and not attached):
## [1] httr_1.4.2          bit64_4.0.5          splines_4.1.2
## [4] highr_0.9           BiocManager_1.30.16 blob_1.2.2
## [7] renv_0.14.0         GenomeInfoDbData_1.2.7 yaml_2.2.1
## [10] pillar_1.6.2        RSQlite_2.2.8        lattice_0.20-44
## [13] glue_1.4.2          digest_0.6.27        RColorBrewer_1.1-2
## [16] XVector_0.34.0      colorspace_2.0-2     htmltools_0.5.2
## [19] Matrix_1.3-4        XML_3.99-0.8         pkgconfig_2.0.3
## [22] genefilter_1.76.0   zlibbioc_1.40.0      xtable_1.8-4
## [25] scales_1.1.1        BiocParallel_1.28.0  tibble_3.1.4
## [28] annotate_1.72.0     KEGGREST_1.34.0      ggplot2_3.3.5
## [31] ellipsis_0.3.2      cachem_1.0.6         survival_3.2-13
## [34] magrittr_2.0.1      crayon_1.4.1         memoise_2.0.0
## [37] evaluate_0.14       fansi_0.5.0          tools_4.1.2
## [40] lifecycle_1.0.0     stringr_1.4.0        munsell_0.5.0
## [43] locfit_1.5-9.4      DelayedArray_0.20.0  AnnotationDbi_1.56.2
## [46] Biostrings_2.62.0   compiler_4.1.2       rlang_0.4.11
## [49] grid_4.1.2          RCurl_1.98-1.5       bitops_1.0-7
## [52] gtable_0.3.0        DBI_1.1.1            R6_2.5.1
## [55] fastmap_1.1.0       bit_4.0.4            utf8_1.2.2
## [58] stringi_1.7.4       parallel_4.1.2       Rcpp_1.0.7
## [61] vctrs_0.3.8         geneplotter_1.72.0   png_0.1-7
## [64] xfun_0.25
```