

Example

Milan Malfait, Ghent University

December 01, 2021

1 R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   :  2.00
## 1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean   : 42.98
## 3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.   :120.00
```

2 Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

3 Caching

The GHA workflow maintains cached *knitr* results between subsequent runs to reduce runtime. Caching can be enabled by specifying `cache=TRUE` in the code chunk header.

Note that this should be used with caution, as caches may become invalid when code is changed, potentially leading to unsuspected results.

```
## Run with caching enabled
Sys.time()
```

```
## [1] "2021-11-09 08:36:41 UTC"
```

Session info

Session info

```
## [1] "2021-12-01 10:42:49 UTC"
```

```
## - Session info -----
## hash: left-facing fist: medium-dark skin tone, sign of the horns: medium skin tone, right-facing fi
##
## setting value
## version R version 4.1.2 (2021-11-01)
## os      macOS Catalina 10.15.7
## system  x86_64, darwin17.0
## ui      X11
## language (EN)
## collate en_US.UTF-8
## ctype   en_US.UTF-8
## tz      UTC
## date    2021-12-01
## pandoc  2.7.3 @ /usr/local/bin/ (via rmarkdown)
##
## - Packages -----
## ! package      * version date (UTC) lib source
## P cli          3.1.0   2021-10-27 [?] CRAN (R 4.1.0)
## P colorspace   2.0-2   2021-06-24 [?] CRAN (R 4.1.0)
## P crayon       1.4.1   2021-02-08 [?] CRAN (R 4.1.0)
## P digest       0.6.27  2020-10-24 [?] CRAN (R 4.1.0)
## P ellipsis     0.3.2   2021-04-29 [?] CRAN (R 4.1.0)
## P evaluate     0.14    2019-05-28 [?] CRAN (R 4.1.0)
## P fansi        0.5.0   2021-05-25 [?] CRAN (R 4.1.0)
## P farver       2.1.0   2021-02-28 [?] CRAN (R 4.1.0)
## P fastmap      1.1.0   2021-01-25 [?] CRAN (R 4.1.0)
## P ggplot2      * 3.3.5   2021-06-25 [?] CRAN (R 4.1.0)
## P glue         1.4.2   2020-08-27 [?] CRAN (R 4.1.0)
## P gtable       0.3.0   2019-03-25 [?] CRAN (R 4.1.0)
## P highr        0.9     2021-04-16 [?] CRAN (R 4.1.0)
## P htmltools    0.5.2   2021-08-25 [?] CRAN (R 4.1.0)
## P knitr        1.33    2021-04-24 [?] CRAN (R 4.1.0)
## P labeling     0.4.2   2020-10-20 [?] CRAN (R 4.1.0)
## P lifecycle    1.0.0   2021-02-15 [?] CRAN (R 4.1.0)
## P magrittr     2.0.1   2020-11-17 [?] CRAN (R 4.1.0)
## P munsell      0.5.0   2018-06-12 [?] CRAN (R 4.1.0)
## P pillar       1.6.2   2021-07-29 [?] CRAN (R 4.1.2)
## P pkgconfig    2.0.3   2021-11-09 [?] Github (r-lib/pkgconfig@b81ae03)
## P R6           2.5.1   2021-08-19 [?] CRAN (R 4.1.0)
## P renv         0.14.0  2021-07-21 [1] CRAN (R 4.1.0)
## P rlang        0.4.11  2021-04-30 [?] CRAN (R 4.1.0)
## P rmarkdown    2.10    2021-08-06 [?] CRAN (R 4.1.2)
## P scales       1.1.1   2020-05-11 [?] CRAN (R 4.1.0)
## P sessioninfo  1.2.1   2021-11-02 [?] CRAN (R 4.1.0)
## P stringi      1.7.4   2021-08-25 [?] CRAN (R 4.1.2)
## P stringr      1.4.0   2019-02-10 [?] CRAN (R 4.1.0)
## P tibble       3.1.4   2021-08-25 [?] CRAN (R 4.1.2)
## P utf8         1.2.2   2021-07-24 [?] CRAN (R 4.1.0)
## P vctrs        0.3.8   2021-04-29 [?] CRAN (R 4.1.0)
## P withr        2.4.2   2021-04-18 [?] CRAN (R 4.1.0)
## P xfun         0.25    2021-08-06 [?] CRAN (R 4.1.2)
## P yaml         2.2.1   2020-02-01 [?] CRAN (R 4.1.0)
##
## [1] /Users/runner/work/singleCellCourse/singleCellCourse/renv/library/R-4.1/x86_64-apple-darwin17.0
```

```
## [2] /private/var/folders/24/8k48jl6d249_n_qfxwsl6xvm0000gn/T/RtmpT4oPkA/renv-system-library
##
## P -- Loaded and on-disk path mismatch.
##
## -----
```