

```

CROSSTABS
  /TABLES=Gender BY DegreeTypeBScorBA
  /FORMAT=DVALUE TABLES
  /STATISTICS=CHISQ PHI
  /CELLS=COUNT
  /COUNT ROUND CELL
  /BARCHART
  /METHOD=MC CIN(99) SAMPLES(210) .

```

Crosstabs

Case Processing Summary

	Valid		Cases Missing		Total	
	N	Percent	N	Percent	N	Percent
Gender * Degree Type(BSc or BA)	218	100.0%	0	0.0%	218	100.0%

Gender * Degree Type(BSc or BA) Crosstabulation

Count

		Degree Type(BSc or BA)		Total
		Bachelor of Arts (BA)	Bachelor of Science (BSc)	
Gender	Male	61	50	111
	Female	49	58	107
Total		110	108	218

Chi-Square Tests^c

	Value	df	Asymptotic Significance (2- sided)	Exact Sig. (2- sided)	Exact Sig. (1- sided)
Pearson Chi-Square	1.829 ^a	1	.176	.223	.112
Continuity Correction ^b	1.481	1	.224		
Likelihood Ratio	1.831	1	.176	.223	.112
Fisher's Exact Test				.223	.112
N of Valid Cases	218				

P-Value

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 53.01.

b. Computed only for a 2x2 table

c. For 2x2 crosstabulation, exact results are provided instead of Monte Carlo results.

Symmetric Measures

		Value	Approximate Significance	Monte Carlo Significance Significance	99% ... Lower Bound
Nominal by Nominal	Phi	-.092	.176	.233 ^c	.158
	Cramer's V	.092	.176	.233 ^c	.158
N of Valid Cases		218			

Symmetric Measures

		Monte Carlo ... 99% Confidence . Upper Bound
Nominal by Nominal	Phi	.309
	Cramer's V	.309
N of Valid Cases		

c. Based on 210 sampled tables with starting seed 403768731.

