BUILDING A MODEL

My first bayesian regression model

- Given the matched pairs:

$$(x, y) = \{(x_1, y_1), \cdots, (x_n, y_n)\}$$

- Define a likelihood:

$$y_i \sim Normal(\mu_i, \sigma)$$

$$\mu_i = \alpha + \beta x_i$$

- And a set of priors on the parameters:

$$\alpha \sim P(\alpha)$$

$$\beta \sim P(\beta)$$

$$\sigma \sim P(\sigma)$$

}

$$P(y \mid \theta)$$

}

$$P(\theta)$$

My first bayesian regression model

- Given the matched pairs:

$$(x, y) = \{(x_1, y_1), \cdots, (x_n, y_n)\}$$

- Define a likelihood:

$$y_i \sim Normal(\mu_i, \sigma)$$

$$\mu_i = \alpha + \beta x_i$$

$$\left.\vphantom{\begin{array}{c}a\\b\end{array}}\right\} P(y \,|\, \theta)$$

- And a set of priors on the parameters:

$$\alpha \sim P(\alpha)$$

$$\beta \sim P(\beta)$$

$$\sigma \sim P(\sigma)$$

$$\left.\vphantom{\begin{array}{c}a\\b\\c\end{array}}\right\} P(\theta)$$

HOW DO WE CHOOSE THE PRIORS?!

$$\alpha \sim P(\alpha) \text{ ?}$$
$$\beta \sim P(\beta) \text{ ?}$$
$$\sigma \sim P(\sigma) \text{ ?}$$