

Subclass Results

	f1	recall	precision	score
macro	0.5719405853187913	0.4965218652062982	0.8055509930189798	nan
micro	0.7166639547654884	0.7166639547654884	0.7166639547654884	nan
weighted	0.7117595568298316	0.7166639547654884	0.7384442929828834	nan
score	nan	nan	nan	0.5666720904690233

Class Results

	f1	recall	precision	score
macro	0.5692454552216359	0.49370770481493137	0.8032567913929246	nan
micro	0.719321617920243	0.719321617920243	0.719321617920243	nan
weighted	0.7148691043613904	0.719321617920243	0.7409189406648469	nan
score	nan	nan	nan	0.5613567641595141

Group Results

	f1	recall	precision	score
macro	0.5929375722311221	0.5218395752474041	0.8173256246766349	nan
micro	0.732169249752539	0.732169249752539	0.732169249752539	nan
weighted	0.7309253575556618	0.732169249752539	0.7568019583133702	nan
score	nan	nan	nan	0.535661500494922

Division Results

	f1	recall	precision	score
macro	0.6953687697602237	0.6309569070375476	0.8303265951147788	nan
micro	0.7942683968596185	0.7942683968596185	0.7942683968596185	nan
weighted	0.7944264631018635	0.7942683968596185	0.8079294013759704	nan
score	nan	nan	nan	0.4114632062807631