

Subclass Results

	f1	recall	precision	score
macro	0.20309172360211702	0.18170902529831656	0.5434581577799393	nan
micro	0.5627127147486746	0.5627127147486746	0.5627127147486746	nan
weighted	0.5316536407240376	0.5627127147486746	0.5951639304854798	nan
score	nan	nan	nan	0.8745745705026509

Class Results

	f1	recall	precision	score
macro	0.21048102823781298	0.18808982494559354	0.5517395687668415	nan
micro	0.5671398934222837	0.5671398934222837	0.5671398934222837	nan
weighted	0.5379404459213002	0.5671398934222837	0.5998160742926376	nan
score	nan	nan	nan	0.8657202131554326

Group Results

	f1	recall	precision	score
macro	0.2575394248081146	0.23205945733565506	0.5812990661073051	nan
micro	0.5887774749488128	0.5887774749488128	0.5887774749488128	nan
weighted	0.5646813824996051	0.5887774749488128	0.6199624056147139	nan
score	nan	nan	nan	0.8224450501023742

Division Results

	f1	recall	precision	score
macro	0.37760425528794916	0.34399000987867295	0.6418132891922668	nan
micro	0.6749311855076001	0.6749311855076001	0.6749311855076001	nan
weighted	0.6535803714693357	0.6749311855076001	0.6799686596655086	nan
score	nan	nan	nan	0.6501376289847998