

Subclass Results

	f1	recall	precision	score
macro	0.21037592538014324	0.19110138201835755	0.5166400910824859	nan
micro	0.5814121403801369	0.5814121403801369	0.5814121403801369	nan
weighted	0.5550381105175535	0.5814121403801369	0.5866531671268957	nan
score	nan	nan	nan	0.8371757192397262

Class Results

	f1	recall	precision	score
macro	0.2180606185621032	0.19808112314982576	0.5211522721626829	nan
micro	0.5860494442354042	0.5860494442354042	0.5860494442354042	nan
weighted	0.5615044962138108	0.5860494442354042	0.5911903632835374	nan
score	nan	nan	nan	0.8279011115291917

Group Results

	f1	recall	precision	score
macro	0.2665781990024108	0.243295534709151	0.5465561792099147	nan
micro	0.6087681653158147	0.6087681653158147	0.6087681653158147	nan
weighted	0.59104726223669	0.6087681653158147	0.6162786863080716	nan
score	nan	nan	nan	0.7824636693683708

Division Results

	f1	recall	precision	score
macro	0.39312818480546496	0.36065809289197687	0.6304470969974668	nan
micro	0.6901040342509636	0.6901040342509636	0.6901040342509636	nan
weighted	0.678252998855742	0.6901040342509636	0.6941439572476835	nan
score	nan	nan	nan	0.6197919314980729