

Subclass Results

	f1	recall	precision	score
macro	0.232626161960309	0.21013810575113986	0.5682221839521828	nan
micro	0.6161642869733827	0.6161642869733827	0.6161642869733827	nan
weighted	0.5893288902661289	0.6161642869733827	0.6249646811106894	nan
score	nan	nan	nan	0.7676714260532346

Class Results

	f1	recall	precision	score
macro	0.24071359606682377	0.21725444486056206	0.5768104249622423	nan
micro	0.6207406202117994	0.6207406202117994	0.6207406202117994	nan
weighted	0.5959227905335168	0.6207406202117994	0.6293933999453698	nan
score	nan	nan	nan	0.758518759576401

Group Results

	f1	recall	precision	score
macro	0.2919326654106475	0.2650314692722202	0.6021995672438337	nan
micro	0.6421544698911171	0.6421544698911171	0.6421544698911171	nan
weighted	0.624554354080067	0.6421544698911171	0.6537173791504068	nan
score	nan	nan	nan	0.7156910602177656

Division Results

	f1	recall	precision	score
macro	0.4198144136112363	0.3850905071911456	0.666664906665213	nan
micro	0.7182978752254268	0.7182978752254268	0.7182978752254268	nan
weighted	0.7067311322229691	0.7182978752254268	0.7238084913787713	nan
score	nan	nan	nan	0.5634042495491465