

Subclass Results

	f1	recall	precision	score
macro	0.45168759662623226	0.43111198312672516	0.6647173107957977	nan
micro	0.7320838375723308	0.7320838375723308	0.7320838375723308	nan
weighted	0.7239636192518301	0.7320838375723308	0.7361482112919329	nan
score	nan	nan	nan	0.5358323248553385

Class Results

	f1	recall	precision	score
macro	0.45229372317041294	0.4321059072232677	0.6647002690488153	nan
micro	0.7373008044095065	0.7373008044095065	0.7373008044095065	nan
weighted	0.729527648201039	0.7373008044095065	0.7407863670162087	nan
score	nan	nan	nan	0.5253983911809871

Group Results

	f1	recall	precision	score
macro	0.5196733940483307	0.49049519610396813	0.7176827681469777	nan
micro	0.7631212309194269	0.7631212309194269	0.7631212309194269	nan
weighted	0.7589431449243726	0.7631212309194269	0.7663669795112378	nan
score	nan	nan	nan	0.4737575381611463

Division Results

	f1	recall	precision	score
macro	0.6857419023640355	0.6490412146722591	0.7995939287711477	nan
micro	0.8260705968494808	0.8260705968494808	0.8260705968494808	nan
weighted	0.8242792302147292	0.8260705968494808	0.8257249770833444	nan
score	nan	nan	nan	0.3478588063010383