

Subclass Results

	f1	recall	precision	score
macro	0.6630480638408679	0.6313963880466236	0.7994194292910748	nan
micro	0.8034027233990624	0.8034027233990624	0.8034027233990624	nan
weighted	0.8011861382634239	0.8034027233990624	0.8083071964869495	nan
score	nan	nan	nan	0.39319455320187524

Class Results

	f1	recall	precision	score
macro	0.6588448637813976	0.6264269101776175	0.7958121766117644	nan
micro	0.8047857789348438	0.8047857789348438	0.8047857789348438	nan
weighted	0.8027156579482537	0.8047857789348438	0.8095237247210199	nan
score	nan	nan	nan	0.3904284421303123

Group Results

	f1	recall	precision	score
macro	0.687216957855779	0.6489895429360137	0.8103725104508348	nan
micro	0.8136230970274475	0.8136230970274475	0.8136230970274475	nan
weighted	0.8127912518966423	0.8136230970274475	0.8179888272621556	nan
score	nan	nan	nan	0.3727538059451049

Division Results

	f1	recall	precision	score
macro	0.7871046072865218	0.7469877745306078	0.8530040646066023	nan
micro	0.8447825246865244	0.8447825246865244	0.8447825246865244	nan
weighted	0.8442190581397527	0.8447825246865244	0.8457162253621076	nan
score	nan	nan	nan	0.31043495062695126